

20

Idaho Vital Statistics

04



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Idaho Department of Health and Welfare
Bureau of Health Policy and Vital Statistics

2004 Idaho Vital Statistics

For more information on this report or other vital statistics, please contact the Bureau of Health Policy and Vital Statistics at (208) 334-5977. This report and other reports from the Bureau of Health Policy and Vital Statistics are available on the web at www.healthy.idaho.gov under Health Statistics.

Suggested citation: *Idaho Vital Statistics 2004*, Idaho Department of Health and Welfare, Division of Health, Bureau of Health Policy and Vital Statistics, 2006.

2004 Idaho Vital Statistics' Annual Report
[Click on Bolded Title to Link to Section](#)

	Page
DEFINITIONS AND FORMULAS	vi
POPULATION	1
July 1, 1998-1999 and 2003-2004 population estimates, 1990 and 2000 census, and percent change (<i>U.S., states</i>).....	2
July 1, 1998-1999 and 2003-2004 population estimates, 2000 census, and percent change (<i>districts, counties</i>).....	3
July 1, 2004 population estimates, 1990 and 2000 census, and percent change (<i>cities</i>)	5
July 1, 2004 population estimates by race/ethnicity (<i>Idaho, districts, counties</i>)	9
July 1, 2004 population estimates by age and sex (<i>Idaho, districts, counties</i>).....	10
July 1, 2004 population estimates by single years of age	14
TRENDS AND SUMMARY	15
Idaho vital statistics, 1995-2004	16
Summary of 2004 births, deaths, marriages, divorces (<i>U.S., Idaho, districts, counties</i>)	18
Summary of 2004 infant, fetal, perinatal mortality (<i>U.S., Idaho, districts, counties</i>)	19
Live births, number and rate, 1921-2004.....	20
Teen pregnancies, number and rate by age, 1995-2004	21
Teen live births, number and rate by age, 1995-2004	21
Deaths, number and rate, 1921-2004.....	22
Marriage and divorces, number and rate, 1951-2004	23
Idaho vital events, 2004.....	24
NATALITY	25
Live births and rates, 2000-2004 (<i>U.S., Idaho, districts, counties</i>).....	30
2004 Live births: sex and race/ethnicity (<i>Idaho, districts, counties</i>)	31
2004 Live births: age of mother (<i>Idaho, districts, counties</i>).....	32
2004 Live births: education of mother (<i>Idaho, districts, counties</i>)	33
2004 Live births: attendant at birth (<i>Idaho, districts, counties</i>)	34
2004 Live births: place of birth (<i>Idaho, districts, counties</i>).....	35
2004 Live births: birth and fertility rates (<i>U.S., Idaho, districts, counties</i>).....	36
2004 Live births: live birth order by age of mother	37
2004 Live births: fertility and age-specific rates (<i>U.S., Idaho</i>)	37
<i>Prenatal care</i>	38
2004 Live births: trimester when prenatal care began (<i>Idaho, districts, counties</i>).....	39
2004 Live births: APNCU Index of prenatal care (<i>Idaho, districts, counties</i>).....	40
2004 Low birth weight live births: race/ethnicity of mother (<i>Idaho, districts, counties</i>).....	41
2004 Low birth weight live births: age of mother (<i>Idaho, districts, counties</i>)	42
2004 Low birth weight live births: live birth order by age of mother.....	43
2004 Low birth weight live births: age-specific percents (<i>U.S., Idaho</i>).....	43
2004 Low birth weight live births: weight at birth (<i>Idaho, districts, counties</i>).....	44
2004 Live births: Apgar scores	45
2004 Live births: birth weight by plurality.....	45
<i>Out-of-wedlock live births</i>	46
2004 Out-of-wedlock live births: race/ethnicity of mother (<i>Idaho, districts, counties</i>).....	48
2004 Out-of-wedlock live births: age of mother (<i>Idaho, districts, counties</i>).....	49
2004 Out-of-wedlock live births: live birth order by age of mother	50
2004 Out-of-wedlock live births: age-specific percents (<i>U.S., Idaho</i>).....	50
2004 Live births: risk factors, infections present and/or treated during pregnancy by age of mother	51
2004 Live births: risk factors, infections present and/or treated during pregnancy	51

2004 Live births: maternal morbidity (complications), characteristics of labor and delivery by age of mother	52
2004 Live births: maternal morbidity (complications), characteristics of labor and delivery.....	52
2004 Live births: abnormal conditions of the newborn, congenital anomalies	53
2004 Live births: cigarette smoking by age of mother.....	54
2004 Live births: cigarette smoking by race and ethnicity of mother	54
2004 Live births: cigarette smoking before and during pregnancy by trimester (<i>Idaho, districts</i>)	55
2004 Live births: gestational age in weeks (<i>Idaho, districts</i>).....	55
2004 Live births: method of delivery (<i>U.S., Idaho, districts</i>).....	56
2004 Live births: method of delivery by age of mother	56
2004 Live births: main payment source for delivery (<i>U.S., Idaho, districts</i>)	57
2004 Live births: main payment source for delivery by age of mother	57
2004 Teen pregnancy summary (<i>U.S., Idaho</i>).....	58
2004 Teen pregnancy: total pregnancies and rates by age of mother (<i>Idaho, districts, counties</i>)...	61
2004 Teen live births: age of mother (<i>Idaho, districts, counties</i>).....	62
2004 Teen live births: out-of-wedlock percents by age of mother ((<i>Idaho, districts, counties</i>)	63
2004 Teen live births: low birth weight percents by age of mother (<i>Idaho, districts, counties</i>)	64
2004 Teen abortions: abortions, ratios and rates by age of patient (<i>Idaho, districts, counties</i>).....	65
Most common given names and selected unique names, 2004	66
MORTALITY	67
Deaths and rates, 2000-2004 (<i>U.S., Idaho, districts, counties</i>).....	69
2004 Deaths: sex and race/ethnicity (<i>Idaho, districts, counties</i>).....	70
2004 Deaths: age at death (<i>Idaho, districts, counties</i>).....	71
2004 Deaths: ten leading causes, percent of deaths, crude rates and age-adjusted rates (<i>U.S., Idaho</i>).....	72
2004 Deaths: ten leading causes by sex, percent of deaths, crude rates and age-adjusted rates (<i>U.S., Idaho</i>).....	73
2004 Deaths: ten leading causes, by age groups	74
2004 Deaths: ten leading causes of premature deaths, total and by sex, based on Years of Potential Life Lost before age 75	75
2004 Deaths: primary site of malignant neoplasms by sex	76
2004 Deaths: selected causes (<i>Idaho, districts, counties</i>).....	78
2004 Deaths: 113 selected causes by age	80
2004 Deaths: accidental deaths by age	86
2004 Deaths: accidental deaths by place of injury, accident type and age.....	90
2004 Deaths: work injury deaths occurring in Idaho by manner, sex and age.....	91
2004 Deaths: accidental work injury deaths occurring in Idaho by industry and place of injury	91
2004 Deaths: firearm injury, alcohol-induced, and drug-induced deaths (<i>U.S., Idaho, districts</i>) by age and sex (<i>Idaho</i>)	92
2004 Deaths: life expectancy, by sex (<i>Idaho, districts</i>).....	93
<i>Infant, fetal, and maternal mortality</i>	94
Infant deaths and rates, 2000-2004 (<i>U.S., Idaho, districts, counties</i>)	96
2004 Infant deaths: sex and race/ethnicity (<i>Idaho, districts, counties</i>).....	97
2004 Infant deaths: causes of death, neonatal and postneonatal.....	98
2004 Infant deaths and rates: age of mother	98
2004 Infant deaths: causes of death (<i>Idaho, districts, counties</i>).....	99
2004 Infant deaths: neonatal, postneonatal (<i>U.S., Idaho, districts, counties</i>).....	100
Infant mortality: three-year rates, 1993-1995 through 2002-2004 (<i>districts, counties</i>).....	101
Stillbirths and ratios, 2000-2004 (<i>Idaho, districts, counties</i>).....	102
Perinatal deaths and ratios, 2000-2004 (<i>Idaho, districts, counties</i>).....	103
2004 Reported morbidity in Idaho from selected diseases (<i>Idaho, districts, counties</i>).....	104
Reported morbidity statewide from selected diseases, 2000-2004.....	106

INDUCED ABORTION	107
2004 Induced abortions in Idaho and to Idaho residents (<i>Idaho, districts, counties</i>).....	108
2004 Induced abortions to Idaho residents: ratios and race/ethnicity (<i>Idaho, districts, counties</i>) ...	109
2004 Induced abortions to Idaho residents: age (<i>Idaho, districts, counties</i>)	110
2004 Induced abortions in Idaho: procedure by length of gestation	111
2004 Induced abortions in Idaho: procedure by complications	111
2004 Induced abortions in Idaho: age of patient by marital status	112
2004 Induced abortions in Idaho: previous abortions, living children	112
 MARRIAGE AND DIVORCE	 113
Marriages, 1995-2004 (<i>Idaho, districts, counties</i>)	114
2004 Marriages: age of groom by age of bride.....	115
2004 Marriages: race/ethnicity of groom by race/ethnicity of bride	115
2004 Marriages: age of bride by previous marital status	116
2004 Marriages: age of groom by previous marital status.....	116
2004 Marriages: occurrence by Idaho residence (<i>Idaho, districts, counties</i>)	117
Divorces, 1995-2004 (<i>Idaho, districts, counties, tribal courts</i>).....	118
2004 Divorces: number this marriage (husband, wife).....	119
Divorces, 2002-2004: duration of marriage	119
2004 Divorces: number of children <18 years of age in household	120
2004 Divorces: legal grounds	120
2004 Divorces: occurrence by Idaho residence (<i>Idaho, districts, counties</i>)	121
 DISTRICT AND COUNTY PROFILE	 123
Counties comprising Idaho public health districts.....	123
2004 Vital statistics profile of Idaho by district and county	124
 TECHNICAL NOTES	 131
Natality.....	131
Mortality	141
Population.....	145

<p>For more information contact: Bureau of Health Policy and Vital Statistics 450 West State – 1st Floor PO Box 83720 Boise, ID 83720-0036 Telephone: (208) 334-5977</p>

DEFINITIONS AND FORMULAS

RESIDENCE DATA -- data allocated by place of residence of the registrant, or by place of residence of the infant's mother (births, stillbirths)

OCCURRENCE DATA -- data allocated by place where event occurred, regardless of the person's place of residence

LIVE BIRTH -- a birth that shows any sign of life after delivery

(CRUDE) BIRTH RATE -- number of live births per 1,000 population

$$\frac{\text{live births}}{\text{population}} \times 1,000$$

FERTILITY RATE -- number of live births per 1,000 women 15-44 years of age

$$\frac{\text{live births}}{\text{females 15-44}} \times 1,000$$

OUT-OF-WEDLOCK BIRTH -- a live birth to a woman who was not married at conception, birth, or anytime between

OUT-OF-WEDLOCK RATE (percent) -- number of out-of-wedlock live births per 100 live births

$$\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 100$$

LOW BIRTH WEIGHT -- a live birth weighing under 2,500 grams (5 ½ pounds or less)

LOW BIRTH WEIGHT RATE (percent) -- number of low birth weight live births per 100 live births with stated birth weight

$$\frac{\text{low birth weight live births}}{\text{live births with stated birth weight}} \times 100$$

STILLBIRTH -- a spontaneous fetal death of at least 20 weeks gestation or a weight of at least 350 grams (does not include any induced abortions)

STILLBIRTH RATIO -- number of stillbirths per 1,000 live births

$$\frac{\text{stillbirths}}{\text{live births}} \times 1,000$$

INFANT DEATH -- death of an infant under 1 year of age

INFANT MORTALITY RATE -- number of infant deaths per 1,000 live births

$$\frac{\text{infant deaths}}{\text{live births}} \times 1,000$$

NEONATAL DEATH -- death of an infant within the first 27 days of life

NEONATAL MORTALITY RATE -- number of neonatal deaths per 1,000 live births

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1,000$$

POSTNEONATAL DEATH -- death of an infant 28 days through 11 months of life

POSTNEONATAL MORTALITY RATE -- number of postneonatal deaths per 1,000 live births

$$\frac{\text{postneonatal}}{\text{live births}} \times 1,000$$

DEFINITIONS AND FORMULAS (continued)

PERINATAL DEATH -- includes stillbirths and deaths of infants within the first 6 days of life

PERINATAL MORTALITY RATIO -- number of perinatal deaths per 1,000 live births

$$\frac{\text{perinatal deaths}}{\text{live births}} \times 1,000$$

MATERNAL DEATH -- death attributable to complications of pregnancy, childbirth, or the puerperium based on ICD-10 codes A34, O00-O95, and O98-O99.

MATERNAL MORTALITY RATE -- number of maternal deaths per 100,000 live births

$$\frac{\text{maternal deaths}}{\text{live births}} \times 100,000$$

(CRUDE) DEATH RATE -- number of deaths per 1,000 population

$$\frac{\text{deaths}}{\text{population}} \times 1,000$$

CAUSE-SPECIFIC DEATH RATE -- number of deaths from a specific cause per 100,000 population

$$\frac{\text{deaths from specific cause}}{\text{population}} \times 100,000$$

AGE-ADJUSTED DEATH RATE (DIRECT METHOD) -- number of deaths per 100,000 standard population. Age-adjusted death rates are artificial measurements and should be used only to compare to other age-adjusted death rates calculated using the same standard population. Idaho and U.S. age-adjusted rates shown were calculated using the 2000 population estimate as the standard population.

$$\frac{\text{Sum of (age-specific death rates per 100,000 for selected population x standard population in corresponding age groups)}}{\text{Sum of standard population}}$$

INDUCED ABORTION -- a legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{Females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

DEFINITIONS AND FORMULAS (continued)

In this publication, there are references to preliminary and provisional U.S. data. If the U.S. statistics are not noted as preliminary or provisional, they are considered final. The following definitions have been added to clarify the differences among the three types of U.S. data.

U.S. Provisional Data

Prior to 1996, the National Center for Health Statistics (NCHS) released U.S. vital data and rates in two basic forms: provisional and final. Provisional data are based on monthly summary counts of birth, death, marriage, and divorce records received in state vital registration offices. Rates for 12-month periods, January through December, are the sum of events for the period per population estimated at the midpoint of the period. Provisional divorce rates are based on 46 reporting states and the District of Columbia; populations have been estimated by NCHS for the 12-month divorce rates based on these reporting states. The 2004 U.S. marriage and divorce statistics in this publication are provisional measures. Final data for 2004 may differ from the provisional estimates.

U.S. Preliminary Data

In 1996, the National Center for Health Statistics (NCHS) introduced a new statistical series for births and deaths: preliminary vital data. Preliminary vital data are based on a continuous flow of records received and processed by NCHS by a specified date (May 25, 2005, for births in 2004¹ and September 12, 2005 for deaths in 2004²). For live births, these records represent 99.1 percent of the births that occurred in the United States during 2004. For deaths, this comprises approximately 90 percent of death records in the 50 states and the District of Columbia in 2004. To develop the preliminary U.S. birth and death estimates, the records were weighted using independent control counts of births and deaths, registered in state vital statistics offices during calendar year 2004. The ability to produce preliminary estimates has been made possible by more expeditious electronic transmittal of data from the states to NCHS and by more rapid data processing at NCHS. The 2004 U.S. birth and death data in this publication are preliminary measures. Final birth and death statistics for 2004 may differ from the preliminary estimates.

U.S. Final Data

Final U.S. vital statistics are based on events in the 50 states and the District of Columbia. The National Center for Health Statistics believes that more than 99 percent of the births and deaths occurring in this country are registered through the state vital registration system.^{3,4}

1. "Births: Preliminary Data for 2004," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 54, No. 8, December 29, 2005.

2. "Deaths: Preliminary Data for 2004," [National Vital Statistics Reports](#), National Center for Health Statistics, Health E-Stats. Released April 19, 2006.

3. "Births: Final Data for 2003," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 54, No. 2, September 8, 2005.

4. "Deaths: Final Data for 2003," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 54, No. 13, April 19, 2005.

VITAL REGISTRATION AND DATA COLLECTION

The Idaho Bureau of Health Policy and Vital Statistics is responsible for managing Idaho's vital records program, and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

Births, Deaths, and Stillbirths

Registration of births, deaths, and stillbirths is a legal requirement. The attending physician, midwife, or parent must file the birth certificate with the local registrar within 15 days of the birth. Most certificates of births occurring at Idaho hospitals are filed electronically. Death certificates are usually completed by physicians, coroners, and funeral directors. The certificate must be filed with the county's local registrar within five days from the date of death. A stillbirth certificate must be filed for all spontaneous fetal deaths of at least 20 weeks gestation or with a weight of at least 350 grams.

Unless otherwise stated, birth, death, and stillbirth data contained in this report are provided for Idaho residents, regardless of where the event occurred. There is an agreement among all registration areas in the United States for resident exchange of copies of birth, death, and stillbirth certificates.

Marriages and Divorces

Idaho vital statistics law makes marriages and divorces occurring in Idaho reportable events. Marriages are registered with the county recorder in the county where the license was issued; divorces are filed with the clerk of the court where the divorce was granted. These records are then forwarded to the Bureau of Health Policy and Vital Statistics. There is no agreement among states to exchange certificates of resident marriages or divorces that occur out of state. Marriage and divorce data provided in this annual report are based on events occurring in Idaho, regardless of the party's residence.

Induced Abortions

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The Bureau of Health Policy and Vital Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho residents and abortions occurring in Idaho.

POPULATION

State and county 2004 postcensal estimates became available from the U.S. Bureau of the Census in April of 2005. Idaho's population increased by 99,309 (7.7 percent) from 1,293,953 in 2000 to 1,393,262 in 2004. From 2000 to 2004, the Mountain states (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming) experienced a higher growth rate than any other region. In the Mountain region, Nevada (16.9 percent), and Arizona (11.9 percent) experienced a higher growth rate than Idaho's 7.7 percent.

Idaho counties that experienced the largest percentage increases from April 1, 2000, to July 1, 2004, were Teton, Canyon, Kootenai, and Madison. Numerically, Ada, Canyon, Kootenai, and Bonneville gained the most population. Clark, Shoshone, Clearwater, and Custer reflected the greatest percentage decreases. Numerically, Minidoka, Shoshone, Clearwater, and Elmore experienced the greatest losses in population from 2000 to 2004.

Change, April 1, 2000 to July 1, 2004

<u>County</u>	<u>Percent Change</u>	<u>County</u>	<u>Numeric Change</u>
Teton	+20.9%	Ada	+31,619
Canyon	20.2	Canyon	26,597
Kootenai	12.6	Kootenai	13,665
Madison	12.1	Bonneville	7,131
Clark	-11.4	Minidoka	-945
Shoshone	-6.9	Shoshone	-944
Clearwater	-6.0	Clearwater	-537
Custer	-5.3	Elmore	-252

The U.S. Census Bureau has developed and disseminated detailed Census demographic data at the county level. Population by county for 2004 are available by race and ethnic origin, including the new federally-mandated race categories implemented with the 2000 Census. These categories include more than one race by 5-year age groups and by sex. From 2000 to 2004, Idaho population for whites increased by 93,071 (7.4 percent), blacks by 2,598 (34.3 percent), Native Americans by 1,356 (6.6 percent), and Asians and Pacific Islanders by 2,284 (15.0 percent). Persons of Hispanic ethnicity may be of any race and are included in the appropriate race totals. The Hispanic population increased 21.8 percent from 101,690 in 2000 to 123,900 in 2004.

Of the Idaho cities with at least 1,000 population in 2000, the highest growth rates from 2000 to 2004 were in Kuna (+75.8 percent), Ammon (+57.8 percent), Eagle (+45.9 percent), Rexburg (+43.3 percent), and Middleton (+36.7 percent). Cities under 1,000 in 2000 with highest growth rates were Victor (+44.8 percent), Dover (+37.7 percent), Hagerman (+28.4 percent), Melba (+21.2 percent), and Notus (+11.6 percent).

RESIDENT POPULATION OF STATES
April 1, 1990 and April 1, 2000 Census
July 1, 1998-July 1, 1999 and July 1, 2003-July 1, 2004 Estimates¹

(In thousands. Includes Armed Forces residing in each state.)

REGION, DIVISION, AND STATE	ESTIMATES		CENSUS	ESTIMATES		CENSUS	CHANGE 4/1/00 TO 7/1/04	
	July 1, 2004	July 1, 2003	April 1, 2000	July 1, 1999	July 1, 1998	April 1, 1990	Number	Percent
UNITED STATES, TOTAL	293,655	290,789	281,422	272,691	270,248	248,765	12,233	4.3%
NORTHEAST:	54,571	54,426	53,594	51,830	51,686	50,828	977	1.8
Middle Atlantic	40,332	40,226	39,672	38,334	38,257	37,621	660	1.7
New England	14,239	14,201	13,923	13,496	13,429	13,207	316	2.3
MIDWEST:	65,730	65,429	64,393	63,242	62,951	59,669	1,337	2.1
East North Central	46,032	45,843	45,155	44,442	44,257	42,009	877	1.9
West North Central	19,698	19,586	19,238	18,800	18,693	17,660	460	2.4
SOUTH:	105,945	104,491	100,237	96,468	95,349	85,456	5,708	5.7
East South Central	17,480	17,350	17,023	16,583	16,469	15,180	457	2.7
South Atlantic	55,183	54,310	51,769	49,560	48,927	43,571	3,414	6.6
West South Central	33,282	32,831	31,445	30,326	29,953	26,704	1,837	5.8
WEST:	67,409	66,442	63,198	61,150	60,263	52,812	4,211	6.7
Mountain	19,799	19,387	18,172	17,127	16,805	13,659	1,627	9.0
Pacific	47,610	47,055	45,026	44,023	43,458	39,153	2,584	5.7
NEW ENGLAND:								
Connecticut	3,504	3,487	3,406	3,282	3,273	3,287	98	2.9
Maine	1,317	1,309	1,275	1,253	1,248	1,228	42	3.3
Massachusetts	6,417	6,420	6,349	6,175	6,144	6,016	68	1.1
New Hampshire	1,300	1,289	1,236	1,201	1,186	1,109	64	5.1
Rhode Island	1,081	1,076	1,048	991	988	1,003	33	3.1
Vermont	621	619	609	594	591	563	12	2.0
MIDDLE ATLANTIC:								
New Jersey	8,699	8,642	8,414	8,143	8,096	7,748	285	3.4
New York	19,227	19,212	18,976	18,197	18,159	17,991	251	1.3
Pennsylvania	12,406	12,371	12,281	11,994	12,002	11,883	125	1.0
EAST NORTH CENTRAL:								
Illinois	12,714	12,649	12,419	12,128	12,070	11,431	295	2.4
Indiana	6,238	6,200	6,080	5,943	5,908	5,544	158	2.6
Michigan	10,113	10,082	9,938	9,864	9,820	9,295	175	1.8
Ohio	11,459	11,438	11,353	11,257	11,238	10,847	106	0.9
Wisconsin	5,509	5,474	5,364	5,250	5,222	4,892	145	2.7
WEST NORTH CENTRAL:								
Iowa	2,954	2,942	2,926	2,869	2,861	2,777	28	1.0
Kansas	2,736	2,725	2,688	2,654	2,639	2,478	48	1.8
Minnesota	5,101	5,064	4,919	4,776	4,726	4,376	182	3.7
Missouri	5,755	5,719	5,595	5,468	5,438	5,117	160	2.9
Nebraska	1,747	1,737	1,711	1,666	1,661	1,578	36	2.1
North Dakota	634	633	642	634	638	639	-8	-1.2
South Dakota	771	765	755	733	731	696	16	2.1
SOUTH ATLANTIC:								
Delaware	830	818	784	754	744	666	46	5.9
District of Columbia	554	558	572	519	521	607	-18	-3.2
Florida	17,397	16,999	15,982	15,111	14,908	12,938	1,415	8.9
Georgia	8,829	8,676	8,186	7,788	7,637	6,478	643	7.9
Maryland	5,558	5,512	5,296	5,172	5,130	4,781	262	4.9
North Carolina	8,541	8,421	8,049	7,651	7,546	6,632	492	6.1
South Carolina	4,198	4,149	4,012	3,886	3,840	3,486	186	4.6
Virginia	7,460	7,365	7,079	6,873	6,789	6,189	381	5.4
West Virginia	1,815	1,811	1,808	1,807	1,812	1,793	7	0.4
EAST SOUTH CENTRAL:								
Alabama	4,530	4,504	4,447	4,370	4,351	4,040	83	1.9
Kentucky	4,146	4,118	4,042	3,961	3,934	3,687	104	2.6
Mississippi	2,903	2,883	2,845	2,769	2,751	2,575	58	2.0
Tennessee	5,901	5,845	5,689	5,484	5,433	4,877	212	3.7
WEST SOUTH CENTRAL:	33,282	32,831						
Arkansas	2,753	2,728	2,673	2,551	2,538	2,351	80	3.0
Louisiana	4,516	4,494	4,469	4,372	4,363	4,222	47	1.0
Oklahoma	3,524	3,506	3,451	3,358	3,339	3,146	73	2.1
Texas	22,490	22,103	20,852	20,044	19,712	16,986	1,638	7.9
MOUNTAIN:								
Arizona	5,744	5,579	5,131	4,778	4,667	3,665	613	11.9
Colorado	4,601	4,548	4,301	4,056	3,969	3,294	300	7.0
Idaho	1,393	1,367	1,294	1,252	1,231	1,007	99	7.7
Montana	927	918	902	883	880	799	25	2.8
Nevada	2,335	2,242	1,998	1,809	1,744	1,202	337	16.9
New Mexico	1,903	1,879	1,819	1,740	1,734	1,515	84	4.6
Utah	2,389	2,352	2,233	2,130	2,101	1,723	156	7.0
Wyoming	507	502	494	480	480	454	13	2.5
PACIFIC:								
Alaska	655	648	627	620	615	550	28	4.5
California	35,894	35,463	33,872	33,145	32,683	29,786	2,022	6.0
Hawaii	1,263	1,249	1,212	1,185	1,190	1,108	51	4.2
Oregon	3,595	3,564	3,421	3,316	3,282	2,842	174	5.1
Washington	6,204	6,131	5,894	5,756	5,688	4,867	310	5.3

1. July 1, 1998 - July 1, 1999 Estimates are based on 1990 Census data and include resolution corrections processed through December 1999

Source: U.S. Census Bureau, 1990 and 2000 Census: Internet release April 2, 2001; 1998-1999: Internet release December 28, 1999; 2003-2004: Internet release December 22, 2004.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census
July 1, 1998 - July 1, 1999 and July 1, 2003 - July 1, 2004 Estimates
Idaho, Districts and Counties


RESIDENCE	ESTIMATES ¹		CENSUS	ESTIMATES ²		CENSUS	CHANGE 4/1/00 TO 7/1/04	
	July 1, 2004	July 1, 2003	April 1, 2000	July 1, 1999	July 1, 1998	April 1, 1990	Number	Percent
IDAHO	1,393,262	1,366,332	1,293,953	1,251,700	1,230,923	1,006,734	99,309	7.7%
District 1	194,406	188,838	178,333	173,575	169,414	126,617	16,073	9.0
District 2	100,754	100,348	100,533	97,754	97,858	90,160	221	0.2
District 3	220,096	213,465	191,297	184,924	179,941	138,550	28,799	15.1
District 4	376,733	369,002	344,355	322,198	314,113	236,598	32,378	9.4
District 5	168,624	167,444	162,397	158,710	157,188	136,831	6,227	3.8
District 6	159,076	158,266	156,906	157,670	156,607	139,384	2,170	1.4
District 7	173,573	168,969	160,132	156,869	155,802	138,594	13,441	8.4
Ada	332,523	325,151	300,904	283,402	275,623	205,775	31,619	10.5
Adams	3,451	3,515	3,476	3,787	3,785	3,254	-25	-0.7
Bannock	75,672	75,630	75,565	74,881	74,272	66,026	107	0.1
Bear Lake	6,323	6,306	6,411	6,561	6,511	6,084	-88	-1.4
Benewah	8,961	9,029	9,171	9,066	9,088	7,937	-210	-2.3
Bingham	43,205	42,926	41,735	42,127	41,825	37,583	1,470	3.5
Blaine	21,103	20,791	18,991	17,326	17,203	13,552	2,112	11.1
Boise	7,362	7,236	6,670	5,311	5,121	3,509	692	10.4
Bonner	39,872	39,162	36,835	36,071	35,338	26,622	3,037	8.2
Bonneville	89,653	87,007	82,522	81,536	80,699	72,207	7,131	8.6
Boundary	10,396	10,173	9,871	9,977	9,820	8,332	525	5.3
Butte	2,838	2,873	2,899	3,012	3,041	2,918	-61	-2.1
Camas	1,013	1,049	991	865	841	727	22	2.2
Canyon	158,038	151,508	131,441	124,442	120,385	90,076	26,597	20.2
Caribou	7,213	7,152	7,304	7,273	7,403	6,963	-91	1.2
Cassia	21,393	21,610	21,416	21,573	21,324	19,532	-23	-0.1
Clark	906	904	1,022	913	889	762	-116	-11.4
Clearwater	8,393	8,401	8,930	9,359	9,347	8,505	-537	-6.0
Custer	4,114	4,090	4,342	4,089	4,091	4,133	-228	-5.3
Elmore	28,878	28,872	29,130	25,627	25,359	21,205	-252	-0.9
Franklin	12,199	11,874	11,329	11,350	11,113	9,232	870	7.7
Fremont	12,263	12,107	11,819	11,890	11,933	10,937	444	3.8
Gem	15,963	15,795	15,181	15,145	14,849	11,844	782	5.2
Gooding	14,346	14,329	14,155	13,743	13,658	11,633	191	1.3
Idaho	15,616	15,413	15,511	15,030	15,007	13,768	105	0.7
Jefferson	20,782	20,194	19,155	19,949	19,534	16,543	1,627	8.5
Jerome	19,279	18,913	18,342	18,110	17,957	15,138	937	5.1
Kootenai	122,350	117,481	108,685	104,807	101,305	69,795	13,665	12.6
Latah	35,169	35,087	34,935	32,509	32,667	30,617	234	0.7
Lemhi	7,820	7,731	7,806	7,978	8,041	6,899	14	0.2
Lewis	3,753	3,748	3,747	3,943	3,995	3,516	6	0.2
Lincoln	4,326	4,321	4,044	3,839	3,778	3,308	282	7.0
Madison	30,782	29,878	27,467	24,806	25,125	23,674	3,315	12.1
Minidoka	19,229	19,349	20,174	20,284	20,205	19,361	-945	-4.7
Nez Perce	37,823	37,699	37,410	36,913	36,842	33,754	413	1.1
Oneida	4,143	4,132	4,125	4,062	4,030	3,492	18	0.4
Owyhee	10,998	11,186	10,644	10,406	10,254	8,392	354	3.3
Payette	21,587	21,466	20,578	20,846	20,450	16,434	1,009	4.9
Power	7,483	7,373	7,538	8,404	8,412	7,086	-55	-0.7
Shoshone	12,827	12,993	13,771	13,654	13,863	13,931	-944	-6.9
Teton	7,253	7,058	5,999	5,708	5,490	3,439	1,254	20.9
Twin Falls	67,935	67,082	64,284	62,970	62,222	53,580	3,651	5.7
Valley	7,970	7,743	7,651	7,858	8,010	6,109	319	4.2
Washington	10,059	9,995	9,977	10,298	10,218	8,550	82	0.8

1. 2003-2004 population estimates based on 2000 Census.

2. 1998-1999 population estimates based on 1990 Census.

Source: U.S. Bureau of the Census: 1990 Census, 1998-1999 Estimates: Internet release September 15, 2000; 2000 Census: Internet release March 23, 2001; 2003 Estimates Internet release April 9, 2004; 2004 Estimates Internet release April 14, 2005.

IDAHO RESIDENT POPULATION Percent Change, 2000 - 2004



IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2004 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2004	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
		4/1/90 TO 4/1/00			4/1/00 TO 7/1/04			
Aberdeen	Bingham	1,827	1,840	1,406	434	30.9	-13	-0.7
Acequia	Minidoka	137	144	106	38	35.8	-7	-4.9
Albion	Cassia	259	262	305	-43	-14.1	-3	-1.1
American Falls	Power	3,985	4,111	3,757	354	9.4	-126	-3.1
Ammon	Bonneville	9,763	6,187	5,002	1,185	23.7	3,576	57.8
Arco	Butte	1,001	1,026	1,016	10	1.0	-25	-2.4
Arimo	Bannock	333	348	311	37	11.9	-15	-4.3
Ashton	Fremont	1,126	1,129	1,114	15	1.3	-3	-0.3
Athol	Kootenai	703	676	346	330	95.4	27	4.0
Atomic City	Bingham	25	25	25	-	-	-	-
Bancroft	Caribou	368	382	393	-11	-2.8	-14	-3.7
Basalt	Bingham	426	419	407	12	2.9	7	1.7
Bellevue	Blaine	2,201	1,876	1,275	601	47.1	325	17.3
Blackfoot	Bingham	10,707	10,419	9,646	773	8.0	288	2.8
Bliss	Gooding	262	275	185	90	48.6	-13	-4.7
Bloomington	Bear Lake	242	251	197	54	27.4	-9	-3.6
Boise City	Ada	190,122	185,787	126,685	59,102	46.7	4,335	2.3
Bonnars Ferry	Boundary	2,698	2,515	2,193	322	14.7	183	7.3
Bovill	Latah	295	305	256	49	19.1	-10	-3.3
Buhl	Twin Falls	3,966	3,985	3,516	469	13.3	-19	-0.5
Burley	Cassia, Minidoka	9,180	9,316	8,702	614	7.1	-136	-1.5
Butte City	Butte	75	76	59	17	28.8	-1	-1.3
Caldwell	Canyon	32,718	25,967	18,586	7,381	39.7	6,751	26.0
Cambridge	Washington	355	360	374	-14	-3.7	-5	-1.4
Carey	Blaine	521	513	427	86	20.1	8	1.6
Cascade	Valley	977	997	877	120	13.7	-20	-2.0
Castleford	Twin Falls	272	277	179	98	54.7	-5	-1.8
Challis	Custer	853	909	1,073	-164	-15.3	-56	-6.2
Chatcolet*	Benewah	NA	NA	72	NA	NA	NA	NA
Chubbuck	Bannock	10,492	9,700	7,794	1,906	24.5	792	8.2
Clark Fork	Bonner	569	530	448	82	18.3	39	7.4
Clayton	Custer	26	27	26	1	3.8	-1	-3.7
Clifton	Franklin	235	213	228	-15	-6.6	22	10.3
Coeur d'Alene	Kootenai	38,388	34,514	24,561	9,953	40.5	3,874	11.2
Cottonwood	Idaho	1,028	944	822	122	14.8	84	8.9
Council	Adams	733	816	831	-15	-1.8	-83	-10.2
Craigmont	Lewis	551	556	542	14	2.6	-5	-0.9
Crouch	Boise	165	154	75	79	105.3	11	7.1
Culdesac	Nez Perce	373	378	280	98	35.0	-5	-1.3
Dalton Gardens	Kootenai	2,359	2,278	1,951	327	16.8	81	3.6
Dayton	Franklin	461	444	357	87	24.4	17	3.8
Deary	Latah	528	552	529	23	4.3	-24	-4.3
Declo	Cassia	334	338	279	59	21.1	-4	-1.2
Dietrich	Lincoln	158	150	127	23	18.1	8	5.3
Donnelly	Valley	132	138	135	3	2.2	-6	-4.3
Dover	Bonner	471	342	294	48	16.3	129	37.7
Downey	Bannock	600	613	626	-13	-2.1	-13	-2.1
Driggs	Teton	1,137	1,100	846	254	30.0	37	3.4
Drummond	Fremont	15	15	37	-22	-59.5	-	-
Dubois	Clark	620	647	420	227	54.0	-27	-4.2

*Chatcolet City disincorporation effective December 13, 1994.

NA - not applicable.

Source: U.S. Bureau of the Census, 1990 Census: Internet release September 15, 2000; 2000 Census: Internet release March 23, 2001; 2004 Estimate: Internet release June 30, 2005.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2004 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2004	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
Eagle	Ada	16,176	11,085	3,327	7,758	233.2	5,091	45.9
East Hope	Bonner	214	200	215	-15	-7.0	14	7.0
Eden	Jerome	414	411	314	97	30.9	3	0.7
Elk River	Clearwater	142	156	149	7	4.7	-14	-9.0
Emmett	Gem	5,981	5,490	4,601	889	19.3	491	8.9
Fairfield	Camas	375	395	371	24	6.5	-20	-5.1
Ferdinand	Idaho	146	145	135	10	7.4	1	0.7
Fernan Lake Village	Kootenai	187	186	170	16	9.4	1	0.5
Filer	Twin Falls	1,719	1,620	1,511	109	7.2	99	6.1
Firth	Bingham	416	408	429	-21	-4.9	8	2.0
Franklin	Franklin	673	641	478	163	34.1	32	5.0
Fruitland	Payette	4,181	3,805	2,400	1,405	58.5	376	9.9
Garden City	Ada	11,173	10,624	6,369	4,255	66.8	549	5.2
Genesee	Latah	903	946	725	221	30.5	-43	-4.5
Georgetown	Bear Lake	510	538	558	-20	-3.6	-28	-5.2
Glenns Ferry	Elmore	1,502	1,611	1,304	307	23.5	-109	-6.8
Gooding	Gooding	3,313	3,384	2,820	564	20.0	-71	-2.1
Grace	Caribou	977	990	973	17	1.7	-13	-1.3
Grand View	Owyhee	477	470	330	140	42.4	7	1.5
Grangeville	Idaho	3,156	3,228	3,226	2	0.1	-72	-2.2
Greenleaf	Canyon	879	862	648	214	33.0	17	2.0
Hagerman	Gooding	842	656	600	56	9.3	186	28.4
Hailey	Blaine	7,462	6,200	3,575	2,625	73.4	1,262	20.4
Hamer	Jefferson	12	12	79	-67	-84.8	-	-
Hansen	Twin Falls	964	970	848	122	14.4	-6	-0.6
Harrison	Kootenai	277	267	226	41	18.1	10	3.7
Hauser	Kootenai	695	668	380	288	75.8	27	4.0
Hayden	Kootenai	11,086	9,159	4,888	4,271	87.4	1,927	21.0
Hayden Lake	Kootenai	525	494	338	156	46.2	31	6.3
Hazelton	Jerome	731	687	394	293	74.4	44	6.4
Heyburn	Minidoka	2,781	2,899	2,714	185	6.8	-118	-4.1
Hollister	Twin Falls	234	237	144	93	64.6	-3	-1.3
Homedale	Owyhee	2,548	2,528	1,963	565	28.8	20	0.8
Hope	Bonner	84	79	99	-20	-20.2	5	6.3
Horseshoe Bend	Boise	819	770	643	127	19.8	49	6.4
Huetter	Kootenai	99	96	82	14	17.1	3	3.1
Idaho City	Boise	487	458	322	136	42.2	29	6.3
Idaho Falls	Bonneville	52,148	50,730	43,973	6,757	15.4	1,418	2.8
Inkom	Bannock	715	738	769	-31	-4.0	-23	-3.1
Iona	Bonneville	1,245	1,201	1,049	152	14.5	44	3.7
Irwin	Bonneville	156	157	108	49	45.4	-1	-0.6
Island Park	Fremont	223	215	159	56	35.2	8	3.7
Jerome	Jerome	8,377	7,780	6,529	1,251	19.2	597	7.7
Juliaetta	Latah	582	609	488	121	24.8	-27	-4.4
Kamiah	Idaho, Lewis	1,152	1,160	1,157	3	0.3	-8	-0.7
Kellogg	Shoshone	2,219	2,395	2,591	-196	-7.6	-176	-7.3
Kendrick	Latah	356	369	325	44	13.5	-13	-3.5
Ketchum	Blaine	3,142	3,003	2,523	480	19.0	139	4.6
Kimberly	Twin Falls	2,674	2,614	2,367	247	10.4	60	2.3
Kooskia	Idaho	662	675	692	-17	-2.5	-13	-1.9
Kootenai	Bonner	472	441	327	114	34.9	31	7.0
Kuna	Ada	9,460	5,382	1,955	3,427	175.3	4,078	75.8

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2004 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2004	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
		4/1/90 TO 4/1/00			4/1/00 TO 7/1/04			
Lapwai	Nez Perce	1,119	1,134	932	202	21.7	-15	-1.3
Lava Hot Springs	Bannock	522	521	420	101	24.0	1	0.2
Leadore	Lemhi	88	90	74	16	21.6	-2	-2.2
Lewiston	Nez Perce	31,028	30,904	28,082	2,822	10.0	124	0.4
Lewisville	Jefferson	490	467	471	-4	-0.8	23	4.9
Mackay	Custer	533	566	574	-8	-1.4	-33	-5.8
Malad City	Oneida	2,098	2,158	1,946	212	10.9	-60	-2.8
Malta	Cassia	175	177	171	6	3.5	-2	-1.1
Marsing	Owyhee	981	890	798	92	11.5	91	10.2
McCall	Valley	2,304	2,084	2,005	79	3.9	220	10.6
McCammon	Bannock	805	805	722	83	11.5	-	-
Melba	Canyon	532	439	252	187	74.2	93	21.2
Menan	Jefferson	717	707	601	106	17.6	10	1.4
Meridian	Ada	44,962	34,919	9,596	25,323	263.9	10,043	28.8
Middleton	Canyon	4,071	2,978	1,851	1,127	60.9	1,093	36.7
Midvale	Washington	186	176	136	40	29.4	10	5.7
Minidoka	Minidoka	122	129	67	62	92.5	-7	-5.4
Montpelier	Bear Lake	2,600	2,785	2,656	129	4.9	-185	-6.6
Moore	Butte	192	196	190	6	3.2	-4	-2.0
Moscow	Latah	21,900	21,291	18,398	2,893	15.7	609	2.9
Mountain Home	Elmore	11,427	11,143	7,913	3,230	40.8	284	2.5
Moyie Springs	Boundary	703	656	415	241	58.1	47	7.2
Mud Lake	Jefferson	270	270	179	91	50.8	-	-
Mullan	Shoshone	777	840	821	19	2.3	-63	-7.5
Murtaugh	Twin Falls	138	139	134	5	3.7	-1	-0.7
Nampa	Canyon	68,156	51,867	28,365	23,502	82.9	16,289	31.4
Newdale	Fremont	363	358	377	-19	-5.0	5	1.4
New Meadows	Adams	484	533	534	-1	-0.2	-49	-9.2
New Plymouth	Payette	1,374	1,400	1,313	87	6.6	-26	-1.9
Nezperce	Lewis	515	523	453	70	15.5	-8	-1.5
Notus	Canyon	511	458	380	78	20.5	53	11.6
Oakley	Cassia	660	668	635	33	5.2	-8	-1.2
Oldtown	Bonner	204	190	151	39	25.8	14	7.4
Onaway	Latah	222	230	203	27	13.3	-8	-3.5
Orofino	Clearwater	3,151	3,247	2,868	379	13.2	-96	-3.0
Osburn	Shoshone	1,434	1,545	1,579	-34	-2.2	-111	-7.2
Oxford	Franklin	55	53	44	9	20.5	2	3.8
Paris	Bear Lake	538	576	581	-5	-0.9	-38	-6.6
Parker	Fremont	323	319	288	31	10.8	4	1.3
Parkline*	Benewah	NA	65	72	-7	-9.7	NA	NA
Parma	Canyon	1,799	1,771	1,597	174	10.9	28	1.6
Paul	Minidoka	953	998	901	97	10.8	-45	-4.5
Payette	Payette	7,418	7,054	5,672	1,382	24.4	364	5.2
Peck	Nez Perce	183	186	160	26	16.3	-3	-1.6
Pierce	Clearwater	556	617	746	-129	-17.3	-61	-9.9
Pinehurst	Shoshone	1,559	1,661	1,722	-61	-3.5	-102	-6.1
Placerville	Boise	61	60	14	46	328.6	1	1.7
Plummer	Benewah	962	990	804	186	23.1	-28	-2.8
Pocatello	Bannock, Power	50,723	51,466	46,117	5,349	11.6	-743	-1.4
Ponderay	Bonner	686	638	449	189	42.1	48	7.5
Post Falls	Kootenai	21,351	17,247	7,349	9,898	134.7	4,104	23.8

*Parkline city incorporation effective December 13, 1994. City was created from part of Chatcolet city. City was disincorporated in 2001.
NA - not applicable.

IDAHO RESIDENT POPULATION
April 1, 1990 and April 1, 2000 Census, and
July 1, 2004 Estimate
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE		CHANGE	
City or Place	County	July 1, 2004	April 1, 2000	April 1, 1990	Number	Percent	Number	Percent
					4/1/90 TO 4/1/00		4/1/00 TO 7/1/04	
Potlatch	Latah	760	791	790	1	0.1	-31	-3.9
Preston	Franklin	4,962	4,682	3,710	972	26.2	280	6.0
Priest River	Bonner	1,877	1,754	1,560	194	12.4	123	7.0
Rathdrum	Kootenai	5,605	4,816	2,000	2,816	140.8	789	16.4
Reubens	Lewis	74	72	46	26	56.5	2	2.8
Rexburg	Madison	24,733	17,257	14,298	2,959	20.7	7,476	43.3
Richfield	Lincoln	424	412	383	29	7.6	12	2.9
Rigby	Jefferson	3,012	2,998	2,681	317	11.8	14	0.5
Riggins	Idaho	402	410	443	-33	-7.4	-8	-2.0
Ririe	Bonneville, Jefferson	536	545	596	-51	-8.6	-9	-1.7
Roberts	Jefferson	666	647	557	90	16.2	19	2.9
Rockland	Power	315	316	264	52	19.7	-1	-0.3
Rupert	Minidoka	5,303	5,645	5,455	190	3.5	-342	-6.1
Salmon	Lemhi	3,056	3,122	2,941	181	6.2	-66	-2.1
Sandpoint	Bonner	7,647	6,835	5,561	1,274	22.9	812	11.9
Shelley	Bingham	3,956	3,813	3,536	277	7.8	143	3.8
Shoshone	Lincoln	1,496	1,398	1,249	149	11.9	98	7.0
Smelterville	Shoshone	605	651	464	187	40.3	-46	-7.1
Soda Springs	Caribou	3,299	3,381	3,111	270	8.7	-82	-2.4
Spencer	Clark	33	38	19	19	100.0	-5	-13.2
Spirit Lake	Kootenai	1,455	1,376	790	586	74.2	79	5.7
Stanley	Custer	97	100	71	29	40.8	-3	-3.0
Star*	Ada	2,426	1,795	648	1,147	177.0	631	35.2
State Line	Kootenai	29	28	26	2	7.7	1	3.6
Stites	Idaho	228	226	205	21	10.2	2	0.9
St. Anthony	Fremont	3,414	3,342	3,010	332	11.0	72	2.2
St. Charles	Bear Lake	145	156	189	-33	-17.5	-11	-7.1
St. Maries	Benewah	2,569	2,652	2,442	210	8.6	-83	-3.1
Sugar City	Madison	765	1,242	1,275	-33	-2.6	-477	-38.4
Sun Valley	Blaine	1,453	1,427	938	489	52.1	26	1.8
Swan Valley	Bonneville	226	213	141	72	51.1	13	6.1
Tensed	Benewah	121	126	90	36	40.0	-5	-4.0
Teton	Fremont	577	569	570	-1	-0.2	8	1.4
Tetonia	Teton	253	247	132	115	87.1	6	2.4
Troy	Latah	769	798	699	99	14.2	-29	-3.6
Twin Falls	Twin Falls	37,619	34,469	27,634	6,835	24.7	3,150	9.1
Ucon	Bonneville	983	943	895	48	5.4	40	4.2
Victor	Teton	1,216	840	292	548	187.7	376	44.8
Wallace	Shoshone	887	960	1,010	-50	-5.0	-73	-7.6
Wardner	Shoshone	199	215	246	-31	-12.6	-16	-7.4
Warm River	Fremont	10	10	9	1	11.1	-	-
Weippe	Clearwater	390	416	532	-116	-21.8	-26	-6.3
Weiser	Washington	5,415	5,343	4,571	772	16.9	72	1.3
Wendell	Gooding	2,352	2,338	1,963	375	19.1	14	0.6
Weston	Franklin	449	425	390	35	9.0	24	5.6
White Bird	Idaho	107	106	108	-2	-1.9	1	0.9
Wilder	Canyon	1,458	1,462	1,232	230	18.7	-4	-0.3
Winchester	Lewis	308	308	262	46	17.6	-	-
Worley	Kootenai	222	223	182	41	22.5	-1	-0.4

*Star city incorporation effective December 10, 1997

IDAHO RESIDENT POPULATION
July 1, 2004 Estimate by Race and Ethnicity
Idaho Districts and Counties

RESIDENCE	TOTAL	RACE				HISPANIC*
		White	Black	Native American	Asian/ Pacific Islander	
IDAHO	1,393,262	1,343,609	10,178	21,951	17,524	123,900
District 1	194,406	188,985	681	3,625	1,115	4,908
District 2	100,754	95,345	528	3,545	1,336	2,130
District 3	220,096	213,546	1,407	2,657	2,486	39,862
District 4	376,733	360,108	4,800	3,228	8,597	21,974
District 5	168,624	165,002	779	1,592	1,251	28,089
District 6	159,076	150,666	956	6,055	1,399	13,089
District 7	173,573	169,957	1,027	1,249	1,340	13,848
Ada	332,523	318,140	3,747	2,772	7,864	17,773
Adams	3,451	3,389	2	50	10	67
Bannock	75,672	71,394	698	2,576	1,004	3,861
Bear Lake	6,323	6,254	21	36	12	165
Benewah	8,961	8,130	17	795	19	197
Bingham	43,205	39,687	169	3,058	291	6,000
Blaine	21,103	20,677	99	103	224	3,105
Boise	7,362	7,250	12	67	33	250
Bonner	39,872	39,147	116	488	121	647
Bonneville	89,653	87,318	748	775	812	7,295
Boundary	10,396	10,031	20	270	75	327
Butte	2,838	2,792	16	23	7	151
Camas	1,013	999	13	-	1	55
Canyon	158,038	153,066	1,275	1,736	1,961	31,778
Caribou	7,213	7,169	7	17	20	263
Cassia	21,393	21,038	62	188	105	4,392
Clark	906	889	4	10	3	340
Clearwater	8,393	8,146	18	189	40	169
Custer	4,114	4,089	1	23	1	243
Elmore	28,878	26,854	1,022	332	670	3,746
Franklin	12,199	12,098	18	62	21	758
Fremont	12,263	12,083	42	82	56	1,498
Gem	15,963	15,673	34	187	69	1,114
Gooding	14,346	14,091	72	135	48	2,843
Idaho	15,616	15,038	19	502	57	268
Jefferson	20,782	20,448	76	134	124	2,062
Jerome	19,279	18,915	83	202	79	4,338
Kootenai	122,350	119,114	508	1,869	859	3,448
Latah	35,169	33,602	301	410	856	851
Lemhi	7,820	7,746	12	52	10	179
Lewis	3,753	3,548	14	169	22	81
Lincoln	4,326	4,187	41	78	20	647
Madison	30,782	30,252	110	132	288	1,244
Minidoka	19,229	18,803	72	249	105	5,176
Nez Perce	37,823	35,011	176	2,275	361	761
Oneida	4,143	4,117	5	16	5	103
Owyhee	10,998	10,504	33	373	88	2,472
Payette	21,587	21,098	47	222	220	2,811
Power	7,483	7,155	22	267	39	1,788
Shoshone	12,827	12,563	20	203	41	289
Teton	7,253	7,132	34	41	46	987
Twin Falls	67,935	66,292	337	637	669	7,533
Valley	7,970	7,864	19	57	30	205
Washington	10,059	9,816	16	89	138	1,620

* Race and Hispanic origin are reported separately. Persons of Hispanic origin are included in appropriate race totals. Data on two or more races available upon request, see Technical Notes for information on bridged race estimates.

Source: Bridged Race Population Estimates, National Center for Health Statistics, estimates of the July 1, 2004, United States resident population from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date September 9, 2005.

IDAHO RESIDENT POPULATION
July 1, 2004 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	ALL AGES			< 5		5 - 9		10 -14	
	TOTAL	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	1,393,262	698,624	694,638	52,862	50,620	51,245	48,603	54,024	50,916
District 1	194,406	96,696	97,710	5,843	5,718	6,445	6,032	7,347	6,823
District 2	100,754	51,189	49,565	2,920	2,715	2,786	2,624	3,196	2,969
District 3	220,096	109,917	110,179	9,393	8,879	9,007	8,487	9,037	8,698
District 4	376,733	190,989	185,744	13,996	13,717	13,726	13,115	14,115	13,175
District 5	168,624	84,521	84,103	6,479	6,184	6,200	5,958	6,693	6,360
District 6	159,076	78,911	80,165	6,928	6,525	6,351	6,004	6,490	6,287
District 7	173,573	86,401	87,172	7,303	6,882	6,730	6,383	7,146	6,604
Ada	332,523	167,243	165,280	12,416	12,153	12,179	11,623	12,479	11,669
Adams	3,451	1,776	1,675	67	52	93	64	120	110
Bannock	75,672	37,326	38,346	3,457	3,248	2,901	2,720	2,762	2,613
Bear Lake	6,323	3,138	3,185	217	206	213	225	259	264
Benewah	8,961	4,524	4,437	270	280	298	271	366	292
Bingham	43,205	21,531	21,674	1,954	1,778	1,861	1,742	1,946	1,918
Blaine	21,103	10,945	10,158	712	663	651	552	690	655
Boise	7,362	3,791	3,571	184	155	242	236	258	235
Bonner	39,872	19,912	19,960	1,004	992	1,176	1,113	1,437	1,304
Bonneville	89,653	44,759	44,894	3,888	3,599	3,658	3,440	3,829	3,534
Boundary	10,396	5,218	5,178	350	368	343	336	406	390
Butte	2,838	1,426	1,412	87	94	97	111	123	100
Camas	1,013	513	500	23	22	25	21	38	29
Canyon	158,038	78,785	79,253	7,253	6,858	6,750	6,371	6,490	6,259
Caribou	7,213	3,557	3,656	235	266	249	254	310	275
Cassia	21,393	10,731	10,662	949	896	853	895	1,005	940
Clark	906	472	434	39	28	40	35	41	43
Clearwater	8,393	4,519	3,874	199	150	205	198	281	241
Custer	4,114	2,116	1,998	84	72	104	130	139	137
Elmore	28,878	15,878	13,000	1,213	1,227	1,116	1,087	1,119	1,010
Franklin	12,199	6,102	6,097	564	537	553	550	574	621
Fremont	12,263	6,350	5,913	540	469	478	510	535	476
Gem	15,963	7,953	8,010	508	481	531	532	649	587
Gooding	14,346	7,357	6,989	602	499	560	546	601	533
Idaho	15,616	8,011	7,605	439	384	412	408	492	531
Jefferson	20,782	10,462	10,320	908	869	930	857	980	965
Jerome	19,279	9,841	9,438	784	832	768	763	847	791
Kootenai	122,350	60,656	61,694	3,918	3,784	4,245	3,946	4,695	4,443
Latah	35,169	18,221	16,948	1,038	994	921	817	993	887
Lemhi	7,820	3,874	3,946	158	181	238	211	288	272
Lewis	3,753	1,908	1,845	102	100	120	88	138	133
Lincoln	4,326	2,204	2,122	182	156	177	142	189	175
Madison	30,782	14,537	16,245	1,354	1,324	997	911	1,031	896
Minidoka	19,229	9,558	9,671	755	756	749	707	855	762
Nez Perce	37,823	18,530	19,293	1,142	1,087	1,128	1,113	1,292	1,177
Oneida	4,143	2,094	2,049	130	141	154	134	176	155
Owyhee	10,998	5,775	5,223	437	409	461	392	472	457
Payette	21,587	10,698	10,889	759	768	818	822	936	892
Power	7,483	3,737	3,746	284	255	323	268	340	341
Shoshone	12,827	6,386	6,441	301	294	383	366	443	394
Teton	7,253	3,831	3,422	332	340	285	289	303	281
Twin Falls	67,935	33,372	34,563	2,472	2,360	2,417	2,332	2,468	2,475
Valley	7,970	4,077	3,893	183	182	189	169	259	261
Washington	10,059	4,930	5,129	369	311	354	306	370	393

Source: National Center for Health Statistics. Estimates of the July 1, 2004 resident population from the Vintage 2004 postcensal series by state, county, year, age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release September 9, 2005.

IDAHO RESIDENT POPULATION
July 1, 2004 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39	
	Male	Female								
IDAHO	55,786	53,054	56,078	55,957	49,925	44,155	46,635	43,895	46,008	44,274
District 1	7,497	7,021	7,015	6,538	5,257	5,100	5,575	5,691	5,962	6,247
District 2	4,299	3,960	4,494	3,889	4,159	3,558	3,199	2,734	2,996	2,830
District 3	8,819	8,406	8,854	8,432	7,991	7,554	7,874	7,513	7,164	6,915
District 4	13,718	12,854	14,158	12,581	14,230	12,944	15,684	13,871	15,486	13,830
District 5	6,913	6,548	6,864	6,294	5,194	4,466	4,957	4,808	5,142	5,039
District 6	6,852	6,639	6,642	6,951	5,521	5,455	4,681	4,614	4,411	4,551
District 7	7,688	7,626	8,051	11,272	7,573	5,078	4,665	4,664	4,847	4,862
Ada	11,924	11,308	12,062	11,238	12,517	11,821	13,887	12,507	13,410	12,314
Adams	166	132	112	92	42	50	61	59	80	87
Bannock	2,803	2,699	3,111	3,627	3,324	3,390	2,560	2,406	2,149	2,188
Bear Lake	326	322	284	224	110	118	113	132	155	161
Benewah	343	329	301	263	130	164	219	222	269	267
Bingham	2,107	2,054	1,895	1,825	1,244	1,158	1,119	1,185	1,205	1,252
Blaine	738	715	727	527	719	521	796	701	820	757
Boise	323	287	233	227	143	131	168	201	204	223
Bonner	1,610	1,530	1,395	1,274	919	866	938	1,036	1,110	1,161
Bonneville	3,879	3,773	3,672	3,511	2,846	2,857	2,684	2,667	2,725	2,747
Boundary	446	425	382	319	248	221	255	254	285	303
Butte	127	102	108	83	27	41	60	57	71	85
Camas	43	40	32	30	24	21	26	25	25	25
Canyon	6,210	6,030	6,543	6,361	6,440	6,067	6,131	5,856	5,316	5,108
Caribou	314	343	274	259	175	134	160	180	182	206
Cassia	1,050	923	892	737	566	521	523	561	561	588
Clark	39	44	44	34	12	19	25	30	27	29
Clearwater	303	293	274	197	167	86	249	167	319	186
Custer	170	168	124	80	48	46	97	93	113	130
Elmore	1,124	997	1,603	880	1,447	873	1,461	998	1,666	1,074
Franklin	595	553	532	490	387	338	374	358	322	332
Fremont	627	533	561	477	386	272	338	306	371	334
Gem	621	604	578	601	415	405	435	431	494	477
Gooding	566	530	603	494	448	315	433	393	435	405
Idaho	691	604	679	459	287	202	334	286	412	385
Jefferson	1,049	1,026	981	901	668	573	514	559	604	573
Jerome	833	761	835	708	562	500	618	541	611	564
Kootenai	4,652	4,339	4,562	4,377	3,730	3,614	3,873	3,878	3,925	4,145
Latah	1,877	1,665	2,130	1,750	2,449	2,069	1,426	1,088	1,034	965
Lemhi	306	310	260	247	125	108	138	170	182	227
Lewis	156	129	113	106	61	55	68	84	96	98
Lincoln	176	195	181	169	130	111	108	132	137	132
Madison	1,299	1,487	2,131	5,838	3,244	1,015	546	585	509	525
Minidoka	816	817	765	764	468	399	431	492	541	550
Nez Perce	1,272	1,269	1,298	1,377	1,195	1,146	1,122	1,109	1,135	1,196
Oneida	219	201	175	154	93	82	96	96	97	102
Owyhee	503	433	463	345	340	238	354	276	359	319
Payette	942	827	817	717	520	552	648	652	676	671
Power	361	365	263	289	161	194	199	200	230	225
Shoshone	446	398	375	305	230	235	290	301	373	371
Teton	319	285	278	184	244	188	323	254	316	297
Twin Falls	2,691	2,567	2,829	2,865	2,277	2,078	2,022	1,963	2,012	2,018
Valley	347	262	260	236	123	119	168	165	206	219
Washington	377	380	341	316	234	242	245	239	239	253

IDAHO RESIDENT POPULATION
July 1, 2004 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	40 - 44		45 - 49		50 - 54		55 - 59		60 - 64	
	Male	Female								
IDAHO	51,381	50,309	50,030	50,681	46,455	46,402	38,550	38,078	28,941	29,703
District 1	7,167	7,346	7,433	7,990	7,512	7,694	6,467	6,392	4,966	5,037
District 2	3,454	3,415	3,704	3,723	3,550	3,492	3,117	2,998	2,440	2,510
District 3	7,674	7,474	6,992	7,001	6,374	6,517	5,400	5,513	4,293	4,541
District 4	15,799	14,937	14,445	14,493	12,860	12,719	10,448	10,048	7,055	7,229
District 5	6,212	5,935	6,186	6,153	5,592	5,607	4,713	4,781	3,661	3,789
District 6	5,181	5,458	5,527	5,542	5,215	5,104	4,091	4,062	3,136	3,136
District 7	5,894	5,744	5,743	5,779	5,352	5,269	4,314	4,284	3,390	3,461
Ada	13,730	13,190	12,857	12,945	11,356	11,327	9,238	8,927	6,077	6,320
Adams	130	152	153	161	173	144	137	132	151	128
Bannock	2,385	2,562	2,516	2,658	2,512	2,509	2,011	1,933	1,378	1,383
Bear Lake	224	212	257	237	203	201	173	188	135	134
Benewah	331	318	348	367	373	368	326	324	272	278
Bingham	1,449	1,530	1,486	1,468	1,368	1,338	1,043	1,072	857	863
Blaine	906	889	999	1,004	952	957	760	769	563	544
Boise	316	318	357	345	343	332	314	278	250	211
Bonner	1,409	1,485	1,712	1,870	1,780	1,820	1,652	1,500	1,164	1,176
Bonneville	3,261	3,235	3,180	3,221	2,955	2,993	2,371	2,371	1,780	1,853
Boundary	341	380	385	446	454	469	378	325	266	274
Butte	103	106	114	125	108	115	91	80	84	81
Camas	52	59	48	42	25	41	42	36	43	27
Canyon	5,399	5,171	4,781	4,839	4,357	4,459	3,546	3,649	2,742	2,923
Caribou	265	268	310	262	261	236	204	211	189	181
Cassia	722	696	728	746	658	649	552	551	435	436
Clark	33	33	43	20	28	23	26	24	26	20
Clearwater	362	330	384	318	374	325	334	319	304	260
Custer	189	173	197	171	205	181	162	162	158	136
Elmore	1,444	1,123	862	819	728	663	567	553	445	450
Franklin	368	392	397	371	339	319	243	242	226	244
Fremont	471	396	413	408	391	363	292	318	261	268
Gem	563	565	573	554	523	544	470	486	407	397
Gooding	522	466	518	482	450	419	379	383	311	340
Idaho	551	581	637	684	672	630	602	561	474	489
Jefferson	722	738	731	725	610	618	506	482	408	407
Jerome	773	676	700	683	660	577	466	467	385	358
Kootenai	4,585	4,651	4,443	4,759	4,326	4,529	3,656	3,753	2,880	2,904
Latah	1,021	1,067	1,100	1,108	1,089	1,082	893	862	660	681
Lemhi	278	290	304	320	328	328	340	300	283	277
Lewis	146	126	146	149	133	115	138	127	123	103
Lincoln	149	144	152	146	147	124	133	122	95	87
Madison	585	596	599	640	567	543	442	454	355	395
Minidoka	695	668	707	658	581	614	539	517	395	472
Nez Perce	1,374	1,311	1,437	1,464	1,282	1,340	1,150	1,129	879	977
Oneida	146	132	160	150	140	118	121	124	95	87
Owyhee	452	414	385	318	331	337	323	295	254	276
Payette	774	816	759	768	644	664	615	653	485	545
Power	241	256	287	271	284	268	205	212	172	163
Shoshone	501	512	545	548	579	508	455	490	384	405
Teton	355	283	276	274	268	220	175	173	119	105
Twin Falls	2,393	2,337	2,334	2,392	2,119	2,226	1,842	1,936	1,434	1,525
Valley	309	306	369	384	433	397	329	290	283	248
Washington	356	356	341	361	346	369	309	298	254	272

IDAHO RESIDENT POPULATION
July 1, 2004 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	65 - 69		70 - 74		75 - 79		80 - 84		85+	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	23,112	23,065	17,261	20,016	13,677	16,742	8,970	13,374	7,684	14,794
District 1	4,107	3,897	3,126	3,236	2,343	2,731	1,391	2,057	1,243	2,160
District 2	2,165	1,967	1,620	1,889	1,413	1,537	874	1,266	803	1,489
District 3	3,454	3,544	2,615	3,181	2,116	2,689	1,530	2,255	1,330	2,580
District 4	5,234	5,420	3,741	4,509	2,864	3,761	1,916	3,116	1,514	3,425
District 5	3,032	3,048	2,260	2,771	1,892	2,347	1,319	1,893	1,212	2,122
District 6	2,532	2,661	1,992	2,263	1,563	1,808	967	1,458	831	1,647
District 7	2,588	2,528	1,907	2,167	1,486	1,869	973	1,329	751	1,371
Ada	4,427	4,654	3,162	3,970	2,495	3,318	1,697	2,849	1,330	3,147
Adams	107	104	79	79	59	46	21	35	25	48
Bannock	1,114	1,194	884	963	644	849	431	653	384	751
Bear Lake	134	165	113	123	105	104	69	87	48	82
Benewah	217	201	205	170	142	109	49	94	65	120
Bingham	664	715	504	623	410	436	222	344	197	373
Blaine	368	286	209	256	197	144	88	98	50	120
Boise	166	134	130	101	71	76	45	44	44	37
Bonner	928	883	678	662	469	564	272	355	259	369
Bonneville	1,343	1,324	1,012	1,196	779	1,067	536	728	361	778
Boundary	208	175	178	176	156	131	73	86	64	100
Butte	66	77	64	55	43	36	33	28	20	36
Camas	31	22	13	22	14	15	4	7	5	16
Canyon	2,114	2,258	1,606	2,056	1,306	1,774	929	1,523	872	1,691
Caribou	119	135	133	160	93	82	49	88	35	116
Cassia	358	370	312	344	220	292	170	256	177	261
Clark	20	20	13	14	7	6	6	5	3	7
Clearwater	287	262	172	181	167	148	89	115	49	98
Custer	101	93	79	74	76	65	35	44	35	43
Elmore	407	402	294	289	191	240	111	150	80	165
Franklin	199	187	133	158	123	138	75	120	98	147
Fremont	216	227	172	194	144	163	82	90	72	109
Gem	346	336	280	307	248	256	171	204	141	243
Gooding	294	290	221	240	177	230	109	183	128	241
Idaho	441	386	326	336	275	262	138	188	149	229
Jefferson	299	289	192	240	172	197	96	137	92	164
Jerome	301	318	247	288	184	258	138	194	129	159
Kootenai	2,397	2,270	1,834	1,934	1,327	1,657	856	1,325	752	1,386
Latah	527	418	370	411	267	354	208	337	218	393
Lemhi	209	195	151	166	115	122	94	121	77	101
Lewis	118	123	85	89	84	80	42	69	39	71
Lincoln	73	79	58	61	59	62	34	38	24	47
Madison	316	310	218	228	154	191	95	167	95	140
Minidoka	392	378	253	347	264	310	206	253	146	207
Nez Perce	792	778	667	872	620	693	397	557	348	698
Oneida	88	77	58	75	62	74	46	73	38	74
Owyhee	202	182	162	160	116	160	102	92	59	120
Payette	435	426	303	334	237	267	189	243	141	272
Power	148	111	103	106	83	89	42	65	11	68
Shoshone	357	368	231	294	249	270	141	197	103	185
Teton	84	70	70	55	39	58	29	37	16	29
Twin Falls	1,215	1,305	947	1,213	777	1,036	570	864	553	1,071
Valley	234	230	155	149	107	127	63	73	60	76
Washington	250	238	185	245	150	186	118	158	92	206

IDAHO RESIDENT POPULATION
July 1, 2004 Estimate
Single Age by Sex

AGE	TOTAL	MALE	FEMALE	AGE	TOTAL	MALE	FEMALE
<1	21,032	10,747	10,285	44	21,099	10,785	10,314
1	20,871	10,663	10,208	45	20,163	9,943	10,220
2	20,599	10,516	10,083	46	20,310	10,101	10,209
3	20,692	10,561	10,131	47	20,397	10,183	10,214
4	20,288	10,375	9,913	48	19,743	9,802	9,941
5	20,099	10,318	9,781	49	20,098	10,001	10,097
6	19,784	10,262	9,522	50	19,645	9,801	9,844
7	19,908	10,156	9,752	51	19,231	9,626	9,605
8	20,069	10,205	9,864	52	18,631	9,375	9,256
9	19,988	10,304	9,684	53	17,796	8,908	8,888
10	20,114	10,265	9,849	54	17,554	8,745	8,809
11	20,594	10,608	9,986	55	16,832	8,475	8,357
12	21,023	10,878	10,145	56	16,777	8,428	8,349
13	21,363	11,006	10,357	57	17,147	8,734	8,413
14	21,846	11,267	10,579	58	12,850	6,431	6,419
15	21,324	10,820	10,504	59	13,022	6,482	6,540
16	21,195	10,956	10,239	60	12,932	6,339	6,593
17	21,622	11,025	10,597	61	13,058	6,431	6,627
18	22,068	11,375	10,693	62	11,460	5,689	5,771
19	22,631	11,610	11,021	63	10,758	5,314	5,444
20	22,425	11,628	10,797	64	10,436	5,168	5,268
21	22,798	11,782	11,016	65	9,616	4,845	4,771
22	23,322	11,927	11,395	66	9,516	4,782	4,734
23	22,615	10,700	11,915	67	9,135	4,523	4,612
24	20,875	10,041	10,834	68	8,790	4,402	4,388
25	19,856	10,511	9,345	69	9,120	4,560	4,560
26	19,464	10,535	8,929	70	7,923	3,800	4,123
27	19,217	10,207	9,010	71	7,821	3,657	4,164
28	17,813	9,371	8,442	72	7,277	3,494	3,783
29	17,730	9,301	8,429	73	7,428	3,371	4,057
30	17,190	8,926	8,264	74	6,828	2,939	3,889
31	17,342	9,017	8,325	75	6,797	3,178	3,619
32	17,958	9,206	8,752	76	6,404	2,926	3,478
33	18,997	9,754	9,243	77	6,132	2,773	3,359
34	19,043	9,732	9,311	78	5,702	2,461	3,241
35	18,245	9,256	8,989	79	5,384	2,339	3,045
36	17,589	9,048	8,541	80	5,185	2,168	3,017
37	17,617	9,007	8,610	81	4,691	2,003	2,688
38	17,949	9,141	8,808	82	4,392	1,665	2,727
39	18,882	9,556	9,326	83	4,211	1,647	2,564
40	19,381	9,737	9,644	84	3,865	1,487	2,378
41	20,057	10,058	9,999	85+	22,478	7,684	14,794
42	20,469	10,440	10,029				
43	20,684	10,361	10,323	TOTAL	1,393,262	698,624	694,638

Source: U.S. Census Bureau and National Center for Health Statistics, Internet release September 9, 2005.

2004 IDAHO SUMMARY

BIRTHS.....	The number of Idaho resident live births increased by 3 percent in 2004, up 735 births from 21,794 in 2003 to 22,529 in 2004. The birth rate increased 1 percent, from 16.0 in 2003 to 16.2 births per 1,000 population in 2004.
OUT-OF-WEDLOCK BIRTHS	The number of births to unmarried women increased 5 percent from 4,859, to a record high of 5,079 in 2004. At the same time, the percent of out-of-wedlock births increased 1 percent from 22.3 percent in 2003 to 22.5 percent in 2004.
DEATHS	Idaho resident deaths decreased by 3 percent in 2004, down 351 deaths from 10,364 in 2003 to 10,013 in 2004. Likewise, the mortality rate decreased 5 percent, from 7.6 in 2003 to 7.2 deaths per 1,000 population in 2004.
STILLBIRTHS	The number and ratio of Idaho resident stillbirths have fluctuated considerably over the past decade. In 2004, the number of reported stillbirths increased to 113 from 107 in 2003. The stillbirth ratio increased 2 percent from 4.9 in 2003 to 5.0 per 1,000 live births in 2004.
INFANT DEATHS	The infant mortality rate decreased 2 percent in 2004 to 6.2 per 1,000 live births (139 infant deaths), down from 6.3 per 1,000 live births (138 infant deaths) in 2003. The neonatal mortality rate increased from 3.8 to 4.0 in 2004; the postneonatal mortality rate decreased from 2.6 in 2003 to 2.2 per 1,000 live births in 2004.
INDUCED ABORTIONS	In 2004, the number of induced abortions among Idaho residents decreased from 1,620 in 2003 to 1,618 in 2004 and the rate decreased from 5.6 to 5.5 per 1,000 females aged 15-44. The number of induced abortions occurring in Idaho was up 6 percent from 911 in 2003 to 963 in 2004.
MARRIAGES	The number of marriages occurring in Idaho increased 1 percent in 2004, from 14,867 in 2003 to 14,997 in 2004. The 2004 marriage rate decreased from 10.9 to 10.8 marriages per 1,000 population. This rate is the lowest marriage rate recorded for Idaho in the last 50 years.
DIVORCES	The number of divorces occurring in Idaho decreased slightly in 2004 to 6,921 from 7,080 in 2003. The 2004 divorce rate of 5.0 per 1,000 population represents a 4 percent decrease from the 2003 rate of 5.2. The 2004 divorce rate is the lowest rate Idaho has experienced since 1971 when the rate also 5.0 per 1,000 population.

IDAHO VITAL STATISTICS 1995-2004

	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995
LIVE BIRTHS	22,529	21,794	20,973	20,686	20,305	19,870	19,350	18,537	18,564	18,003
Birth Rate	16.2	16.0	15.6	15.7	15.7	15.9	15.7	15.3	15.6	15.5
Fertility Rate	77.2	76.0	73.8	73.5	73.1	73.2	72.2	70.1	71.1	70.1
Males	11,600	11,172	10,698	10,448	10,362	10,114	9,949	9,631	9,406	9,234
Females	10,929	10,622	10,275	10,238	9,943	9,756	9,401	8,906	9,158	8,769
OUT-OF-WEDLOCK LIVE BIRTHS	5,079	4,859	4,603	4,561	4,389	4,306	4,258	3,843	3,968	3,583
Percent	22.5	22.3	21.9	22.0	21.6	21.7	22.0	20.7	21.4	19.9
LOW BIRTH WEIGHT LIVE BIRTHS	1,538	1,415	1,289	1,333	1,357	1,225	1,161	1,160	1,064	1,061
Percent	6.8	6.5	6.2	6.4	6.7	6.2	6.0	6.3	5.7	5.9
DEATHS	10,013	10,364	9,909	9,751	9,535	9,508	9,141	8,952	8,706	8,491
Crude Death Rate	7.2	7.6	7.4	7.4	7.4	7.6	7.4	7.4	7.3	7.3
Age-Adjusted Death Rate	7.5	8.0	7.9	8.1	8.1	8.2	8.1	8.2	8.2	8.2
Males	5,065	5,220	5,005	4,979	4,768	4,883	4,705	4,744	7,644	4,464
Females	4,948	5,144	4,904	4,772	4,767	4,625	4,436	4,208	4,062	4,027
INFANT DEATHS	139	138	127	129	152	134	140	127	137	110
Rate	6.2	6.3	6.1	6.2	7.5	6.7	7.2	6.9	7.4	6.1
<28 Days	4.0	3.8	4.0	4.1	5.4	4.6	4.6	4.3	4.4	3.6
28 Days - <1 Year	2.2	2.6	2.1	2.2	2.1	2.1	2.6	2.6	3.0	2.6
STILLBIRTHS	113	107	96	123	117	113	115	108	121	108
Ratio	5.0	4.9	4.6	5.9	5.8	5.7	5.9	5.8	6.5	6.0
PERINATAL DEATHS	194	175	167	193	211	192	189	176	191	163
Ratio	8.6	8.0	8.0	9.3	10.4	9.7	9.8	9.5	10.3	9.1
MATERNAL DEATHS ¹	2	3	-	-	2	1	2	2	1	2
Rate/100,000	8.9	13.8	-	-	9.8	5.0	10.3	10.8	5.4	11.1
INDUCED ABORTIONS ²										
Idaho Residents	1,618	1,620	1,493	1,473	1,553	1,561	1,636	1,623	1,806	1,768
Rate	5.5	5.6	5.3	5.2	5.6	5.8	6.1	6.1	6.9	6.9
Ratio	71.8	74.3	71.2	71.2	76.5	78.6	84.5	87.6	97.3	98.2
Occurring in Idaho	963	911	829	738	801	867	888	878	1,022	970
Ratio	43.9	42.8	40.5	36.6	40.3	44.7	46.8	48.1	56.0	54.8
MARRIAGES	14,997	14,867	14,683	14,820	15,057	15,489	15,266	15,114	15,027	15,106
Rate	10.8	10.9	10.9	11.2	11.6	12.4	12.4	12.5	12.7	13.0
DIVORCES	6,921	7,080	7,087	7,025	7,110	6,947	6,980	7,035	6,985	6,749
Rate	5.0	5.2	5.3	5.3	5.5	5.6	5.7	5.8	5.9	5.8


1. In 2003, a question on pregnancy status among females aged 10-54 was added to the Idaho death certificate. Maternal death data for 2003-2004 are not comparable with data prior to 2003.

2. Number, rate, and ratio of induced abortions in 1995-2003 may differ slightly from data published previously by the Bureau of Health Policy and Vital Statistics due to revisions in the database.


Rates for 1995-1999 are based on the 1990 Census from the U.S. Census Bureau, Internet release March 9, 2000. Rates for 2000 are based on 2000 Census, Internet release date August 1, 2001. Estimates for 2001-2004 are based on the 2000 Census, U.S. Census Bureau and National Center for Health Statistics, Internet release August 8, 2003, April 9, 2004 and April 14, 2005.

Marriage, divorce, and specified abortion data are for events occurring in Idaho; all other data reflect events occurring to Idaho residents.

IDAHO VITAL STATISTICS
Births, Deaths, Marriages, Divorces
1994-2004



IDAHO VITAL STATISTICS
Birth, Death, Marriage, and Divorce Rates
1994-2004



SUMMARY OF IDAHO VITAL STATISTICS

Births, Deaths, Marriages, Divorces

2004

	POPULATION ESTIMATE July 1, 2004 ¹	LIVE BIRTHS ²		DEATHS ²		MARRIAGES ³		DIVORCES ³	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		14.0 (2004 Preliminary)		8.2 (2004 Preliminary)		7.4 (2004 Provisional)		3.7 (2004 Provisional)	
IDAHO	1,393,262	22,529	16.2	10,013	7.2	14,997	10.8	6,921	5.0
District 1	194,406	2,367	12.2	1,633	8.4	4,576	23.5	1,134	5.8
District 2	100,754	1,130	11.2	905	9.0	730	7.2	421	4.2
District 3	220,096	4,051	18.4	1,616	7.3	1,621	7.4	1,217	5.5
District 4	376,733	5,859	15.6	2,228	5.9	3,485	9.3	1,813	4.8
District 5	168,624	2,855	16.9	1,350	8.0	1,434	8.5	877	5.2
District 6	159,076	2,828	17.8	1,190	7.5	1,102	6.9	633	4.0
District 7	173,573	3,439	19.8	1,091	6.3	2,049	11.8	826	4.8
Ada	332,523	5,209	15.7	1,960	5.9	2,960	8.9	1,550	4.7
Adams	3,451	27	7.8	27	7.8	37	10.7	27	7.8
Bannock	75,672	1,407	18.6	564	7.5	539	7.1	314	4.1
Bear Lake	6,323	85	13.4	68	10.8	55	8.7	23	3.6
Benewah	8,961	111	12.4	93	10.4	78	8.7	35	3.9
Bingham	43,205	790	18.3	290	6.7	292	6.8	163	3.8
Blaine	21,103	267	12.7	79	3.7	212	10.0	78	3.7
Boise	7,362	55	7.5	40	5.4	70	9.5	12	1.6
Bonner	39,872	388	9.7	342	8.6	370	9.3	240	6.0
Bonneville	89,653	1,674	18.7	613	6.8	1,548	17.3	569	6.3
Boundary	10,396	117	11.3	100	9.6	83	8.0	39	3.8
Butte	2,838	36	12.7	33	11.6	20	7.0	3	1.1
Camas	1,013	13	12.8	9	8.9	13	12.8	4	3.9
Canyon	158,038	3,202	20.3	1,047	6.6	1,166	7.4	933	5.9
Caribou	7,213	92	12.8	55	7.6	49	6.8	30	4.2
Cassia	21,393	423	19.8	178	8.3	161	7.5	98	4.6
Clark	906	15	16.6	4	4.4	3	3.3	-	-
Clearwater	8,393	55	6.6	83	9.9	64	7.6	39	4.6
Custer	4,114	32	7.8	32	7.8	77	18.7	13	3.2
Elmore	28,878	517	17.9	160	5.5	274	9.5	203	7.0
Franklin	12,199	240	19.7	82	6.7	77	6.3	47	3.9
Fremont	12,263	235	19.2	89	7.3	111	9.1	46	3.8
Gem	15,963	188	11.8	169	10.6	106	6.6	79	4.9
Gooding	14,346	256	17.8	124	8.6	107	7.5	50	3.5
Idaho	15,616	166	10.6	162	10.4	86	5.5	52	3.3
Jefferson	20,782	446	21.5	135	6.5	117	5.6	67	3.2
Jerome	19,279	365	18.9	122	6.3	120	6.2	105	5.4
Kootenai	122,350	1,635	13.4	934	7.6	3,956	32.3	772	6.3
Latah	35,169	391	11.1	213	6.1	211	6.0	97	2.8
Lemhi	7,820	71	9.1	74	9.5	77	9.8	45	5.8
Lewis	3,753	47	12.5	47	12.5	22	5.9	13	3.5
Lincoln	4,326	73	16.9	47	10.9	25	5.8	20	4.6
Madison	30,782	823	26.7	118	3.8	76	2.5	62	2.0
Minidoka	19,229	333	17.3	162	8.4	154	8.0	58	3.0
Nez Perce	37,823	471	12.5	400	10.6	347	9.2	210	5.6
Oneida	4,143	51	12.3	43	10.4	27	6.5	8	1.9
Owyhee	10,998	190	17.3	83	7.5	63	5.7	17	1.5
Payette	21,587	313	14.5	181	8.4	180	8.3	112	5.2
Power	7,483	127	17.0	55	7.3	43	5.7	18	2.4
Shoshone	12,827	116	9.0	164	12.8	89	6.9	44	3.4
Teton	7,253	143	19.7	26	3.6	40	5.5	24	3.3
Twin Falls	67,935	1,125	16.6	629	9.3	642	9.5	464	6.8
Valley	7,970	78	9.8	68	8.5	181	22.7	48	6.0
Washington	10,059	131	13.0	109	10.8	69	6.9	49	4.9

1. Source for population: U.S. Bureau of the Census, Internet release April 14, 2005.
2. Births, deaths: county of residence. Rate: number per 1,000 population.
3. Marriages, divorces: county of occurrence. (Divorces by county will not total District and state totals because 41 tribal court divorces are not included in county totals; tribal court divorces are included in District totals. See page 118 for number of divorces granted by tribal courts). Rate: number per 1,000 population.

SUMMARY OF IDAHO VITAL STATISTICS
Resident Infant, Fetal, Perinatal Mortality
2004

RESIDENCE	TOTAL LIVE	INFANT DEATHS		STILLBIRTHS		PERINATAL DEATHS	
		Number	Rate	Number	Ratio	Number	Ratio
U.S. Rate		6.8 (2004 preliminary)		NA		NA	
IDAHO	22,529	139	6.2	113	5.0	194	8.6
District 1	2,367	15	6.3	9	3.8	16	6.8
District 2	1,130	10	8.8	5	4.4	12	10.6
District 3	4,051	28	6.9	24	5.9	44	10.9
District 4	5,859	39	6.7	22	3.8	47	8.0
District 5	2,855	15	5.3	25	8.8	28	9.8
District 6	2,828	16	5.7	17	6.0	26	9.2
District 7	3,439	16	4.7	11	3.2	21	6.1
Ada	5,209	36	6.9	19	3.6	42	8.1
Adams	27	-	-	-	-	-	-
Bannock	1,407	8	5.7	9	6.4	14	10.0
Bear Lake	85	-	-	-	-	-	-
Benewah	111	2	18.0	1	9.0	2	18.0
Bingham	790	5	6.3	4	5.1	6	7.6
Blaine	267	1	3.7	1	3.7	1	3.7
Boise	55	-	-	1	18.2	1	18.2
Bonner	388	3	7.7	1	2.6	2	5.2
Bonneville	1,674	9	5.4	7	4.2	12	7.2
Boundary	117	3	25.6	1	8.5	3	25.6
Butte	36	-	-	2	55.6	2	55.6
Camas	13	-	-	-	-	-	-
Canyon	3,202	24	7.5	16	5.0	33	10.3
Caribou	92	2	21.7	1	10.9	2	21.7
Cassia	423	1	2.4	2	4.7	3	7.1
Clark	15	1	66.7	-	-	1	66.7
Clearwater	55	1	18.2	1	18.2	1	18.2
Custer	32	-	-	-	-	-	-
Elmore	517	3	5.8	2	3.9	4	7.7
Franklin	240	-	-	-	-	-	-
Fremont	235	1	4.3	-	-	1	4.3
Gem	188	-	-	4	21.3	4	21.3
Gooding	256	1	3.9	3	11.7	4	15.6
Idaho	166	2	12.0	-	-	1	6.0
Jefferson	446	4	9.0	3	6.7	5	11.2
Jerome	365	1	2.7	4	11.0	4	11.0
Kootenai	1,635	7	4.3	6	3.7	9	5.5
Latah	391	1	2.6	-	-	1	2.6
Lemhi	71	-	-	-	-	-	-
Lewis	47	-	-	-	-	-	-
Lincoln	73	-	-	-	-	-	-
Madison	823	-	-	1	1.2	1	1.2
Minidoka	333	3	9.0	4	12.0	4	12.0
Nez Perce	471	6	12.7	4	8.5	9	19.1
Oneida	51	-	-	1	19.6	1	19.6
Owyhee	190	1	5.3	2	10.5	3	15.8
Payette	313	1	3.2	2	6.4	2	6.4
Power	127	1	7.9	-	-	1	7.9
Shoshone	116	-	-	-	-	-	-
Teton	143	1	7.0	-	-	1	7.0
Twin Falls	1,125	8	7.1	11	9.8	12	10.7
Valley	78	-	-	-	-	-	-
Washington	131	2	15.3	-	-	2	15.3

Infant death rate: Number of infant deaths under one year of age per 1,000 live births.

Stillbirth ratio: Number of spontaneous fetal deaths of at least 20 weeks gestation or a weight of 350 grams per 1,000 live births.

Perinatal ratio: Number of stillbirths plus infant deaths within the first 6 days of life per 1,000 live births.

IDAHO BIRTHS
Number and Rate per 1,000 Population
1921-2004

IDAHO BIRTHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1921	10,885	NA	1949	15,802	NA	1977	18,813	22.0
1922	10,500	NA	1950	15,666	26.6	1978	19,355	21.9
1923	10,047	NA	1951	16,182	26.6	1979	19,919	22.0
1924	9,872	NA	1952	16,402	26.4	1980	20,140	21.3
1925	9,070	NA	1953	16,499	26.0	1981	19,488	20.3
1926	10,128	NA	1954	16,747	25.9	1982	19,581	20.4
1927	9,777	NA	1955	16,705	25.4	1983	18,742	19.0
1928	9,099	NA	1956	16,428	24.5	1984	17,996	18.0
1929	9,925	NA	1957	16,500	23.9	1985	17,539	17.5
1930	9,711	21.8	1958	16,732	24.1	1986	16,424	16.6
1931	9,908	NA	1959	17,009	25.7	1987	15,926	16.2
1932	8,887	NA	1960	17,016	25.5	1988	15,732	16.0
1933	8,448	NA	1961	16,701	24.7	1989	15,865	16.0
1934	9,594	NA	1962	16,303	23.7	1990	16,442	16.2
1935	9,763	NA	1963	14,734	21.0	1991	16,789	16.2
1936	10,367	NA	1964	14,080	20.5	1992	17,319	16.2
1937	10,631	NA	1965	13,370	19.3	1993	17,412	15.8
1938	11,376	NA	1966	12,978	18.7	1994	17,541	15.4
1939	11,307	NA	1967	12,762	18.3	1995	18,003	15.5
1940	11,761	22.4	1968	13,101	18.6	1996	18,564	15.6
1941	11,970	NA	1969	13,468	18.9	1997	18,537	15.3
1942	11,537	NA	1970	14,540	20.4	1998	19,350	15.7
1943	12,675	NA	1971	14,387	19.5	1999	19,870	15.9
1944	12,432	NA	1972	14,250	18.9	2000	20,305	15.7
1945	11,811	NA	1973	14,507	18.7	2001	20,686	15.7
1946	13,495	NA	1974	15,570	19.5	2002	20,973	15.6
1947	15,940	NA	1975	16,242	20.0	2003	21,794	16.0
1948	15,720	NA	1976	17,322	20.8	2004	22,529	16.2

NA: Birth rates for 1921-1929, 1931-1939, and 1941-1949 are not available.

Births from 1921 to 1963 are numbers occurring in Idaho regardless of person's state of residence.

Births from 1964 to 2004 are numbers occurring to residents of Idaho, regardless of state of occurrence.

Birth rate: number of births per 1,000 population in Idaho in corresponding year.

Source for population: 1930, 1940, 1950, 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2004 not including the Census years, are based on number of births and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO RESIDENT TEEN PREGNANCIES¹
Number of Pregnancies and Rates² by Age
1995-2004

YEAR	IDAHO RESIDENT PREGNANCIES BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1995	59	1.2	2,944	57.7	1,005	32.9	1,939	94.7
1996	48	1.0	2,968	56.2	1,006	32.0	1,962	91.5
1997	52	1.1	2,750	50.8	916	28.6	1,834	83.0
1998	41	0.9	2,845	51.8	928	29.0	1,917	83.6
1999	38	0.8	2,805	51.2	926	29.3	1,879	80.8
2000	28	0.5	2,696	49.3	801	25.1	1,895	83.0
2001	31	0.6	2,585	48.1	735	23.2	1,850	83.8
2002	26	0.5	2,410	45.3	714	22.6	1,696	78.2
2003	31	0.6	2,421	45.8	653	20.9	1,768	81.6
2004	20	0.4	2,396	45.2	655	20.9	1,741	80.2

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).
2. Pregnancy rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Idaho rates are calculated using population estimates from the U.S. Bureau of the Census. For 2004 rates, Internet release 9/9/2005, for 2003 rates, Internet release 8/18/2004, for 2001-2002 rates, Internet release 8/8/2003, for 2000 rates, Internet release 8/1/2001, and for 1995-1999 rates, Internet release 3/9/2000. In 2003, Idaho received additional abortion records from Montana for Idaho resident induced abortions occurring in Montana. Data bases from 1995-2002 have been revised to include these records in pregnancy numbers and rates shown on this table. Data may differ from previous publications due to updates in the data base, revisions in population estimates, and standardization of file cutoff dates.

IDAHO RESIDENT TEEN LIVE BIRTHS
Number of Births and Rates¹ by Age
1995-2004

YEAR	IDAHO RESIDENT LIVE BIRTHS BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1995	42	0.9	2,489	48.8	818	26.7	1,671	81.6
1996	26	0.5	2,488	47.1	833	26.5	1,655	77.2
1997	36	0.7	2,332	43.1	746	23.3	1,586	71.8
1998	28	0.6	2,450	44.6	784	24.5	1,666	72.6
1999	31	0.6	2,396	43.7	794	25.2	1,602	68.9
2000	16	0.3	2,339	42.7	669	21.0	1,670	73.2
2001	21	0.4	2,208	41.0	604	19.0	1,604	72.7
2002	16	0.3	2,078	39.0	582	18.4	1,496	69.0
2003	19	0.4	2,076	39.3	545	17.5	1,531	70.7
2004	14	0.3	2,058	38.8	525	16.8	1,533	70.6

1. Live birth rate: Number of live births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Idaho rates are calculated using population estimates from the U.S. Bureau of the Census. For 2004 rates, Internet release 9/9/2005, for 2003 rates, Internet release 8/18/2004, for 2001-2002 rates, Internet release 8/8/2003, for 2000 rates, Internet release 8/1/2001, and for 1995-1999 rates, Internet release 3/9/2000.

IDAHO DEATHS
Number and Rate per 1,000 Population
1921-2004

IDAHO DEATHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1921	3,638	NA	1949	4,577	NA	1977	6,448	7.5
1922	3,729	NA	1950	4,698	8.0	1978	6,487	7.4
1923	3,406	NA	1951	4,891	8.0	1979	6,386	7.1
1924	3,791	NA	1952	4,722	7.6	1980	6,753	7.2
1925	3,488	NA	1953	4,902	7.7	1981	6,902	7.2
1926	3,910	NA	1954	4,773	7.3	1982	6,924	7.1
1927	3,781	NA	1955	4,836	7.3	1983	7,204	7.3
1928	3,931	NA	1956	4,931	7.3	1984	7,229	7.2
1929	4,640	NA	1957	5,095	7.4	1985	7,105	7.1
1930	4,246	9.5	1958	5,092	7.3	1986	7,345	7.4
1931	4,117	NA	1959	5,295	7.9	1987	7,305	7.4
1932	3,920	NA	1960	5,252	7.9	1988	7,654	7.8
1933	4,106	NA	1961	5,357	7.9	1989	7,386	7.4
1934	4,502	NA	1962	5,362	7.8	1990	7,386	7.3
1935	4,604	NA	1963	5,619	8.0	1991	7,678	7.4
1936	5,003	NA	1964	5,833	8.4	1992	7,870	7.4
1937	4,852	NA	1965	5,939	8.6	1993	8,360	7.6
1938	4,566	NA	1966	5,939	8.6	1994	8,394	7.4
1939	4,796	NA	1967	5,898	8.4	1995	8,491	7.3
1940	4,897	9.3	1968	6,000	8.5	1996	8,706	7.3
1941	4,466	NA	1969	6,119	8.6	1997	8,952	7.4
1942	4,627	NA	1970	6,146	8.6	1998	9,141	7.4
1943	4,712	NA	1971	6,336	8.6	1999	9,508	7.6
1944	4,650	NA	1972	6,283	8.3	2000	9,535	7.4
1945	4,615	NA	1973	6,465	8.3	2001	9,751	7.4
1946	4,540	NA	1974	6,452	8.1	2002	9,909	7.4
1947	4,666	NA	1975	6,505	8.0	2003	10,364	7.6
1948	4,782	NA	1976	6,635	8.0	2004	10,013	7.2

NA: Death rates for 1921-1929, 1931-1939, and 1941-1949 are not available.

Deaths from 1921 to 1963 are numbers occurring in Idaho regardless of person's state of residence.

Deaths from 1964 to 2004 are numbers occurring to residents of Idaho, regardless of state of occurrence.

Death rate: number of deaths per 1,000 population in Idaho in corresponding year.

Source for population: 1930, 1940, 1950, 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2004 not including the Census years, are based on number of deaths and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO
Number and Rate per 1,000 Population
1951-2004

MARRIAGES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate
1951	7,849	13.2	1978	13,570	15.4
1952	8,120	13.4	1979	13,429	14.8
1953	8,486	13.9	1980	13,428	14.2
1954	8,915	14.4	1981	14,175	14.7
1955	8,879	14.1	1982	14,066	14.4
1956	9,132	14.4	1983	13,421	13.6
1957	8,995	14.0	1984	13,264	13.3
1958	9,522	14.6	1985	12,277	12.2
1959	9,343	14.2	1986	11,957	11.9
1960	10,325	15.5	1987	11,428	11.5
1961	11,151	16.5	1988	12,165	12.3
1962	11,934	17.4	1989	13,193	13.3
1963	12,680	18.1	1990	14,064	13.9
1964	14,019	20.4	1991	14,352	13.8
1965	15,864	22.9	1992	14,458	13.6
1966	17,129	24.6	1993	14,836	13.5
1967	14,108	20.1	1994	14,895	13.1
1968	11,130	16.0	1995	15,106	13.0
1969	10,993	15.5	1996	15,027	12.7
1970	10,915	15.3	1997	15,114	12.5
1971	11,356	15.4	1998	15,266	12.4
1972	12,086	16.0	1999	15,489	12.4
1973	12,236	15.8	2000	15,057	11.6
1974	12,489	15.7	2001	14,820	11.2
1975	12,688	15.6	2002	14,683	10.9
1976	13,104	15.8	2003	14,867	10.9
1977	13,691	16.0	2004	14,997	10.8

DIVORCES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate
1951	2,569	4.3	1978	6,356	7.2
1952	2,586	4.3	1979	6,449	7.1
1953	2,584	4.2	1980	6,596	7.0
1954	2,523	4.1	1981	6,770	7.0
1955	2,414	3.8	1982	6,238	6.4
1956	2,214	3.5	1983	6,228	6.3
1957	2,360	3.7	1984	6,210	6.3
1958	2,372	3.6	1985	6,207	6.2
1959	2,652	4.0	1986	6,067	6.1
1960	2,515	3.8	1987	5,892	6.0
1961	2,685	4.0	1988	5,987	6.1
1962	2,547	3.7	1989	6,275	6.3
1963	2,798	4.0	1990	6,446	6.4
1964	2,876	4.1	1991	6,619	6.4
1965	2,874	4.2	1992	6,857	6.4
1966	3,062	4.4	1993	6,899	6.3
1967	3,183	4.6	1994	6,799	6.0
1968	3,278	4.7	1995	6,749	5.8
1969	3,506	5.0	1996	6,985	5.9
1970	3,612	5.1	1997	7,035	5.8
1971	3,664	5.0	1998	6,980	5.7
1972	3,847	5.1	1999	6,947	5.6
1973	4,341	5.6	2000	7,110	5.5
1974	4,808	6.0	2001	7,025	5.3
1975	5,203	6.4	2002	7,087	5.3
1976	5,699	6.8	2003	7,080	5.2
1977	6,013	7.0	2004	6,921	5.0

Note: Husband's and/or wife's residency may have been in Idaho or out of state.

Marriage rate: number of marriages occurring in Idaho per 1,000 population in Idaho in corresponding year.


Divorce rate: number of divorces occurring in Idaho per 1,000 population in Idaho in corresponding year.

Source for population: 1960, 1970, 1980, 1990, and 2000 are Census estimates from the U.S. Census Bureau.

Population estimates for 1951-1959 are in-house estimates based on the average-annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to 2003, not including the Census years, are based on number of marriages or divorces and postcensal population estimate provided in the corresponding Idaho Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO VITAL EVENTS

Among Idaho Residents, each day in 2004, there were approximately:



* Marriage and divorce data are based on events occurring in Idaho; all other data reflect events occurring to Idaho residents.

NATALITY

U.S.

The United States recorded an estimated 4,115,590 live births in 2004 (preliminary), an increase of 1 percent from the 4,089,950 live births reported in 2003. The preliminary 2004 birth rate of 14.0 per 1,000 population represents a 1 percent decrease from 14.1 in 2003. The U.S. preliminary 2004 fertility rate (the number of births per 1,000 women aged 15-44) was 66.3, a slight increase over the rate for 2003 (66.1).

Idaho

Following decades of consistently higher birth and fertility rates, Idaho's birth rates fell considerably in the 1980s to converge with the U.S. rate in 1988 for the first time. After 3 years below the U.S. rate, Idaho's birth rate rose above the U.S. birth rate again from 1992 through 2004. In 2004, the birth rate for Idaho was 16.2, a 1 percent increase from 16.0 in 2003. The estimated fertility rate also increased 2 percent, from 76.0 in 2003 to 77.2 in 2004. The actual number of births rose 3 percent from 21,794 to 22,529. This is the highest number of resident births recorded for the state, but much of the increase is a result of population growth.

Idaho resident 2004 live birth rates ranged from a low of 11.2 per 1,000 population in District 2 to a high of 19.8 per 1,000 in District 7. Five districts experienced higher birth rates in 2004: District 1 (12.2), District 2 (11.2), District 3 (18.4), District 5 (16.9), and District 7 (19.8). District 4 and District 6 recorded lower rates in 2004 than 2003.

Revised Idaho Birth Certificate

In 2004, Idaho implemented the latest revision of the U.S. certificate called the 2003 U.S. Standard Certificate of Live Birth. As a result, data collected in 2004 may not be comparable with data collected prior to 2004. Furthermore, not all states revised their certificates by 2004; therefore, not all data items are collected by other states. Data highlights below will reflect changes in the collection of data on the birth certificate. For more information, see technical notes on the Revision of the Certificate of Live Birth.

Race and Ethnicity of Mother

The collection of race and ethnicity was revised on the 2004 Idaho Birth Certificate. Beginning in 2004, one or more race and one or more Hispanic origin may be reported on the certificate. However, not all states collected data for more than one race and ethnicity. To be comparable with the U.S. and other states, Idaho data were collapsed into six race categories: white, Black, American Indian, Asian and Pacific Islander, other race, or race not stated. Ethnicity data were collapsed into Hispanic, non-Hispanic, or ethnicity not stated. In addition, the method race data are categorized changed in 2004, therefore race data in 2004 are not comparable with race data prior to 2004. In 2004, 93.5 percent of Idaho mothers were white, 0.4 percent were Black, 1.7 percent were Native American, 1.3 percent were Asian or Pacific Islander and 3.0 percent indicated other race. A total of 14.5 percent of mothers were of Hispanic origin and 85.5 percent were non-Hispanic. Race and Hispanic origin are reported separately on birth certificate and mothers of Hispanic origin may be of any race.

Age of Mother

The mean age of all Idaho mothers was 26.5 years in 2004. For first-time mothers, the mean age was 23.9 years in 2004 compared with 25.2 years for first-time mothers in the U.S. in 2003. The ages for first-time mothers ranged from 12 to 47 in Idaho in 2004.

Birth Attendant

In 2004, physicians attended 94 percent of births to Idaho residents, which was a slight decrease from 95 percent in 2003. The number of births attended by certified nurse midwives increased from 681 to 723 and the number of births attended by lay midwives increased from 285 to 384 from 2003 to 2004.

Place of Birth

Approximately 3 percent (588) of Idaho's 2004 resident births occurred in a non-hospital setting. The percent of resident births in non-hospital settings has steadily decreased over the last decade, from 4 percent in 1994. Most of the out-of-hospital births occurred at home (364) or in freestanding birthing centers (219).

Prenatal Care

The collection of prenatal care data changed dramatically with the revision of the Idaho birth certificate in 2004. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit, the length of gestation, and the date of birth. Prior to 2004, prenatal care on the certificate was based on the month prenatal care began (first, second, third, etc. month of pregnancy). In 2004, 71.9 percent of births were to mothers with a first visit in the first trimester. A total of 22.6 percent of births were to mothers with their first visit in the second trimester, and 4.5 percent of births were to mothers with their first visit in the third trimester. One percent of births were to mothers with no prenatal care visits. Idaho prenatal care data based on date of first visit in 2004 are not comparable with prenatal care data based on month prenatal care began.

Education of mother

In 2004, education data collected on the birth certificate were revised to report the highest degree or level of school completed at the time of delivery. Prior to 2004, the number of years of school completed was reported on the Idaho birth certificate. In 2004, 16.5 percent of mothers were not high school graduates and 83.5 percent of mothers were high school graduates, had their GED or attained a higher level of education at the time of delivery. Of the Idaho mothers aged less than 18 years, 85.9 percent had not yet received their high school diploma. Nearly forty percent (39.8 percent) of mothers aged 18 and 19 had not received their diploma, and 12.9 percent of mothers aged 20 and older had not received their diploma at the time of delivery.

Low Birth Weight and Preterm Births

Nationally, 8.1 percent of births were low birthweight (< 2,500 grams) in 2004 (preliminary). Among Idaho residents, the percent of low birth weight live births increased 5 percent from 6.5 percent in 2003 to 6.8 percent in 2004. Preliminary 2004 U.S. data indicate 12.5 percent of live births were preterm (less than 37 completed weeks of gestation). The percent of preterm infants was 10.9 percent in Idaho in 2004 up from 10.6 percent in 2003. There is a correlation between low birth weight babies and preterm births; of the 1,536 low birth weight Idaho babies in 2004, 66.2 percent were born preterm. There has been an upward trend in low birth weight and preterm births in recent years which has been influenced in part by the upsurge in the multiple births. In 2004, there were 725 twins and 32 triplets or higher-order births compared with 634 twins and 40 triplets or higher-order births in 2003. The percent of low birth weight infants in 2004 was 5.1 for singletons, 55.7 for twins, and 93.8 percent for triplets or higher-order births in 2004. The Idaho preterm rate was 9.0 percent for singletons, 62.8 percent for twins, and 96.9 percent for triplets or higher-order births in 2004.

The highest percentage of low birth weight infants were to District 6 mothers (7.5 percent) and District 4 mothers (7.4 percent). The highest percentage of preterm births were to District 4 and District 6 mothers (12.1 and 12.0, respectively).

Out of Wedlock

Out-of-wedlock births increased 5 percent in number from 4,859 in 2003 to 5,079 in 2004. The percent of out-of-wedlock Idaho births increased 1 percent, from 22.3 percent in 2003 to 22.5 percent in 2004. Nationally in 2003, 34.6 percent of all births were to unmarried women.

Method of Delivery

In 2004, Idaho resident birth rate for vaginal, non-VBAC (vaginal deliveries after a cesarean) births was 76.0 deliveries per 100 births compared with 71.2 per 100 births in the U.S. (2003). Conversely, Idaho's total cesarean rate (22.3 deliveries per 100 births) in 2004 was lower than the national rate of 27.3 per 100 births in 2003. Rates for vaginal deliveries after a cesarean and repeat cesareans are based on mothers with a previous cesarean. Idaho's VBAC rate was 19.0 deliveries per 100 births to women with previous cesarean, higher than the national rate of 10.6 in 2003. The repeat cesarean rate for Idaho was 81.0 per 100 births to women with a previous cesarean; the national rate was 89.4. In 2004, the wording for the method of delivery item changed on the Idaho certificate and outcome data are not 100 percent comparable to data based on non-revised items.

Payment Source for Delivery

In 2004, 49.8 percent of deliveries were paid by private insurance in Idaho. According to birth certificate data, 33.8 percent of births were paid by Medicaid and 9.6 of births were paid by the mother or family. A total of 4.5 percent of births were paid by other governmental agencies (Indian Health Services, CHAMPUS/TRICARE, federal, state, or local government). A total of 2.3 of births did not have any payment source reported for the delivery. The payment source for delivery may change after the birth certificate is filed with the state.

Cigarette Smoking

Prior to 2004, tobacco use during pregnancy (yes or no) was reported on the Idaho birth certificate. Beginning in 2004, cigarette smoking before and during pregnancy is reported on the revised birth certificate. Among birth certificates with reported data on cigarette smoking, 16.9 percent of mothers reported smoking the three months prior to pregnancy; 12.7 percent reported smoking during the first three months of pregnancy; 10.4 percent reported smoking during the second three months of pregnancy; and 9.9 percent reported smoking during the third three months of pregnancy. Overall, 13.1 percent of Idaho mothers reported smoking any time during pregnancy.

Risk Factors

The section on maternal risk factors was revised on the 2004 birth certificate. A total of 4,956 births (22.2 percent) were to Idaho mothers with at least one risk factor during pregnancy. The most common risk factor to mothers was previous cesarean delivery (2,010) followed by hypertension (1,455 total, 177 with prepregnancy hypertension and 1,278 with gestational hypertension), and diabetes (952 total, 144 with prepregnancy diabetes, 799 with gestational diabetes, and 9 with unknown if prepregnancy or gestational diabetes).

Infections

There are 12 infections listed on the revised Idaho birth certificate plus a category for "other" infections present and/or treated during this pregnancy. The most common infection reported among Idaho mothers was group B streptococcus. A total of 3,597 (16.0 percent) births were to mothers with group B streptococcus treated and/or present during pregnancy. In all, 4,510 (20.2 percent) births were to mothers with at least one infection present or treated during pregnancy in 2004.

Characteristics of Labor and Delivery

The most common characteristics of labor and delivery reported beginning in 2004 were: epidural or spinal anesthesia during labor (14,227 births), induction of labor (5,704 births), augmentation of labor (4,617 births), and antibiotics received by mother during pregnancy (3,962).

Maternal Morbidity

Maternal morbidity is defined on the Idaho birth certificate as complications associated with labor and delivery. Two percent of Idaho births (442) were to mothers with one or more complications of labor and delivery reported on the birth certificate in 2004. The leading complications reported were: third or fourth degree perineal laceration (295 births), unplanned operating room procedure following delivery (73 births), and maternal transfusion (70 births).

Abnormal Conditions of the Newborn

One in seven newborns had at least one abnormal condition reported on the 2004 birth certificate (3,235 or 14.6 percent). The most common abnormal condition reported was Neonatal Intensive Care Unit (NICU) admission (1,903), followed by assisted ventilation required immediately following delivery (1,169), and failed newborn hearing test (703).

Congenital Anomalies of the Newborn

A total of 158 newborns had one or more congenital anomaly(ies) reported on the 2004 birth certificate. Hypospadias (congenital malformations of the genital organs) were reported for 29 births, cyanotic congenital heart disease was reported for 25 births, and cleft lip with or without cleft palate was reported for 21 births (8 had cleft palate alone).

WIC (Supplemental Nutritional Program for Women, Infants, and Children)

The revised 2004 Idaho birth certificate includes a new variable for reporting if mother received WIC food for herself during this pregnancy (yes or no)? A total of 20,801 birth records had data for WIC participation; 1,728 records did not have data regarding WIC participation. Among Idaho residents with known data for WIC participation, 39.3 percent of mothers received WIC food for herself during her pregnancy. Mothers aged less than 20 were twice as likely to receive WIC food (73.6 percent) than mothers aged 20 and older (35.9 percent). Unmarried mothers were twice as likely to receive WIC food (64.1 percent) than married mothers (32.1 percent).


Breastfeeding

The revised 2004 birth certificate includes a new item for reporting if infant was being breastfed at birth. Of the Idaho resident records with known data for breast feeding, 88.7 percent indicated the infant was being breastfed at birth. Mothers aged less than 20 were slightly less likely to have breastfed at the time of birth (84.5 percent) than mothers aged 20 and older (89.1 percent). Fewer unmarried mothers breastfed at birth (80.3 percent) than married mothers (91.2 percent).


Teen Pregnancy

Reportable pregnancies included live births, abortions, and stillbirths. Miscarriages under 20 weeks are not reportable in Idaho. In 2004, there were 2,416 reportable pregnancies among Idaho females under the age of 20 (2,072 live births, 329 abortions, and 15 stillbirths). During the past decade there has been a steady decline in the annual teen pregnancy numbers and rate among Idahoans. From 1995 to 2004, the pregnancy rate for females aged less than 15 declined 67.1 percent from 1.2 per 1,000 to 0.4 per 1,000. At the same time, the pregnancy rate for teens aged 15-17 years declined 36.4 percent from 32.9 per 1,000 in 1995 to 20.9 per 1,000 in 2004. The pregnancy rate for females aged 18-19 decreased from 94.7 per 1,000 to 80.2 per 1,000 (15.4 percent decline).

IDAHO RESIDENT LIVE BIRTHS 1994-2004



U.S., IDAHO RESIDENT LIVE BIRTH RATES 1994-2004



*U.S. rate for 2004 is preliminary.

IDAHO RESIDENT LIVE BIRTHS
Number of Live Births and Live Birth Rates
2000-2004

RESIDENCE	2004		2003		2002		2001		2000	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	14.0 (Preliminary)		14.1		13.9		14.1		14.7	
IDAHO	22,529	16.2	21,794	16.0	20,973	15.6	20,686	15.7	20,305	15.7
District 1	2,367	12.2	2,266	12.0	2,226	12.1	2,286	12.6	2,287	12.8
District 2	1,130	11.2	1,102	11.0	1,189	11.9	1,149	11.5	1,098	10.9
District 3	4,051	18.4	3,814	17.9	3,715	18.1	3,608	18.1	3,341	17.5
District 4	5,859	15.6	5,824	15.8	5,563	15.3	5,493	15.4	5,520	16.0
District 5	2,855	16.9	2,727	16.3	2,550	15.4	2,631	16.1	2,595	16.0
District 6	2,828	17.8	2,852	18.0	2,789	17.6	2,720	17.2	2,786	17.8
District 7	3,439	19.8	3,209	19.0	2,941	17.9	2,799	17.3	2,678	16.7
Ada	5,209	15.7	5,108	15.7	4,939	15.4	4,832	15.4	4,868	16.2
Adams	27	7.8	32	9.1	20	5.8	23	6.7	22	6.3
Bannock	1,407	18.6	1,465	19.4	1,427	18.8	1,375	18.1	1,377	18.2
Bear Lake	85	13.4	77	12.2	92	14.5	73	11.3	93	14.5
Benewah	111	12.4	116	12.8	111	12.3	119	13.2	117	12.8
Bingham	790	18.3	765	17.8	745	17.5	752	17.8	796	19.1
Blaine	267	12.7	266	12.8	286	14.0	276	14.0	244	12.8
Boise	55	7.5	74	10.2	51	7.2	75	10.8	65	9.7
Bonner	388	9.7	369	9.4	395	10.3	397	10.6	371	10.1
Bonneville	1,674	18.7	1,671	19.2	1,562	18.3	1,460	17.4	1,415	17.1
Boundary	117	11.3	135	13.3	133	13.2	123	12.4	136	13.8
Butte	36	12.7	41	14.3	40	13.8	44	15.4	33	11.4
Camas	13	12.8	13	12.4	8	7.7	12	11.9	9	9.1
Canyon	3,202	20.3	2,956	19.5	2,901	20.0	2,721	19.6	2,511	19.1
Caribou	92	12.8	113	15.8	99	13.5	100	13.5	103	14.1
Cassia	423	19.8	386	17.9	377	17.4	386	17.9	405	18.9
Clark	15	16.6	19	21.0	12	12.0	18	18.1	21	20.5
Clearwater	55	6.6	77	9.2	67	7.9	76	8.8	72	8.1
Custer	32	7.8	30	7.3	26	6.2	39	9.1	37	8.5
Elmore	517	17.9	560	19.4	502	17.0	510	17.4	527	18.1
Franklin	240	19.7	200	16.8	229	19.6	215	18.7	200	17.7
Fremont	235	19.2	225	18.6	206	17.4	211	17.8	195	16.5
Gem	188	11.8	208	13.2	185	11.9	215	13.9	180	11.9
Gooding	256	17.8	259	18.1	234	16.4	200	14.0	235	16.6
Idaho	166	10.6	139	9.0	168	11.0	154	10.0	153	9.9
Jefferson	446	21.5	378	18.7	342	17.3	354	18.3	372	19.4
Jerome	365	18.9	331	17.5	320	17.1	320	17.3	330	18.0
Kootenai	1,635	13.4	1,517	12.9	1,471	12.9	1,516	13.6	1,507	13.9
Latah	391	11.1	397	11.3	452	12.8	415	11.8	413	11.8
Lemhi	71	9.1	78	10.1	62	8.1	76	10.0	56	7.2
Lewis	47	12.5	43	11.5	41	11.0	41	11.3	42	11.2
Lincoln	73	16.9	72	16.7	66	15.7	71	17.1	77	19.0
Madison	823	26.7	666	22.3	595	21.5	503	18.4	461	16.8
Minidoka	333	17.3	343	17.7	301	15.5	350	17.9	345	17.1
Nez Perce	471	12.5	446	11.8	461	12.4	463	12.5	418	11.2
Oneida	51	12.3	58	14.0	45	10.9	58	13.9	69	16.7
Owyhee	190	17.3	175	15.6	177	16.3	197	18.1	171	16.1
Payette	313	14.5	324	15.1	297	14.1	323	15.5	303	14.7
Power	127	17.0	133	18.0	112	15.2	103	13.8	115	15.3
Shoshone	116	9.0	129	9.9	116	8.9	131	9.7	156	11.3
Teton	143	19.7	142	20.1	136	19.8	138	21.3	121	20.2
Twin Falls	1,125	16.6	1,057	15.8	958	14.6	1,016	15.7	950	14.8
Valley	78	9.8	82	10.6	71	9.4	76	9.9	60	7.8
Washington	131	13.0	119	11.9	135	13.6	129	13.0	154	15.4

County and district rates for 2000 are based on 2000 Census, Internet release date August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics (NCHS), estimates for July 1, 2001-July 1 2002, United States resident population from the Vintage 2002 postcensal series, Internet release date August 8, 2003. Rates for 2003 and 2004 are based on NCHS estimates for July 1, 2003 and July 1, 2004, United States resident population from the vintage 2003 and 2004 postcensal series, Internet release dates August 18, 2004 and September 9, 2005, respectively. Vintage data sets were prepared under a collaborative arrangement with the U.S. Census Bureau.

Birth rate: Number of live births per 1,000 population.

IDAHO RESIDENT LIVE BIRTHS
Sex of Child and Race/Ethnicity of Mother¹
2004

RESIDENCE	TOTAL LIVE BIRTHS	SEX OF CHILD		RACE OF MOTHER						MOTHER HISPANIC ²
		Male	Female	White	Black	Native American	Asian/Pacific Islander	Other Race	Not Stated	
IDAHO	22,529*	11,600	10,929	20,795	101	372	294	670	292	3,230
District 1	2,367*	1,236	1,131	2,242	6	51	15	14	34	87
District 2	1,130	591	539	1,025	7	65	22	6	5	25
District 3	4,051	2,060	1,991	3,608	13	35	39	243	113	1,104
District 4	5,859	3,036	2,823	5,316	55	39	145	189	115	434
District 5	2,855	1,477	1,378	2,694	5	21	22	106	7	853
District 6	2,828	1,426	1,402	2,589	10	136	23	64	6	314
District 7	3,439	1,774	1,665	3,321	5	25	28	48	12	413
Ada	5,209	2,704	2,505	4,788	31	33	135	127	95	338
Adams	27	12	15	26	-	-	-	1	-	2
Bannock	1,407	707	700	1,318	7	62	16	2	2	79
Bear Lake	85	43	42	84	-	-	-	1	-	2
Benewah	111*	59	52	93	-	16	-	1	-	3
Bingham	790	403	387	664	3	66	4	51	2	161
Blaine	267	144	123	216	1	2	1	45	2	89
Boise	55	28	27	51	-	1	-	-	3	3
Bonner	388*	190	198	369	2	3	2	2	9	12
Bonneville	1,674	876	798	1,598	5	17	14	37	3	231
Boundary	117	68	49	109	-	4	-	2	2	3
Butte	36	15	21	34	-	1	-	-	1	3
Camas	13	7	6	13	-	-	-	-	-	-
Canyon	3,202	1,647	1,555	2,829	12	28	36	192	105	902
Caribou	92	48	44	89	-	-	2	1	-	3
Cassia	423	211	212	411	-	2	4	6	-	130
Clark	15	7	8	15	-	-	-	-	-	11
Clearwater	55	26	29	54	-	1	-	-	-	1
Custer	32	22	10	30	-	-	-	2	-	2
Elmore	517	266	251	401	24	5	9	61	17	90
Franklin	240	123	117	228	-	4	-	8	-	16
Fremont	235	110	125	228	-	3	1	2	1	41
Gem	188	88	100	166	-	4	1	16	1	27
Gooding	256	134	122	237	-	2	1	16	-	89
Idaho	166	90	76	150	-	16	-	-	-	3
Jefferson	446	220	226	435	-	1	1	5	4	62
Jerome	365	196	169	351	-	3	2	8	1	143
Kootenai	1,635*	858	777	1,564	4	22	13	8	21	62
Latah	391	206	185	363	4	2	15	2	5	13
Lemhi	71	39	32	66	-	3	2	-	-	-
Lewis	47	25	22	44	-	2	1	-	-	1
Lincoln	73	38	35	67	1	-	3	1	1	18
Madison	823	422	401	807	-	1	10	1	4	37
Minidoka	333	173	160	305	-	-	2	25	1	166
Nez Perce	471	244	227	414	3	44	6	4	-	7
Oneida	51	26	25	49	-	1	-	-	1	1
Owyhee	190	93	97	169	-	2	-	16	3	74
Payette	313	165	148	301	1	1	2	6	2	63
Power	127	61	66	123	-	2	1	1	-	49
Shoshone	116	61	55	107	-	6	-	1	2	7
Teton	143	78	65	142	-	-	-	1	-	29
Twin Falls	1,125	574	551	1,094	3	12	9	5	2	218
Valley	78	38	40	76	-	-	1	1	-	3
Washington	131	55	76	117	-	-	-	12	2	36

1. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2004 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. *Total includes five (5) out-of-state births with multiple races; one each in Benewah County (District 1) and Bonner County (District 1); three in Kootenai County (District 1). For more information, see technical notes.

2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LIVE BIRTHS
Age of Mother
2004

RESIDENCE	TOTAL LIVE BIRTHS	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	22,529*	14	2,058	525	1,533	7,189	6,744	4,332	1,779	381	31
District 1	2,367	2	224	52	172	751	649	447	226	61	7
District 2	1,130	-	92	22	70	354	345	205	104	29	1
District 3	4,051	5	488	150	338	1,288	1,251	686	262	62	9
District 4	5,859*	-	373	73	300	1,530	1,814	1,458	575	100	8
District 5	2,855	5	374	107	267	946	770	491	226	41	2
District 6	2,828	1	234	59	175	1,007	896	469	173	46	2
District 7	3,439	1	273	62	211	1,313	1,019	576	213	42	2
Ada	5,209*	-	309	58	251	1,293	1,636	1,338	537	89	6
Adams	27	-	1	1	-	7	9	4	2	3	1
Bannock	1,407	1	111	21	90	528	453	216	78	19	1
Bear Lake	85	-	8	3	5	24	25	13	12	3	-
Benewah	111	1	16	1	15	39	32	14	6	2	1
Bingham	790	-	70	19	51	278	240	137	47	18	-
Blaine	267	-	23	6	17	57	63	65	45	13	1
Boise	55	-	4	-	4	16	14	9	6	4	2
Bonner	388	-	37	9	28	122	96	71	53	9	-
Bonneville	1,674	-	163	40	123	560	536	290	103	20	2
Boundary	117	-	15	3	12	43	28	21	6	3	1
Butte	36	-	5	3	2	15	10	5	1	-	-
Camas	13	-	1	-	1	5	6	1	-	-	-
Canyon	3,202	5	391	121	270	1,010	996	544	209	40	7
Caribou	92	-	13	2	11	31	26	17	5	-	-
Cassia	423	1	43	9	34	142	108	93	32	4	-
Clark	15	-	-	-	-	7	3	3	2	-	-
Clearwater	55	-	5	3	2	15	17	12	4	2	-
Custer	32	-	2	-	2	6	8	11	5	-	-
Elmore	517	-	50	11	39	201	148	88	25	5	-
Franklin	240	-	10	6	4	74	86	51	16	2	1
Fremont	235	-	20	4	16	89	71	31	19	5	-
Gem	188	-	19	6	13	62	59	31	13	3	1
Gooding	256	-	33	11	22	91	73	41	17	-	1
Idaho	166	-	23	6	17	47	44	23	24	5	-
Jefferson	446	-	34	12	22	145	145	89	32	1	-
Jerome	365	1	59	18	41	131	80	60	29	5	-
Kootenai	1,635	1	138	36	102	503	468	320	154	46	5
Latah	391	-	4	-	4	124	131	85	36	11	-
Lemhi	71	-	7	-	7	17	24	14	6	3	-
Lewis	47	-	7	1	6	18	7	5	6	3	1
Lincoln	73	-	16	3	13	26	15	9	7	-	-
Madison	823	-	41	4	37	461	188	98	26	9	-
Minidoka	333	1	57	22	35	112	87	43	26	7	-
Nez Perce	471	-	53	12	41	150	146	80	34	8	-
Oneida	51	-	2	-	2	17	15	13	1	3	-
Owyhee	190	-	24	11	13	64	62	25	9	6	-
Payette	313	-	45	10	35	102	88	59	13	6	-
Power	127	-	15	5	10	40	41	17	13	1	-
Shoshone	116	-	18	3	15	44	25	21	7	1	-
Teton	143	1	6	2	4	28	44	40	20	4	-
Twin Falls	1,125	2	142	38	104	382	338	179	70	12	-
Valley	78	-	10	4	6	20	16	23	7	2	-
Washington	131	-	8	1	7	43	37	23	16	4	-

* Total includes one (1) birth with mother's age not stated in Ada County (District 4).

IDAHO RESIDENT LIVE BIRTHS
Education of Mother*
2004

RESIDENCE	TOTAL LIVE BIRTHS	HIGHEST DEGREE OR LEVEL OF SCHOOL COMPLETED						
		8th Grade or Less	9th-12th Grade, But No Diploma	GED or Diploma	Some College, No Degree (Includes Associates)	Bachelor's Degree	Master's, Doctorate or Professional Degree	Unknown
IDAHO	22,529	872	2,761	5,982	8,064	3,535	855	460
District 1	2,367	34	288	750	883	298	90	24
District 2	1,130	7	100	292	416	242	66	7
District 3	4,051	258	674	1,235	1,185	422	76	201
District 4	5,859	111	466	1,359	2,061	1,308	409	145
District 5	2,855	264	606	663	961	263	75	23
District 6	2,828	81	276	944	975	440	73	39
District 7	3,439	117	351	739	1,583	562	66	21
Ada	5,209	80	392	1,169	1,816	1,234	392	126
Adams	27	1	2	11	7	4	2	-
Bannock	1,407	14	120	459	480	260	48	26
Bear Lake	85	3	7	34	26	12	1	2
Benewah	111	3	21	55	25	7	-	-
Bingham	790	49	89	230	304	106	9	3
Blaine	267	26	40	49	63	63	21	5
Boise	55	-	4	19	18	8	3	3
Bonner	388	6	69	123	117	56	12	5
Bonneville	1,674	61	208	441	668	257	35	4
Boundary	117	13	21	37	30	11	3	2
Butte	36	1	3	12	12	6	1	1
Camas	13	-	3	5	2	3	-	-
Canyon	3,202	192	531	942	940	353	62	182
Caribou	92	-	7	40	31	9	3	2
Cassia	423	24	93	92	164	43	6	1
Clark	15	3	3	1	6	1	-	1
Clearwater	55	-	6	20	15	10	4	-
Custer	32	2	4	9	10	6	1	-
Elmore	517	29	57	148	205	51	11	16
Franklin	240	1	21	97	81	32	6	2
Fremont	235	10	37	54	99	25	5	5
Gem	188	4	25	68	65	17	4	5
Gooding	256	38	66	65	67	16	3	1
Idaho	166	2	24	66	44	25	3	2
Jefferson	446	23	37	104	227	44	8	3
Jerome	365	53	88	91	103	18	8	4
Kootenai	1,635	12	156	490	672	217	73	15
Latah	391	2	13	57	148	126	40	5
Lemhi	71	2	8	32	21	8	-	-
Lewis	47	1	6	16	17	5	2	-
Lincoln	73	7	14	24	21	7	-	-
Madison	823	8	35	75	504	188	10	3
Minidoka	333	37	95	83	93	17	1	7
Nez Perce	471	2	51	133	192	76	17	-
Oneida	51	-	4	26	14	4	2	1
Owyhee	190	29	46	51	43	12	1	8
Payette	313	21	53	125	81	27	2	4
Power	127	13	25	46	27	11	3	2
Shoshone	116	-	21	45	39	7	2	2
Teton	143	8	19	23	48	33	7	5
Twin Falls	1,125	79	207	254	448	96	36	5
Valley	78	2	13	23	22	15	3	-
Washington	131	11	17	38	49	9	5	2

*In 2004, the Idaho birth certificate was revised for the question on mother's education. Prior to 2004, the question on education was based on the number of years of school completed; beginning in 2004, education is based on the highest degree or level of school completed at time of delivery. Data in 2004 are not comparable with data prior to 2004.

IDAHO RESIDENT LIVE BIRTHS
Attendant at Birth
2004

RESIDENCE	TOTAL LIVE BIRTHS	ATTENDANT AT BIRTH						
		Physician M.D., D.O.	Certified Nurse Midwife	Nurse	Naturopath	Lay Midwife	Other	Not Stated
IDAHO	22,529	21,262	723	24	37	384	83	16
District 1	2,367	1,958	261	15	1	123	8	1
District 2	1,130	1,082	1	-	-	39	5	3
District 3	4,051	3,873	35	3	8	89	40	3
District 4	5,859	5,625	134	1	15	76	6	2
District 5	2,855	2,798	13	4	9	21	9	1
District 6	2,828	2,669	140	1	1	12	4	1
District 7	3,439	3,257	139	-	3	24	11	5
Ada	5,209	4,985	130	1	15	70	6	2
Adams	27	24	-	-	-	2	1	-
Bannock	1,407	1,292	106	1	1	5	2	-
Bear Lake	85	83	2	-	-	-	-	-
Benewah	111	100	4	1	-	6	-	-
Bingham	790	772	9	-	-	7	2	-
Blaine	267	262	-	-	-	5	-	-
Boise	55	49	3	-	-	3	-	-
Bonner	388	339	11	1	1	32	4	-
Bonneville	1,674	1,649	11	-	3	6	5	-
Boundary	117	99	2	-	-	14	2	-
Butte	36	36	-	-	-	-	-	-
Camas	13	12	1	-	-	-	-	-
Canyon	3,202	3,098	27	3	6	58	8	2
Caribou	92	88	4	-	-	-	-	-
Cassia	423	416	3	-	-	2	2	-
Clark	15	15	-	-	-	-	-	-
Clearwater	55	52	-	-	-	3	-	-
Custer	32	32	-	-	-	-	-	-
Elmore	517	516	-	-	-	1	-	-
Franklin	240	233	7	-	-	-	-	-
Fremont	235	217	16	-	-	2	-	-
Gem	188	177	4	-	1	4	2	-
Gooding	256	249	-	1	1	3	1	1
Idaho	166	147	1	-	-	15	2	1
Jefferson	446	428	14	-	-	2	2	-
Jerome	365	355	1	2	5	-	2	-
Kootenai	1,635	1,318	234	11	-	69	2	1
Latah	391	373	-	-	-	15	2	1
Lemhi	71	59	1	-	-	8	-	3
Lewis	47	41	-	-	-	5	1	-
Lincoln	73	64	5	-	-	3	1	-
Madison	823	738	77	-	-	5	3	-
Minidoka	333	331	-	-	1	1	-	-
Nez Perce	471	469	-	-	-	1	-	1
Oneida	51	48	2	-	-	-	-	1
Owyhee	190	164	1	-	-	21	4	-
Payette	313	292	2	-	-	3	15	1
Power	127	117	10	-	-	-	-	-
Shoshone	116	102	10	2	-	2	-	-
Teton	143	119	20	-	-	1	1	2
Twin Falls	1,125	1,109	3	1	2	7	3	-
Valley	78	75	1	-	-	2	-	-
Washington	131	118	1	-	1	1	10	-

IDAHO RESIDENT LIVE BIRTHS
Place of Birth
2004

RESIDENCE	TOTAL LIVE BIRTHS	PLACE OF BIRTH					
		Hospital*	Freestanding Birthing Center	Clinic/Doctor's Office	Home	Other	Not Stated
IDAHO	22,529	21,937	219	1	364	4	4
District 1	2,367	2,263	4	-	99	1	-
District 2	1,130	1,085	-	-	44	1	-
District 3	4,051	3,819	147	-	84	-	1
District 4	5,859	5,740	64	1	52	-	2
District 5	2,855	2,816	3	-	35	-	1
District 6	2,828	2,811	-	-	15	2	-
District 7	3,439	3,403	1	-	35	-	-
Ada	5,209	5,098	59	1	49	-	2
Adams	27	24	-	-	3	-	-
Bannock	1,407	1,398	-	-	8	1	-
Bear Lake	85	85	-	-	-	-	-
Benewah	111	105	-	-	6	-	-
Bingham	790	782	-	-	7	1	-
Blaine	267	262	-	-	5	-	-
Boise	55	51	4	-	-	-	-
Bonner	388	356	2	-	30	-	-
Bonneville	1,674	1,662	-	-	12	-	-
Boundary	117	102	2	-	13	-	-
Butte	36	36	-	-	-	-	-
Camas	13	13	-	-	-	-	-
Canyon	3,202	3,026	129	-	46	-	1
Caribou	92	92	-	-	-	-	-
Cassia	423	419	1	-	3	-	-
Clark	15	15	-	-	-	-	-
Clearwater	55	52	-	-	3	-	-
Custer	32	32	-	-	-	-	-
Elmore	517	515	1	-	1	-	-
Franklin	240	240	-	-	-	-	-
Fremont	235	233	-	-	2	-	-
Gem	188	178	6	-	4	-	-
Gooding	256	251	2	-	2	-	1
Idaho	166	149	-	-	16	1	-
Jefferson	446	442	-	-	4	-	-
Jerome	365	358	-	-	7	-	-
Kootenai	1,635	1,584	-	-	50	1	-
Latah	391	374	-	-	17	-	-
Lemhi	71	63	-	-	8	-	-
Lewis	47	40	-	-	7	-	-
Lincoln	73	69	-	-	4	-	-
Madison	823	815	1	-	7	-	-
Minidoka	333	330	-	-	3	-	-
Nez Perce	471	470	-	-	1	-	-
Oneida	51	51	-	-	-	-	-
Owyhee	190	160	6	-	24	-	-
Payette	313	303	6	-	4	-	-
Power	127	127	-	-	-	-	-
Shoshone	116	116	-	-	-	-	-
Teton	143	141	-	-	2	-	-
Twin Falls	1,125	1,114	-	-	11	-	-
Valley	78	76	-	-	2	-	-
Washington	131	128	-	-	3	-	-

*Babies born en route to facility are included in appropriate facility category. In 2004, 10 babies were born en route to a hospital.

IDAHO RESIDENT LIVE BIRTHS
Birth and Fertility Rates
2004

RESIDENCE	TOTAL LIVE BIRTHS	BIRTH RATES		FERTILITY RATES	
		Estimated Population July 1, 2004 ¹	Birth Rate ²	Estimated Females 15-44 July 1, 2004 ¹	Fertility Rate ³
U.S. (Preliminary)	4,115,590		14.0		66.3
IDAHO	22,529	1,393,262	16.2	291,644	77.2
District 1	2,367	194,406	12.2	37,943	62.4
District 2	1,130	100,754	11.2	20,386	55.4
District 3	4,051	220,096	18.4	46,294	87.5
District 4	5,859	376,733	15.6	81,017	72.3
District 5	2,855	168,624	16.9	33,090	86.3
District 6	2,828	159,076	17.8	33,668	84.0
District 7	3,439	173,573	19.8	39,246	87.6
Ada	5,209	332,523	15.7	72,378	72.0
Adams	27	3,451	7.8	572	47.2
Bannock	1,407	75,672	18.6	16,872	83.4
Bear Lake	85	6,323	13.4	1,169	72.7
Benewah	111	8,961	12.4	1,563	71.0
Bingham	790	43,205	18.3	9,004	87.7
Blaine	267	21,103	12.7	4,110	65.0
Boise	55	7,362	7.5	1,387	39.7
Bonner	388	39,872	9.7	7,352	52.8
Bonneville	1,674	89,653	18.7	18,790	89.1
Boundary	117	10,396	11.3	1,902	61.5
Butte	36	2,838	12.7	474	75.9
Camas	13	1,013	12.8	200	65.0
Canyon	3,202	158,038	20.3	34,593	92.6
Caribou	92	7,213	12.8	1,390	66.2
Cassia	423	21,393	19.8	4,026	105.1
Clark	15	906	16.6	189	79.4
Clearwater	55	8,393	6.6	1,259	43.7
Custer	32	4,114	7.8	690	46.4
Elmore	517	28,878	17.9	5,945	87.0
Franklin	240	12,199	19.7	2,463	97.4
Fremont	235	12,263	19.2	2,318	101.4
Gem	188	15,963	11.8	3,083	61.0
Gooding	256	14,346	17.8	2,603	98.3
Idaho	166	15,616	10.6	2,517	66.0
Jefferson	446	20,782	21.5	4,370	102.1
Jerome	365	19,279	18.9	3,750	97.3
Kootenai	1,635	122,350	13.4	25,004	65.4
Latah	391	35,169	11.1	8,604	45.4
Lemhi	71	7,820	9.1	1,352	52.5
Lewis	47	3,753	12.5	598	78.6
Lincoln	73	4,326	16.9	883	82.7
Madison	823	30,782	26.7	10,046	81.9
Minidoka	333	19,229	17.3	3,690	90.2
Nez Perce	471	37,823	12.5	7,408	63.6
Oneida	51	4,143	12.3	767	66.5
Owyhee	190	10,998	17.3	2,025	93.8
Payette	313	21,587	14.5	4,235	73.9
Power	127	7,483	17.0	1,529	83.1
Shoshone	116	12,827	9.0	2,122	54.7
Teton	143	7,253	19.7	1,491	95.9
Twin Falls	1,125	67,935	16.6	13,828	81.4
Valley	78	7,970	9.8	1,307	59.7
Washington	131	10,059	13.0	1,786	73.3

1. Source for county total population estimates: National Center for Health Statistics, United States resident population from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date September 9, 2005.

2. Birth rate: Number of live births per 1,000 population.

3. Fertility rate: Number of live births per 1,000 women 15-44 years of age.

IDAHO RESIDENT LIVE BIRTHS
Live Birth Order by Age of Mother
2004

LIVE BIRTH ORDER	Total Live Births	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	22,529*	14	525	1,533	7,189	6,744	4,332	1,779	381	31
1	8,354	14	475	1,215	3,541	1,856	850	332	66	5
2	6,749	-	45	266	2,500	2,218	1,238	413	61	8
3	4,100	-	3	43	890	1,656	1,049	385	73	1
4	1,949	-	-	7	197	755	675	257	54	4
5	778	-	-	1	44	198	333	168	31	3
6	302	-	-	-	6	39	122	106	27	2
7	136	-	-	-	-	7	41	63	24	1
8	60	-	-	-	-	1	13	25	21	-
9	30	-	-	-	-	1	3	14	10	2
10-14	35	-	-	-	-	3	2	13	13	4
15+	1	-	-	-	-	-	-	-	-	1
Not stated	35*	-	2	1	11	10	6	3	1	-

* Total includes one (1) birth with age of mother not stated and live birth order not stated.

IDAHO RESIDENT LIVE BIRTHS
Fertility Rate and Birth Rates by Age of Mother
2004

AGE	IDAHO			U.S.
	Total Live Births	Female Population Estimate July 1, 2004 ¹	Fertility Rate and Age-Specific Birth Rates, 2004	Fertility Rate and Age-Specific Birth Rates, (2004 Preliminary)
TOTAL	22,529	291,644 ²	77.2 ³	66.3 ³
<15	14	50,916 ⁴	0.3	0.7
15-19	2,058	53,054	38.8	41.2
15-17	525	31,340	16.8	22.1
18-19	1,533	21,714	70.6	70.0
20-24	7,189	55,957	128.5	101.8
25-29	6,744	44,155	152.7	115.5
30-34	4,332	43,895	98.7	95.5
35-39	1,779	44,274	40.2	45.4
40-44	381	50,309	7.6	9.0
45-49	31	50,681	0.6	0.6
Not stated	1	-	NA	NA

1. Source: National Center for Health Statistics, United States resident population from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date September 9, 2005.

2. Total female population aged 15-44 NOT including women under 15 or over 44.

3. Total number of live births per 1,000 women 15-44 years of age.

4. Total female population aged 10-14; rates for females aged <15 are based on female population 10-14.

PRENATAL CARE

The effects of prenatal care are difficult to quantify, but appropriate care can promote healthier pregnancies by detecting and managing pre-existing medical conditions, and providing health behavior advice¹. During the 1980s in the U.S., the percentage of infants whose mothers obtained first trimester prenatal care remained around 76 percent. From 1990 to 2003, the percentage rose from 75.8 to 84.1. During the same time period, rates for Idaho mothers were lower than U.S. rates, but did increase from 74.1 percent in 1990 to 81.3 percent in 2003. Prior to 2004, U.S. and Idaho prenatal care data were based on month prenatal care began during pregnancy reported on the birth certificate.

The prenatal care item changed dramatically with the implementation of the revised birth certificate. The revision in 2004 was based on the 2003 U.S. Standard Certificate. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit and the date of the last menstrual period (LMP). If LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation, and the baby’s birth date are used to estimate the onset of prenatal care. According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because care is based on a date in a prenatal medical record rather than mother’s recollection of month of first visit².

One measure of prenatal care in which classifications of the adequacy of prenatal care are based on the onset of prenatal care, the number of prenatal visits, and the length of gestation is the Adequacy of Prenatal Care Utilization (APNCU) Index. The APNCU Index is based on full recommendations set forth by the American College of Obstetricians and Gynecologists (ACOG). This index classifies care as intensive, adequate, intermediate, inadequate, or no care by comparing the number of actual prenatal care visits to the number of visits that a woman was expected to receive, given the onset of prenatal care and the length of gestation.

In reviewing Trimester of First Prenatal Care Visit and APNCU data, keep in mind:

- 1) Prenatal care data based on date of first visit are not comparable with prenatal care data based on month prenatal care began. There is a break in the Idaho trend line between 2003 and 2004.
- 2) There were a high proportion of Idaho records with date of first visit and/or date of last menstrual period not stated in 2004.
- 3) Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. Idaho resident births occurring in states with non-revised certificates will not have comparable data for onset of prenatal care. Data are shown as not stated in data table(s).
- 4) Pennsylvania and Washington revised their birth certificates in 2003. According to NCHS, both of these states experienced discontinuity in data between 2002 and 2003 due to the way the data were collected^{1,3}. Idaho experienced the same discontinuity between 2003 and 2004. Data are not comparable between revisions.

	Percent First Trimester			Percent First Trimester	
	2002 ¹	2003 ³		2003	2004
Pennsylvania	84.6%	76.0%	Idaho	81.3%	71.9%
Washington	83.4%	74.0%			

1. "Births: Final Data for 2002," National Vital Statistics Reports, National Center for Health Statistics, Vol. 52/No.10, December 17, 2003.
 2. "Report of the Panel to Evaluate the U.S. Standard Certificates," National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.
 3. "Births: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54/No.2, September 8, 2005.

IDAHO RESIDENT LIVE BIRTHS
Trimester of Pregnancy of First Prenatal Care Visit*
2004

RESIDENCE	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	22,529	15,455	71.9%	4,855	22.6%	971	4.5%	221	1.0%	1,027
District 1	2,367	1,717	73.9	479	20.6	109	4.7	17	0.7	45
District 2	1,130	766	68.3	309	27.6	38	3.4	8	0.7	9
District 3	4,051	2,461	66.7	917	24.9	219	5.9	90	2.4	364
District 4	5,859	4,465	78.5	1,013	17.8	165	2.9	44	0.8	172
District 5	2,855	1,780	63.4	808	28.8	187	6.7	34	1.2	46
District 6	2,828	1,813	70.7	622	24.3	116	4.5	14	0.5	263
District 7	3,439	2,453	74.1	707	21.4	137	4.1	14	0.4	128
Ada	5,209	4,041	79.6	862	17.0	134	2.6	39	0.8	133
Adams	27	18	72.0	4	16.0	3	12.0	-	-	2
Bannock	1,407	976	70.9	336	24.4	58	4.2	7	0.5	30
Bear Lake	85	49	79.0	12	19.4	1	1.6	-	-	23
Benewah	111	78	74.3	22	21.0	5	4.8	-	-	6
Bingham	790	544	70.7	180	23.4	39	5.1	6	0.8	21
Blaine	267	191	72.3	57	21.6	14	5.3	2	0.8	3
Boise	55	40	75.5	7	13.2	4	7.5	2	3.8	2
Bonner	388	260	68.8	91	24.1	23	6.1	4	1.1	10
Bonneville	1,674	1,231	74.9	341	20.7	66	4.0	6	0.4	30
Boundary	117	69	62.2	36	32.4	6	5.4	-	-	6
Butte	36	24	66.7	8	22.2	4	11.1	-	-	-
Camas	13	10	76.9	2	15.4	1	7.7	-	-	-
Canyon	3,202	2,078	66.9	786	25.3	187	6.0	54	1.7	97
Caribou	92	49	63.6	23	29.9	5	6.5	-	-	15
Cassia	423	264	64.4	109	26.6	32	7.8	5	1.2	13
Clark	15	11	73.3	4	26.7	-	-	-	-	-
Clearwater	55	36	65.5	16	29.1	3	5.5	-	-	-
Custer	32	19	59.4	13	40.6	-	-	-	-	-
Elmore	517	335	69.5	118	24.5	26	5.4	3	0.6	35
Franklin	240	78	77.2	22	21.8	1	1.0	-	-	139
Fremont	235	167	71.7	54	23.2	9	3.9	3	1.3	2
Gem	188	122	68.2	42	23.5	10	5.6	5	2.8	9
Gooding	256	153	61.2	69	27.6	26	10.4	2	0.8	6
Idaho	166	87	54.0	60	37.3	11	6.8	3	1.9	5
Jefferson	446	302	68.6	116	26.4	21	4.8	1	0.2	6
Jerome	365	212	59.2	121	33.8	22	6.1	3	0.8	7
Kootenai	1,635	1,238	76.6	304	18.8	61	3.8	13	0.8	19
Latah	391	293	75.3	79	20.3	15	3.9	2	0.5	2
Lemhi	71	27	65.9	12	29.3	2	4.9	-	-	30
Lewis	47	27	57.4	19	40.4	1	2.1	-	-	-
Lincoln	73	36	50.0	30	41.7	5	6.9	1	1.4	1
Madison	823	634	77.9	143	17.6	34	4.2	3	0.4	9
Minidoka	333	186	56.7	112	34.1	25	7.6	5	1.5	5
Nez Perce	471	323	68.9	135	28.8	8	1.7	3	0.6	2
Oneida	51	12	60.0	7	35.0	-	-	1	5.0	31
Owyhee	190	105	57.1	42	22.8	14	7.6	23	12.5	6
Payette	313	88	71.5	24	19.5	4	3.3	7	5.7	190
Power	127	81	65.9	34	27.6	8	6.5	-	-	4
Shoshone	116	72	64.3	26	23.2	14	12.5	-	-	4
Teton	143	62	67.4	24	26.1	5	5.4	1	1.1	51
Twin Falls	1,125	728	65.4	308	27.6	62	5.6	16	1.4	11
Valley	78	49	64.5	26	34.2	1	1.3	-	-	2
Washington	131	50	70.4	19	26.8	1	1.4	1	1.4	60

Percents based on records with stated date of first prenatal care visit.

Caution is advised that Franklin, Lemhi, Oneida, Payette, Teton, and Washington counties have 30 percent or more records with date of first prenatal care visit not stated.

*In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record. Data are NOT comparable with data based on month prenatal care began.

IDAHO RESIDENT LIVE BIRTHS
Adequacy of Prenatal Care Utilization Index*
2004

RESIDENCE	TOTAL LIVE BIRTHS	PRENATAL CARE (APNCU INDEX)										
		Intensive		Adequate		Intermediate		Inadequate		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO	22,529	6,945	32.6%	8,869	41.6%	2,089	9.8%	3,190	15.0%	221	1.0%	1,215
District 1	2,367	660	29.0	1,037	45.6	241	10.6	321	14.1	17	0.7	91
District 2	1,130	325	29.1	538	48.2	92	8.2	154	13.8	8	0.7	13
District 3	4,051	1,117	30.6	1,357	37.2	414	11.3	670	18.4	90	2.5	403
District 4	5,859	2,234	39.9	2,238	39.9	468	8.3	622	11.1	44	0.8	253
District 5	2,855	769	27.5	1,321	47.2	121	4.3	554	19.8	34	1.2	56
District 6	2,828	1,001	39.1	1,002	39.1	162	6.3	383	14.9	14	0.5	266
District 7	3,439	839	25.4	1,376	41.6	591	17.9	486	14.7	14	0.4	133
Ada	5,209	2,054	41.1	1,999	40.0	398	8.0	512	10.2	39	0.8	207
Adams	27	2	8.0	11	44.0	7	28.0	5	20.0	-	-	2
Bannock	1,407	575	41.8	543	39.5	58	4.2	192	14.0	7	0.5	32
Bear Lake	85	17	27.4	33	53.2	5	8.1	7	11.3	-	-	23
Benewah	111	52	49.5	31	29.5	8	7.6	14	13.3	-	-	6
Bingham	790	315	41.0	267	34.8	57	7.4	123	16.0	6	0.8	22
Blaine	267	72	27.4	140	53.2	15	5.7	34	12.9	2	0.8	4
Boise	55	19	37.3	21	41.2	4	7.8	5	9.8	2	3.9	4
Bonner	388	104	29.4	161	45.5	28	7.9	57	16.1	4	1.1	34
Bonneville	1,674	580	35.3	712	43.4	131	8.0	213	13.0	6	0.4	32
Boundary	117	36	36.7	37	37.8	6	6.1	19	19.4	-	-	19
Butte	36	12	33.3	14	38.9	3	8.3	7	19.4	-	-	-
Camas	13	3	23.1	8	61.5	1	7.7	1	7.7	-	-	-
Canyon	3,202	927	30.2	1,149	37.4	358	11.7	584	19.0	54	1.8	130
Caribou	92	17	22.1	36	46.8	11	14.3	13	16.9	-	-	15
Cassia	423	132	32.4	165	40.5	19	4.7	86	21.1	5	1.2	16
Clark	15	3	20.0	4	26.7	3	20.0	5	33.3	-	-	-
Clearwater	55	13	23.6	23	41.8	6	10.9	13	23.6	-	-	-
Custer	32	7	21.9	16	50.0	3	9.4	6	18.8	-	-	-
Elmore	517	149	31.2	192	40.2	50	10.5	84	17.6	3	0.6	39
Franklin	240	18	17.8	51	50.5	21	20.8	11	10.9	-	-	139
Fremont	235	35	15.0	93	39.9	64	27.5	38	16.3	3	1.3	2
Gem	188	59	33.1	70	39.3	17	9.6	27	15.2	5	2.8	10
Gooding	256	58	23.4	105	42.3	22	8.9	61	24.6	2	0.8	8
Idaho	166	27	16.8	73	45.3	22	13.7	36	22.4	3	1.9	5
Jefferson	446	102	23.2	170	38.6	94	21.4	73	16.6	1	0.2	6
Jerome	365	76	21.2	175	48.9	22	6.1	82	22.9	3	0.8	7
Kootenai	1,635	447	27.8	762	47.4	182	11.3	204	12.7	13	0.8	27
Latah	391	105	27.3	199	51.7	44	11.4	35	9.1	2	0.5	6
Lemhi	71	13	31.7	12	29.3	6	14.6	10	24.4	-	-	30
Lewis	47	11	23.4	23	48.9	2	4.3	11	23.4	-	-	-
Lincoln	73	20	28.2	33	46.5	2	2.8	15	21.1	1	1.4	2
Madison	823	85	10.5	339	41.7	263	32.3	123	15.1	3	0.4	10
Minidoka	333	88	26.9	126	38.5	19	5.8	89	27.2	5	1.5	6
Nez Perce	471	169	36.0	220	46.9	18	3.8	59	12.6	3	0.6	2
Oneida	51	7	35.0	5	25.0	1	5.0	6	30.0	1	5.0	31
Owyhee	190	51	28.3	50	27.8	21	11.7	35	19.4	23	12.8	10
Payette	313	50	40.7	50	40.7	5	4.1	11	8.9	7	5.7	190
Power	127	40	32.5	53	43.1	6	4.9	24	19.5	-	-	4
Shoshone	116	21	18.9	46	41.4	17	15.3	27	24.3	-	-	5
Teton	143	14	15.6	30	33.3	27	30.0	18	20.0	1	1.1	53
Twin Falls	1,125	320	28.8	569	51.2	21	1.9	186	16.7	16	1.4	13
Valley	78	12	16.0	26	34.7	16	21.3	21	28.0	-	-	3
Washington	131	28	40.0	27	38.6	6	8.6	8	11.4	1	1.4	61

Percents based on records with stated data to calculate APNCU (date of first prenatal care visit, number of visits, and length of gestation).

Caution is advised that Franklin, Lemhi, Oneida, Payette, Teton, and Washington counties have 30 percent or more records with APNCU not stated.

*In 2004, the Idaho birth certificate was revised. Beginning in 2004, Idaho prenatal care data are based on date of first prenatal care visit as reported in the mother's medical record; 2004 APNCU data are NOT comparable with APNCU data based on month care began.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Race/Ethnicity of Mother¹
2004

RESIDENCE	LOW BIRTH WEIGHT LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC ³
	Total	Percent ²	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO (Percent)	1,538	6.8%	1,384 6.7%	9 8.9%	40 10.8%	18 6.1%	62 9.3%	25 NA	230 7.1%
District 1	142	6.0	133	-	7	1	-	1	8
District 2	63	5.6	57	-	5	-	1	-	1
District 3	259	6.4	217	1	3	-	25	13	55
District 4	435	7.4	394	3	2	11	17	8	35
District 5	189	6.6	169	2	3	-	14	1	67
District 6	213	7.5	188	1	19	1	4	-	30
District 7	237	6.9	226	2	1	5	1	2	34
Ada	388	7.5	355	1	2	10	16	4	31
Adams	2	7.4	2	-	-	-	-	-	-
Bannock	107	7.6	96	1	9	1	-	-	6
Bear Lake	4	4.7	4	-	-	-	-	-	-
Benewah	4	3.6	4	-	-	-	-	-	-
Bingham	73	9.2	59	-	10	-	4	-	20
Blaine	13	4.9	9	-	-	-	4	-	6
Boise	4	7.3	3	-	-	-	-	1	-
Bonner	28	7.2	27	-	1	-	-	-	4
Bonneville	133	7.9	125	2	1	4	1	-	12
Boundary	6	5.1	5	-	1	-	-	-	-
Butte	6	16.7	6	-	-	-	-	-	1
Camas	1	7.7	1	-	-	-	-	-	-
Canyon	196	6.1	158	1	2	-	24	11	46
Caribou	6	6.5	6	-	-	-	-	-	-
Cassia	26	6.1	23	-	1	-	2	-	8
Clark	1	6.7	1	-	-	-	-	-	1
Clearwater	6	10.9	6	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-
Elmore	38	7.4	31	2	-	1	1	3	3
Franklin	11	4.6	11	-	-	-	-	-	1
Fremont	15	6.4	14	-	-	-	-	1	4
Gem	17	9.0	16	-	1	-	-	-	-
Gooding	19	7.4	17	-	-	-	2	-	8
Idaho	7	4.2	6	-	1	-	-	-	-
Jefferson	24	5.4	23	-	-	-	-	1	3
Jerome	24	6.6	20	-	2	-	1	1	17
Kootenai	100	6.1	94	-	4	1	-	1	4
Latah	15	3.8	14	-	-	-	1	-	1
Lemhi	2	2.8	2	-	-	-	-	-	-
Lewis	5	10.6	5	-	-	-	-	-	-
Lincoln	3	4.1	2	1	-	-	-	-	3
Madison	49	6.0	48	-	-	1	-	-	9
Minidoka	22	6.6	18	-	-	-	4	-	12
Nez Perce	30	6.4	26	-	4	-	-	-	-
Oneida	2	3.9	2	-	-	-	-	-	-
Owyhee	11	5.8	10	-	-	-	-	1	4
Payette	21	6.7	21	-	-	-	-	-	3
Power	4	3.1	4	-	-	-	-	-	2
Shoshone	4	3.5	3	-	1	-	-	-	-
Teton	13	9.1	13	-	-	-	-	-	5
Twin Falls	81	7.2	79	1	-	-	1	-	13
Valley	5	6.4	5	-	-	-	-	-	1
Washington	12	9.2	10	-	-	-	1	1	2

1. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2004 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category. See technical notes for more information.

2. Percents are based on records with stated birth weight.

3. Race and Hispanic origin are reported separately on birth certificate. Mothers of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Age of Mother
2004

RESIDENCE	TOTAL	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO (Percent)	1,538 6.8%	1 7.1%	165 8.0%	48 9.1%	117 7.6%	481 6.7%	441 6.5%	273 6.3%	139 7.8%	35 9.2%	3 9.7%
District 1	142	-	15	4	11	53	30	21	19	4	-
District 2	63	-	5	2	3	25	13	12	6	2	-
District 3	259	-	35	13	22	90	65	36	25	7	1
District 4	435	-	30	6	24	100	141	104	49	10	1
District 5	189	1	30	8	22	66	49	22	16	5	-
District 6	213	-	20	7	13	67	80	31	9	5	1
District 7	237	-	30	8	22	80	63	47	15	2	-
Ada	388	-	27	4	23	84	124	99	44	9	1
Adams	2	-	-	-	-	1	1	-	-	-	-
Bannock	107	-	8	1	7	32	44	14	6	3	-
Bear Lake	4	-	-	-	-	1	2	1	-	-	-
Benewah	4	-	1	-	1	2	-	1	-	-	-
Bingham	73	-	7	3	4	30	20	12	3	1	-
Blaine	13	-	3	-	3	4	1	3	1	1	-
Boise	4	-	-	-	-	1	-	-	2	1	-
Bonner	28	-	5	2	3	11	4	3	5	-	-
Bonneville	133	-	16	4	12	39	40	25	13	-	-
Boundary	6	-	-	-	-	4	1	-	1	-	-
Butte	6	-	-	-	-	1	4	1	-	-	-
Camas	1	-	-	-	-	-	1	-	-	-	-
Canyon	196	-	26	10	16	73	46	28	18	4	1
Caribou	6	-	2	-	2	2	1	1	-	-	-
Cassia	26	-	4	1	3	12	5	1	3	1	-
Clark	1	-	-	-	-	1	-	-	-	-	-
Clearwater	6	-	1	1	-	4	1	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	38	-	2	2	-	12	16	5	3	-	-
Franklin	11	-	2	2	-	1	6	1	-	-	1
Fremont	15	-	3	2	1	6	3	3	-	-	-
Gem	17	-	4	1	3	4	5	2	2	-	-
Gooding	19	-	4	-	4	10	3	2	-	-	-
Idaho	7	-	1	-	1	2	1	2	1	-	-
Jefferson	24	-	2	-	2	9	4	8	1	-	-
Jerome	24	1	2	1	1	6	7	5	3	-	-
Kootenai	100	-	9	2	7	36	23	16	12	4	-
Latah	15	-	-	-	-	7	4	1	3	-	-
Lemhi	2	-	-	-	-	-	1	1	-	-	-
Lewis	5	-	-	-	-	5	-	-	-	-	-
Lincoln	3	-	1	-	1	1	1	-	-	-	-
Madison	49	-	8	2	6	23	9	7	1	1	-
Minidoka	22	-	5	3	2	7	5	2	3	-	-
Nez Perce	30	-	3	1	2	7	7	9	2	2	-
Oneida	2	-	-	-	-	-	1	-	-	1	-
Owyhee	11	-	3	2	1	3	2	3	-	-	-
Payette	21	-	2	-	2	7	6	3	2	1	-
Power	4	-	1	1	-	-	2	1	-	-	-
Shoshone	4	-	-	-	-	-	2	1	1	-	-
Teton	13	-	1	-	1	2	6	3	-	1	-
Twin Falls	81	-	11	3	8	26	26	9	6	3	-
Valley	5	-	1	-	1	3	1	-	-	-	-
Washington	12	-	-	-	-	2	5	-	3	2	-

Percents based on records with stated birth weight.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Live Birth Order by Age of Mother
2004

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	1,538	1	48	117	481	441	273	139	35	3
1	634	1	46	85	238	152	73	33	6	-
2	391	-	2	26	135	120	66	33	8	1
3	266	-	-	5	73	89	62	30	6	1
4	136	-	-	1	27	59	42	6	-	1
5	57	-	-	-	7	16	18	13	3	-
6	24	-	-	-	-	2	6	14	2	-
7	15	-	-	-	-	2	3	4	6	-
8	7	-	-	-	-	1	2	3	1	-
9	2	-	-	-	-	-	-	-	2	-
10-14	3	-	-	-	-	-	-	2	1	-
15-19	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	1	-	1	1	-	-

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Age of Mother and Percent Low Birth Weight
2004

AGE OF MOTHER	IDAHO			U.S. (2003)
	Total Live Births	Low Birth Weight Live Births	Percent Low Birth Weight	Percent Low Birth Weight
TOTAL	22,529	1,538	6.8%	7.9%
<15	14	1	7.1	12.7
15-19	2,058	165	8.0	9.7
15-17	525	48	9.1	10.5
18-19	1,533	117	7.6	9.3
20-24	7,189	481	6.7	8.0
25-29	6,744	441	6.5	7.1
30-34	4,332	273	6.3	7.3
35-39	1,779	139	7.8	8.7
40-44	381	35	9.2	10.6
45+	31	3	9.7	20.5
Not stated	1	-	NA	NA

Percents are based on records with stated birth weight.

IDAHO RESIDENT LOW BIRTH WEIGHT LIVE BIRTHS
Weight at Birth
2004

RESIDENCE	TOTAL LIVE BIRTHS	LOW BIRTH WEIGHT LIVE BIRTHS						2,500+ Grams	Weight Not Stated
		Total		<1,500 Grams		1,500-2,499 Grams			
		Number	Percent	Number	Percent	Number	Percent		
U.S. (2003)			7.9%		1.4%		6.5%		
IDAHO	22,529	1,538	6.8%	261	1.2%	1,277	5.7%	20,984	7
District 1	2,367	142	6.0	19	0.8	123	5.2	2,223	2
District 2	1,130	63	5.6	13	1.2	50	4.4	1,067	-
District 3	4,051	259	6.4	46	1.1	213	5.3	3,791	1
District 4	5,859	435	7.4	89	1.5	346	5.9	5,423	1
District 5	2,855	189	6.6	29	1.0	160	5.6	2,665	1
District 6	2,828	213	7.5	31	1.1	182	6.4	2,614	1
District 7	3,439	237	6.9	34	1.0	203	5.9	3,201	1
Ada	5,209	388	7.5	80	1.5	308	5.9	4,820	1
Adams	27	2	7.4	2	7.4	-	-	25	-
Bannock	1,407	107	7.6	13	0.9	94	6.7	1,299	1
Bear Lake	85	4	4.7	-	-	4	4.7	81	-
Benewah	111	4	3.6	-	-	4	3.6	107	-
Bingham	790	73	9.2	11	1.4	62	7.8	717	-
Blaine	267	13	4.9	1	0.4	12	4.5	254	-
Boise	55	4	7.3	1	1.8	3	5.5	51	-
Bonner	388	28	7.2	2	0.5	26	6.7	360	-
Bonneville	1,674	133	7.9	23	1.4	110	6.6	1,540	1
Boundary	117	6	5.1	2	1.7	4	3.4	111	-
Butte	36	6	16.7	-	-	6	16.7	30	-
Camas	13	1	7.7	-	-	1	7.7	12	-
Canyon	3,202	196	6.1	36	1.1	160	5.0	3,005	1
Caribou	92	6	6.5	1	1.1	5	5.4	86	-
Cassia	423	26	6.1	2	0.5	24	5.7	397	-
Clark	15	1	6.7	-	-	1	6.7	14	-
Clearwater	55	6	10.9	3	5.5	3	5.5	49	-
Custer	32	-	-	-	-	-	-	32	-
Elmore	517	38	7.4	7	1.4	31	6.0	479	-
Franklin	240	11	4.6	5	2.1	6	2.5	229	-
Fremont	235	15	6.4	1	0.4	14	6.0	220	-
Gem	188	17	9.0	2	1.1	15	8.0	171	-
Gooding	256	19	7.4	6	2.3	13	5.1	237	-
Idaho	166	7	4.2	2	1.2	5	3.0	159	-
Jefferson	446	24	5.4	4	0.9	20	4.5	422	-
Jerome	365	24	6.6	3	0.8	21	5.8	341	-
Kootenai	1,635	100	6.1	15	0.9	85	5.2	1,534	1
Latah	391	15	3.8	2	0.5	13	3.3	376	-
Lemhi	71	2	2.8	-	-	2	2.8	69	-
Lewis	47	5	10.6	-	-	5	10.6	42	-
Lincoln	73	3	4.1	-	-	3	4.1	70	-
Madison	823	49	6.0	4	0.5	45	5.5	774	-
Minidoka	333	22	6.6	5	1.5	17	5.1	311	-
Nez Perce	471	30	6.4	6	1.3	24	5.1	441	-
Oneida	51	2	3.9	-	-	2	3.9	49	-
Owyhee	190	11	5.8	1	0.5	10	5.3	179	-
Payette	313	21	6.7	3	1.0	18	5.8	292	-
Power	127	4	3.1	1	0.8	3	2.4	123	-
Shoshone	116	4	3.5	-	-	4	3.5	111	1
Teton	143	13	9.1	2	1.4	11	7.7	130	-
Twin Falls	1,125	81	7.2	12	1.1	69	6.1	1,043	1
Valley	78	5	6.4	1	1.3	4	5.1	73	-
Washington	131	12	9.2	2	1.5	10	7.6	119	-

Percents are based on records with stated birth weight.

**IDAHO RESIDENT LIVE BIRTHS
Apgar Scores: Five Minutes
2004**

FIVE-MINUTE APGAR SCORE	TOTAL LIVE BIRTHS	
	Number	Percent
Total	22,529	100.0%
0-2	115	0.5
3-4	127	0.6
5-6	560	2.5
7-8	5,341	23.8
9-10	16,258	72.6
Not Stated	128	NA

**IDAHO RESIDENT LIVE BIRTHS
Apgar Scores: Five Minutes, Ten Minutes*
2004**

FIVE-MINUTE APGAR SCORE	TOTAL LIVE BIRTHS	TEN-MINUTE APGAR SCORE					
		0-2	3-4	5-6	7-8	9-10	Not Stated
Total	403	46	17	66	171	76	27
0-2	115	44	12	17	26	6	10
3-4	127	2	5	26	60	26	8
5	161	-	-	23	85	44	9

*Apgar score at 10 minutes is reported only for infants with 5-minute apgar scores of less than 6.
1-minute Apgar score no longer reported.

**IDAHO RESIDENT LIVE BIRTHS
Birth Weight by Plurality
2004**

BIRTH WEIGHT	PLURALITY					
	Single		Twin		Triplet or Quadruplet	
	Number	Percent	Number	Percent	Number	Percent
TOTAL, ALL BIRTH WEIGHTS*	21,771	100.0%	725	100.0%	32	100.0%
Total, < 2,500 grams	1,104	5.1	404	55.7	30	93.8
<1,500 grams	186	0.9	71	9.8	4	12.5
1,500 - 2,499 grams	918	4.2	333	45.9	26	81.3
2,500+ grams	20,660	94.9	321	44.3	2	6.3
Birth weight not stated	7	NA	-	NA	-	NA

*There was one (1) birth in 2004 with plurality not stated.

OUT-OF-WEDLOCK BIRTHS

Following a decline in the number of Idaho resident out-of-wedlock live births in 1997, the number increased each year from 1998 to 2004. The number of out-of-wedlock births rose 5 percent between 2003 and 2004, from 4,859 to 5,079. At the same time, the percentage of total live births that were out-of-wedlock births increased 1 percent from 22.3 in 2003 to 22.5 in 2004.

The Idaho resident out-of-wedlock percentages decreased for White and Native American, and increased for Black, Asian/Pacific Islander, "other race" and Hispanic from 2003 to 2004. Note, that Idaho has a relatively small data base by race; some fluctuation from year to year may be expected.

IDAHO RACE/ETHNICITY-SPECIFIC PERCENTAGES					
	2004 ¹	2003	2002	2001	2000
Total	22.5%	22.3%	21.9%	22.0%	21.6%
White	21.3	21.6	21.2	21.4	20.9
Black	40.6	38.5	33.3	40.5	46.7
Native American	58.1	59.3	54.0	56.9	60.0
Asian/Pacific Islander	17.7	14.2	13.8	11.6	15.9
Other race	36.1	15.4	0.0	28.6	0.0
Ethnicity: Hispanic ²	37.3	36.4	36.1	34.1	33.1

1. The collection of race and ethnicity data changed in 2004; for more information, see technical notes.

2. Race and Hispanic origin are reported separately on the birth certificate. Women of Hispanic origin are included in appropriate race totals.

The U.S. out-of-wedlock live birth rate increased 2 percent in 2003 to 34.6 percent from 34.0 percent in 2002. By race, U.S. 2003 out-of-wedlock percent for whites was 38 percent higher than Idaho's percent, and the U.S. black percent was 68 percent higher than Idaho's percent. The U.S. 2003 Hispanic percent was 21 percent higher than Idaho's percent in 2004.

	Total	White	All Other		Ethnicity: Hispanic
			Total	Black	
U.S. 2003 ¹	34.6%	29.4%	54.3%	68.2%	45.0%
Idaho	22.5	21.3	38.2	40.6	37.3


When comparing Idaho with the U.S., one should keep in mind that Idaho has a predominantly white population; the usually higher rates for most other races/ethnicities have less effect on the overall rate in Idaho.

From 2003 to 2004, the percentage of out-of-wedlock births increased in Health Districts 1, 2, and 5. District 5 recorded the highest proportion of live births that were out of wedlock (27.7 percent) followed by District 3 (27.3 percent). District 7 again recorded the lowest percent (15.1 percent).


Counties with the highest percentages of out-of-wedlock births were Benewah (44.1 percent), Nez Perce (35.7 percent), Clearwater (34.5 percent), Clark (33.3 percent), and Gooding (32.4 percent). The lowest percentages occurred for Madison (4.0 percent), Bear Lake (7.1 percent) Franklin (7.9 percent), Oneida (11.8 percent), and Latah (13.8 percent) Counties.

1. "Births: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54/No.2, September 8, 2005.

**PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. (Preliminary), Idaho, and Districts
2004**



**PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. (Preliminary) and Idaho (Total and White)
1994-2004**



*U.S. White rate not available for 2004.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Race/Ethnicity of Mother¹
2004

RESIDENCE	OUT-OF-WEDLOCK LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC ²
	Total	Percent	White	Black	Native American	Asian/Pacific Islander	Other Race	Not Stated	
IDAHO (Percent)	5,079*	22.5%	4,421 21.3%	41 40.6%	216 58.1%	52 17.7%	242 36.1%	105 NA	1,205 37.3%
District 1	635*	26.8	595	3	26	3	3	3	28
District 2	300	26.5	248	2	44	2	2	2	8
District 3	1,107	27.3	917	6	14	9	104	57	437
District 4	1,164	19.9	1,017	18	19	21	53	36	127
District 5	791	27.7	724	3	9	8	44	3	318
District 6	563	19.9	431	7	96	5	20	4	123
District 7	519	15.1	489	2	8	4	16	-	164
Ada	1,041	20.0	919	14	16	20	42	30	102
Adams	6	22.2	6	-	-	-	-	-	-
Bannock	291	20.7	230	6	48	5	-	2	36
Bear Lake	6	7.1	6	-	-	-	-	-	-
Benewah	49*	44.1	35	-	12	-	1	-	3
Bingham	183	23.2	120	1	44	-	17	1	64
Blaine	50	18.7	36	-	1	-	13	-	26
Boise	9	16.4	7	-	1	-	-	1	-
Bonner	111	28.6	106	2	1	-	2	-	7
Bonneville	333	19.9	305	2	7	4	15	-	103
Boundary	30	25.6	28	-	2	-	-	-	-
Butte	6	16.7	4	-	1	-	-	1	1
Camas	2	15.4	2	-	-	-	-	-	-
Canyon	867	27.1	706	5	10	8	86	52	369
Caribou	18	19.6	18	-	-	-	-	-	-
Cassia	95	22.5	90	-	-	2	3	-	53
Clark	5	33.3	5	-	-	-	-	-	5
Clearwater	19	34.5	18	-	1	-	-	-	1
Custer	6	18.8	6	-	-	-	-	-	-
Elmore	95	18.4	72	4	2	1	11	5	24
Franklin	19	7.9	13	-	3	-	3	-	4
Fremont	35	14.9	35	-	-	-	-	-	11
Gem	51	27.1	39	-	3	1	7	1	14
Gooding	83	32.4	74	-	1	-	8	-	36
Idaho	47	28.3	39	-	8	-	-	-	-
Jefferson	69	15.5	68	-	-	-	1	-	23
Jerome	118	32.3	110	-	3	-	4	1	55
Kootenai	413*	25.3	398	1	8	3	-	2	16
Latah	54	13.8	49	-	2	1	-	2	3
Lemhi	15	21.1	14	-	1	-	-	-	-
Lewis	12	25.5	11	-	1	-	-	-	-
Lincoln	18	24.7	14	1	-	2	-	1	9
Madison	33	4.0	33	-	-	-	-	-	13
Minidoka	107	32.1	92	-	-	1	14	-	67
Nez Perce	168	35.7	131	2	32	1	2	-	4
Oneida	6	11.8	6	-	-	-	-	-	-
Owyhee	46	24.2	41	-	-	-	4	1	22
Payette	101	32.3	96	1	1	-	2	1	22
Power	34	26.8	34	-	-	-	-	-	18
Shoshone	32	27.6	28	-	3	-	-	1	2
Teton	23	16.1	23	-	-	-	-	-	9
Twin Falls	318	28.3	306	2	4	3	2	1	72
Valley	19	24.4	19	-	-	-	-	-	1
Washington	36	27.5	29	-	-	-	5	2	10

1. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2004 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. *Total includes two (2) out-of-state births with multiple races; both in District 1 (one each in Benewah and Kootenai Counties). For more information, see technical notes.

2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in appropriate race totals.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother
2004

RESIDENCE	TOTAL	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	5,079	13	1,306	425	881	2,117	977	423	202	41	-
District 1	635	2	157	40	117	283	111	56	24	2	-
District 2	300	-	70	22	48	124	65	26	10	5	-
District 3	1,107	5	323	127	196	435	220	82	34	8	-
District 4	1,164	-	244	66	178	504	243	103	58	12	-
District 5	791	4	220	73	147	320	147	59	36	5	-
District 6	563	1	136	45	91	254	98	51	19	4	-
District 7	519	1	156	52	104	197	93	46	21	5	-
Ada	1,041	-	213	52	161	443	226	95	53	11	-
Adams	6	-	1	1	-	2	1	1	1	-	-
Bannock	291	1	61	17	44	133	51	31	12	2	-
Bear Lake	6	-	3	1	2	1	2	-	-	-	-
Benewah	49	1	10	1	9	23	14	1	-	-	-
Bingham	183	-	49	16	33	85	29	15	3	2	-
Blaine	50	-	12	4	8	14	16	3	3	2	-
Boise	9	-	2	-	2	6	-	-	-	1	-
Bonner	111	-	26	6	20	45	19	9	12	-	-
Bonneville	333	-	103	32	71	129	59	26	13	3	-
Boundary	30	-	8	1	7	15	4	3	-	-	-
Butte	6	-	1	1	-	4	-	1	-	-	-
Camas	2	-	-	-	-	1	1	-	-	-	-
Canyon	867	5	255	101	154	343	172	59	27	6	-
Caribou	18	-	7	2	5	10	1	-	-	-	-
Cassia	95	1	27	8	19	41	16	5	5	-	-
Clark	5	-	-	-	-	3	1	-	1	-	-
Clearwater	19	-	5	3	2	6	4	4	-	-	-
Custer	6	-	1	-	1	1	1	3	-	-	-
Elmore	95	-	23	11	12	46	17	5	4	-	-
Franklin	19	-	6	4	2	7	3	1	2	-	-
Fremont	35	-	11	4	7	15	6	2	-	1	-
Gem	51	-	15	6	9	16	14	5	1	-	-
Gooding	83	-	23	9	14	31	19	5	5	-	-
Idaho	47	-	17	6	11	16	7	3	2	2	-
Jefferson	69	-	21	10	11	27	12	7	2	-	-
Jerome	118	1	29	10	19	46	22	11	8	1	-
Kootenai	413	1	102	30	72	187	68	41	12	2	-
Latah	54	-	3	-	3	26	15	6	4	-	-
Lemhi	15	-	3	-	3	3	4	3	2	-	-
Lewis	12	-	4	1	3	4	2	-	1	1	-
Lincoln	18	-	6	2	4	6	5	-	1	-	-
Madison	33	-	13	4	9	12	4	3	1	-	-
Minidoka	107	-	34	14	20	43	17	11	1	1	-
Nez Perce	168	-	41	12	29	72	37	13	3	2	-
Oneida	6	-	1	-	1	3	1	1	-	-	-
Owyhee	46	-	16	10	6	21	4	4	1	-	-
Payette	101	-	30	8	22	40	20	9	1	1	-
Power	34	-	8	4	4	11	11	2	2	-	-
Shoshone	32	-	11	2	9	13	6	2	-	-	-
Teton	23	1	4	2	2	7	6	2	2	1	-
Twin Falls	318	2	89	26	63	138	51	24	13	1	-
Valley	19	-	6	3	3	9	-	3	1	-	-
Washington	36	-	6	1	5	13	9	4	3	1	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Live Birth Order by Age of Mother
2004

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	5,079	13	425	881	2,117	977	423	202	41	-
1	2,612	13	388	734	1,068	280	71	49	9	-
2	1,274	-	34	122	673	285	114	39	7	-
3	727	-	2	20	276	257	117	46	9	-
4	299	-	-	4	80	113	69	25	8	-
5	96	-	-	-	18	29	31	15	3	-
6	37	-	-	-	1	7	13	14	2	-
7	14	-	-	-	-	1	4	9	-	-
8	6	-	-	-	-	1	2	2	1	-
9	2	-	-	-	-	-	1	-	1	-
10-14	4	-	-	-	-	-	1	2	1	-
15+	-	-	-	-	-	-	-	-	-	-
Not stated	8	-	1	1	1	4	-	1	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother and Percent Out of Wedlock
2004

AGE OF MOTHER	IDAHO			U.S. (2003)
	Total Live Births	Out-of-Wedlock Live Births	Percent Out of Wedlock	Percent Out of Wedlock
TOTAL	22,529	5,079	22.5%	34.6%
<15	14	13	92.9	97.1
15-19	2,058	1,306	63.5	81.3
15-17	525	425	81.0	89.7
18-19	1,533	881	57.5	77.3
20-24	7,189	2,117	29.4	53.2
25-29	6,744	977	14.5	26.4
30-34	4,332	423	9.8	15.1
35-39	1,779	202	11.4	14.8
40+	412	41	10.0	17.9
Not stated	1	-	NA	NA

IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections Present or Treated by Age of Mother
2004

AGE	Total Live Births	Risk Factors In This Pregnancy		Infections Present/Treated During This Pregnancy	
		Number	Percent	Number	Percent
Total	22,529	4,956	22.2	4,510	20.2
<15	14	-	-	1	7.7
15-19	2,058	229	11.3	402	19.8
15-17	525	54	10.5	96	18.7
18-19	1,533	175	11.6	306	20.2
20-24	7,189	1,242	17.5	1,323	18.6
25-29	6,744	1,525	22.8	1,345	20.2
30-34	4,332	1,222	28.4	932	21.7
35-39	1,779	587	33.3	426	24.2
40-44	381	136	36.0	77	20.4
45-49	31	15	48.4	4	12.9
Not stated	1	-	-	-	-

Percents based on records with stated risk factors and infections reported.

More than one type of risk factor or infection may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections
2004

Risk Factors	Number	Infections	Number
Total Births	22,529	Total Births	22,529
Births with Risk Factor(s) reported	4,956	Births with Infections(s) reported	4,510
Prepregnancy diabetes	144	Gonorrhea	14
Gestational diabetes	799	Syphilis	13
Unknown if prepregnancy or gestational diabetes	9	HIV Infection	4
Prepregnancy hypertension	177	Herpes Simplex Virus (HSV)	387
Gestational hypertension	1,278	Chlamydia	245
Previous preterm birth	396	Listeria	12
Other previous poor pregnancy outcome*	311	Group B Streptococcus	3,597
Vaginal bleeding prior to onset of labor	420	Cytomegalovirus	8
Pregnancy resulted from infertility treatment	150	Parvovirus	12
Mother had a previous cesarean	2,010	Toxoplasmosis	3
None of the above	17,376	Hepatitis B	27
Risk factors in pregnancy not stated	197	Hepatitis C	35
		None of the above	17,780
		Infections not stated	239

* Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth.

More than one type of risk factor or infection may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery by Age of Mother
2004

AGE	Total Live Births	Maternal Morbidity (Complications)		Characteristics of Labor and Delivery	
		Number	Percent	Number	Percent
Total	22,529	442	2.0	18,122	80.9
<15	14	2	14.3	13	92.9
15-19	2,058	53	2.6	1,741	85.3
15-17	525	21	4.1	436	84.0
18-19	1,533	32	2.1	1,305	85.7
20-24	7,189	151	2.1	5,844	81.9
25-29	6,744	130	1.9	5,390	80.2
30-34	4,332	62	1.4	3,456	80.0
35-39	1,779	40	2.3	1,373	77.7
40-44	381	3	0.8	284	74.5
45-49	31	1	3.2	21	70.0
Not stated	1	-	-	-	-

Percents based on records with stated maternal morbidity and characteristics of labor and delivery reported.

More than one type of morbidity or characteristic may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery by Age of Mother
2004

Maternal Morbidity (Complications)	Number	Characteristics of Labor and Delivery	Number
Total Births	22,529	Total Births	22,529
Births with Maternal Morbidity(ies) reported	442	Births with Characteristic(s) reported	18,122
Maternal transfusion	70	Induction of labor	5,704
Third or fourth degree perineal laceration	295	Augmentation of labor	4,617
Ruptured uterus	7	Non-vertex presentation	326
Unplanned hysterectomy	7	Steroids for fetal lung maturation received by mother prior to delivery	381
Admission to intensive care unit	16	Antibiotics received by mother during labor	3,962
Unplanned operating room procedure following delivery	73	Clinical chorioamnionitis diagnosed during labor or maternal temperature $\geq 38^{\circ}\text{C}$ (100.4°F)	247
None of the above	22,376	Moderate/heavy meconium staining of the amniotic fluid	970
Maternal morbidity not stated	153	Fetal intolerance to labor*	1,715
		Epidural or spinal anesthesia during labor	14,227
		None of the above	4,285
		Characteristic of labor and delivery not stated	122

* Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery.

More than one type of morbidity or characteristic may be reported for a live birth. Starting with 2004, the collection process for medical data has changed. Data are not comparable to previous years. For more information, see technical notes.

**IDAHO RESIDENT LIVE BIRTHS
Abnormal Conditions of the Newborn
2004**

Abnormal Conditions of Newborn	Number
Total Births	22,529
Births with Abnormal Condition(s) reported	3,235
Assisted ventilation required	
Immediately following delivery	1,169
For more than six hours	395
NICU admission	1,903
Newborn given surfactant replacement therapy	142
Antibiotics given for suspected neonatal sepsis	571
Seizure or serious neurologic dysfunction	13
Significant birth injury*	35
Failed newborn hearing test	703
None of the above	18,959
Selected abnormal conditions not stated	335

*Significant birth injury includes skeletal fracture, peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention.

More than one type of abnormal condition may be reported for a live birth. Starting with 2004, the collection process for abnormal condition data has changed. Data are not comparable to previous years. For more information, see technical notes.

**IDAHO RESIDENT LIVE BIRTHS
Congenital Anomalies
2004**

Congenital Anomalies	Number	Congenital Anomalies	Number
Total Births	22,529	Congenital Malformations and deformations of the Musculoskeletal System	
Births with Congenital Anomaly(ies) reported	158	Congenital diaphragmatic hernia	6
Congenital Malformations of the Nervous System		Gastroschisis	12
Anencephaly	1	Limb reduction defect	9
Meningomyelocele/Spina Bifida	10	Omphalocele	6
Congenital Malformations of the Circulatory System		Down syndrome	
Cyanotic congenital heart disease	25	Karyotype confirmed	6
Cleft Lip and Cleft Palate		Karyotype pending	18
Cleft lip with or without cleft palate	21	Suspected other chromosomal disorder	
Cleft palate alone	8	Karyotype confirmed	5
Congenital malformations of genital organs		Karyotype pending	18
Hypospadias	29	None of the above	22,077
		Selected congenital anomalies not stated	294

More than one congenital anomaly may be reported for a live birth. Starting with 2004, the collection process for congenital anomaly data has changed. Some data may not be comparable to previous years. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking¹ by Age of Mother
2004

AGE OF MOTHER	Births	CIGARETTE SMOKING DURING PREGNANCY					
		Yes		No		Not Stated	
		Number	Percent	Number	Percent	Number	Percent
Total	22,529	2,930	13.1	19,389	86.9	210	NA
<15	14	-	-	14	100.0	-	NA
15-19	2,058	482	23.8	1,545	76.2	31	NA
15-17	525	83	16.3	426	83.7	16	NA
18-19	1,533	399	26.3	1,119	73.7	15	NA
20-24	7,189	1,290	18.1	5,824	81.9	75	NA
25-29	6,744	704	10.5	5,977	89.5	63	NA
30-34	4,332	310	7.2	3,997	92.8	25	NA
35-39	1,779	121	6.8	1,649	93.2	9	NA
40-44	381	23	6.1	353	93.9	5	NA
45-49	31	-	-	30	100.0	1	NA
Not Stated	1	-	-	-	-	1	NA

Percents are based on records with stated cigarette smoking data.

1. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2004 are not comparable to data prior to 2004. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking¹ by Race and Ethnicity of Mother²
2004

RACE AND ETHNICITY	Births	CIGARETTE SMOKING DURING PREGNANCY					
		Yes		No		Not Stated	
		Number	Percent	Number	Percent	Number	Percent
Total	22,529	2,930	13.1	19,389	86.9	210	NA
Race							
White	20,795	2,743	13.3	17,892	86.7	160	NA
Black	101	17	16.8	84	83.2	-	NA
Native American	372	85	23.4	278	76.6	9	NA
Asian/Pacific Islander	294	21	7.2	271	92.8	2	NA
Other Race	670	34	5.1	630	94.9	6	NA
Race not stated	292	29	11.2	230	88.8	33	NA
Ethnicity ³							
Non-Hispanic	19,008	2,715	14.4	16,151	85.6	142	NA
Hispanic	3,230	175	5.5	3,018	94.5	37	NA
Ethnicity not stated	291	40	15.4	220	84.6	31	NA

Percents are based on records with stated cigarette smoking data.

1. In 2004, the collection process for tobacco use changed on the revised Idaho birth certificate. Data in 2004 are not comparable to data prior to 2004. For more information, see technical notes.
2. In 2004, multiple races and Hispanic origins may be reported on the revised Idaho birth certificate. Race and ethnicity data in 2004 are not comparable with race and ethnicity data prior to 2004. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births.
 *Total includes five (5) out-of-state births with multiple races. For more information, see technical notes.
3. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in appropriate race totals.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking Before and During Pregnancy by District of Residence
2004

DISTRICT OF RESIDENCE	CIGARETTE SMOKING									
	Three Months Before Pregnancy		During Pregnancy							
			Any Time During Pregnancy		First Three Months of Pregnancy		Second Three Months of Pregnancy		Third Three Months of Pregnancy	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Idaho	3,766	16.9%	2,930	13.1%	2,823	12.7%	2,328	10.4%	2,215	9.9%
District 1	622	26.7	484	20.7	462	19.8	365	15.7	350	15.1
District 2	240	21.3	182	16.2	178	15.8	150	13.3	138	12.3
District 3	614	15.6	487	12.3	468	11.8	399	10.1	392	9.9
District 4	1,036	17.8	749	12.8	724	12.4	578	9.9	552	9.5
District 5	526	18.5	419	14.7	402	14.1	340	12.0	314	11.0
District 6	431	15.5	360	12.9	349	12.5	294	10.5	272	9.7
District 7	297	8.7	249	7.3	240	7.0	202	5.9	197	5.7

Percents based on records with stated cigarette smoking.
Starting with 2004, the collection process for tobacco use has changed. Data are not comparable to previous years. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Gestational Age by Mother's District of Residence
2004

DISTRICT OF RESIDENCE	Total Births	GESTATIONAL AGE IN WEEKS				
		< 37 Completed Weeks Gestation (Preterm Births)		37+ Completed Weeks Gestation (Term Births)		Gestational Age Not Stated
	Number	Number	Percent	Number	Percent	Number
Idaho	22,529	2,458	10.9%	20,041	89.1%	30
District 1	2,367	231	9.8	2,129	90.2	7
District 2	1,130	102	9.0	1,028	91.0	-
District 3	4,051	471	11.7	3,570	88.3	10
District 4	5,859	705	12.1	5,145	87.9	9
District 5	2,855	299	10.5	2,554	89.5	2
District 6	2,828	338	12.0	2,489	88.0	1
District 7	3,439	312	9.1	3,126	90.9	1

Percents based on records with stated gestational age.
Note: The primary measure used to determine the gestation age of the newborn is the interval between the first day of mother's last normal menstrual period (LMP) and the date of birth. If LMP is less than 16 completed weeks, greater than 48 completed week's, not stated, or implausible with birth weight, then the obstetric estimate of completed weeks gestation is used. Gestational age based on LMP and obstetric estimate are comparable with data based on LMP and obstetric estimate only.

U.S. AND IDAHO RESIDENT LIVE BIRTHS Method of Delivery by District of Residence 2004

DISTRICT OF RESIDENCE	Total Live Births	METHOD OF DELIVERY										Not Stated
		Vaginal Births				Cesarean Births						
		Vaginal ¹		VBAC ²		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
U.S. 2003		71.2		10.6		27.5		19.1		89.4		
Idaho	22,529	17,105	76.0	381	19.0	5,006	22.3	3,378	16.5	1,628	81.0	37
District 1	2,367	1,776	75.0	25	9.2	566	23.9	319	15.2	247	90.8	-
District 2	1,130	877	77.6	14	13.2	239	21.2	147	14.4	92	86.8	-
District 3	4,051	3,066	76.0	89	21.0	881	21.8	546	15.1	335	79.0	15
District 4	5,859	4,441	75.9	115	24.2	1,296	22.1	936	17.4	360	75.8	7
District 5	2,855	2,128	74.9	53	18.7	662	23.3	432	16.9	230	81.3	12
District 6	2,828	2,047	72.4	35	12.9	745	26.4	509	19.9	236	87.1	1
District 7	3,439	2,770	80.6	50	28.1	617	18.0	489	15.0	128	71.9	2

1. Vaginal births, not including VBAC.
2. VBAC: Vaginal birth after previous cesarean.

IDAHO RESIDENT LIVE BIRTHS Method of Delivery By Mothers Age 2004

AGE OF MOTHER	Total Live Births	METHOD OF DELIVERY										Not Stated
		Vaginal Births				Cesarean Births						
		Vaginal ¹		VBAC ²		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	22,529	17,105	76.0	381	19.0	5,006	22.3	3,378	16.5	1,628	81.0	37
<15	14	11	78.6	-	-	3	21.4	3	21.4	-	-	-
15-19	2,058	1,692	82.4	4	13.3	357	17.4	331	16.4	26	86.7	5
15-17	525	431	82.4	1	25.0	91	17.4	88	17.0	3	75.0	2
18-19	1,533	1,261	82.4	3	11.5	266	17.4	243	16.2	23	88.5	3
20-24	7,189	5,775	80.5	71	16.5	1,331	18.5	971	14.4	360	83.5	12
25-29	6,744	5,123	76.1	124	18.8	1,487	22.1	950	15.6	537	81.2	10
30-34	4,332	3,070	71.0	114	19.8	1,139	26.3	677	18.1	462	80.2	9
35-39	1,779	1,185	66.6	52	20.8	542	30.5	344	22.5	198	79.2	-
40-44	381	231	60.6	15	26.8	135	35.4	94	28.9	41	73.2	-
45+	31	18	58.1	1	20.0	12	38.7	8	30.8	4	80.0	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1

1. Vaginal births, not including VBAC.
2. VBAC: Vaginal birth after previous cesarean.

Rates are based on records with known data for method of delivery.

Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births.

Vaginal birth after previous cesarean (VBAC): Number of vaginal deliveries per 100 births to women with a previous cesarean.

Total cesarean rate: Number of cesarean deliveries per 100 births.

Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans.

Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.

In 2004 the Idaho birth certificate was revised; collection process for method of delivery data changed. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery¹ by District
2004

DISTRICT OF RESIDENCE	Total Live Births	PAYMENT FOR DELIVERY										Not Stated
		Self pay		Private Insurance		Medicaid ²		Other Government ³		Not Applicable or Other ⁴		
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
IDAHO	22,529	2,098	9.6	10,882	49.8	7,379	33.8	976	4.5	498	2.3	696
District 1	2,367	219	9.3	1,095	46.6	985	41.9	45	1.9	6	0.3	17
District 2	1,130	76	6.7	557	49.5	432	38.4	25	2.2	36	3.2	4
District 3	4,051	525	13.8	1,767	46.6	1,169	30.8	250	6.6	82	2.2	258
District 4	5,859	252	4.3	3,445	59.0	1,654	28.3	417	7.1	73	1.2	18
District 5	2,855	592	20.9	1,047	37.0	970	34.3	129	4.6	90	3.2	27
District 6	2,828	144	5.6	1,169	45.2	990	38.2	100	3.9	186	7.2	239
District 7	3,439	290	8.8	1,802	54.5	1,179	35.7	10	0.3	25	0.8	133

Percents are percents of total live births by district of residence and are based records with known data for payment for delivery. In 2004 the Idaho birth certificate was revised; collection process for payment source for delivery data changed. For more information, see technical notes.

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery¹ by Age of Mother
2004

AGE OF MOTHER	Total Live Births	PAYMENT FOR DELIVERY										Not Stated
		Self pay		Private Insurance		Medicaid ²		Other Government ³		Not Applicable or Other		
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,529	2,098	9.6	10,882	49.8	7,379	33.8	976	4.5	498	2.3	696
<15	14	2	15.4	3	23.1	5	38.5	3	23.1	-	-	1
15-19	2,058	248	12.5	244	12.3	1,337	67.4	119	6.0	36	1.8	74
15-17	525	91	17.9	74	14.6	297	58.5	38	7.5	8	1.6	17
18-19	1,533	157	10.6	170	11.5	1,040	70.5	81	5.5	28	1.9	57
20-24	7,189	662	9.5	2,522	36.1	3,344	47.9	318	4.6	142	2.0	201
25-29	6,744	557	8.5	3,838	58.7	1,705	26.1	269	4.1	167	2.6	208
30-34	4,332	385	9.2	2,894	69.1	641	15.3	172	4.1	96	2.3	144
35-39	1,779	185	10.7	1,127	65.3	295	17.1	77	4.5	43	2.5	52
40-44	381	55	14.9	233	63.3	49	13.3	18	4.9	13	3.5	13
45+	31	4	13.8	21	72.4	3	10.3	-	-	1	3.4	2
Not stated	1	-	-	-	-	-	-	-	-	-	-	1

Percents are percents of total live births by age of mother and are based records with known data for payment for delivery. In 2004 the Idaho birth certificate was revised; collection process for payment source for delivery data changed. For more information, see technical notes.

1. Payment source for delivery at time birth record is filed with the State. Payment source may change after record is filed with the state.
2. Data for Medicaid-paid deliveries may differ from Medicaid statistics.
3. Other government includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).
4. Not applicable or other payment source includes births in which there was no payment for the delivery.

U.S. AND IDAHO RESIDENT TEEN PREGNANCY Summary Idaho (2004), U.S. (see footnote)¹

	PREGNANCIES	LIVE BIRTHS			INDUCED ABORTIONS	
	Rate	Fertility Rate	Percent Out-of-Wedlock	Percent Low Birth Weight	Rate	Ratio
IDAHO TOTAL						
<15	0.4	0.3	92.9	7.1	0.1	428.6
15-19	45.2	38.8	63.5	8.0	6.1	156.9
15-17	20.9	16.8	81.0	9.1	4.1	241.9
18-19	80.2	70.6	57.5	7.6	9.0	127.9
IDAHO WHITE						
<15	0.3	0.2	100.0	-	0.1	454.5
15-19	41.9	36.2	62.8	8.0	5.5	150.7
15-17	18.6	15.1	79.7	8.6	3.5	231.3
18-19	75.6	66.8	57.2	7.8	8.3	124.4
U.S. TOTAL¹						
<15	1.8	0.7	97.4	12.7	0.9	1,000.0
15-19	73.5	41.2	82.4	9.7	24.7	506.1
15-17	43.4	22.1	90.3	10.5	15.2	539.0
18-19	117.7	70.0	78.7	9.3	38.6	488.0
U.S. WHITE¹						
<15	1.1	0.5	95.2	10.3	0.5	833.3
15-19	62.7	37.8	76.4	8.3	18.7	425.0
15-17	36.0	19.5	86.1	9.0	11.5	469.4
18-19	102.0	65.2	72.0	8.0	29.2	401.1

1. Sources and years for U.S. data (PLEASE NOTE THE VARIATION IN YEARS AND DATA SOURCES):

Pregnancies

Total (1999): "Revised Pregnancy Rates, 1990-97, and New Rates for 1998-99: United States," National Vital Statistics Reports, National Center for Health Statistics, Vol.52, No. 7, October 31, 2003, and unpublished tabulation, Division of Vital Statistics, National Center for Health Statistics, CDC.

Live births (2003-2004):

Fertility rates and unmarried total: "Births: Preliminary Data for 2004," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 8, December 29, 2005.

Low birth weight and unmarried white:

"Births: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 2, September 8, 2005.

Induced abortions

Rate (1999) and Ratio (1999): "Revised Pregnancy Rates, 1990-97, and New Rates for 1998-99: United States," National Vital Statistics Reports, National Center for Health Statistics, Vol.52, No. 7, October 31, 2003, and unpublished tabulation, Division of Vital Statistics, National Center for Health Statistics, CDC.

Definitions:

Pregnancies, Idaho: Live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).

Pregnancies, U.S.: Live births and induced abortions. (Although the publication also includes all fetal losses as pregnancies, comparable information is unavailable for Idaho; therefore, fetal losses were subtracted from U.S. data. Stillbirths are included for Idaho data only, but they comprise a negligible portion of the total, so the Idaho and re-calculated U.S. pregnancy rates, as displayed above, may be considered to be comparable.)

Pregnancy rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

Fertility rate: Number of live births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

Percent out-of-wedlock: Percent of live births in each age group that are out-of-wedlock.


Percent low birthweight: Percent of live births in each age group that are low birth weight (<2,500 grams). Percents are based on records with known birth weight.

Induced abortion rate: Number of induced abortions per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

Induced abortion ratio: Number of induced abortions per 1,000 live births in corresponding age group.


Idaho rates are based on female census counts from the National Center for Health Statistics, estimates of the July 1, 2004, United States resident population from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date September 9, 2005.

TEEN PREGNANCY RATES BY AGE Idaho (2004) and U.S. (1999)




Rates for <15 age group are based on population estimate for females aged 10-14.


TEEN PREGNANCY RATES Idaho and Districts, 15-19 Year-Olds 2004



TEEN OUT-OF-WEDLOCK LIVE BIRTH PERCENTS Idaho (Total and White) 2004



TEEN RATIO OF ABORTIONS TO LIVE BIRTHS Idaho (2004) and U.S. (1999)



IDAHO RESIDENT TEEN PREGNANCY
Total Pregnancies and Rates by Age of Mother
2004

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	20	0.4	2,396	45.2	655	20.9	1,741	80.2
District 1	3	0.4	286	40.7	79	18.3	207	76.8
District 2	3	1.0	130	32.8	36	18.8	94	45.9
District 3	6	0.7	538	64.0	170	33.5	368	110.7
District 4	-	-	497	38.7	115	14.9	382	74.6
District 5	6	0.9	403	61.5	120	30.0	283	111.0
District 6	1	0.2	256	38.6	70	17.8	186	68.8
District 7	1	0.2	286	37.5	65	14.9	221	67.6
Ada	-	-	422	37.3	99	14.5	323	72.0
Adams	-	-	1	7.6	1	12.0	-	-
Bannock	1	0.4	127	47.1	29	18.4	98	87.5
Bear Lake	-	-	8	24.8	3	15.7	5	38.2
Benewah	1	3.4	19	57.8	4	18.9	15	128.2
Bingham	-	-	73	35.5	19	15.7	54	64.2
Blaine	-	-	29	40.6	8	17.2	21	84.0
Boise	-	-	4	13.9	-	-	4	39.6
Bonner	-	-	47	30.7	13	13.6	34	59.5
Bonneville	-	-	174	46.1	43	18.4	131	91.4
Boundary	-	-	15	35.3	3	11.5	12	73.2
Butte	-	-	6	58.8	4	66.7	2	47.6
Camas	-	-	1	25.0	-	-	1	55.6
Canyon	6	1.0	431	71.5	138	38.2	293	121.0
Caribou	-	-	13	37.9	2	9.8	11	79.1
Cassia	1	1.1	46	49.8	10	18.2	36	96.5
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	6	20.5	3	18.0	3	23.8
Custer	-	-	2	11.9	-	-	2	24.7
Elmore	-	-	56	56.2	11	18.8	45	109.5
Franklin	-	-	10	18.1	6	17.0	4	20.0
Fremont	-	-	20	37.5	4	13.2	16	69.9
Gem	-	-	23	38.1	6	15.8	17	75.9
Gooding	-	-	35	66.0	12	37.0	23	111.7
Idaho	-	-	23	38.1	6	16.0	17	74.2
Jefferson	-	-	35	34.1	12	18.9	23	58.8
Jerome	1	1.3	62	81.5	20	44.3	42	135.5
Kootenai	2	0.5	184	42.4	53	19.9	131	78.0
Latah	-	-	15	9.0	4	7.2	11	9.9
Lemhi	-	-	7	22.6	-	-	7	64.2
Lewis	-	-	9	69.8	3	39.5	6	113.2
Lincoln	-	-	18	92.3	4	31.5	14	205.9
Madison	-	-	42	28.2	4	6.8	38	42.2
Minidoka	1	1.3	58	71.0	23	44.7	35	115.5
Nez Perce	3	2.5	77	60.7	20	27.0	57	107.8
Oneida	-	-	4	19.9	2	17.1	2	23.8
Owyhee	-	-	26	60.0	13	49.2	13	76.9
Payette	-	-	47	56.8	11	21.8	36	111.8
Power	-	-	15	41.1	5	23.0	10	67.6
Shoshone	-	-	21	52.8	6	25.9	15	90.4
Teton	1	3.6	6	21.1	2	10.9	4	39.6
Twin Falls	3	1.2	154	60.0	43	27.8	111	108.6
Valley	-	-	15	57.3	5	35.5	10	82.6
Washington	-	-	10	26.3	1	4.1	9	64.7

Pregnancies include live births, induced abortions, and reportable stillbirths. Rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on total females aged 10-14. Rates are based on July 1, 2004 population estimates from the National Center for Health Statistics, from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release September 9, 2005.

IDAHO RESIDENT TEEN LIVE BIRTHS
Live Births and Rates by Age of Mother
2004

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	14	0.3	2,058	38.8	525	16.8	1,533	70.6
District 1	2	0.3	224	31.9	52	12.0	172	63.8
District 2	-	-	92	23.2	22	11.5	70	34.2
District 3	5	0.6	488	58.1	150	29.5	338	101.7
District 4	-	-	373	29.0	73	9.4	300	58.6
District 5	5	0.8	374	57.1	107	26.8	267	104.7
District 6	1	0.2	234	35.2	59	15.0	175	64.7
District 7	1	0.2	273	35.8	62	14.2	211	64.6
Ada	-	-	309	27.3	58	8.5	251	55.9
Adams	-	-	1	7.6	1	12.0	-	-
Bannock	1	0.4	111	41.1	21	13.3	90	80.4
Bear Lake	-	-	8	24.8	3	15.7	5	38.2
Benewah	1	3.4	16	48.6	1	4.7	15	128.2
Bingham	-	-	70	34.1	19	15.7	51	60.6
Blaine	-	-	23	32.2	6	12.9	17	68.0
Boise	-	-	4	13.9	-	-	4	39.6
Bonner	-	-	37	24.2	9	9.4	28	49.0
Bonneville	-	-	163	43.2	40	17.1	123	85.8
Boundary	-	-	15	35.3	3	11.5	12	73.2
Butte	-	-	5	49.0	3	50.0	2	47.6
Camas	-	-	1	25.0	-	-	1	55.6
Canyon	5	0.8	391	64.8	121	33.5	270	111.5
Caribou	-	-	13	37.9	2	9.8	11	79.1
Cassia	1	1.1	43	46.6	9	16.4	34	91.2
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	5	17.1	3	18.0	2	15.9
Custer	-	-	2	11.9	-	-	2	24.7
Elmore	-	-	50	50.2	11	18.8	39	94.9
Franklin	-	-	10	18.1	6	17.0	4	20.0
Fremont	-	-	20	37.5	4	13.2	16	69.9
Gem	-	-	19	31.5	6	15.8	13	58.0
Gooding	-	-	33	62.3	11	34.0	22	106.8
Idaho	-	-	23	38.1	6	16.0	17	74.2
Jefferson	-	-	34	33.1	12	18.9	22	56.3
Jerome	1	1.3	59	77.5	18	39.9	41	132.3
Kootenai	1	0.2	138	31.8	36	13.5	102	60.8
Latah	-	-	4	2.4	-	-	4	3.6
Lemhi	-	-	7	22.6	-	-	7	64.2
Lewis	-	-	7	54.3	1	13.2	6	113.2
Lincoln	-	-	16	82.1	3	23.6	13	191.2
Madison	-	-	41	27.6	4	6.8	37	41.1
Minidoka	1	1.3	57	69.8	22	42.8	35	115.5
Nez Perce	-	-	53	41.8	12	16.2	41	77.5
Oneida	-	-	2	10.0	-	-	2	23.8
Owyhee	-	-	24	55.4	11	41.7	13	76.9
Payette	-	-	45	54.4	10	19.8	35	108.7
Power	-	-	15	41.1	5	23.0	10	67.6
Shoshone	-	-	18	45.2	3	12.9	15	90.4
Teton	1	3.6	6	21.1	2	10.9	4	39.6
Twin Falls	2	0.8	142	55.3	38	24.6	104	101.8
Valley	-	-	10	38.2	4	28.4	6	49.6
Washington	-	-	8	21.1	1	4.1	7	50.4

Number of births per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Rates are based on July 1, 2004 female population estimates from the National Center for Health Statistics, United States resident population from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date September 9, 2005.

IDAHO RESIDENT TEEN LIVE BIRTHS
Out-of-Wedlock Live Births and Percents by Age of Mother
2004

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	13	92.9%	1,306	63.5%	425	81.0%	881	57.5%
District 1	2	100.0	157	70.1	40	76.9	117	68.0
District 2	-	-	70	76.1	22	100.0	48	68.6
District 3	5	100.0	323	66.2	127	84.7	196	58.0
District 4	-	-	244	65.4	66	90.4	178	59.3
District 5	4	80.0	220	58.8	73	68.2	147	55.1
District 6	1	100.0	136	58.1	45	76.3	91	52.0
District 7	1	100.0	156	57.1	52	83.9	104	49.3
Ada	-	-	213	68.9	52	89.7	161	64.1
Adams	-	-	1	100.0	1	100.0	-	-
Bannock	1	100.0	61	55.0	17	81.0	44	48.9
Bear Lake	-	-	3	37.5	1	33.3	2	40.0
Benewah	1	100.0	10	62.5	1	100.0	9	60.0
Bingham	-	-	49	70.0	16	84.2	33	64.7
Blaine	-	-	12	52.2	4	66.7	8	47.1
Boise	-	-	2	50.0	-	-	2	50.0
Bonner	-	-	26	70.3	6	66.7	20	71.4
Bonneville	-	-	103	63.2	32	80.0	71	57.7
Boundary	-	-	8	53.3	1	33.3	7	58.3
Butte	-	-	1	20.0	1	-	-	-
Camas	-	-	-	-	-	-	-	-
Canyon	5	100.0	255	65.2	101	83.5	154	57.0
Caribou	-	-	7	53.8	2	100.0	5	45.5
Cassia	1	100.0	27	62.8	8	88.9	19	55.9
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	5	100.0	3	100.0	2	100.0
Custer	-	-	1	50.0	-	-	1	50.0
Elmore	-	-	23	46.0	11	100.0	12	30.8
Franklin	-	-	6	60.0	4	66.7	2	50.0
Fremont	-	-	11	55.0	4	100.0	7	43.8
Gem	-	-	15	78.9	6	100.0	9	69.2
Gooding	-	-	23	69.7	9	81.8	14	63.6
Idaho	-	-	17	73.9	6	100.0	11	64.7
Jefferson	-	-	21	61.8	10	83.3	11	50.0
Jerome	1	100.0	29	49.2	10	55.6	19	46.3
Kootenai	1	100.0	102	73.9	30	83.3	72	70.6
Latah	-	-	3	75.0	-	-	3	75.0
Lemhi	-	-	3	42.9	-	-	3	42.9
Lewis	-	-	4	57.1	1	100.0	3	50.0
Lincoln	-	-	6	37.5	2	66.7	4	30.8
Madison	-	-	13	31.7	4	100.0	9	24.3
Minidoka	-	-	34	59.6	14	63.6	20	57.1
Nez Perce	-	-	41	77.4	12	100.0	29	70.7
Oneida	-	-	1	50.0	-	-	1	50.0
Owyhee	-	-	16	66.7	10	90.9	6	46.2
Payette	-	-	30	66.7	8	80.0	22	62.9
Power	-	-	8	53.3	4	80.0	4	40.0
Shoshone	-	-	11	61.1	2	66.7	9	60.0
Teton	1	100.0	4	66.7	2	100.0	2	50.0
Twin Falls	2	100.0	89	62.7	26	68.4	63	60.6
Valley	-	-	6	60.0	3	75.0	3	50.0
Washington	-	-	6	75.0	1	100.0	5	71.4

Percent of total live births in each age group that are out-of-wedlock births.

Note: Out of wedlock percent for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN LIVE BIRTHS
Low Birth Weight Live Births and Percents by Age of Mother
2004

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	1	7.1%	165	8.0%	48	9.1%	117	7.6%
District 1	-	-	15	6.7	4	7.7	11	6.4
District 2	-	-	5	5.4	2	9.1	3	4.3
District 3	-	-	35	7.2	13	8.7	22	6.5
District 4	-	-	30	8.0	6	8.2	24	8.0
District 5	1	20.0	30	8.0	8	7.5	22	8.2
District 6	-	-	20	8.5	7	11.9	13	7.4
District 7	-	-	30	11.0	8	12.9	22	10.4
Ada	-	-	27	8.7	4	6.9	23	9.2
Adams	-	-	-	-	-	-	-	-
Bannock	-	-	8	7.2	1	4.8	7	7.8
Bear Lake	-	-	-	-	-	-	-	-
Benewah	-	-	1	6.3	-	-	1	6.7
Bingham	-	-	7	10.0	3	15.8	4	7.8
Blaine	-	-	3	13.0	-	-	3	17.6
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	5	13.5	2	22.2	3	10.7
Bonneville	-	-	16	9.8	4	10.0	12	9.8
Boundary	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-
Canyon	-	-	26	6.6	10	8.3	16	5.9
Caribou	-	-	2	15.4	-	-	2	18.2
Cassia	-	-	4	9.3	1	11.1	3	8.8
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	1	20.0	1	33.3	-	-
Custer	-	-	-	-	-	-	-	-
Elmore	-	-	2	4.0	2	18.2	-	-
Franklin	-	-	2	20.0	2	33.3	-	-
Fremont	-	-	3	15.0	2	50.0	1	6.3
Gem	-	-	4	21.1	1	16.7	3	23.1
Gooding	-	-	4	12.1	-	-	4	18.2
Idaho	-	-	1	4.3	-	-	1	5.9
Jefferson	-	-	2	5.9	-	-	2	9.1
Jerome	1	100.0	2	3.4	1	5.6	1	2.4
Kootenai	-	-	9	6.5	2	5.6	7	6.9
Latah	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-
Lincoln	-	-	1	6.3	-	-	1	7.7
Madison	-	-	8	19.5	2	50.0	6	16.2
Minidoka	-	-	5	8.8	3	13.6	2	5.7
Nez Perce	-	-	3	5.7	1	8.3	2	4.9
Oneida	-	-	-	-	-	-	-	-
Owyhee	-	-	3	12.5	2	18.2	1	7.7
Payette	-	-	2	4.4	-	-	2	5.7
Power	-	-	1	6.7	1	20.0	-	-
Shoshone	-	-	-	-	-	-	-	-
Teton	-	-	1	16.7	-	-	1	25.0
Twin Falls	-	-	11	7.7	3	7.9	8	7.7
Valley	-	-	1	10.0	-	-	1	16.7
Washington	-	-	-	-	-	-	-	-

Percent of total live births in each age group that are low birth weight (<2,500 grams). Percents are based on records with stated birth weight.

Note: Low birth weight percent for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN ABORTIONS
Abortions, Ratios and Rates by Age of Patient
2004

RESIDENCE	AGE OF PATIENT											
	<15			15-19			15-17			18-19		
	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate
IDAHO	6	428.6	0.1	323	156.9	6.1	127	241.9	4.1	196	127.9	9.0
District 1	1	500.0	0.1	62	276.8	8.8	27	519.2	6.2	35	203.5	13.0
District 2	3	**	1.0	37	402.2	9.3	14	636.4	7.3	23	328.6	11.2
District 3	1	200.0	0.1	41	84.0	4.9	17	113.3	3.3	24	71.0	7.2
District 4	-	-	-	124	332.4	9.6	42	575.3	5.4	82	273.3	16.0
District 5	1	200.0	0.2	26	69.5	4.0	13	121.5	3.3	13	48.7	5.1
District 6	-	-	-	20	85.5	3.0	11	186.4	2.8	9	51.4	3.3
District 7	-	-	-	13	47.6	1.7	3	48.4	0.7	10	47.4	3.1
Ada	-	-	-	113	365.7	10.0	41	706.9	6.0	72	286.9	16.0
Adams	-	-	-	-	-	-	-	-	-	-	-	-
Bannock	-	-	-	14	126.1	5.2	8	381.0	5.1	6	66.7	5.4
Bear Lake	-	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	3	187.5	9.1	3	3,000.0	14.2	-	-	-
Bingham	-	-	-	3	42.9	1.5	-	-	-	3	58.8	3.6
Blaine	-	-	-	6	260.9	8.4	2	333.3	4.3	4	235.3	16.0
Boise	-	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	10	270.3	6.5	4	444.4	4.2	6	214.3	10.5
Bonneville	-	-	-	11	67.5	2.9	3	75.0	1.3	8	65.0	5.6
Boundary	-	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	1	200.0	9.8	1	333.3	16.7	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	1	200.0	0.2	32	81.8	5.3	14	115.7	3.9	18	66.7	7.4
Caribou	-	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	3	69.8	3.3	1	111.1	1.8	2	58.8	5.4
Clark	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	1	200.0	3.4	-	-	-	1	500.0	7.9
Custer	-	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	6	120.0	6.0	-	-	-	6	153.8	14.6
Franklin	-	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	3	157.9	5.0	-	-	-	3	230.8	13.4
Gooding	-	-	-	2	60.6	3.8	1	90.9	3.1	1	45.5	4.9
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	1	29.4	1.0	-	-	-	1	45.5	2.6
Jerome	-	-	-	3	50.8	3.9	2	111.1	4.4	1	24.4	3.2
Kootenai	1	1,000.0	0.2	46	333.3	10.6	17	472.2	6.4	29	284.3	17.3
Latah	-	-	-	11	2,750.0	6.6	4	**	7.2	7	1,750.0	6.3
Lemhi	-	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	2	285.7	15.5	2	2,000.0	26.3	-	-	-
Lincoln	-	-	-	2	125.0	10.3	1	333.3	7.9	1	76.9	14.7
Madison	-	-	-	1	24.4	0.7	-	-	-	1	27.0	1.1
Minidoka	-	-	-	1	17.5	1.2	1	45.5	1.9	-	-	-
Nez Perce	3	**	2.5	23	434.0	18.1	8	666.7	10.8	15	365.9	28.4
Oneida	-	-	-	2	1,000.0	10.0	2	-	17.1	-	-	-
Owyhee	-	-	-	2	83.3	4.6	2	181.8	7.6	-	-	-
Payette	-	-	-	2	44.4	2.4	1	100.0	2.0	1	28.6	3.1
Power	-	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	3	166.7	7.5	3	1,000.0	12.9	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	1	500.0	0.4	9	63.4	3.5	5	131.6	3.2	4	38.5	3.9
Valley	-	-	-	5	500.0	19.1	1	250.0	7.1	4	666.7	33.1
Washington	-	-	-	2	250.0	5.3	-	-	-	2	285.7	14.4

**Ratio cannot be computed; no live births. Ratio: Number of induced abortions per 1,000 live births in corresponding age group.
Rate: Number of induced abortions per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14. Rates are based on July 1, 2004 female population estimates from the National Center for Health Statistics, from the Vintage 2004 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date September 9, 2005.

IDAHO RESIDENT LIVE BIRTHS
Most Common Given Names
2004

GIRLS		
1. Emma 2. Emily 3. Alexis 4. Abigail 5. Hannah 6. (tie) Madison Olivia 8. Hailey	9. Samantha 10. Elizabeth 11. Grace 12. Taylor 13. Isabella 14. Sydney 15. Morgan 16. Alyssa	17. (tie) Ella Kylie Megan 20. Paige 21. (tie) Anna Natalie 23. Jasmine 24. Sophia 25. Brooklyn

BOYS		
1. Ethan 2. Tyler 3. Jacob 4. Samuel 5. Logan 6. Michael 7. Joshua 8. Andrew	9. (tie) Isaac Ryan 11. (tie) Austin Nathan 13. Matthew 14. (tie) Benjamin Gabriel 16. Alexander	17. (tie) Daniel Dylan 19. William 20. Joseph 21. Kaden 22. (tie) David Nicholas 24. Caleb 25. Zachary

Each spelling constitutes a different name.

Selected Unique Names, Yewneek Spellings:

GIRLS				
Americus	Freedom	McCall	Remedy	Sublym
Braenwynne	Indyana	Mem' Ree	Sativalyn	Surreal
Cachet	Innocence	Memphis	Secret-Destiny	Tennessee
Creedance	Libertyann	Octayvia	Serendipity	Tuesday-Rain
Fennel	Mavity	Olive	Sicity	Zuzu

BOYS				
Audi	Cohl	Kahlvyn	Qwydion	Stouffer
Boulder	Craeton	Kaimbridge	Nation	Stryker
Cairo	Fynyxx	Koa	Racin	Tayo
Carpenter	Gairimiah	Ledg	Rhoamen	Tracer
Catcher	Honniscrave	Nike	Sagedricht	Wongfei

MORTALITY

The number of Idaho deaths decreased 3 percent from 10,364 deaths in 2003 to 10,013 deaths in 2004. At the same time, the death rate declined 5 percent (from 7.6 per 1,000 population in 2003 to 7.2 in 2004). There were 2,398,365 deaths in the United States in 2004 (preliminary) which was a 2 percent decrease from 2,448,288 deaths in 2003. The preliminary U.S. crude death rate was 8.2 deaths per 1,000 population compared with 8.4 deaths per 1,000 population in 2003.

The preliminary leading causes of death in U.S in 2004 were identical to Idaho's top 3 causes; however, there were differences in the crude rates per 100,000 population. In the U.S., Chronic lower respiratory diseases and Accidents were ranked in reverse order of Idaho (fourth and fifth respectively). Diabetes mellitus and Alzheimer's disease tied for rank six in Idaho were sixth and seventh, respectively in the U.S. in 2004. Suicide ranked eighth in Idaho and eleventh in the U.S. The ninth and tenth leading causes of death in the U.S. in 2004 were Nephritis, nephrotic syndrome and nephrosis (ninth) and Septicemia (tenth), which were ranked tenth and eighteenth, respectively in Idaho in 2004.

<u>Causes Ranked 1-10 in U.S.</u>	<u>2004 U.S. Preliminary Crude Rate</u>	<u>2004 Idaho Crude Rate</u>
1. Diseases of heart	222.7	175.3
2. Malignant neoplasms (cancer)	187.4	159.7
3. Cerebrovascular diseases (stroke)	51.1	50.8
4. Chronic lower respiratory diseases	42.2	41.1
5. Accidents	37.0	42.1
6. Diabetes mellitus	24.8	24.5
7. Alzheimer's disease	22.4	24.5
8. Influenza and pneumonia	20.9	15.9
9. Nephritis, nephrotic syndrome and nephrosis (kidney disease)	14.6	8.0
10. Septicemia	11.4	3.7


Rates per 100,000 population

U.S. mortality rates are consistently much higher than those in Idaho for Diseases of the heart, Malignant neoplasms, Nephritis, nephrotic syndrome and nephrosis, and Septicemia. Higher Idaho rates are recorded for Suicide and Accidents.


From 2003 to 2004, there were several changes in the ranking of the ten leading causes of death to Idaho residents. Accidents, the fifth leading cause in 2003, became the fourth leading cause in 2004; Chronic lower respiratory diseases, the fourth leading cause in 2003, dropped to fifth. Suicide, the ninth leading cause in 2003, became the eighth leading cause in 2004. Influenza and pneumonia, the eighth leading cause in 2003, dropped to ninth. Nephritis, nephrotic syndrome, and nephrosis tied with Chronic liver disease and cirrhosis for tenth leading cause in 2004.

Of the 10 leading causes of death in Idaho, cause-specific death rates increased from 2003 to 2004 for Intentional self-harm (suicide) and Nephritis, nephrotic syndrome, and nephrosis. Crude rates were lower for the remaining ten leading causes of death.

IDAHO RESIDENT DEATHS 1994-2004



U.S., IDAHO RESIDENT DEATH RATES 1994-2004



* 2004 U.S. preliminary

IDAHO RESIDENT DEATHS
Number of Deaths and Rates
2000-2004

RESIDENCE	2004		2003		2002		2001		2000	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	8.2 (Preliminary)		8.4		8.5		8.5		8.5	
IDAHO	10,013	7.2	10,364	7.6	9,909	7.4	9,751	7.4	9,535	7.4
District 1	1,633	8.4	1,610	8.5	1,568	8.5	1,530	8.4	1,539	8.6
District 2	905	9.0	953	9.5	989	9.9	867	8.7	894	8.9
District 3	1,616	7.3	1,678	7.9	1,532	7.4	1,518	7.6	1,612	8.4
District 4	2,228	5.9	2,270	6.2	2,118	5.8	2,118	5.9	2,035	5.9
District 5	1,350	8.0	1,455	8.7	1,393	8.4	1,392	8.5	1,309	8.1
District 6	1,190	7.5	1,250	7.9	1,236	7.8	1,181	7.5	1,155	7.4
District 7	1,091	6.3	1,148	6.8	1,073	6.5	1,145	7.1	991	6.2
Ada	1,960	5.9	2,022	6.2	1,881	5.9	1,863	6.0	1,819	6.0
Adams	27	7.8	30	8.5	25	7.3	31	9.0	36	10.4
Bannock	564	7.5	615	8.1	598	7.9	572	7.6	549	7.3
Bear Lake	68	10.8	68	10.8	57	9.0	63	9.9	62	9.7
Benewah	93	10.4	101	11.2	108	12.0	84	9.3	94	10.2
Bingham	290	6.7	282	6.6	294	6.9	289	6.8	282	6.8
Blaine	79	3.7	97	4.7	77	3.8	71	3.6	76	4.0
Boise	40	5.4	39	5.4	25	3.5	40	5.7	24	3.6
Bonner	342	8.6	341	8.7	328	8.6	315	8.4	295	8.0
Bonneville	613	6.8	645	7.4	593	7.0	637	7.6	520	6.3
Boundary	100	9.6	107	10.5	79	7.8	91	9.2	79	8.0
Butte	33	11.6	27	9.4	29	10.0	18	6.3	27	9.3
Camas	9	8.9	7	6.7	5	4.8	7	7.0	4	4.0
Canyon	1,047	6.6	1,095	7.2	971	6.7	952	6.8	1,004	7.6
Caribou	55	7.6	58	8.1	73	10.0	62	8.4	64	8.8
Cassia	178	8.3	189	8.7	183	8.4	184	8.5	170	7.9
Clark	4	4.4	5	5.5	6	6.0	11	11.3	8	7.8
Clearwater	83	9.9	90	10.7	90	10.7	102	11.9	90	10.1
Custer	32	7.8	34	8.3	35	8.4	36	8.4	24	5.5
Elmore	160	5.5	137	4.7	155	5.3	166	5.7	125	4.3
Franklin	82	6.7	95	8.0	91	7.8	93	8.0	82	7.2
Fremont	89	7.3	98	8.1	92	7.8	96	8.1	109	9.2
Gem	169	10.6	185	11.7	157	10.1	160	10.3	177	11.7
Gooding	124	8.6	138	9.6	162	11.3	148	10.4	122	8.6
Idaho	162	10.4	165	10.7	166	10.8	143	9.3	161	10.4
Jefferson	135	6.5	123	6.1	116	5.9	142	7.3	114	6.0
Jerome	122	6.3	132	7.0	159	8.5	137	7.4	135	7.4
Kootenai	934	7.6	909	7.7	894	7.8	873	7.8	873	8.0
Latah	213	6.1	225	6.4	238	6.8	194	5.6	207	5.9
Lemhi	74	9.5	107	13.8	84	11.0	86	11.3	89	11.4
Lewis	47	12.5	43	11.5	41	11.0	36	9.9	39	10.4
Lincoln	47	10.9	32	7.4	28	6.7	28	6.8	39	9.6
Madison	118	3.8	109	3.6	117	4.2	110	4.0	94	3.4
Minidoka	162	8.4	196	10.1	157	8.1	189	9.6	174	8.6
Nez Perce	400	10.6	430	11.4	454	12.2	392	10.6	397	10.6
Oneida	43	10.4	45	10.9	40	9.7	50	11.9	38	9.2
Owyhee	83	7.5	84	7.5	80	7.4	80	7.3	88	8.3
Payette	181	8.4	169	7.9	185	8.8	191	9.2	189	9.2
Power	55	7.3	60	8.1	54	7.3	34	4.6	51	6.8
Shoshone	164	12.8	152	11.7	159	12.1	167	12.4	198	14.4
Teton	26	3.6	27	3.8	30	4.4	27	4.2	33	5.5
Twin Falls	629	9.3	664	9.9	622	9.5	628	9.7	589	9.2
Valley	68	8.5	72	9.3	57	7.6	49	6.4	67	8.8
Washington	109	10.8	115	11.5	114	11.5	104	10.4	118	11.8

Death rate: Number of deaths per 1,000 population. U.S. rates have been revised using post-census population estimates based on the 2000 Census.

IDAHO RESIDENT DEATHS
Sex, Race and Ethnicity¹
2004

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC
		Male	Female	White	Black	Native American	Asian/Pacific Islander	Other Race	Not Stated	
IDAHO	10,013*	5,065	4,948	9,772	17	98	43	77	5	264
District 1	1,633	838	795	1,613	-	13	3	4	-	14
District 2	905	472	433	892	-	12	1	-	-	1
District 3	1,616*	820	796	1,554	3	16	18	23	1	91
District 4	2,228	1,086	1,142	2,183	8	10	11	13	3	33
District 5	1,350	687	663	1,304	3	7	4	32	-	72
District 6	1,190	613	577	1,144	2	39	3	1	1	30
District 7	1,091	549	542	1,082	1	1	3	4	-	23
Ada	1,960	939	1,021	1,919	7	8	10	13	3	28
Adams	27	15	12	27	-	-	-	-	-	-
Bannock	564	290	274	542	2	17	1	1	1	8
Bear Lake	68	37	31	68	-	-	-	-	-	-
Benewah	93	51	42	87	-	6	-	-	-	-
Bingham	290	154	136	267	-	21	2	-	-	12
Blaine	79	40	39	79	-	-	-	-	-	4
Boise	40	19	21	40	-	-	-	-	-	-
Bonner	342	173	169	339	-	1	1	1	-	2
Bonneville	613	295	318	607	1	1	3	1	-	15
Boundary	100	55	45	99	-	1	-	-	-	1
Butte	33	12	21	33	-	-	-	-	-	1
Camas	9	3	6	9	-	-	-	-	-	-
Canyon	1,047*	528	519	1,000	3	9	15	18	1	76
Caribou	55	24	31	55	-	-	-	-	-	1
Cassia	178	91	87	170	-	-	1	7	-	13
Clark	4	3	1	3	-	-	-	1	-	2
Clearwater	83	46	37	82	-	1	-	-	-	-
Custer	32	18	14	32	-	-	-	-	-	-
Elmore	160	97	63	157	1	1	1	-	-	5
Franklin	82	48	34	82	-	-	-	-	-	1
Fremont	89	49	40	88	-	-	-	1	-	1
Gem	169	77	92	167	-	2	-	-	-	1
Gooding	124	69	55	121	-	-	1	2	-	3
Idaho	162	85	77	158	-	3	1	-	-	-
Jefferson	135	80	55	134	-	-	-	1	-	3
Jerome	122	65	57	118	-	2	-	2	-	5
Kootenai	934	476	458	925	-	5	2	2	-	8
Latah	213	115	98	212	-	1	-	-	-	1
Lemhi	74	31	43	74	-	-	-	-	-	-
Lewis	47	27	20	45	-	2	-	-	-	-
Lincoln	47	24	23	44	-	1	1	1	-	2
Madison	118	59	59	118	-	-	-	-	-	1
Minidoka	162	99	63	146	1	1	1	13	-	24
Nez Perce	400	199	201	395	-	5	-	-	-	-
Oneida	43	21	22	43	-	-	-	-	-	1
Owyhee	83	51	32	78	-	2	2	1	-	5
Payette	181	95	86	174	-	3	-	4	-	6
Power	55	27	28	54	-	1	-	-	-	6
Shoshone	164	83	81	163	-	-	-	1	-	3
Teton	26	14	12	26	-	-	-	-	-	1
Twin Falls	629	296	333	617	2	3	-	7	-	21
Valley	68	31	37	67	-	1	-	-	-	-
Washington	109	54	55	108	-	-	1	-	-	3

1. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin are included in appropriate race totals.

* Race is based on single or bridged-race for persons with more than one race listed on death certificate. Bridged race data are not available for out-of-state deaths. Total includes one (1) death in Canyon County (District 3) with more than one race stated for decedent's race.

IDAHO RESIDENT DEATHS
Age at Death
2004

RESIDENCE	TOTAL DEATHS	AGE AT DEATH										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
IDAHO	10,013	139	37	39	166	166	320	718	999	1,627	2,801	3,001
District 1	1,633	15	2	5	25	23	42	121	166	288	437	509
District 2	905	10	2	1	12	10	17	53	89	138	263	310
District 3	1,616	28	11	7	31	34	64	95	185	252	463	446
District 4	2,228	39	5	14	36	35	76	187	243	337	599	657
District 5	1,350	15	6	6	19	21	47	101	106	230	383	416
District 6	1,190	16	6	3	26	20	35	86	104	203	340	351
District 7	1,091	16	5	3	17	23	39	75	106	179	316	312
Ada	1,960	36	5	12	29	32	61	158	206	281	542	598
Adams	27	-	-	1	-	-	2	1	3	10	5	5
Bannock	564	8	3	1	9	10	13	47	56	99	168	150
Bear Lake	68	-	-	-	3	-	2	4	4	11	16	28
Benewah	93	2	-	-	2	1	-	5	11	15	29	28
Bingham	290	5	1	1	10	6	13	19	23	57	83	72
Blaine	79	1	-	1	3	2	7	8	9	13	18	17
Boise	40	-	-	1	2	-	6	5	5	7	6	8
Bonner	342	3	-	2	6	4	7	23	41	58	85	113
Bonneville	613	9	4	-	10	13	23	50	51	102	175	176
Boundary	100	3	1	-	3	4	3	8	8	19	24	27
Butte	33	-	1	-	1	-	1	2	4	9	10	5
Camas	9	-	-	-	-	-	1	-	1	1	3	3
Canyon	1,047	24	8	4	21	24	46	70	123	161	287	279
Caribou	55	2	-	-	1	-	-	2	4	11	14	21
Cassia	178	1	3	-	3	2	2	10	11	27	54	65
Clark	4	1	-	-	-	-	1	-	1	-	1	-
Clearwater	83	1	2	1	1	1	1	8	8	18	26	16
Custer	32	-	-	-	1	1	1	3	4	8	8	6
Elmore	160	3	-	1	4	2	9	14	29	33	32	33
Franklin	82	-	1	-	1	2	5	7	5	6	21	34
Fremont	89	1	-	-	1	1	3	4	6	15	33	25
Gem	169	-	-	1	2	2	9	6	12	27	56	54
Gooding	124	1	-	1	-	2	4	9	6	15	53	33
Idaho	162	2	-	-	2	-	5	14	17	23	51	48
Jefferson	135	4	-	2	-	4	6	6	21	18	34	40
Jerome	122	1	-	-	3	2	7	9	17	18	38	27
Kootenai	934	7	1	2	14	13	27	74	90	164	250	292
Latah	213	1	-	-	2	4	2	7	22	20	58	97
Lemhi	74	-	-	-	1	1	2	1	9	14	20	26
Lewis	47	-	-	-	-	-	-	4	5	14	11	13
Lincoln	47	-	1	-	1	-	2	4	2	12	11	14
Madison	118	-	1	1	3	2	1	10	11	20	36	33
Minidoka	162	3	-	1	3	3	5	16	17	31	47	36
Nez Perce	400	6	-	-	7	5	9	20	37	63	117	136
Oneida	43	-	-	1	-	-	1	1	2	6	12	20
Owyhee	83	1	1	-	3	3	1	5	13	11	28	17
Payette	181	1	2	-	2	5	3	10	24	29	54	51
Power	55	1	-	-	1	2	-	4	6	4	16	21
Shoshone	164	-	-	1	-	1	5	11	16	32	49	49
Teton	26	1	-	-	1	1	2	1	3	2	9	6
Twin Falls	629	8	2	3	6	10	19	45	43	113	159	221
Valley	68	-	-	-	1	1	-	10	3	16	19	18
Washington	109	2	-	1	3	-	3	3	10	14	33	40

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death to Idahoans
Cause-Specific Crude and Age-Adjusted Rates
2004

CAUSE OF DEATH ¹	DEATHS		DEATH RATES ²			
			Crude		Age-Adjusted ³	
	Number	Percent	Idaho	U.S. ⁴ 2004	Idaho	U.S. ⁴ 2004
ALL CAUSES	10,013	100.0%	718.7	816.7	752.4	801.1
1. Diseases of heart	2,443	24.4%	175.3	222.7	183.8	217.5
2. Malignant neoplasms	2,225	22.2%	159.7	187.4	169.1	184.6
3. Cerebrovascular diseases	708	7.1%	50.8	51.1	53.5	50.0
4. Accidents	587	5.9%	42.1	37.0	42.6	36.6
-- Transport accidents	275	2.7%	19.7	NA	19.8	NA
----- Motor vehicle accidents	243	2.4%	17.4	NA	17.5	NA
-- Nontransport accidents	312	3.1%	22.4	NA	22.8	NA
5. Chronic lower respiratory diseases	573	5.7%	41.1	42.2	44.5	41.8
-- Bronchitis, chronic and unspecified	3	0.0%	0.2	NA	NA	NA
-- Emphysema	89	0.9%	6.4	NA	7.0	NA
-- Asthma	22	0.2%	1.6	NA	1.6	NA
-- Other chronic lower respiratory diseases	459	4.6%	32.9	NA	35.6	NA
6. (tie) Diabetes mellitus	342	3.4%	24.5	24.8	26.2	24.4
Alzheimer's disease	342	3.4%	24.5	22.4	25.4	21.7
8. Intentional self-harm (suicide)	239	2.4%	17.2	10.8	17.6	10.7
9. Influenza and Pneumonia	221	2.2%	15.9	20.9	16.4	20.4
10. (tie) Nephritis, nephrotic syndrome, and nephrosis	112	1.1%	8.0	14.6	8.4	14.3
Chronic liver disease and cirrhosis	112	1.1%	8.0	9.0	8.2	8.8
All other causes	2,109	21.1%	NA	NA	NA	NA

1. Data are based on tenth revision of the International Classification of Diseases (ICD-10)

2. Rates are per 100,000 population.

3. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.

4. U.S. crude and age-adjusted rates are 2004 preliminary data. Rates are calculated using 2004 population estimates based on the 2000 Census and provided to the National Center for Health Statistics by the U.S. Bureau of the Census. Idaho rates are calculated using 2004 estimates based on 2000 Census.

NA: Age-adjusted rates not calculated for causes with fewer than 20 deaths; crude and age-adjusted rates not applicable for all other causes U.S. preliminary 2004 rates not available for sub-category causes of death as of April 2006.

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death to Idahoans by Sex
Cause-Specific Crude and Age-Adjusted Rates
2004

MALES						
CAUSE OF DEATH ¹	DEATHS		DEATH RATES ²			
			Crude		Age-Adjusted ³	
	Number	Percent	Idaho	U.S. ⁴ 2003	Idaho	U.S. ⁴ 2003
ALL CAUSES	5,065	100.0%	725.0	840.3	874.9	994.3
1. Diseases of heart	1,258	24.8%	180.1	235.0	222.6	286.6
2. Malignant neoplasms	1,173	23.2%	167.9	201.3	200.7	233.3
3. Accidents	386	7.6%	55.3	49.3	58.3	51.8
4. Chronic lower respiratory diseases	308	6.1%	44.1	42.4	56.0	52.3
5. Cerebrovascular diseases	279	5.5%	39.9	42.9	51.6	54.1
6. Intentional self-harm (suicide)	192	3.8%	27.5	17.6	28.7	18.0
7. Diabetes mellitus	177	3.5%	25.3	24.8	31.2	28.9
8. Influenza and pneumonia	96	1.9%	13.7	20.1	18.2	26.1
9. Alzheimer's disease	95	1.9%	13.6	12.8	18.7	17.5
10. Chronic liver disease and cirrhosis	70	1.4%	10.0	12.5	10.5	13.0
All other causes	1,031	20.4%	NA	NA	NA	NA

FEMALES						
CAUSE OF DEATH ¹	DEATHS		DEATH RATES ²			
			Crude		Age-Adjusted ³	
	Number	Percent	Idaho	U.S. ⁴ 2003	Idaho	U.S. ⁴ 2003
ALL CAUSES	4,948	100.0%	712.3	843.4	645.9	706.2
1. Diseases of heart	1,185	23.9%	170.6	236.2	150.1	190.3
2. Malignant neoplasms	1,052	21.3%	151.4	182.0	145.1	160.9
3. Cerebrovascular diseases	429	8.7%	61.8	65.1	54.6	52.3
4. Chronic lower respiratory diseases	265	5.4%	38.1	44.4	36.4	37.8
5. Alzheimer's disease	247	5.0%	35.6	30.5	29.2	23.3
6. Accidents	201	4.1%	28.9	26.2	27.7	24.1
7. Diabetes mellitus	165	3.3%	23.8	26.2	22.6	22.5
8. Influenza and pneumonia	125	2.5%	18.0	24.6	15.0	19.4
9. Nephritis, nephrotic syndrome, and nephrosis	56	1.1%	8.1	14.9	6.8	12.4
10. Essential hypertension and hypertensive renal disease	48	1.0%	6.9	9.3	5.9	7.5
All other causes	1,175	23.7%	NA	NA	NA	NA

1. Data are based on tenth revision of the International Classification of Diseases (ICD-10)

2. Rates are per 100,000 population.

3. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.

4. U.S. crude and age-adjusted rates are 2003 data. Rates are calculated using 2003 population estimates based on the 2000 Census and provided to the National Center for Health Statistics by the U.S. Bureau of the Census. Idaho rates are calculated using 2004 estimates based on 2000 Census.

NA: Crude and age-adjusted rates not applicable for all other causes of death.

IDAHO RESIDENT DEATHS

Ten Leading Causes of Death by Age Group and Number of Deaths 2004

RANK	AGE GROUP												ALL AGES
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	(Tie) Congenital malformations, Short gestation/low birth weight, (26 each)	Accidents (16) (Transport: 4 All other: 12)	Accidents (8) (Transport: 6 All other: 2)	Accidents (12) (Transport: 7 All other: 5)	Accidents (37) (Transport: 27 All other: 10)	Accidents (48) (Transport: 32 All other: 16)	Accidents (67) (Transport: 43 All other: 24)	Accidents (68) (Transport: 31 All other: 37)	Malignant neoplasms (173)	Malignant neoplasms (378)	Malignant neoplasms (537)	Diseases of heart (1,634)	Diseases of heart (2,443)
2		Congenital malformations (6)	Malignant neoplasms (2)	(Tie) Intentional self-harm (Suicide), Malignant neoplasms, (3 each)	Intentional self-harm (Suicide) (15)	Intentional self-harm (Suicide) (17)	Intentional self-harm (Suicide) (32)	Malignant neoplasms (58)	Diseases of heart (150)	Diseases of heart (220)	Diseases of heart (378)	Malignant neoplasms (1,049)	Malignant neoplasms (2,225)
3	Sudden infant death syndrome (19)	(Tie) Septicemia, Diseases of heart, Malignant neoplasms (2 each)			Malignant neoplasms (5)	(Tie) Assault (Homicide), Malignant neoplasms, (6 each)	Malignant neoplasms (11)	Intentional self-harm (Suicide) (56)	Accidents (92) (Transport: 46 All other: 46)	Accidents (50) (Transport: 27 All other: 23)	Chronic lower respiratory diseases (136)	Cerebrovascular diseases (537)	Cerebrovascular diseases (708)
4	Complications of placenta cord and membrane (11)				Assault (Homicide) (3)		(Tie) Assault (Homicide), Diseases of Heart, (7 each)	Diseases of heart (46)	Intentional self-harm (Suicide) (50)	Chronic lower respiratory diseases (48)	Cerebrovascular diseases (98)	Chronic lower respiratory diseases (366)	Accidents (587) (Transport: 275 All other: 312)
5	Maternal complications of pregnancy (8)				Congenital malformations (2)	Congenital malformations (2)		Diabetes mellitus (11)	Chronic liver disease and cirrhosis (37)	Cerebrovascular diseases (43)	Diabetes mellitus (78)	Alzheimer's disease (324)	Chronic lower respiratory diseases (573)
6	Neonatal Hemorrhage (6)					Influenza and pneumonia (4)	Chronic liver disease and cirrhosis (10)	Diabetes mellitus (31)	Diabetes mellitus (33)	Accidents (50) (Transport: 28 All other: 22)	Diabetes mellitus (186)	(Tie) Diabetes mellitus, Alzheimer's disease, (342 each)	
7	(Tie) Diseases of the circulatory system, Accidents, (4 each) (Transport: 2 All other: 2)					(Tie) Congenital malformations, Diabetes mellitus, Anemias, Nephritis, nephrotic syndrome, nephrosis (2 each)	Cerebrovascular diseases (9)	Cerebrovascular diseases (20)	Intentional self-harm (Suicide) (32)	Chronic liver disease and cirrhosis (22)	Influenza and pneumonia (182)	Intentional self-harm (Suicide) (239)	
8							Assault (Homicide) (7)	Chronic lower respiratory diseases (18)	Chronic liver disease and cirrhosis (26)	(Tie) In situ neoplasms, Influenza and pneumonia, (18 each)	Accidents (135) (Transport: 22 All other: 113)	Influenza and pneumonia (221)	
9	(Tie) ¹ (3 each)						(Tie) ¹ (3 each)	(Tie) ¹ (5 each)	(Tie) ¹ (5 each)	(Tie) ¹ (17 each)	Nephritis, nephrotic syndrome, nephrosis (86)	(Tie) ¹ (112 each)	
10													
Residual ²	26	9	5	6	12	13	30	46	132	149	258	1,209	2,109
Total	139	37	15	24	74	92	166	320	718	999	1,627	5,802	10,013

Causes of death with one death are not shown. See Technical Notes for methodology. Note: Number of deaths in parentheses.

1. Tie at rank 9 for age group <1: Bacterial sepsis of newborn (3), In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (3), Intrauterine hypoxia and birth asphyxia (3); at rank 9 for age group 35-44: Chronic lower respiratory diseases (3), Congenital malformations (3), Influenza and Pneumonia (3); at rank 9 for age group 45-54: Assault (5), Influenza and pneumonia (5), Viral hepatitis (5); at rank 9 for age group 55-64: Hypertension and renal disease (5), In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (5), Influenza and pneumonia (5), Pneumonitis due to solids and liquids (5); at rank 10 for age group 65-74: Suicide (17), Nephritis, nephrotic syndrome, nephrosis (17); at rank 10 of all ages: Chronic liver disease and cirrhosis (112), nephritis, nephrotic syndrome, nephrosis (112).

2. Residual: Total number of deaths for all other causes not listed.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Ten Leading Causes of Death Based on Premature Mortality
Total Population and by Sex
2004

Cause of Death	Number of Deaths: Persons Aged Less than 75 Years	Percent	Years of Potential Life Lost (YPLL) Before Age 75		
			Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate*
Total Population	4,211	100.0	19.7	82,924.5	6,291.6
1. Accidents	452	10.7	35.7	16,114.0	1,222.6
--Transport accident	253	6.0	36.6	9,260.5	702.6
----Motor vehicle accident	224	5.3	37.3	8,345.0	633.1
--Nontransport accident	199	4.7	34.4	6,853.5	520.0
2. Malignant Neoplasms	1,176	27.9	13.6	16,010.0	1,214.7
3. Diseases of heart	809	19.2	13.7	11,077.5	840.5
4. Intentional self-harm (suicide)	222	5.3	32.2	7,143.0	541.9
5. Certain conditions originating in the perinatal period	67	1.6	74.5	4,991.5	378.7
6. Congenital malformations	49	1.2	59.2	2,901.5	220.1
7. Diabetes mellitus	156	3.7	13.5	2,112.0	160.2
8. Chronic lower respiratory diseases	207	4.9	9.2	1,895.5	143.8
9. Cerebrovascular diseases	171	4.1	11.1	1,891.5	143.5
10. Chronic liver disease and cirrhosis	97	2.3	18.6	1,803.5	136.8
All Other Causes	805	19.1	21.1	16,984.5	1,288.6
Total Males	2,588	100.0	20.8	53,768.0	8,045.6
1. Accidents	321	12.4	37.2	11,942.5	1,787.0
--Transport accident	185	7.1	36.7	6,783.5	1,015.0
----Motor vehicle accident	162	6.3	37.9	6,147.0	919.8
--Nontransport accident	136	5.3	37.9	5,159.0	772.0
2. Malignant neoplasms	654	25.3	13.1	8,574.0	1,283.0
3. Diseases of heart	559	21.6	14.6	8,145.5	1,218.9
4. Intentional self-harm (suicide)	176	6.8	32.3	5,686.0	850.8
5. Certain conditions originating in the perinatal period	39	1.5	74.5	2,905.5	434.8
6. Congenital malformations	27	1.0	59.0	1,593.5	238.4
7. Diabetes mellitus	86	3.3	14.6	1,254.0	187.6
8. Chronic liver disease and cirrhosis	63	2.4	18.8	1,184.5	177.2
9. Chronic lower respiratory diseases	116	4.5	9.4	1,088.0	162.8
10. Cerebrovascular diseases	87	3.4	11.4	995.5	149.0
All Other Causes	460	17.8	22.6	10,399.0	1,556.1
Total Females	1,623	100.0	18.0	29,156.5	4,487.5
1. Malignant Neoplasms	522	32.2	14.2	7,436.0	1,144.5
2. Accidents	131	8.1	31.8	4,171.5	642.0
--Transport accident	68	4.2	36.4	2,477.0	381.2
----Motor vehicle accident	62	3.8	35.5	2,198.0	338.3
--Nontransport accident	63	3.9	26.9	1,694.5	260.8
3. Diseases of heart	250	15.4	11.7	2,932.0	451.3
4. Certain conditions originating in the perinatal period	28	1.7	74.5	2,086.0	321.1
5. Intentional self-harm (suicide)	46	2.8	31.7	1,457.0	224.2
6. Congenital malformations	22	1.4	59.5	1,308.0	201.3
7. Cerebrovascular diseases	84	5.2	10.7	896.0	137.9
8. Diabetes mellitus	70	4.3	12.3	858.0	132.1
9. Chronic lower respiratory diseases	91	5.6	8.9	807.5	124.3
10. Chronic liver disease and cirrhosis	34	2.1	18.2	619.0	95.3
All Other Causes	345	21.3	19.1	6,585.5	1,013.6

*YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.
See technical notes for methodology.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm by Sex
2004

ICD-10 CODE	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C00-C97	TOTAL MALIGNANT NEOPLASM DEATHS	2,225	1,173	1,052
C00-C14	LIP, ORAL CAVITY AND PHARYNX	31	19	12
C00	Lip	-	-	-
C01-C02	Tongue	12	7	5
C10-C13, C14.0	Pharynx	10	8	2
C03-C09, C14.2-C14.8	Other and unspecified sites within the lip, oral cavity, and pharynx	9	4	5
C15-C26	DIGESTIVE ORGANS	506	284	222
C15	Esophagus	51	45	6
C16	Stomach	46	29	17
C17	Small intestine	7	3	4
C18	Colon	161	82	79
C19-C20	Rectosigmoid junction and rectum	26	14	12
C21	Anus and anal canal	1	1	-
C22.0, C22.2-C22.9	Liver	35	27	8
C22.1	Intrahepatic bile duct	12	7	5
C23-C24	Gallbladder and extrahepatic bile ducts	9	4	5
C25	Pancreas	150	70	80
C26	Other and ill-defined digestive organs	8	2	6
C30-C39	RESPIRATORY AND INTRATHORACIC ORGANS	548	309	239
C30-C31	Nasal cavity, middle ear, and accessory sinuses	3	1	2
C32	Larynx	8	5	3
C33-C34	Trachea, bronchus, and lung	537	303	234
C37-C38	Thymus, heart, mediastinum, and pleura	-	-	-
C39	Other and ill-defined sites in the respiratory system and intrathoracic organs	-	-	-
C40-C41	BONE AND ARTICULAR CARTILAGE	5	5	-
C43-C44	MELANOMA AND OTHER MALIGNANT NEOPLASMS OF SKIN	60	41	19
C43	Melanoma of skin	46	29	17
C44	Other malignant neoplasms of skin	14	12	2
C45-C49	MESOTHELIAL AND SOFT TISSUE	25	13	12
C45	Mesothelioma	8	6	2
C46	Kaposi's sarcoma	-	-	-
C47-C49	Other mesothelial and soft tissue	17	7	10
C50	BREAST	161	-	161
C51-C58	FEMALE GENITAL ORGANS	104	-	104
C51-C52	Vulva and vagina	9	-	9
C53	Cervix uteri	10	-	10
C54-C55	Corpus uteri and uterus, part unspecified	20	-	20
C56	Ovary	65	-	65
C57	Other and unspecified female genital organs	-	-	-
C58	Placenta	-	-	-

Note: Data by primary site of malignant neoplasm are based on ICD-10 codes as of 1999; data are not comparable to data by site based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical notes for methodology.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm by Sex
2004 (continued)

ICD-10 CODE	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C60-C63	MALE GENITAL ORGANS	160	160	-
C61	Prostate	154	154	-
C62	Testis	3	3	-
C60, C63	Penis and other and unspecified male genital organs	3	3	-
C64-C68	URINARY TRACT	107	70	37
C64-C65	Kidney and renal pelvis	56	33	23
C67	Bladder	48	37	11
C66, C68	Other and unspecified sites within the urinary tract	3	-	3
C69	EYE AND ADNEXA	1	-	1
C70-C72	MENINGES, BRAIN, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	72	38	34
C71	Brain	71	37	34
C70, C72	Other parts of central nervous system	1	1	-
C73-C75	THYROID AND OTHER ENDOCRINE GLANDS	6	3	3
C76-C80, C97	OTHER MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	144	72	72
C81-C96	LYMPHOID, HEMATOPOIETIC, AND RELATED TISSUE	295	159	136
C81	Hodgkin's disease	6	2	4
C82-C85	Non-Hodgkin's lymphoma	105	53	52
C88	Malignant immunoproliferative diseases	1	1	-
C90	Multiple myeloma and malignant plasma cell neoplasms	67	43	24
C91	Lymphoid leukemia	35	19	16
C92	Myeloid leukemia	59	30	29
C93	Monocytic leukemia	-	-	-
C94-C95	Other and unspecified leukemia	22	11	11
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	-	-	-

Note: Data by primary site of malignant neoplasm are based on ICD-10 codes as of 1999; data are not comparable to data by site based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical notes for methodology.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2004

RESIDENCE	TOTAL DEATHS	Diseases of heart	Malignant neoplasms	Cerebro-vascular diseases	Accidents	Accidents			Chronic lower respiratory diseases
						Non-Transport Accidents	Motor Vehicle Accidents	Other Transport Accidents	
IDAHO	10,013	2,443	2,225	708	587	312	243	32	573
Rates	718.7	175.3	159.7	50.8	42.1	22.4	17.4	2.3	41.1
District 1	1,633	404	387	123	83	49	28	6	91
Rates	840.0	207.8	199.1	63.3	42.7	25.2	14.4	3.1	46.8
District 2	905	226	195	56	45	29	13	3	63
Rates	898.2	224.3	193.5	55.6	44.7	28.8	12.9	3.0	62.5
District 3	1,616	384	356	129	109	52	50	7	82
Rates	734.2	174.5	161.7	58.6	49.5	23.6	22.7	3.2	37.3
District 4	2,228	514	548	153	107	61	42	4	129
Rates	591.4	136.4	145.5	40.6	28.4	16.2	11.1	1.1	34.2
District 5	1,350	325	305	79	87	43	41	3	83
Rates	800.6	192.7	180.9	46.8	51.6	25.5	24.3	1.8	49.2
District 6	1,190	311	219	106	68	36	31	1	71
Rates	748.1	195.5	137.7	66.6	42.7	22.6	19.5	0.6	44.6
District 7	1,091	279	215	62	88	42	38	8	54
Rates	628.6	160.7	123.9	35.7	50.7	24.2	21.9	4.6	31.1
Ada	1,960	451	476	132	92	53	36	3	114
Adams	27	8	8	2	3	1	2	-	-
Bannock	564	146	117	52	20	11	8	1	33
Bear Lake	68	16	14	5	6	5	1	-	8
Benewah	93	26	24	8	3	1	1	1	8
Bingham	290	76	53	15	23	10	13	-	20
Blaine	79	11	19	3	10	3	6	1	3
Boise	40	10	8	2	5	3	2	-	2
Bonner	342	73	89	38	20	11	8	1	17
Bonneville	613	154	117	36	47	28	16	3	29
Boundary	100	31	16	4	9	4	5	-	8
Butte	33	10	8	5	-	-	-	-	3
Camas	9	1	4	-	2	1	1	-	-
Canyon	1,047	239	203	92	75	36	35	4	57
Caribou	55	10	6	6	6	5	1	-	4
Cassia	178	52	21	17	17	8	9	-	7
Clark	4	1	-	1	1	-	1	-	-
Clearwater	83	20	21	3	8	6	2	-	3
Custer	32	8	7	4	2	1	-	1	3
Elmore	160	34	48	15	9	4	4	1	3
Franklin	82	18	9	15	8	3	5	-	2
Fremont	89	30	17	3	10	3	7	-	4
Gem	169	43	49	9	9	5	3	1	8
Gooding	124	29	31	8	7	5	-	2	10
Idaho	162	46	35	8	8	4	4	-	12
Jefferson	135	34	25	4	11	4	6	1	10
Jerome	122	30	31	12	8	4	4	-	5
Kootenai	934	227	220	63	40	24	12	4	50
Latah	213	53	40	16	9	5	3	1	10
Lemhi	74	14	15	4	4	1	2	1	4
Lewis	47	14	13	-	1	-	-	1	5
Lincoln	47	7	14	-	2	2	-	-	2
Madison	118	34	28	7	10	4	4	2	3
Minidoka	162	37	44	6	8	3	5	-	14
Nez Perce	400	93	86	29	19	14	4	1	33
Oneida	43	17	6	4	2	1	1	-	-
Owyhee	83	15	33	4	7	2	5	-	2
Payette	181	49	37	15	8	3	3	2	10
Power	55	18	6	4	3	1	2	-	1
Shoshone	164	47	38	10	11	9	2	-	8
Teton	26	4	6	3	3	1	2	-	1
Twin Falls	629	158	141	33	33	17	16	-	42
Valley	68	19	16	4	1	1	-	-	10
Washington	109	30	26	7	7	5	2	-	5

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2004 (continued)

RESIDENCE	Diabetes mellitus	Alzheimer's disease	Intentional self-harm (suicide)	Influenza and pneumonia	Nephritis, nephrotic syndrome, and nephrosis	Chronic liver disease and cirrhosis	Parkinson's disease	Assault (homicide)	Human immunodeficiency virus (HIV) infection
IDAHO	342	342	239	221	112	112	108	32	3
Rates	24.5	24.5	17.2	15.9	8.0	8.0	7.8	2.3	0.2
District 1	56	40	32	28	19	23	17	4	2
Rates	28.8	20.6	16.5	14.4	9.8	11.8	8.7	2.1	1.0
District 2	27	39	17	15	7	8	13	3	-
Rates	26.8	38.7	16.9	14.9	6.9	7.9	12.9	3.0	-
District 3	39	62	43	40	18	17	9	9	-
Rates	17.7	28.2	19.5	18.2	8.2	7.7	4.1	4.1	-
District 4	67	102	62	35	20	20	30	3	1
Rates	17.8	27.1	16.5	9.3	5.3	5.3	8.0	0.8	0.3
District 5	47	47	25	44	20	15	13	6	-
Rates	27.9	27.9	14.8	26.1	11.9	8.9	7.7	3.6	-
District 6	54	23	31	30	14	16	11	2	-
Rates	33.9	14.5	19.5	18.9	8.8	10.1	6.9	1.3	-
District 7	52	29	29	29	14	13	15	5	-
Rates	30.0	16.7	16.7	16.7	8.1	7.5	8.6	2.9	-
Ada	61	95	53	30	20	19	30	1	1
Adams	1	-	-	-	1	-	-	-	-
Bannock	27	12	15	11	4	9	5	1	-
Bear Lake	1	-	-	3	2	1	-	-	-
Benewah	1	-	-	-	1	2	2	-	-
Bingham	12	7	11	6	5	4	3	1	-
Blaine	1	1	4	2	1	2	1	1	-
Boise	-	1	-	-	-	-	-	1	-
Bonner	10	12	6	4	2	8	4	2	-
Bonneville	30	20	15	15	11	8	8	3	-
Boundary	3	1	2	6	-	1	1	1	1
Butte	2	-	1	-	-	1	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	27	43	30	30	11	10	6	6	-
Caribou	7	1	-	2	1	1	1	-	-
Cassia	8	5	2	5	5	1	2	-	-
Clark	-	-	-	-	-	-	-	-	-
Clearwater	2	4	-	4	-	-	1	2	-
Custer	-	-	2	2	-	-	-	-	-
Elmore	5	4	5	4	-	-	-	1	-
Franklin	1	1	1	5	1	-	-	-	-
Fremont	2	-	1	3	1	-	3	-	-
Gem	3	7	3	3	3	1	1	2	-
Gooding	3	4	2	4	2	1	-	1	-
Idaho	4	6	2	2	2	2	2	-	-
Jefferson	8	6	7	2	1	1	1	1	-
Jerome	8	1	2	2	2	4	1	3	-
Kootenai	39	21	21	13	15	10	7	1	1
Latah	5	10	5	2	1	2	5	-	-
Lemhi	6	1	1	3	1	2	3	-	-
Lewis	5	-	1	-	-	-	-	-	-
Lincoln	4	4	-	1	1	-	2	-	-
Madison	6	2	3	2	-	1	-	1	-
Minidoka	6	3	9	2	1	2	1	-	-
Nez Perce	11	19	9	7	4	4	5	1	-
Oneida	-	-	-	-	1	-	1	-	-
Owyhee	-	2	3	1	-	1	-	-	-
Payette	6	9	7	5	2	2	1	-	-
Power	4	2	3	3	-	-	1	-	-
Shoshone	3	6	3	5	1	2	3	-	-
Teton	-	-	-	2	-	1	-	-	-
Twin Falls	17	29	6	28	8	5	6	1	-
Valley	1	2	4	1	-	1	-	-	-
Washington	2	1	-	1	1	3	1	1	-

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2004

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
TOTAL, ALL CAUSES	A01-Y99	10,013	139	37	39	166	166	320	718	999	1,627	2,801	3,001
# Salmonella infections	A01-A02	-	-	-	-	-	-	-	-	-	-	-	-
# Shigellosis and amebiasis	A03, A06	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections	A04, A07-A09	10	-	-	-	-	-	-	-	2	1	4	3
# Tuberculosis	A16-A19	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	A16	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis	A17-A19	-	-	-	-	-	-	-	-	-	-	-	-
# Whooping cough	A37	-	-	-	-	-	-	-	-	-	-	-	-
# Scarlet fever and erysipelas	A38, A46	-	-	-	-	-	-	-	-	-	-	-	-
# Meningococcal infection	A39	-	-	-	-	-	-	-	-	-	-	-	-
# Septicemia	A40-A41	52	-	2	-	-	-	2	2	3	11	15	17
# Syphilis	A50-A53	-	-	-	-	-	-	-	-	-	-	-	-
# Acute poliomyelitis	A80	-	-	-	-	-	-	-	-	-	-	-	-
# Arthropod-borne viral encephalitis	A83-A84, A85.2	-	-	-	-	-	-	-	-	-	-	-	-
# Measles	B05	-	-	-	-	-	-	-	-	-	-	-	-
# Viral hepatitis	B15-B19	9	-	-	-	-	-	-	5	2	1	1	-
# Human immunodeficiency virus (HIV) disease	B20-B24	3	-	-	-	-	-	2	1	-	-	-	-
# Malaria	B50-B54	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified infectious and parasitic diseases and their sequelae	See footnote 1	41	1	1	1	-	-	-	5	5	10	11	7
# Malignant neoplasms	C00-C97	2,225	1	2	5	11	11	58	173	378	537	679	370
Lip, oral cavity and pharynx	C00-C14	31	-	-	-	-	-	1	4	4	8	10	4
Esophagus	C15	51	-	-	-	-	-	1	9	16	14	9	2
Stomach	C16	46	-	-	-	-	-	2	8	8	12	10	6
Colon, rectum and anus	C18-C21	188	-	-	-	-	-	5	13	27	35	62	46
Liver and intrahepatic bile ducts	C22	47	-	-	-	-	1	-	9	9	15	11	2
Pancreas	C25	150	-	-	-	-	-	1	10	32	32	45	30
Larynx	C32	8	-	-	-	-	-	-	2	1	2	3	-
Trachea, bronchus and lung	C33-C34	537	-	-	-	-	2	7	25	99	185	162	57
Malignant melanoma of skin	C43	46	-	-	-	-	2	3	5	6	11	10	9

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. Other and unspecified infectious and parasitic diseases and their sequelae: A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2004

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Breast	C50	161	-	-	-	-	-	10	23	33	22	39	34
Cervix uteri	C53	10	-	-	-	-	1	2	1	2	1	2	1
Corpus uteri and uterus, part unspecified	C54-C55	20	-	-	-	-	-	-	1	6	3	6	4
Ovary	C56	65	-	-	-	-	1	3	4	12	13	27	5
Prostate	C61	154	-	-	-	-	-	-	1	7	31	62	53
Kidney and renal pelvis	C64-C65	56	-	-	-	-	-	-	6	19	9	16	6
Bladder	C67	48	-	-	-	-	-	-	-	7	11	19	11
Meninges, brain and other parts of central nervous system	C70-C72	72	-	-	2	2	2	9	19	14	7	15	2
Lymphoid, hematopoietic and related tissue	C81-C96	295	1	1	1	5	1	8	18	37	68	99	56
Hodgkin's disease	C81	6	-	-	-	-	-	1	-	2	1	2	-
Non-Hodgkin's lymphoma	C82-C85	105	-	-	-	-	-	2	12	12	16	42	21
Leukemia	C91-C95	116	1	1	1	5	1	5	3	11	37	27	24
Multiple myeloma and immunoproliferative neoplasms	C88, C90	68	-	-	-	-	-	-	3	12	14	28	11
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	C96	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms	See footnote 1	240	-	1	2	4	1	6	15	39	58	72	42
# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	68	3	-	-	-	-	1	3	5	18	19	19
# Anemias	D50-D64	9	-	-	-	-	2	1	-	-	1	1	4
# Diabetes mellitus	E10-E14	342	-	-	-	1	2	11	31	33	78	110	76
# Nutritional deficiencies	E40-E64	11	-	-	-	-	-	-	-	1	-	3	7
Malnutrition	E40-E46	9	-	-	-	-	-	-	-	1	-	2	6
Other nutritional deficiencies	E50-E64	2	-	-	-	-	-	-	-	-	-	1	1
# Meningitis	G00, G03	-	-	-	-	-	-	-	-	-	-	-	-
# Parkinson's disease	G20-G21	108	-	-	-	-	-	-	1	1	12	50	44
# Alzheimer's disease	G30	342	-	-	-	-	-	-	1	3	14	102	222

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. All other and unspecified malignant neoplasms: C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2004

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Major cardiovascular diseases	I00-I78	3,369	3	2	3	2	9	57	179	276	511	1,023	1,304
# Diseases of heart	I00-I09, I11, I13, I20-I51	2,443	2	2	2	2	7	46	150	220	378	724	910
Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09	21	-	-	-	-	-	-	3	1	6	7	4
Hypertensive heart disease	I11	100	-	-	-	-	1	1	10	12	10	22	44
Hypertensive heart and renal disease	I13	9	-	-	-	-	-	1	-	1	-	2	5
Ischemic heart diseases	I20-I25	1,590	-	-	-	-	2	28	104	172	284	483	517
Acute myocardial infarction	I21-I22	802	-	-	-	-	2	21	70	118	166	240	185
Other acute ischemic heart diseases	I24	4	-	-	-	-	-	-	-	1	-	-	3
Other forms of chronic ischemic heart disease	I20, I25	784	-	-	-	-	-	7	34	53	118	243	329
Atherosclerotic cardiovascular disease, so described	I25.0	86	-	-	-	-	-	2	10	4	10	15	45
All other forms of chronic ischemic heart disease	I20, I25.1-I25.9	698	-	-	-	-	-	5	24	49	108	228	284
Other heart diseases	I26-I51	723	2	2	2	2	4	16	33	34	78	210	340
Acute and subacute endocarditis	I33	2	-	-	-	-	-	-	1	-	-	1	-
Diseases of pericardium and acute myocarditis	I30-I31, I40	4	-	-	-	-	-	-	-	1	1	1	1
Heart failure	I50	279	-	-	-	-	1	1	3	11	22	77	164
All other forms of heart disease	I26-I28, I34-I38, I42-I49, I51	438	2	2	2	2	3	15	29	22	55	131	175
# Essential (primary) hypertension and hypertensive renal disease	I10, I12	74	-	-	-	-	-	-	1	5	11	22	35
# Cerebrovascular diseases	I60-I69	708	-	-	1	-	-	9	20	43	98	231	306
# Atherosclerosis	I70	38	-	-	-	-	-	-	2	1	2	17	16
Other diseases of circulatory system	I71-I78	106	1	-	-	-	2	2	6	7	22	29	37
# Aortic aneurysm and dissection	I71	65	-	-	-	-	2	1	4	4	14	21	19
Other diseases of arteries, arterioles and capillaries	I72-I78	41	1	-	-	-	-	1	2	3	8	8	18
Other disorders of circulatory system	I80-I99	26	1	-	-	1	-	-	2	2	7	6	7

Causes designated by the symbol # are ranked to determine the leading causes of death.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2004

83

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
# Influenza and pneumonia	J10-J18	221	1	1	1	1	4	3	5	5	18	58	124
Influenza	J10-J11	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia	J12-J18	220	1	1	1	1	4	3	5	5	18	58	123
Other acute lower respiratory infections	J20-J22	2	1	-	-	-	-	-	1	-	-	-	-
# Acute bronchitis and bronchiolitis	J20-J21	2	1	-	-	-	-	-	1	-	-	-	-
Unspecified acute lower respiratory infections	J22	-	-	-	-	-	-	-	-	-	-	-	-
# Chronic lower respiratory diseases	J40-J47	573	-	-	1	-	1	3	18	48	136	232	134
Bronchitis, chronic and unspecified	J40-J42	3	-	-	-	-	-	-	-	-	-	2	1
Emphysema	J43	89	-	-	-	-	-	1	2	7	29	36	14
Asthma	J45-J46	22	-	-	1	-	-	1	7	2	2	5	4
Other chronic lower respiratory diseases	J44, J47	459	-	-	-	-	1	1	9	39	105	189	115
# Pneumoconioses and chemical effects	J60-J66, J68	8	-	-	-	-	-	-	1	1	2	3	1
# Pneumonitis due to solids and liquids	J69	72	-	-	-	-	1	1	2	5	6	17	40
Other diseases of respiratory system	J00-J06, J30-J39, J67, J70-J98	109	-	-	-	1	1	1	4	13	13	54	22
# Peptic ulcer	K25-K28	23	-	-	-	-	-	-	4	1	4	6	8
# Diseases of appendix	K35-K38	2	-	-	-	-	-	-	-	-	1	1	-
# Hernia	K40-K46	9	-	-	-	-	-	-	1	1	1	3	3
# Chronic liver disease and cirrhosis	K70, K73-K74	112	-	-	-	1	1	10	37	26	22	12	3
Alcoholic liver disease	K70	86	-	-	-	1	1	10	30	24	13	6	1
Other chronic liver disease and cirrhosis	K73-K74	26	-	-	-	-	-	-	7	2	9	6	2
# Cholelithiasis and other disorders of gallbladder	K80-K82	15	-	-	-	-	1	-	-	1	1	5	7
# Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	112	-	-	-	1	1	1	3	3	17	32	54
Acute and rapidly progressive nephritic and nephrotic syndrome	N00-N01, N04	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified	N02-N03, N05-N07, N26	2	-	-	-	-	-	-	-	-	-	2	-
Renal failure	N17-N19	110	-	-	-	1	1	1	3	3	17	30	54
Other disorders of kidney	N25, N27	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2004

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
# Infections of kidney	N10-N12, N13.6, N15.1	9	-	-	-	-	-	-	1	1	1	2	4
# Hyperplasia of prostate	N40	1	-	-	-	-	-	-	-	-	1	-	-
# Inflammatory diseases of female pelvic organs	N70-N76	1	-	-	-	-	-	-	-	-	-	1	-
# Pregnancy, childbirth and the puerperium	O00-O99	8	-	-	-	1	2	2	3	-	-	-	-
Pregnancy with abortive outcome	O00-O07	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium	O10-O99	8	-	-	-	1	2	2	3	-	-	-	-
# Certain conditions originating in the perinatal period	P00-P96	67	67	-	-	-	-	-	-	-	-	-	-
# Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	55	26	6	-	4	2	3	2	4	2	5	1
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99	154	22	2	1	1	1	3	7	3	4	18	92
Sudden infant death syndrome	R95	19	19	-	-	-	-	-	-	-	-	-	-
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99	135	3	2	1	1	1	3	7	3	4	18	92
All other diseases (residual)	See footnote 1	948	6	4	4	9	15	22	70	89	129	255	345
# Accidents (unintentional injuries)	V01-X59, Y85-Y86	587	4	16	20	85	67	68	92	50	50	59	76
Transport accidents	V01-V99, Y85	275	2	4	13	59	43	31	46	27	28	19	3
Motor vehicle accidents	See footnote 2	243	2	3	12	56	37	29	39	20	26	16	3
Other land transport accidents	See footnote 3	8	-	1	1	1	1	-	-	2	-	2	-
Water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	24	-	-	-	2	5	2	7	5	2	1	-

Causes designated by the symbol # are ranked to determine the leading causes of death.

- All other diseases (residual): D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98.
- Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- Other land transport accidents: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Age Group
2004

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Nontransport accidents	W00-X59, Y86	312	2	12	7	26	24	37	46	23	22	40	73
Falls	W00-W19	114	-	-	1	3	1	3	5	7	10	26	58
Accidental discharge of firearms	W32-W34	6	-	-	2	1	1	1	1	-	-	-	-
Accidental drowning and submersion	W65-W74	25	-	10	2	3	4	1	4	1	-	-	-
Accidental exposure to smoke, fire and flames	X00-X09	12	-	-	-	1	-	1	1	3	4	2	-
Accidental poisoning and exposure to noxious substances	X40-X49	72	-	-	-	13	9	23	19	4	2	1	1
Other and unspecified nontransport accidents and their sequelae	See footnote 1	83	2	2	2	5	9	8	16	8	6	11	14
# Intentional self-harm (suicide)	U03, X60-X84, Y87.0	239	-	-	3	32	32	56	50	32	17	12	5
Discharge of firearms	X72-X74	152	-	-	1	17	17	22	39	26	15	10	5
Other and unspecified means and their sequelae	U03, X60-X71, X75-X84, Y87.0	87	-	-	2	15	15	34	11	6	2	2	-
# Assault (homicide)	See footnote 2	32	1	1	-	9	7	7	5	1	-	-	1
Discharge of firearms	U01.4, X93-X95	15	-	-	-	5	2	4	3	1	-	-	-
Other and unspecified means and their sequelae	See footnote 2	17	1	1	-	4	5	3	2	-	-	-	1
# Legal intervention	Y35, Y89.0	3	-	-	-	1	1	1	-	-	-	-	-
Events of undetermined intent	Y10-Y34, Y87.2, Y89.9	27	2	-	-	4	4	6	8	2	1	-	-
Discharge of firearms	Y22-Y24	1	-	-	-	-	1	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae	Y10-Y21, Y25-Y34, Y87.2, Y89.9	26	2	-	-	4	3	6	8	2	1	-	-
# Operations of war and their sequelae	Y36, Y89.1	-	-	-	-	-	-	-	-	-	-	-	-
# Complications of medical and surgical care	Y40-Y84, Y88	9	-	-	-	1	1	1	1	2	-	2	1

Causes designated by the symbol # are ranked to determine the leading causes of death.

1. Other and unspecified nontransport accidents and their sequelae: W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86.

2. Assault (homicide): U01-U02, X85-Y09, Y87.1; other and unspecified means and their sequelae: U01.1-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1.

**IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2004**

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Accidents (unintentional injuries)	V01-X59, Y85-Y86	587	4	16	8	12	37	48	67	68	92	50	50	59	76
Total Transport accidents	V01-V99, Y85	275	2	4	6	7	27	32	43	31	46	27	28	19	3
Total Motor vehicle accidents	See footnote 1	243	2	3	6	6	27	29	37	29	39	20	26	16	3
Pedestrian involved in collision with motor vehicle	V02-V04	19	-	2	2	-	1	1	2	3	3	1	3	1	-
Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6	3	-	-	-	1	1	-	-	1	-	-	-	-	-
Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39	24	-	-	1	-	2	1	4	6	5	2	3	-	-
Motorcyclist involved in collision with railway train	V25-V35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with railway train	See footnote 2	2	-	-	-	-	1	-	-	-	-	1	-	-	-
Occupant of motor vehicle involved in collision with fixed object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object)	See footnote 3	23	-	-	-	1	5	3	4	2	2	3	1	2	-
Occupant of motor vehicle involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59	84	2	1	-	1	10	10	11	3	14	6	13	11	2
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79	3	-	-	-	-	-	-	-	-	2	1	-	-	-
Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78	72	-	-	2	1	7	11	15	12	11	5	6	1	1
Occupant of special-use motor vehicle (ATV) involved in any accident	V83-V86	7	-	-	-	1	-	2	1	1	-	1	-	1	-
Pedestrian injury with other or unspecified motor vehicle	V09.0, V09.2	3	-	-	1	1	-	-	-	-	1	-	-	-	-

1. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.

2. Motor vehicle accident involving collision with railway train: V25, V35, V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6.

3. Occupant of motor vehicle involved in collision with other object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object): V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77.

**IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2004**

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Animal rider or occupant of animal-drawn vehicle, injury with other or unspecified motor vehicle	V80.3-V80.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified motor vehicle accidents	See footnote 1	3	-	-	-	-	-	1	-	1	1	-	-	-	-
Total Other land transport accidents	See footnote 2	8	-	1	-	1	-	1	1	-	-	2	-	2	-
Railway accidents (not with motor vehicle)	V05, V15, V80.6, V81.2-V81.9	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Streetcar accident (not with motor vehicle)	V82.2-V82.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist not involving collision with motor vehicle or railway train	V10-V11, V19.3, V19.8-V19.9	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pedestrian (not with motor vehicle or train)	See footnote 3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Rider of animal or occupant of animal-drawn vehicle, not with motor vehicle or train	V80-V80.2, V80.7-V80.9	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Person injured in other specified transport accidents	V87.9, V88.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified nonmotor-vehicle accident	V89.1, V89.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident	V89.9	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Total water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	24	-	-	-	-	-	2	5	2	7	5	2	1	-
Water transport accidents	V90-V94	7	-	-	-	-	-	-	4	-	2	-	-	1	-
Air and space transport accidents	V95-V97	11	-	-	-	-	-	2	1	1	3	2	2	-	-
Other and unspecified transport accidents and their sequelae	V98-V99, Y85	6	-	-	-	-	-	-	-	1	2	3	-	-	-

1. Other and unspecified motor vehicle accidents: V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2.

2. Other and unspecified land transport accidents: V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9.

3. Pedestrian injury not with motor vehicle or train: V01.0, V01.1, V01.9, V06.0, V06.1, V06.9, V09.1, V09.3, V09.9.

**IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2004**

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total Non-Transport accidents	W00-X50, Y86	312	2	12	2	5	10	16	24	37	46	23	22	40	73
Accidental falls	W00-W19	114	-	-	-	1	-	3	1	3	5	7	10	26	58
Accidental discharge of firearms	W32-W34	6	-	-	1	1	1	-	1	1	1	-	-	-	-
Accidental explosion	W39-W40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion	W65-W74	25	-	10	1	1	1	2	4	1	4	1	-	-	-
Accidental inhalation and ingestion of food or other objects	W78-W80	25	-	1	-	-	-	-	-	-	4	3	1	6	10
Other accidental and unspecified threats to breathing	W75-W77, W81-W84	16	2	-	-	2	-	-	2	4	3	1	1	1	-
Accidental exposure to electric current	W85-W87	2	-	-	-	-	-	-	2	-	-	-	-	-	-
Accidental exposure to radiation	W88-W91	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to smoke, fire and flames	X00-X09	12	-	-	-	-	-	1	-	1	1	3	4	2	-
Accidental contact with heat and hot substances	X10-X19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lightning	X33	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Cataclysmic storm and flood	V37-X38	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by drugs and other biological substances	X40-X44	66	-	-	-	-	4	8	8	21	18	3	2	1	1
Accidental poisoning by other and unspecified solid or liquid substances	X45-X46, X48-X49	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Accidental poisoning by and exposure to other gases and vapors	X47	4	-	-	-	-	-	-	1	1	1	1	-	-	-

**IDAHO RESIDENT DEATHS
ACCIDENTAL DEATHS BY AGE
2004**

CAUSE OF DEATH	ICD-10 CODE	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other accidents and their sequelae ¹	See footnote 1	38	-	1	-	-	3	2	4	4	8	4	4	4	4
Struck by thrown, projected, or falling object	W20	6	-	-	-	-	-	-	3	1	2	-	-	-	-
Striking against or struck by other objects	W22	3	-	-	-	-	-	-	-	-	1	1	-	-	1
Contact with lifting and transmission devices, not elsewhere classified	W24	3	-	-	-	-	1	-	-	-	1	1	-	-	-
Contact with agricultural machinery	W30	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Contact with other and unspecified machinery	W31	3	-	-	-	-	1	-	1	1	-	-	-	-	-
Bitten or struck by other mammals	W55	3	-	-	-	-	-	-	-	-	1	-	1	-	1
Exposure to other and unspecified animate mechanical forces	W64	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Exposure to excessive natural heat	X30	2	-	-	-	-	-	-	-	-	1	1	-	-	-
Exposure to excessive natural cold	X31	3	-	-	-	-	1	-	-	1	1	-	-	-	-
Exposure to unspecified factor	X59	6	-	-	-	-	-	-	-	-	-	-	1	3	2
Sequelae of other accidents	Y86	5	-	-	-	-	-	1	-	1	1	1	-	1	-

1. Other accidents and their sequelae: W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86.

IDAHO RESIDENT DEATHS
Place of Injury and Type of Accidental Death by Age Group
2004

PLACE OF INJURY AND TYPE OF ACCIDENTAL DEATH	Age Group							
	Total	<5	5-14	15-24	25-44	45-64	65-74	75+
TOTAL ACCIDENTAL DEATHS	587	20	20	85	135	142	50	135
HOME	194	10	6	14	38	44	19	63
Falls	76	-	-	-	3	7	10	56
Firearms	5	-	2	1	2	-	-	-
Drowning and submersion	5	3	-	-	1	1	-	-
Suffocation, food or object	5	1	-	-	-	4	-	-
Suffocation, mechanical	12	2	2	-	3	3	1	1
Fires	11	-	-	1	1	3	4	2
Poisoning by drugs	53	-	-	10	24	16	2	1
Poisoning by unspecified substance	1	-	-	-	1	-	-	-
Poisoning by gases and vapors	2	-	-	-	1	1	-	-
Other and unspecified accidents	24	4	2	2	2	9	2	3
RESIDENTIAL OR PUBLIC INSTITUTION, HOSPITAL, SCHOOL, OR NURSING HOME	36	-	-	2	1	7	-	26
Falls	30	-	-	1	1	4	-	24
Suffocation, food or object	2	-	-	-	-	1	-	1
Poisoning by drugs	2	-	-	-	-	2	-	-
Poisoning by unspecified substance	1	-	-	1	-	-	-	-
Other and unspecified accidents	1	-	-	-	-	-	-	1
STREET OR HIGHWAY*	236	2	8	53	65	64	25	19
Injury to pedestrian	15	-	1	2	5	4	2	1
Injury to pedal cyclist	3	-	1	1	1	-	-	-
Injury to motorcyclist	22	-	1	2	9	7	3	-
Collision with railroad train	2	-	-	1	-	1	-	-
Collision with another object	21	-	1	7	5	5	1	2
Collision with other vehicle, heavy transport, or bus	82	2	1	19	14	21	13	12
Noncollision	69	-	3	17	27	16	5	1
Other and unspecified motor vehicle accidents	20	-	-	4	4	9	1	2
Injury due to special-use vehicle (ATV)	2	-	-	-	-	1	-	1
OTHER PUBLIC PLACE (not street or highway)	98	8	6	16	30	24	5	9
Injury to pedestrian with motor vehicle	1	-	-	-	-	1	-	-
Motorcyclist, except with railway train	2	-	-	1	1	-	-	-
Motor vehicle collision with fixed object	1	-	-	-	1	-	-	-
Motor vehicle collision with vehicle, heavy transport, or bus	2	-	-	1	-	1	-	-
Motor vehicle, noncollision	3	-	-	1	-	-	1	1
Special-use (ATV) vehicle in any accident	3	-	-	2	1	-	-	-
Injury to pedestrian with unspecified vehicle	2	-	2	-	-	-	-	-
Railroad (not with motor vehicle)	1	-	-	-	1	-	-	-
Pedestrian (not with motor vehicle or train)	1	1	-	-	-	-	-	-
Rider of animal or occupant of animal-drawn vehicle, not with motor vehicle or train	1	-	-	-	-	1	-	-
Water transportation	7	-	-	-	4	2	-	1
Air and space transportation	10	-	-	2	2	4	2	-
Falls	8	-	1	2	-	1	-	4
Firearm	1	-	-	-	-	1	-	-
Drowning and submersion	20	7	2	3	4	4	-	-
Suffocation, mechanical	2	-	-	-	2	-	-	-
Fire	1	-	-	-	-	1	-	-
Lightning, avalanche, earthquake, volcano, storm, or flood	2	-	-	-	1	1	-	-
Poisoning by drugs	8	-	-	1	5	2	-	-
Poisoning by gases and vapors	2	-	-	-	1	1	-	-
All other accidents and late effects	20	-	1	3	7	4	2	3
UNKNOWN PLACE OF INJURY	23	-	-	-	1	3	1	18

* Motor vehicle accidents occurring in street or highway unless another vehicle is specified.

Note: Data are shown for deaths to Idaho residents; injury and/or death may have occurred in Idaho or out of state.

WORK INJURY DEATHS OCCURRING IN IDAHO¹
Manner of Death by Sex and Age
2004

MANNER OF DEATH	TOTAL IN IDAHO	SEX		AGE GROUP					
		Male	Female	<15	15-24	25-44	45-64	65-74	75+
Total Work Injury Deaths	39	38	1	-	6	17	11	3	2
Unintentional injury (accidental)	38	37	1	-	6	16	11	3	2
Intentional self-harm (suicide)	1	1	-	-	-	1	-	-	-
Intentional assault (homicide)	-	-	-	-	-	-	-	-	-
Operations of war and their sequelae	-	-	-	-	-	-	-	-	-
Undetermined intent	-	-	-	-	-	-	-	-	-

1. Work injury deaths occurring in Idaho: Death occurred in Idaho; however, the injury may have occurred in Idaho or out of state.

ACCIDENTAL WORK INJURY DEATHS OCCURRING IN IDAHO
Industry by Place of Injury
2004

INDUSTRY	TOTAL IN IDAHO	PLACE OF INJURY							
		Home, residential institution, or nursing home	School, hospital, or other public institution	Sports and athletic area	Street or highway	Trade and service area	Industrial or construction area	Farm or ranch	Other or unspecified area
Total Accidental Work Injury Deaths	38	1	-	1	17	1	4	3	11
Agriculture, forestry, and fisheries	7	-	-	-	3	-	-	1	3
Mining, quarrying, oil and gas wells	1	-	-	-	-	-	-	-	1
Construction	5	-	-	-	4	-	1	-	-
Manufacturing	10	1	-	-	4	-	2	-	3
Transportation	5	-	-	-	1	-	-	1	3
Wholesale and retail trade	4	-	-	-	3	1	-	-	-
Service and education	4	-	-	1	2	-	1	-	-
Government and public administration	-	-	-	-	-	-	-	-	-
Active duty military	1	-	-	-	-	-	-	-	1
Other and unspecified	1	-	-	-	-	-	-	1	-

Note: Information regarding injury at work are not available for all Idaho resident deaths occurring in other states. Therefore, data on these charts are for deaths occurring in Idaho, regardless of decedent's state of residence. Other unintentional and intentional injury data in this publication are for Idaho residents, regardless of where the death occurred. Therefore, these totals will differ from totals found in other charts.

IDAHO RESIDENT DEATHS
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
By Health District of Residence, Age Group, and Sex
2004

	MANNER OF DEATH					
	Firearm-Injury ¹		Alcohol-Induced ²		Drug-Induced ³	
	Number	Rate	Number	Rate	Number	Rate
U.S., 2003		10.4		7.1		9.9
Idaho	177	12.7	116	8.3	111	8.0
HEALTH DISTRICT						
District 1	26	13.4	20	10.3	16	8.2
District 2	18	17.9	9	8.9	11	10.9
District 3	29	13.2	21	9.5	12	5.5
District 4	36	9.6	25	6.6	36	9.6
District 5	19	11.3	13	7.7	8	4.7
District 6	25	15.7	14	8.8	18	11.3
District 7	24	13.8	14	8.1	10	5.8
AGE GROUP						
< 15	3	1.0	-	-	-	-
15-19	13	11.9	-	-	7	6.4
20-24	11	9.8	1	0.9	9	8.0
25-34	22	11.9	1	0.5	12	6.5
35-44	28	14.6	12	6.3	34	17.7
45-54	43	22.2	41	21.2	28	14.5
55-64	27	20.0	32	23.7	10	7.4
65-74	15	18.0	18	21.6	4	4.8
75-84	10	19.0	9	17.1	4	7.6
85 +	5	22.2	2	8.9	3	13.3
SEX						
Male	157	22.5	80	11.5	60	8.6
Female	20	2.9	36	5.2	51	7.3

Rate: Number of deaths per 100,000 population in corresponding group.

- ICD-10 codes for firearm deaths: U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0. Firearm injury deaths include terrorism involving firearms (homicide); accidental discharge of firearms, intentional self-harm (suicide) by discharge of firearms, assault (homicide) by discharge of firearms, discharge of firearms, undetermined intent, and legal intervention involving firearm discharge. Death from injury by firearms exclude deaths due to explosives and other causes indirectly related to firearms.
- The list of codes included in alcohol-induced causes was expanded in 2003 to be more comprehensive. ICD-10 codes: E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. Alcohol-induced deaths include mental and behavioral disorders due to alcohol use, degeneration of nervous system due to alcohol, alcoholic polyneuropathy, alcoholic cardiomyopathy, alcoholic gastritis, alcoholic liver disease, findings of alcohol in blood, accidental poisoning by and exposure to alcohol, intentional self-poisoning (suicide) by and exposure to alcohol, and poisoning by and exposure to alcohol, undetermined intent. Alcohol-induced deaths do not include accidents such as falls and motor vehicle crashes, homicides, and other causes indirectly related to alcohol use. This category also excludes newborn deaths associated with maternal alcohol use.
- The list of codes included in drug-induced causes was expanded in 2003 to be more comprehensive. ICD-10 codes: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0, L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1- R78.5, X40-X44, X60-X64, X85, and Y10-Y14. Drug-induced deaths include deaths due to drug psychosis; drug dependence; nondependent use of drugs not including alcohol and tobacco; accidental poisoning by drugs, medicaments, and biologicals; intentional self-poisoning (suicide) by drugs, medicaments, and biologicals; assault (homicide) by poisoning by drugs and medicaments; and poisoning by drugs, medicaments, and biologicals, undetermined whether accidental or purposely inflicted. Drug-induced deaths do not include accidents such as falls and motor vehicle crashes, homicides, and other causes indirectly related to drug use. Also excluded are newborn deaths associated with mother's drug use.

Note: Alcohol-induced, drug-induced, and injury by firearm deaths are subsets of select causes of death; these death categories are not ranked for leading causes of death.

**LIFE EXPECTANCY
Age in Years by Sex
2004**

EXACT AGE IN YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING (${}^c e_x$)		
	Total	Male	Female
0	79.0	76.6	81.4
1	78.5	76.1	80.8
5	74.6	72.3	76.9
10	69.7	67.4	72.0
15	64.7	62.5	67.0
20	60.0	57.8	62.1
25	55.2	53.1	57.2
30	50.4	48.5	52.4
35	45.6	43.7	47.5
40	41.0	39.1	42.7
45	36.3	34.6	38.0
50	31.9	30.2	33.4
55	27.5	26.0	28.8
60	23.2	21.8	24.5
65	19.2	18.0	20.3
70	15.6	14.4	16.5
75	12.3	11.4	13.0
80	9.6	8.9	10.0
85	7.5	7.0	7.7

U.S. life expectancy in 2003 was 77.5 years, 74.8 years for males, and 80.1 years for females.

See Technical Notes for methodology.

**LIFE EXPECTANCY AT BIRTH
By District of Residence
2004**

RESIDENCE	AVERAGE NUMBER OF YEARS LIFE EXPECTANCY AT BIRTH		
	Total	Male	Female
Idaho	79.0	76.6	81.4
District 1	78.6	76.0	81.3
District 2	79.2	76.7	81.9
District 3	78.5	75.9	81.1
District 4	79.8	77.6	81.8
District 5	78.9	76.3	81.8
District 6	78.0	75.5	80.6
District 7	78.9	77.0	80.7

See Technical Notes for methodology.

INFANT, FETAL, AND MATERNAL MORTALITY

In the past ten years, Idaho's infant mortality rate fluctuated between record low rates in 1995 and 2002 (6.1 per 1,000 live births) and a high rate of 7.5 in 2000. In 2004, there were 139 infant deaths and the infant death rate was 6.2 per 1,000 live births. Considering the small size of the data base, some irregularity is not unusual. The graph on the following page illustrates the trend of Idaho's infant death rates as a one- to two-year "up-and-down" cycle.

Neonatal and postneonatal death rates also produce yearly changes in Idaho. In 2004, the neonatal mortality rate (infant deaths less than 28 days) increased from 3.8 to 4.0; the postneonatal rate (infant deaths from 28 days through 11 months) decreased from 2.6 in 2003 to 2.2 in 2004.

The U.S. infant mortality rate decreased from 7.0 in 2002, to 6.9 in 2003 and 6.8 (preliminary) in 2004. Except for an increase in the national rate from 2001 to 2002, the infant mortality rate has either decreased or remained level each successive year since 1958.

District 2 experienced the highest infant mortality rate in 2004 at 8.8, while District 3 had the second-highest rate (6.9). District 7 had the lowest rate in 2004 (4.7). Neonatal mortality ranged from a low of 1.4 deaths per 1,000 births in District 5 to a high of 7.1 deaths per 1,000 births in District 2; the postneonatal mortality was lowest in District 7 (1.5) and highest in District 5 (3.9).

There were 67 deaths for the general infant death category, "Certain conditions originating in the perinatal period." This category includes such conditions as low birth weight and infections specific to the perinatal period. In ranking the leading causes of infant deaths, however, the conditions within this general category are used to determine leading causes of death, rather than the general category. In 2004, there was a tie for the leading cause of Idaho infant deaths between disorders related to short gestation/unspecified low birth weight and Congenital malformations, deformations and chromosomal abnormalities (birth defects) (26 deaths each, 115.4 deaths per 100,000 live births). Sudden infant death syndrome (SIDS) was the third leading cause of infant deaths, with 19 deaths, 84.3 per 100,000 live births, a decrease of 3 percent from in 2003.


The leading single cause of neonatal mortality was disorders related to short gestation/unspecified low birth weight, with a neonatal death rate of 111.0. SIDS was the leading single cause of death in the postneonatal period at 84.3 and accounted for 38 percent of all postneonatal deaths. Congenital malformations, deformations and chromosomal abnormalities was the second-leading cause of postneonatal mortality at 26.6 per 100,000 live births.

Because infant deaths provide a small data base that tends to fluctuate or produce abnormally high rates in small counties, moving three-year rates have been calculated. See page 101 for three-year infant mortality rates by district and county, from 1993-1995 through 2002-2004; the overall trends are more readily apparent.

In 2004, there were two maternal deaths to Idaho residents. Maternal causes of death include pregnancies with an abortive or live outcome and include direct and indirect obstetric causes and complications. The World Health Organization defines maternal death as "the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes." Included in these deaths are ICD-10 codes A34, O00-O95, and O98-O99¹. In addition to the two maternal deaths during pregnancy or within 42 days of termination of pregnancy, there were six deaths to women due to pregnancy, childbirth, and the puerperium which occurred more than 42 days after delivery or termination of pregnancy. These deaths are included in ICD-10 codes O96-O97 and are not included in the count for maternal deaths.


1. "Deaths: Final Data for 2003," National Vital Statistics Reports, National Center for Health Statistics, Vol. 54, No. 13, April 19, 2006.

U.S., IDAHO INFANT DEATH RATES 1994-2004



*2004 U.S. rate is preliminary.

IDAHO, DISTRICT INFANT DEATH RATES Neonatal and Postneonatal 2004



IDAHO RESIDENT INFANT DEATHS
Number of Infant Deaths and Rates
2000-2004

RESIDENCE	2004		2003		2002		2001		2000	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	6.8 (Preliminary)		6.9		7.0		6.8		6.9	
IDAHO	139	6.2	138	6.3	127	6.1	129	6.2	152	7.5
District 1	15	6.3	9	4.0	14	6.3	17	7.4	17	7.4
District 2	10	8.8	6	5.4	3	2.5	8	7.0	5	4.6
District 3	28	6.9	28	7.3	27	7.3	23	6.4	28	8.4
District 4	39	6.7	40	6.9	35	6.3	24	4.4	38	6.9
District 5	15	5.3	20	7.3	17	6.7	20	7.6	29	11.2
District 6	16	5.7	18	6.3	16	5.7	17	6.3	15	5.4
District 7	16	4.7	17	5.3	15	5.1	20	7.1	20	7.5
Ada	36	6.9	36	7.0	32	6.5	19	3.9	34	7.0
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	8	5.7	13	8.9	9	6.3	9	6.5	9	6.5
Bear Lake	-	-	2	26.0	-	-	-	-	-	-
Benewah	2	18.0	1	8.6	1	9.0	-	-	2	17.1
Bingham	5	6.3	2	2.6	4	5.4	5	6.6	4	5.0
Blaine	1	3.7	5	18.8	1	3.5	3	10.9	2	8.2
Boise	-	-	-	-	-	-	-	-	-	-
Bonner	3	7.7	3	8.1	4	10.1	4	10.1	2	5.4
Bonneville	9	5.4	8	4.8	5	3.2	7	4.8	9	6.4
Boundary	3	25.6	-	-	-	-	1	8.1	-	-
Butte	-	-	-	-	-	-	1	22.7	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	24	7.5	21	7.1	18	6.2	19	7.0	15	6.0
Caribou	2	21.7	1	8.8	-	-	-	-	1	9.7
Cassia	1	2.4	3	7.8	2	5.3	4	10.4	4	9.9
Clark	1	66.7	-	-	-	-	-	-	-	-
Clearwater	1	18.2	-	-	-	-	1	13.2	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	3	5.8	4	7.1	3	6.0	4	7.8	3	5.7
Franklin	-	-	-	-	3	13.1	2	9.3	1	5.0
Fremont	1	4.3	3	13.3	4	19.4	1	4.7	1	5.1
Gem	-	-	2	9.6	2	10.8	-	-	-	-
Gooding	1	3.9	1	3.9	4	17.1	-	-	2	8.5
Idaho	2	12.0	-	-	-	-	1	6.5	2	13.1
Jefferson	4	9.0	4	10.6	1	2.9	6	16.9	3	8.1
Jerome	1	2.7	3	9.1	1	3.1	1	3.1	3	9.1
Kootenai	7	4.3	4	2.6	7	4.8	11	7.3	10	6.6
Latah	1	2.6	4	10.1	2	4.4	3	7.2	-	-
Lemhi	-	-	-	-	-	-	1	13.2	2	35.7
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	1	15.2	-	-	-	-
Madison	-	-	2	3.0	3	5.0	5	9.9	3	6.5
Minidoka	3	9.0	1	2.9	1	3.3	9	25.7	5	14.5
Nez Perce	6	12.7	2	4.5	1	2.2	3	6.5	3	7.2
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	1	5.3	2	11.4	3	16.9	1	5.1	4	23.4
Payette	1	3.2	2	6.2	4	13.5	2	6.2	5	16.5
Power	1	7.9	-	-	-	-	-	-	-	-
Shoshone	-	-	1	7.8	2	17.2	1	7.6	3	19.2
Teton	1	7.0	-	-	2	14.7	-	-	2	16.5
Twin Falls	8	7.1	7	6.6	7	7.3	3	3.0	13	13.7
Valley	-	-	-	-	-	-	1	13.2	1	16.7
Washington	2	15.3	1	8.4	-	-	1	7.8	4	26.0

Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Sex and Race/Ethnicity of Infant
2004

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC*
		Male	Female	White	Black	Native American	Asian/Pacific Islander	Other Race	Not Stated	
IDAHO	139	56	83	127	1	5	-	6	-	22
District 1	15	4	11	15	-	-	-	-	-	-
District 2	10	5	5	9	-	1	-	-	-	-
District 3	28	14	14	27	-	-	-	1	-	7
District 4	39	14	25	34	-	2	-	3	-	3
District 5	15	8	7	13	1	-	-	1	-	4
District 6	16	5	11	15	-	1	-	-	-	3
District 7	16	6	10	14	-	1	-	1	-	5
Ada	36	13	23	31	-	2	-	3	-	3
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	8	1	7	8	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-
Benewah	2	1	1	2	-	-	-	-	-	-
Bingham	5	2	3	4	-	1	-	-	-	1
Blaine	1	1	-	1	-	-	-	-	-	1
Boise	-	-	-	-	-	-	-	-	-	-
Bonner	3	1	2	3	-	-	-	-	-	-
Bonneville	9	3	6	8	-	1	-	-	-	3
Boundary	3	-	3	3	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	24	12	12	24	-	-	-	-	-	6
Caribou	2	1	1	2	-	-	-	-	-	1
Cassia	1	1	-	1	-	-	-	-	-	-
Clark	1	1	-	1	-	-	-	-	-	1
Clearwater	1	-	1	1	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	3	1	2	3	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-
Fremont	1	-	1	1	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-
Gooding	1	-	1	1	-	-	-	-	-	-
Idaho	2	2	-	2	-	-	-	-	-	-
Jefferson	4	2	2	3	-	-	-	1	-	1
Jerome	1	1	-	1	-	-	-	-	-	-
Kootenai	7	2	5	7	-	-	-	-	-	-
Latah	1	-	1	1	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-	-
Minidoka	3	1	2	2	-	-	-	1	-	2
Nez Perce	6	3	3	5	-	1	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	1	-	1	-	-	-	-	1	-	1
Payette	1	1	-	1	-	-	-	-	-	-
Power	1	1	-	1	-	-	-	-	-	1
Shoshone	-	-	-	-	-	-	-	-	-	-
Teton	1	-	1	1	-	-	-	-	-	-
Twin Falls	8	4	4	7	1	-	-	-	-	1
Valley	-	-	-	-	-	-	-	-	-	-
Washington	2	1	1	2	-	-	-	-	-	-

* Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT INFANT DEATHS
Cause of Death by Neonatal and Postneonatal Periods
2004

CAUSE OF DEATH ¹	IDAHO						U.S.
	Total		Neonatal		Postneonatal		2003 Rate ^{2,3}
	Number	Rate ²	Number	Rate ²	Number	Rate ²	
ALL CAUSES	139	617.0	89	395.0	50	221.9	685.2
Influenza and pneumonia	1	4.4	-	-	1	4.4	7.9
Congenital malformations, deformations and chromosomal abnormalities	26	115.4	20	88.8	6	26.6	137.4
Total, Certain conditions originating in the perinatal period	67	297.4	64	284.1	3	13.3	348.5
Newborn affected by maternal complications of pregnancy	8	35.5	8	35.5	-	-	41.8
Newborn affected by complications of placenta, cord and membranes	11	48.8	11	48.8	-	-	26.9
Disorders related to short gestation and unspecified low birth weight	26	115.4	25	111.0	1	4.4	118.6
Birth trauma	-	-	-	-	-	-	0.6
Intrauterine hypoxia and birth asphyxia	3	13.3	2	8.9	1	4.4	13.6
Respiratory distress of newborn	1	4.4	1	4.4	-	-	20.3
Infections specific to the perinatal period	-	-	-	-	-	-	23.6
Other conditions originating in the perinatal period	18	79.9	17	75.5	1	4.4	103.0
Sudden infant death syndrome	19	84.3	-	-	19	84.3	52.9
Accidents	4	17.8	-	-	4	17.8	23.1
All other causes (residual)	22	97.7	5	22.2	17	75.5	115.4

1. Beginning in 1999, data by cause of death are based on ICD-10 codes. Data by cause of death based on ICD-10 are not comparable to data based on ICD-9 codes without comparability ratios based on Modified ICD-9 codes. See Technical Notes.
2. Rates in this chart are cause-specific (number per 100,000 live births).
3. U.S. Rates are 2003 rates (latest cause-specific rates available as of May 2006).

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal Deaths by Age of Mother
2004

AGE OF MOTHER (At time of infant's birth)	TOTAL		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
TOTAL	139	6.2	89	4.0	50	2.2
<15	-	-	-	-	-	-
15-19	22	10.7	16	7.8	6	2.9
15-17	3	5.7	2	3.8	1	1.9
18-19	19	12.4	14	9.1	5	3.3
20-34	102	5.6	63	3.4	39	2.1
35+	13	5.9	9	4.1	4	1.8
Unknown	2	NA	1	NA	1	NA

Rates in this chart are per 1,000 live births in corresponding mother's age group at time of infant's birth.

IDAHO RESIDENT INFANT DEATHS
Causes of Infant Deaths
2004

RESIDENCE	TOTAL INFANT DEATHS		CAUSE OF INFANT DEATH						
			Congenital malform- ations ²	Short Gestation / Unspecified Low Birth Weight	Respiratory Distress of Newborn	All Other Conditions Originating in Perinatal Period	SIDS	External Causes	All Other Causes
	Number	Rate ¹							
IDAHO	139	6.2	26	26	1	40	19	7	20
District 1	15	6.3	1	2	-	3	5	1	3
District 2	10	8.8	4	2	-	2	-	1	1
District 3	28	6.9	3	7	1	9	2	1	5
District 4	39	6.7	10	8	-	13	4	-	4
District 5	15	5.3	3	1	-	1	3	3	4
District 6	16	5.7	4	2	-	5	3	-	2
District 7	16	4.7	1	4	-	7	2	1	1
Ada	36	6.9	10	7	-	12	4	-	3
Adams	-	-	-	-	-	-	-	-	-
Bannock	8	5.7	2	2	-	2	1	-	1
Bear Lake	-	-	-	-	-	-	-	-	-
Benewah	2	18.0	-	-	-	1	1	-	-
Bingham	5	6.3	1	-	-	2	2	-	-
Blaine	1	3.7	-	-	-	1	-	-	-
Boise	-	-	-	-	-	-	-	-	-
Bonner	3	7.7	-	1	-	-	1	-	1
Bonneville	9	5.4	-	3	-	3	2	-	1
Boundary	3	25.6	-	-	-	1	1	-	1
Butte	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	24	7.5	3	6	-	8	2	1	4
Caribou	2	21.7	-	-	-	1	-	-	1
Cassia	1	2.4	-	1	-	-	-	-	-
Clark	1	66.7	1	-	-	-	-	-	-
Clearwater	1	18.2	-	-	-	-	-	-	1
Custer	-	-	-	-	-	-	-	-	-
Elmore	3	5.8	-	1	-	1	-	-	1
Franklin	-	-	-	-	-	-	-	-	-
Fremont	1	4.3	-	-	-	1	-	-	-
Gem	-	-	-	-	-	-	-	-	-
Gooding	1	3.9	-	-	-	-	-	-	1
Idaho	2	12.0	1	-	-	1	-	-	-
Jefferson	4	9.0	-	1	-	2	-	1	-
Jerome	1	2.7	1	-	-	-	-	-	-
Kootenai	7	4.3	1	1	-	1	2	1	1
Latah	1	2.6	1	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-
Minidoka	3	9.0	1	-	-	-	1	-	1
Nez Perce	6	12.7	2	2	-	1	-	1	-
Oneida	-	-	-	-	-	-	-	-	-
Owyhee	1	5.3	-	-	-	1	-	-	-
Payette	1	3.2	-	-	-	-	-	-	1
Power	1	7.9	1	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-
Teton	1	7.0	-	-	-	1	-	-	-
Twin Falls	8	7.1	1	-	-	-	2	3	2
Valley	-	-	-	-	-	-	-	-	-
Washington	2	15.3	-	1	1	-	-	-	-

1. Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

2. Shortened ICD-10 title for Congenital malformations, deformations and chromosomal abnormalities.

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal
2004

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS					
		Total		Neonatal		Postneonatal	
		Number	Rate	Number	Rate	Number	Rate
U.S. Rates, 2003		6.9		4.6		2.2	
IDAHO	22,529	139	6.2	89	4.0	50	2.2
District 1	2,367	15	6.3	7	3.0	8	3.4
District 2	1,130	10	8.8	8	7.1	2	1.8
District 3	4,051	28	6.9	21	5.2	7	1.7
District 4	5,859	39	6.7	27	4.6	12	2.0
District 5	2,855	15	5.3	4	1.4	11	3.9
District 6	2,828	16	5.7	11	3.9	5	1.8
District 7	3,439	16	4.7	11	3.2	5	1.5
Ada	5,209	36	6.9	25	4.8	11	2.1
Adams	27	-	-	-	-	-	-
Bannock	1,407	8	5.7	6	4.3	2	1.4
Bear Lake	85	-	-	-	-	-	-
Benewah	111	2	18.0	1	9.0	1	9.0
Bingham	790	5	6.3	3	3.8	2	2.5
Blaine	267	1	3.7	-	-	1	3.7
Boise	55	-	-	-	-	-	-
Bonner	388	3	7.7	1	2.6	2	5.2
Bonneville	1,674	9	5.4	5	3.0	4	2.4
Boundary	117	3	25.6	2	17.1	1	8.5
Butte	36	-	-	-	-	-	-
Camas	13	-	-	-	-	-	-
Canyon	3,202	24	7.5	18	5.6	6	1.9
Caribou	92	2	21.7	1	10.9	1	10.9
Cassia	423	1	2.4	1	2.4	-	-
Clark	15	1	66.7	1	66.7	-	-
Clearwater	55	1	18.2	-	-	1	18.2
Custer	32	-	-	-	-	-	-
Elmore	517	3	5.8	2	3.9	1	1.9
Franklin	240	-	-	-	-	-	-
Fremont	235	1	4.3	1	4.3	-	-
Gem	188	-	-	-	-	-	-
Gooding	256	1	3.9	1	3.9	-	-
Idaho	166	2	12.0	1	6.0	1	6.0
Jefferson	446	4	9.0	3	6.7	1	2.2
Jerome	365	1	2.7	-	-	1	2.7
Kootenai	1,635	7	4.3	3	1.8	4	2.4
Latah	391	1	2.6	1	2.6	-	-
Lemhi	71	-	-	-	-	-	-
Lewis	47	-	-	-	-	-	-
Lincoln	73	-	-	-	-	-	-
Madison	823	-	-	-	-	-	-
Minidoka	333	3	9.0	-	-	3	9.0
Nez Perce	471	6	12.7	6	12.7	-	-
Oneida	51	-	-	-	-	-	-
Owyhee	190	1	5.3	1	5.3	-	-
Payette	313	1	3.2	-	-	1	3.2
Power	127	1	7.9	1	7.9	-	-
Shoshone	116	-	-	-	-	-	-
Teton	143	1	7.0	1	7.0	-	-
Twin Falls	1,125	8	7.1	2	1.8	6	5.3
Valley	78	-	-	-	-	-	-
Washington	131	2	15.3	2	15.3	-	-

Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Three-Year Rates
1993-1995 Through 2002-2004

RESIDENCE	2002-04	2001-03	2000-02	1999-01	1998-00	1997-99	1996-98	1995-97	1994-96	1993-95
IDAHO	6.2	6.2	6.6	6.8	7.2	6.9	7.2	6.8	6.8	6.7
District 1	5.5	5.9	7.1	8.1	8.3	7.9	7.7	7.0	7.7	8.2
District 2	5.6	4.9	4.7	7.4	7.3	8.1	7.6	7.3	7.3	6.4
District 3	7.2	7.0	7.3	6.8	7.3	6.8	7.2	6.5	6.6	7.6
District 4	6.6	5.9	5.9	5.7	6.1	5.4	5.2	4.8	5.0	5.5
District 5	6.4	7.2	8.5	8.9	10.2	8.7	9.1	7.9	8.8	8.0
District 6	5.9	6.1	5.8	5.8	6.1	7.3	8.8	8.7	8.0	6.0
District 7	5.0	5.8	6.5	6.8	6.2	6.8	6.6	7.4	5.9	6.2
Ada	6.8	5.8	5.8	5.5	5.8	4.9	4.7	4.5	4.5	5.2
Adams	-	-	-	-	-	12.3	12.3	12.0	-	7.9
Bannock	7.0	7.3	6.5	6.5	6.4	6.5	7.6	7.7	7.5	6.1
Bear Lake	7.9	8.3	-	-	3.9	4.3	4.2	4.0	3.8	3.7
Benewah	11.8	5.8	8.6	11.2	17.5	11.7	6.1	5.8	5.7	8.3
Bingham	4.8	4.9	5.7	5.3	5.9	6.6	9.5	9.0	9.6	7.2
Blaine	8.5	10.9	7.4	8.2	5.9	4.4	6.0	4.6	3.2	1.6
Boise	-	-	-	4.4	9.2	8.7	8.8	4.3	14.5	11.8
Bonner	8.7	9.5	8.6	7.1	7.3	7.4	8.0	6.1	7.0	9.2
Bonneville	4.5	4.3	4.7	6.3	6.5	7.4	6.4	7.2	5.7	5.7
Boundary	7.8	2.6	2.6	2.6	-	-	2.8	5.4	8.2	5.4
Butte	-	8.0	8.5	9.2	-	18.2	17.9	16.5	6.8	6.5
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	7.0	6.8	6.4	6.4	6.8	6.9	7.0	5.5	5.8	6.8
Caribou	9.9	3.2	3.3	6.0	6.2	6.5	7.3	13.6	12.9	8.8
Cassia	5.1	7.8	8.6	9.3	7.7	6.0	4.3	6.1	8.0	7.9
Clark	21.7	-	-	-	-	-	-	-	-	-
Clearwater	5.0	4.5	4.7	9.0	4.2	3.9	-	-	-	-
Custer	-	-	-	-	-	15.3	12.8	12.9	-	-
Elmore	6.3	7.0	6.5	7.7	7.8	8.3	7.9	7.5	8.3	7.0
Franklin	4.5	7.8	9.3	7.8	9.6	19.0	18.2	15.0	7.0	5.3
Fremont	12.0	12.5	9.8	3.3	3.4	5.1	8.8	8.7	8.7	5.1
Gem	6.9	6.6	3.4	1.7	5.1	5.1	6.7	9.1	13.1	11.7
Gooding	8.0	7.2	9.0	6.1	10.2	7.4	10.6	8.1	10.3	7.0
Idaho	4.2	2.2	6.3	6.5	11.1	8.8	10.9	6.3	6.0	4.0
Jefferson	7.7	10.2	9.4	9.5	5.7	6.8	7.8	9.0	8.0	7.7
Jerome	4.9	5.1	5.2	6.1	8.1	7.5	10.0	9.4	9.7	7.4
Kootenai	3.9	4.9	6.2	7.5	7.7	7.8	8.4	7.4	7.9	8.0
Latah	5.6	7.1	3.9	6.4	4.7	7.0	6.9	8.4	6.9	5.3
Lemhi	-	4.6	15.5	14.9	9.8	-	-	7.0	10.3	17.5
Lewis	-	-	-	-	-	8.8	8.5	8.3	-	-
Lincoln	4.7	4.8	4.7	-	-	-	6.7	6.6	13.2	7.0
Madison	2.4	5.7	7.1	7.0	5.7	6.7	6.7	6.3	3.1	3.9
Minidoka	5.1	11.1	15.1	19.2	16.2	14.3	8.9	3.7	5.6	8.1
Nez Perce	6.5	4.4	5.2	9.0	9.7	9.5	8.8	8.1	10.3	10.4
Oneida	-	-	-	-	-	-	7.0	6.9	7.2	-
Owyhee	11.1	10.9	14.7	9.2	13.3	11.6	15.6	11.8	8.0	8.0
Payette	7.5	8.5	11.9	9.9	8.9	6.9	6.6	9.2	7.8	9.1
Power	2.7	-	-	3.0	3.0	2.7	5.1	4.7	5.1	-
Shoshone	8.3	10.6	14.9	18.0	16.7	12.2	6.1	7.9	9.4	9.1
Teton	7.1	4.8	10.1	8.2	12.2	6.7	3.4	3.6	7.2	15.6
Twin Falls	7.0	5.6	7.9	7.6	11.3	10.0	11.4	10.8	11.0	10.1
Valley	-	4.4	9.7	9.7	16.2	9.3	8.9	4.1	4.2	4.1
Washington	7.8	5.2	12.0	11.5	9.3	-	-	5.0	7.7	10.2

Three-year infant death rate: number of deaths to infants under one year in three-year period per 1,000 live births in corresponding three-year period.

IDAHO RESIDENT STILLBIRTHS
Number of Stillbirths and Ratios
2000-2004

RESIDENCE	2004		2003		2002		2001		2000	
	Number	Ratio								
IDAHO	113	5.0	107	4.9	96	4.6	123	5.9	117	5.8
District 1	9	3.8	7	3.1	8	3.6	13	5.7	10	4.4
District 2	5	4.4	9	8.2	5	4.2	7	6.1	8	7.3
District 3	24	5.9	25	6.6	15	4.0	27	7.5	31	9.3
District 4	22	3.8	25	4.3	19	3.4	24	4.4	27	4.9
District 5	25	8.8	12	4.4	22	8.6	14	5.3	15	5.8
District 6	17	6.0	14	4.9	7	2.5	14	5.1	14	5.0
District 7	11	3.2	15	4.7	20	6.8	24	8.6	12	4.5
Ada	19	3.6	20	3.9	15	3.0	22	4.6	19	3.9
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	9	6.4	4	2.7	4	2.8	7	5.1	9	6.5
Bear Lake	-	-	2	26.0	-	-	1	13.7	-	-
Benewah	1	9.0	-	-	-	-	1	8.4	-	-
Bingham	4	5.1	6	7.8	1	1.3	5	6.6	5	6.3
Blaine	1	3.7	-	-	3	10.5	1	3.6	2	8.2
Boise	1	18.2	-	-	1	19.6	-	-	-	-
Bonner	1	2.6	2	5.4	1	2.5	3	7.6	2	5.4
Bonneville	7	4.2	7	4.2	15	9.6	14	9.6	9	6.4
Boundary	1	8.5	-	-	1	7.5	-	-	1	7.4
Butte	2	55.6	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	16	5.0	19	6.4	10	3.4	25	9.2	18	7.2
Caribou	1	10.9	1	8.8	1	10.1	-	-	-	-
Cassia	2	4.7	2	5.2	1	2.7	1	2.6	2	4.9
Clark	-	-	-	-	1	83.3	-	-	-	-
Clearwater	1	18.2	-	-	1	14.9	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	2	3.9	5	8.9	3	6.0	2	3.9	7	13.3
Franklin	-	-	1	5.0	-	-	1	4.7	-	-
Fremont	-	-	-	-	-	-	3	14.2	-	-
Gem	4	21.3	2	9.6	3	16.2	-	-	3	16.7
Gooding	3	11.7	4	15.4	2	8.5	-	-	2	8.5
Idaho	-	-	1	7.2	1	6.0	-	-	-	-
Jefferson	3	6.7	1	2.6	-	-	2	5.6	1	2.7
Jerome	4	11.0	-	-	2	6.3	1	3.1	2	6.1
Kootenai	6	3.7	5	3.3	6	4.1	9	5.9	7	4.6
Latah	-	-	3	7.6	1	2.2	3	7.2	6	14.5
Lemhi	-	-	1	12.8	1	16.1	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	1	23.8
Lincoln	-	-	-	-	1	15.2	-	-	-	-
Madison	1	1.2	5	7.5	3	5.0	5	9.9	-	-
Minidoka	4	12.0	4	11.7	4	13.3	3	8.6	2	5.8
Nez Perce	4	8.5	5	11.2	2	4.3	4	8.6	1	2.4
Oneida	1	19.6	-	-	-	-	-	-	-	-
Owyhee	2	10.5	1	5.7	-	-	1	5.1	-	-
Payette	2	6.4	3	9.3	2	6.7	-	-	9	29.7
Power	-	-	-	-	1	8.9	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-
Teton	-	-	1	7.0	-	-	-	-	2	16.5
Twin Falls	11	9.8	2	1.9	9	9.4	8	7.9	5	5.3
Valley	-	-	-	-	-	-	-	-	1	16.7
Washington	-	-	-	-	-	-	1	7.8	1	6.5

Stillbirth ratio: Number of stillbirths per 1,000 live births.

IDAHO RESIDENT PERINATAL DEATHS
Number of Perinatal Deaths and Ratios
2000-2004

RESIDENCE	2004		2003		2002		2001		2000	
	Number	Ratio								
IDAHO	194	8.6	175	8.0	167	8.0	193	9.3	211	10.4
District 1	16	6.8	11	4.9	15	6.7	18	7.9	20	8.7
District 2	12	10.6	13	11.8	7	5.9	12	10.4	11	10.0
District 3	44	10.9	39	10.2	32	8.6	37	10.3	45	13.5
District 4	47	8.0	45	7.7	39	7.0	39	7.1	57	10.3
District 5	28	9.8	16	5.9	28	11.0	24	9.1	33	12.7
District 6	26	9.2	21	7.4	15	5.4	25	9.2	23	8.3
District 7	21	6.1	30	9.3	31	10.5	38	13.6	22	8.2
Ada	42	8.1	36	7.0	33	6.7	33	6.8	47	9.7
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	14	10.0	9	6.1	8	5.6	14	10.2	14	10.2
Bear Lake	-	-	3	39.0	-	-	1	13.7	-	-
Benewah	2	18.0	1	8.6	1	9.0	1	8.4	2	17.1
Bingham	6	7.6	7	9.2	2	2.7	6	8.0	7	8.8
Blaine	1	3.7	1	3.8	3	10.5	2	7.2	4	16.4
Boise	1	18.2	-	-	1	19.6	-	-	-	-
Bonner	2	5.2	3	8.1	2	5.1	3	7.6	3	8.1
Bonneville	12	7.2	14	8.4	18	11.5	18	12.3	15	10.6
Boundary	3	25.6	-	-	1	7.5	-	-	1	7.4
Butte	2	55.6	-	-	-	-	1	22.7	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	33	10.3	30	10.1	21	7.2	33	12.1	26	10.4
Caribou	2	21.7	1	8.8	1	10.1	-	-	1	9.7
Cassia	3	7.1	3	7.8	3	8.0	3	7.8	3	7.4
Clark	1	66.7	-	-	1	83.3	-	-	-	-
Clearwater	1	18.2	-	-	1	14.9	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	4	7.7	9	16.1	5	10.0	5	9.8	9	17.1
Franklin	-	-	1	5.0	3	13.1	3	14.0	1	5.0
Fremont	1	4.3	3	13.3	3	14.6	3	14.2	-	-
Gem	4	21.3	3	14.4	4	21.6	-	-	3	16.7
Gooding	4	15.6	4	15.4	3	12.8	-	-	4	17.0
Idaho	1	6.0	1	7.2	1	6.0	1	6.5	1	6.5
Jefferson	5	11.2	4	10.6	1	2.9	7	19.8	1	2.7
Jerome	4	11.0	1	3.0	2	6.3	2	6.3	5	15.2
Kootenai	9	5.5	7	4.6	10	6.8	14	9.2	12	8.0
Latah	1	2.6	5	12.6	2	4.4	5	12.0	6	14.5
Lemhi	-	-	1	12.8	1	16.1	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	1	23.8
Lincoln	-	-	-	-	1	15.2	-	-	-	-
Madison	1	1.2	7	10.5	6	10.1	10	19.9	2	4.3
Minidoka	4	12.0	4	11.7	5	16.6	9	25.7	6	17.4
Nez Perce	9	19.1	7	15.7	3	6.5	6	13.0	3	7.2
Oneida	1	19.6	-	-	-	-	-	-	-	-
Owyhee	3	15.8	2	11.4	3	16.9	1	5.1	3	17.5
Payette	2	6.4	4	12.3	4	13.5	1	3.1	12	39.6
Power	1	7.9	-	-	1	8.9	-	-	-	-
Shoshone	-	-	-	-	1	8.6	-	-	2	12.8
Teton	1	7.0	1	7.0	1	7.4	-	-	4	33.1
Twin Falls	12	10.7	3	2.8	11	11.5	8	7.9	11	11.6
Valley	-	-	-	-	-	-	1	13.2	1	16.7
Washington	2	15.3	-	-	-	-	2	15.5	1	6.5

Perinatal death ratio: Number of stillbirths plus deaths of infants under 7 days of age per 1,000 live births.

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES
Number of Reported Cases
2004

RESIDENCE	AIDS*	Campylo- bacteriosis	Chlamydia	Giardiasis	Gonorrhea	Hepatitis A	Hepatitis B (Acute)	Hepatitis B (Non-Acute)
IDAHO	16	238	2,784	212	103	20	14	41
District 1	3	18	348	31	11	-	1	4
District 2	1	7	269	12	7	4	-	1
District 3	4	42	481	19	20	3	5	5
District 4	4	59	968	83	39	5	6	20
District 5	1	43	314	16	10	2	1	6
District 6	2	41	275	24	14	2	1	5
District 7	1	28	129	27	2	4	-	-
Ada	NA	51	772	80	38	3	6	19
Adams	NA	2	4	-	-	-	-	-
Bannock	NA	16	178	14	10	1	-	2
Bear Lake	NA	1	1	-	-	-	-	1
Benewah	NA	2	15	-	2	-	-	-
Bingham	NA	12	67	6	4	1	1	-
Blaine	NA	3	21	3	2	-	-	1
Boise	NA	-	5	-	-	-	-	-
Bonner	NA	3	33	9	1	-	-	-
Bonneville	NA	16	86	18	2	3	-	-
Boundary	NA	-	12	5	-	-	-	-
Butte	NA	1	1	2	-	-	-	-
Camas	NA	-	2	-	-	-	-	-
Canyon	NA	20	388	15	19	1	3	4
Caribou	NA	-	9	-	-	-	-	1
Cassia	NA	9	37	2	-	-	-	-
Clark	NA	-	1	-	-	-	-	-
Clearwater	NA	-	17	1	1	-	-	-
Custer	NA	-	4	1	-	-	-	-
Elmore	NA	6	173	2	1	2	-	1
Franklin	NA	6	4	1	-	-	-	-
Fremont	NA	3	6	1	-	-	-	-
Gem	NA	6	28	-	1	-	-	1
Gooding	NA	4	29	3	1	-	-	-
Idaho	NA	1	10	2	-	-	-	-
Jefferson	NA	4	17	2	-	-	-	-
Jerome	NA	8	40	1	-	1	-	1
Kootenai	NA	13	259	15	7	-	-	3
Latah	NA	2	93	3	-	3	-	1
Lemhi	NA	1	5	1	-	-	-	-
Lewis	NA	1	11	1	1	1	-	-
Lincoln	NA	1	6	-	-	-	-	2
Madison	NA	3	7	4	-	-	-	-
Minidoka	NA	2	41	2	2	1	-	-
Nez Perce	NA	3	138	5	5	-	-	-
Oneida	NA	3	2	-	-	-	-	-
Owyhee	NA	4	13	-	-	-	1	-
Payette	NA	8	31	4	-	2	-	-
Power	NA	2	13	1	-	-	-	1
Shoshone	NA	-	29	2	1	-	1	1
Teton	NA	1	3	-	-	1	-	-
Twin Falls	NA	16	138	5	5	-	1	2
Valley	NA	2	18	1	-	-	-	-
Washington	NA	2	17	-	-	-	1	-

* Acquired immunodeficiency syndrome (AIDS) is a medical disorder characterized by a loss of immunity. AIDS is the end stage of an infection from a retrovirus known as human immunodeficiency virus (HIV).

NA - not available.

Source: Idaho State Office of Epidemiology and Food Safety.

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES
Number of Reported Cases
2004 (continued)

RESIDENCE	Hepatitis C (Acute)	Hepatitis C (Chronic or Resolved)	HIV* Infection	Pertussis	Salmonellosis	Shigellosis	Syphilis (All)	Tuberculosis New Active
IDAHO	1	1,359	22	66	159	19	77	11
District 1	-	115	1	16	17	-	3	1
District 2	-	130	-	16	13	1	3	1
District 3	-	204	4	9	17	1	52	3
District 4	-	543	9	17	51	2	13	3
District 5	-	77	5	5	34	8	2	2
District 6	-	180	1	2	16	3	1	1
District 7	1	110	2	1	11	4	3	-
Ada	-	511	NA	15	45	2	13	3
Adams	-	2	NA	-	-	-	-	-
Bannock	-	119	NA	2	7	2	1	-
Bear Lake	-	5	NA	-	1	1	-	-
Benewah	-	7	NA	1	1	-	-	-
Bingham	-	41	NA	-	7	-	-	1
Blaine	-	8	NA	-	3	1	-	-
Boise	-	9	NA	1	1	-	-	-
Bonner	-	27	NA	5	2	-	2	1
Bonneville	1	75	NA	1	8	4	2	-
Boundary	-	9	NA	-	1	-	-	-
Butte	-	4	NA	-	-	-	-	-
Camas	-	-	NA	-	-	-	-	-
Canyon	-	159	NA	9	11	1	44	2
Caribou	-	2	NA	-	1	-	-	-
Cassia	-	12	NA	-	3	7	-	-
Clark	-	1	NA	-	-	-	-	-
Clearwater	-	26	NA	1	-	-	1	-
Custer	-	2	NA	-	-	-	-	-
Elmore	-	16	NA	-	3	-	-	-
Franklin	-	1	NA	-	-	-	-	-
Fremont	-	10	NA	-	-	-	-	-
Gem	-	16	NA	-	-	-	-	1
Gooding	-	6	NA	-	2	-	-	-
Idaho	-	21	NA	2	2	-	1	-
Jefferson	-	3	NA	-	-	-	-	-
Jerome	-	4	NA	4	5	-	-	-
Kootenai	-	59	NA	10	10	-	1	-
Latah	-	21	NA	4	4	1	-	-
Lemhi	-	5	NA	-	-	-	-	-
Lewis	-	13	NA	-	2	-	-	1
Lincoln	-	6	NA	-	1	-	2	-
Madison	-	9	NA	-	-	-	-	-
Minidoka	-	8	NA	-	2	-	-	2
Nez Perce	-	49	NA	9	5	-	1	-
Oneida	-	3	NA	-	-	-	-	-
Owyhee	-	9	NA	-	1	-	6	-
Payette	-	11	NA	-	4	-	2	-
Power	-	5	NA	-	-	-	-	-
Shoshone	-	13	NA	-	3	-	-	-
Teton	-	5	NA	-	3	-	1	-
Twin Falls	-	33	NA	1	18	-	-	-
Valley	-	7	NA	1	2	-	-	-
Washington	-	7	NA	-	1	-	-	-

* Acquired immunodeficiency syndrome (AIDS) is a medical disorder characterized by a loss of immunity. AIDS is the end stage of an infection from a retrovirus known as human immunodeficiency virus (HIV).

NA - not available.

Source: Idaho State Office of Epidemiology and Food Safety.

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES
Number of Reported Cases, Statewide
2000-2004

DISEASE	2004	2003	2002	2001	2000
AIDS ¹	16	20	24	17	16
Amebiasis	7	6	6	5	1
Botulism, infant	1	-	-	-	-
Campylobacteriosis	238	244	208	248	252
Chlamydia	2,784	2,366	2,535	2,023	1,907
E. coli O157:H7	57	85	45	81	73
Giardiasis	212	206	137	172	139
Gonorrhea	103	68	96	76	98
H. influenzae, type B invasive ²	1	-	2	-	1
Hantavirus pulmonary syndrome	1	2	1	2	-
Hepatitis A	20	18	31	57	45
Hepatitis B (all)	108	132	105	84	88
Hepatitis C (acute)	1	1	1	2	3
Hepatitis C (chronic or resolved)	1,359	1,044	824	932	984
HIV infection ¹	22	23	26	22	43
Legionellosis	9	7	3	3	5
Lyme disease	6	3	4	5	4
Malaria	2	1	-	4	5
Measles (rubeola)	-	-	-	1	-
Mumps	3	1	1	2	-
N. Meningitidis, invasive	7	9	5	8	7
Pertussis	66	82	151	171	64
Rabies in animals	8	15	38	28	10
Relapsing fever	3	2	1	-	-
Rocky Mountain spotted fever	4	2	-	1	1
Rubella	-	-	3	-	-
Salmonellosis	159	181	184	146	132
Shigellosis	19	36	22	40	44
Syphilis	77	45	23	11	11
Toxic shock syndrome	3	-	1	-	5
Streptococcal toxic shock syndrome	1	2	-	2	2
Tuberculosis	11	13	14	9	16
West Nile Virus (encephalitis)	4	3	1	NR	NR

1. Acquired immunodeficiency syndrome (AIDS) is a medical disorder characterized by a loss of immunity. AIDS is the end stage of an infection from a retrovirus known as human immunodeficiency virus (HIV). The response to HIV infection may range from asymptomatic infection to severe and life-threatening secondary infectious diseases. Number of cases of AIDS and HIV revised for 2000-2003 by the Idaho State Office of Epidemiology and Food Safety. Data differ from previously published Idaho Vital Statistics.
 2. Number of cases of *Haemophilus influenzae*, type B invasive revised for 2000-2003 by the Office of Epidemiology and Food Safety in August 2005.
- Cases are reported by the state of residence at the time of disease onset; the disease may have been acquired outside of Idaho (see CSTE Revised Guidelines for Determining Residency for Disease Reporting Purposes at <http://www.cste.org/PS/2003pdfs/2003finalpdf/03-ID-10Revised.pdf>).
- NR - not reported.
- Source: Idaho State Office of Epidemiology and Food Safety.

INDUCED ABORTION


In 2002, 49 reporting areas out of 52 reporting areas, (50 States, District of Columbia, and New York City), provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the U.S. A total of 854,122 legal abortions were reported to the CDC by 49 reporting areas in 2002 (latest year U.S. data are available). In 2002, the U.S. abortion ratio (reported abortions per 1,000 live births) was 246. The number of abortions in 2002 represents a slight increase from 2001, for which 853,485 abortions were reported from the same 49 reporting areas.

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S. 2002 ¹	854,122	246	16
Idaho 2004 (Occurrence)	963	44	3
Idaho 2004 (Residence)	1,618	72	6

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2004 was 963, a 6 percent increase from the 911 reported in 2003. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 963 abortions performed in Idaho, 928 were to residents of Idaho and 35 were to non-residents.

Abortions to Idaho residents remained relatively stable, from 1,620 in 2003 to 1,618 in 2004. Abortions to Idaho residents may occur in Idaho or out of state. In 2004, 928 abortions to Idaho residents occurred in Idaho and 690 were performed out of state. Of the 690 abortions obtained by Idaho residents out of state, 533 were performed in Washington, 87 in Utah, 49 in Oregon, 19 in Montana, and 2 in Nebraska.

IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 1994-2004



1. "Abortion Surveillance - United States, 2002," Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol. 54/No. SS-7, November 25, 2005.

INDUCED ABORTIONS OCCURRING IN IDAHO
INDUCED ABORTIONS OCCURRING TO IDAHO RESIDENTS
2004

	ABORTIONS OCCURRING IN IDAHO			ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Abortion in Idaho, Place of Occurrence, Total	Place of Occurrence, Resident of Idaho	Place of Occurrence, Resident of Other State	Place of Residence, Total	Place of Residence, Abortion in Idaho	Place of Residence, Abortion in Other State
IDAHO	963	928	35	1,618	928	690
District 1	-	-	-	357	-	357
District 2	-	-	-	172	2	170
District 3	-	-	-	183	164	19
District 4	873	841	32	625	569	56
District 5	25	25	-	147	127	20
District 6	65	62	3	83	41	42
District 7	-	-	-	51	25	26
Ada	873	841	32	586	534	52
Adams	-	-	-	1	1	-
Bannock	65	62	3	63	32	31
Bear Lake	-	-	-	1	-	1
Benewah	-	-	-	13	-	13
Bingham	-	-	-	12	7	5
Blaine	25	25	-	61	57	4
Boise	-	-	-	-	-	-
Bonner	-	-	-	55	-	55
Bonneville	-	-	-	33	19	14
Boundary	-	-	-	9	-	9
Butte	-	-	-	1	1	-
Camas	-	-	-	-	-	-
Canyon	-	-	-	150	133	17
Caribou	-	-	-	1	1	-
Cassia	-	-	-	7	6	1
Clark	-	-	-	-	-	-
Clearwater	-	-	-	7	-	7
Custer	-	-	-	3	2	1
Elmore	-	-	-	23	20	3
Franklin	-	-	-	3	-	3
Fremont	-	-	-	2	2	-
Gem	-	-	-	6	6	-
Gooding	-	-	-	7	7	-
Idaho	-	-	-	5	2	3
Jefferson	-	-	-	2	1	1
Jerome	-	-	-	13	11	2
Kootenai	-	-	-	260	-	260
Latah	-	-	-	73	-	73
Lemhi	-	-	-	6	-	6
Lewis	-	-	-	7	-	7
Lincoln	-	-	-	6	5	1
Madison	-	-	-	3	1	2
Minidoka	-	-	-	9	4	5
Nez Perce	-	-	-	80	-	80
Oneida	-	-	-	2	-	2
Owyhee	-	-	-	8	7	1
Payette	-	-	-	14	14	-
Power	-	-	-	-	-	-
Shoshone	-	-	-	20	-	20
Teton	-	-	-	2	-	2
Twin Falls	-	-	-	44	37	7
Valley	-	-	-	16	15	1
Washington	-	-	-	4	3	1

Note: Data for abortions occurring in Idaho and for abortions to Idaho residents are not mutually exclusive. Abortions occurring in Idaho may be to Idaho residents or out-of-state residents; abortions to Idaho residents may occur in Idaho or out of state.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Ratios by District and County of Residence
Race/Ethnicity of Patient
2004

RESIDENCE	TOTAL ABORTIONS		RACE OF PATIENT						HISPANIC ²
	Number	Ratio ¹	White	Black	Native American	Asian/Pacific Islander	Other Race	Not Stated	
IDAHO	1,618	71.8	1,449	21	30	39	10	69	150
District 1	357	150.8	320	-	6	1	2	28	9
District 2	172	152.2	145	2	10	2	-	13	3
District 3	183	45.2	174	3	2	3	1	-	43
District 4	625	106.7	558	14	9	29	3	12	51
District 5	147	51.5	139	1	-	2	1	4	30
District 6	83	29.3	68	-	3	1	3	8	10
District 7	51	14.8	45	1	-	1	-	4	4
Ada	586	112.5	527	11	9	28	2	9	45
Adams	1	37.0	1	-	-	-	-	-	-
Bannock	63	44.8	54	-	-	1	1	7	5
Bear Lake	1	11.8	-	-	-	-	-	1	1
Benewah	13	117.1	8	-	3	-	-	2	-
Bingham	12	15.2	8	-	3	-	1	-	3
Blaine	61	228.5	61	-	-	-	-	-	10
Boise	-	-	-	-	-	-	-	-	-
Bonner	55	141.8	52	-	-	-	1	2	2
Bonneville	33	19.7	28	1	-	1	-	3	4
Boundary	9	76.9	8	-	-	-	-	1	-
Butte	1	27.8	1	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	150	46.8	141	3	2	3	1	-	39
Caribou	1	10.9	1	-	-	-	-	-	-
Cassia	7	16.5	5	-	-	1	-	1	2
Clark	-	-	-	-	-	-	-	-	-
Clearwater	7	127.3	7	-	-	-	-	-	-
Custer	3	93.8	3	-	-	-	-	-	-
Elmore	23	44.5	15	3	-	1	1	3	5
Franklin	3	12.5	2	-	-	-	1	-	1
Fremont	2	8.5	2	-	-	-	-	-	-
Gem	6	31.9	6	-	-	-	-	-	-
Gooding	7	27.3	7	-	-	-	-	-	2
Idaho	5	30.1	5	-	-	-	-	-	-
Jefferson	2	4.5	2	-	-	-	-	-	-
Jerome	13	35.6	12	-	-	-	-	1	5
Kootenai	260	159.0	235	-	3	1	1	20	6
Latah	73	186.7	68	-	1	2	-	2	2
Lemhi	6	84.5	6	-	-	-	-	-	-
Lewis	7	148.9	4	-	1	-	-	2	-
Lincoln	6	82.2	6	-	-	-	-	-	1
Madison	3	3.6	3	-	-	-	-	-	-
Minidoka	9	27.0	7	-	-	-	1	1	2
Nez Perce	80	169.9	61	2	8	-	-	9	1
Oneida	2	39.2	2	-	-	-	-	-	-
Owyhee	8	42.1	8	-	-	-	-	-	2
Payette	14	44.7	14	-	-	-	-	-	1
Power	-	-	-	-	-	-	-	-	-
Shoshone	20	172.4	17	-	-	-	-	3	1
Teton	2	14.0	1	-	-	-	-	1	-
Twin Falls	44	39.1	41	1	-	1	-	1	8
Valley	16	205.1	16	-	-	-	-	-	1
Washington	4	30.5	4	-	-	-	-	-	1

1. Number of induced abortions per 1,000 live births.

2. Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

In 2004, there were 88 records with Hispanic origin not stated; therefore, counts for Hispanics may be underreported.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Age of Patient
2004

RESIDENCE	TOTAL	AGE OF PATIENT									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	1,618*	6	323	127	196	530	327	223	141	63	3
District 1	357	1	62	27	35	125	83	42	26	16	2
District 2	172	3	37	14	23	66	34	10	10	12	-
District 3	183	1	41	17	24	57	34	31	14	5	-
District 4	625	-	124	42	82	198	126	91	63	22	1
District 5	147*	1	26	13	13	38	27	32	18	4	-
District 6	83	-	20	11	9	29	18	8	6	2	-
District 7	51*	-	13	3	10	17	5	9	4	2	-
Ada	586	-	113	41	72	181	123	87	60	21	1
Adams	1	-	-	-	-	1	-	-	-	-	-
Bannock	63	-	14	8	6	23	16	6	3	1	-
Bear Lake	1	-	-	-	-	-	1	-	-	-	-
Benewah	13	-	3	3	-	3	4	2	1	-	-
Bingham	12	-	3	-	3	5	1	1	2	-	-
Blaine	61	-	6	2	4	15	10	20	7	3	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	55	-	10	4	6	19	7	9	5	4	1
Bonneville	33*	-	11	3	8	11	2	3	4	1	-
Boundary	9	-	-	-	-	2	4	-	2	1	-
Butte	1	-	1	1	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	150	1	32	14	18	49	26	26	11	5	-
Caribou	1	-	-	-	-	-	-	-	1	-	-
Cassia	7	-	3	1	2	1	2	1	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	7	-	1	-	1	1	1	2	1	1	-
Custer	3	-	-	-	-	1	-	1	-	1	-
Elmore	23	-	6	-	6	12	2	1	2	-	-
Franklin	3	-	-	-	-	1	-	1	-	1	-
Fremont	2	-	-	-	-	1	-	1	-	-	-
Gem	6	-	3	-	3	2	1	-	-	-	-
Gooding	7	-	2	1	1	-	3	-	1	1	-
Idaho	5	-	-	-	-	1	2	-	-	2	-
Jefferson	2	-	1	-	1	1	-	-	-	-	-
Jerome	13	-	3	2	1	5	1	4	-	-	-
Kootenai	260	1	46	17	29	95	64	31	14	8	1
Latah	73	-	11	4	7	37	14	4	3	4	-
Lemhi	6	-	-	-	-	3	1	2	-	-	-
Lewis	7	-	2	2	-	3	-	-	2	-	-
Lincoln	6	-	2	1	1	1	-	2	1	-	-
Madison	3	-	1	-	1	-	1	1	-	-	-
Minidoka	9*	-	1	1	-	3	2	2	-	-	-
Nez Perce	80	3	23	8	15	24	17	4	4	5	-
Oneida	2	-	2	2	-	-	-	-	-	-	-
Owyhee	8	-	2	2	-	1	1	3	1	-	-
Payette	14	-	2	1	1	3	5	2	2	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	20	-	3	3	-	6	4	-	4	3	-
Teton	2	-	-	-	-	-	1	1	-	-	-
Twin Falls	44	1	9	5	4	13	9	3	9	-	-
Valley	16	-	5	1	4	5	1	3	1	1	-
Washington	4	-	2	-	2	1	1	-	-	-	-

* Total includes two with age not stated, one in Minidoka County (District 5), and one in Bonneville County (District 7).

INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
2004

TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	WEEKS OF GESTATION ²							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	963	585	238	111	18	6	5	-	-
Suction curettage	952	583	237	111	18	2	1	-	-
Sharp curettage	2	1	1	-	-	-	-	-	-
Dilation and evacuation (D&E)	1	-	-	-	-	1	-	-	-
Intra-uterine saline/ prostaglandin instillation	4	-	-	-	-	2	2	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	3	1	-	-	-	1	1	-	-
Other	1	-	-	-	-	-	1	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Termination procedures listed on induced abortion report were revised in 1999.
2. Gestation categories were modified in 2000.

INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Reported Complications
2004

TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	REPORTED COMPLICATIONS ²						
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other
TOTAL IN IDAHO	963	959	3	-	-	-	1	1
Suction curettage	952	950	2	-	-	-	-	-
Sharp curettage	2	2	-	-	-	-	-	-
Dilation and evacuation (D&E)	1	1	-	-	-	-	-	-
Intra-uterine saline / prostaglandin instillation	4	2	1	-	-	-	1	1
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-
Medical (non-surgical)	3	3	-	-	-	-	-	-
Other	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Termination procedures listed on induced abortion report were revised in 1999.
2. One or more complications may be reported per termination procedure; therefore, the sum of reported complications plus no complications may sum to more than total number of procedures.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Marital Status
2004

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	963	184	778	1
<15	2	-	2	-
15-19	189	11	178	-
15-17	68	3	65	-
18-19	121	8	113	-
20-24	302	43	258	1
25-29	191	43	148	-
30-34	151	51	100	-
35-39	95	23	72	-
40-44	32	12	20	-
45+	1	1	-	-
Not stated	-	-	-	-

INDUCED ABORTIONS OCCURRING IN IDAHO
Previous Induced Abortions and Number of Living Children
2004

	PREVIOUS INDUCED ABORTIONS		NUMBER OF LIVING CHILDREN	
	Number	Percent	Number	Percent
	TOTAL	963	100.0%	963
None	725	75.6	469	48.8
1	182	19.0	221	23.0
2	39	4.1	175	18.2
3+	13	1.4	97	10.1
Not stated	4	NA	1	NA


Percents based on records with stated number of previous induced abortions or number of living children.

MARRIAGE AND DIVORCE

The number of marriages occurring in Idaho increased 1 percent from 14,867 in 2003 to 14,997 in 2004. This follows a 1 percent increase from 2002 to 2003. Although the number of marriages that occurred in Idaho in 2004 was slightly higher than occurred in the state ten years ago, the marriage rate declined 18 percent from 13.1 per 1,000 population in 1994 to 10.8 in 2004 due to a greater increase in the population. However, marriages occur at a higher frequency in Idaho than in the U.S. as a whole; the provisional 2004 U.S. marriage rate was 7.4, which was a 1 percent decline from 7.5 (provisional) in 2003. Much of the difference between Idaho and U.S. rates can be accounted for by the high number of nonresidents who marry in northern Idaho.

The number of divorces occurring in Idaho decreased slightly from 7,080 in 2003 to 6,921 in 2004. The divorce rate declined 4 percent from 5.2 per 1,000 population in 2003 to 5.0 in 2004, which is the lowest rate since 1971, when the rate was 5.0. Like marriages, divorces occur more frequently in Idaho than in the remainder of the nation; the 2004 U.S. divorce rate was 3.7 (provisional), down 3 percent from the 2003 provisional rate of 3.8.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO 1994-2004



MARRIAGES OCCURRING IN IDAHO
District and County of Marriage
1995-2004

OCCURRENCE	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995
IDAHO	14,997	14,867	14,683	14,820	15,057	15,489	15,266	15,114	15,027	15,106
District 1	4,576	4,633	4,646	4,650	4,765	5,078	5,138	5,072	5,125	5,282
District 2	730	782	725	733	795	717	779	833	805	844
District 3	1,621	1,633	1,617	1,652	1,633	1,610	1,593	1,638	1,619	1,578
District 4	3,485	3,300	3,333	3,290	3,286	3,338	3,124	2,995	3,003	2,962
District 5	1,434	1,432	1,350	1,421	1,477	1,484	1,446	1,466	1,431	1,412
District 6	1,102	1,100	1,109	1,124	1,153	1,161	1,246	1,171	1,183	1,224
District 7	2,049	1,987	1,903	1,950	1,948	2,101	1,940	1,939	1,861	1,804
Ada	2,960	2,810	2,862	2,832	2,832	2,854	2,636	2,567	2,554	2,469
Adams	37	29	35	30	43	33	25	31	32	26
Bannock	539	581	528	594	586	578	631	553	611	597
Bear Lake	55	44	66	40	45	59	55	58	50	59
Benewah	78	58	58	57	56	60	55	53	62	66
Bingham	292	284	310	273	271	289	292	305	287	293
Blaine	212	230	227	246	255	237	228	244	219	222
Boise	70	69	45	71	73	65	73	75	59	78
Bonner	370	326	301	302	310	315	304	285	310	351
Bonneville	1,548	1,488	1,431	1,458	1,373	1,513	1,376	1,353	1,307	1,283
Boundary	83	76	73	83	77	87	99	72	86	78
Butte	20	12	17	18	26	15	22	25	15	26
Camas	13	15	15	7	9	12	9	10	12	14
Canyon	1,166	1,150	1,100	1,185	1,088	1,060	1,056	1,095	1,074	1,036
Caribou	49	42	52	53	74	45	72	53	54	70
Cassia	161	139	132	158	164	173	194	186	171	210
Clark	3	6	7	10	6	10	8	5	5	9
Clearwater	64	81	62	65	69	62	68	76	77	62
Custer	77	72	61	71	89	76	81	74	80	85
Elmore	274	273	301	246	265	269	256	219	247	262
Franklin	77	65	76	57	65	84	78	75	82	87
Fremont	111	98	90	92	125	110	119	118	91	115
Gem	106	110	125	112	130	113	131	98	125	95
Gooding	107	97	88	89	105	104	100	93	97	89
Idaho	86	123	93	120	124	106	118	134	115	138
Jefferson	117	100	122	124	138	155	149	138	119	92
Jerome	120	144	129	140	122	154	139	131	144	147
Kootenai	3,956	4,080	4,121	4,089	4,231	4,515	4,553	4,538	4,554	4,676
Latah	211	202	206	170	199	176	194	190	222	231
Lemhi	77	86	73	57	79	91	58	92	89	99
Lewis	22	32	30	27	22	32	30	33	31	24
Lincoln	25	23	28	29	39	24	37	22	30	27
Madison	76	100	84	101	100	106	112	114	119	87
Minidoka	154	166	156	166	146	157	137	166	148	165
Nez Perce	347	344	334	351	381	341	369	400	360	389
Oneida	27	19	22	29	33	40	29	35	28	27
Owyhee	63	49	53	64	67	67	71	56	60	67
Payette	180	205	222	201	233	236	223	268	240	268
Power	43	53	38	60	53	51	67	67	56	65
Shoshone	89	93	93	119	91	101	127	124	113	111
Teton	40	37	35	37	38	40	37	45	51	34
Twin Falls	642	618	575	586	637	623	602	614	610	538
Valley	181	148	125	141	116	150	159	134	143	153
Washington	69	90	82	60	72	101	87	90	88	86

MARRIAGES OCCURRING IN IDAHO
Age of Groom by Age of Bride
2004

AGE OF GROOM	TOTAL	AGE OF BRIDE											
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65-74	75+	Not Stated
TOTAL	14,996	2	1,913	4,423	2,549	1,606	1,202	1,134	1,445	489	177	54	2
<15	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	699	1	502	176	17	1	1	1	-	-	-	-	-
20-24	4,217	1	1,184	2,556	372	73	24	6	1	-	-	-	-
25-29	2,899	-	177	1,227	1,100	288	79	21	6	-	-	-	1
30-34	1,864	-	37	309	657	552	210	71	28	-	-	-	-
35-39	1,315	-	8	106	251	365	340	159	83	3	-	-	-
40-44	1,173	-	2	36	93	189	290	343	203	15	-	1	1
45-54	1,665	-	3	9	53	114	221	426	744	91	3	1	-
55-64	772	-	-	3	6	20	35	94	319	262	30	3	-
65-74	272	-	-	1	-	4	-	12	57	100	89	9	-
75+	120	-	-	-	-	-	2	1	4	18	55	40	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-

MARRIAGES OCCURRING IN IDAHO
Race/Ethnicity of Groom by Race/Ethnicity of Bride
2004

RACE OF GROOM	TOTAL	RACE OF BRIDE						SPANISH SURNAME*
		White	Black	Native American	Asian/Pacific Islander	Other Race	Not Stated	
TOTAL	14,997	14,134	84	228	227	20	304	885
White	14,112	13,742	44	124	174	15	13	853
Black	152	104	36	6	6	-	-	14
Native American	221	121	3	94	3	-	-	6
Asian/Pacific Islander	144	98	-	3	42	1	-	8
Other race	25	21	-	-	-	4	-	1
Not stated	343	48	1	1	2	-	291	3
SPANISH SURNAME*	1,048	1,014	5	20	6	2	1	599

* Included in "white" totals.

MARRIAGES OCCURRING IN IDAHO
Bride: Age by Previous Marital Status
2004

AGE OF BRIDE	TOTAL	PREVIOUS MARITAL STATUS: BRIDE			
		Single	Widowed	Divorced	Not Stated
TOTAL	14,997	8,680	473	5,841	3
<15	2	2	-	-	-
15-19	1,913	1,895	-	18	-
20-24	4,423	4,007	4	411	1
25-29	2,549	1,630	12	906	1
30-34	1,606	639	16	950	1
35-39	1,202	265	22	915	-
40-44	1,134	131	47	956	-
45-54	1,445	95	117	1,233	-
55-64	489	10	103	376	-
65-74	177	6	101	70	-
75+	55	-	50	5	-
Not stated	2	-	1	1	-
Median age	26.0	21.6	55.3	37.4	NA

MARRIAGES OCCURRING IN IDAHO
Groom: Age by Previous Marital Status
2004

AGE OF GROOM	TOTAL	PREVIOUS MARITAL STATUS: GROOM			
		Single	Widowed	Divorced	Not Stated
TOTAL	14,997	9,010	424	5,559	4
<15	699	698	-	1	-
15-19	4,217	4,030	2	185	-
20-24	2,899	2,310	5	583	1
25-29	1,864	1,029	6	827	2
30-34	1,315	482	16	817	-
35-39	1,173	233	14	925	1
40-44	1,665	175	79	1,411	-
45-54	772	45	98	629	-
55-64	272	7	108	157	-
65-74	120	1	95	24	-
75+	1	-	1	-	-
Not stated	-	-	-	-	-
Median age	28.3	23.7	63.4	41.0	NA

MARRIAGES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2004

OCCURRENCE	TOTAL MARRIAGES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	14,997	10,435	888	3,673	1
District 1	4,576	1,569	145	2,861	1
District 2	730	490	85	155	-
District 3	1,621	1,429	86	106	-
District 4	3,485	3,045	234	206	-
District 5	1,434	1,235	72	127	-
District 6	1,102	971	68	63	-
District 7	2,049	1,696	198	155	-
Ada	2,960	2,622	183	155	-
Adams	37	28	3	6	-
Bannock	539	500	20	19	-
Bear Lake	55	36	7	12	-
Benewah	78	63	1	14	-
Bingham	292	268	13	11	-
Blaine	212	139	7	66	-
Boise	70	65	2	3	-
Bonner	370	235	16	118	1
Bonneville	1,548	1,282	168	98	-
Boundary	83	63	6	14	-
Butte	20	18	-	2	-
Camas	13	10	2	1	-
Canyon	1,166	1,064	51	51	-
Caribou	49	43	2	4	-
Cassia	161	143	10	8	-
Clark	3	3	-	-	-
Clearwater	64	50	9	5	-
Custer	77	64	2	11	-
Elmore	274	209	39	26	-
Franklin	77	53	15	9	-
Fremont	111	87	6	18	-
Gem	106	99	6	1	-
Gooding	107	98	5	4	-
Idaho	86	63	11	12	-
Jefferson	117	101	11	5	-
Jerome	120	114	3	3	-
Kootenai	3,956	1,146	119	2,691	-
Latah	211	143	25	43	-
Lemhi	77	57	2	18	-
Lewis	22	16	3	3	-
Lincoln	25	22	2	1	-
Madison	76	67	6	3	-
Minidoka	154	136	8	10	-
Nez Perce	347	218	37	92	-
Oneida	27	15	7	5	-
Owyhee	63	60	2	1	-
Payette	180	124	16	40	-
Power	43	38	4	1	-
Shoshone	89	62	3	24	-
Teton	40	35	3	2	-
Twin Falls	642	573	35	34	-
Valley	181	149	10	22	-
Washington	69	54	8	7	-

DIVORCES GRANTED IN IDAHO
District and County of Divorce
1995-2004

OCCURRENCE	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995
IDAHO	6,921	7,080	7,087	7,025	7,110	6,947	6,980	7,035	6,985	6,749
District 1	1,134	1,146	1,127	1,210	1,069	1,027	1,106	1,049	1,055	1,037
District 2	421	474	540	468	470	469	543	566	543	519
District 3	1,217	1,230	1,143	1,115	1,067	1,064	1,020	1,039	1,023	1,104
District 4	1,813	1,960	2,024	1,883	2,163	2,116	1,933	1,938	1,987	1,779
District 5	877	881	889	864	854	851	976	904	887	871
District 6	633	624	621	622	678	622	602	659	614	598
District 7	826	765	743	863	809	798	800	880	876	841
Ada	1,550	1,729	1,751	1,633	1,841	1,807	1,643	1,688	1,719	1,499
Adams	27	11	12	15	9	7	17	19	17	21
Bannock	314	280	349	310	360	314	289	317	300	346
Bear Lake	23	28	27	38	29	35	29	24	29	17
Benewah	35	40	35	50	45	55	48	46	47	47
Bingham	163	152	130	143	172	160	156	149	157	119
Blaine	78	98	89	74	61	90	73	98	82	77
Boise	12	13	22	17	32	31	27	19	26	32
Bonner	240	219	182	236	190	199	225	186	192	212
Bonneville	569	531	500	599	554	534	557	598	613	595
Boundary	39	44	39	123	38	25	35	25	36	39
Butte	3	6	4	10	9	7	3	11	10	16
Camas	4	7	4	3	1	1	6	7	3	4
Canyon	933	881	811	799	742	716	711	691	703	781
Caribou	30	38	29	32	31	38	32	32	41	40
Cassia	98	119	120	104	101	115	111	137	116	94
Clark	-	-	-	-	-	1	3	-	-	-
Clearwater	39	32	61	52	52	32	44	53	56	54
Custer	13	19	13	18	12	16	23	27	35	19
Elmore	203	173	202	188	243	216	207	169	191	181
Franklin	47	54	25	40	33	26	30	33	19	25
Fremont	46	55	66	42	32	35	35	39	40	25
Gem	79	99	85	100	88	92	81	104	83	77
Gooding	50	66	55	48	52	56	60	53	41	40
Idaho	52	65	83	54	53	63	61	61	60	62
Jefferson	67	42	49	56	78	84	60	85	56	76
Jerome	105	128	157	154	131	118	141	102	91	91
Kootenai	772	752	783	744	730	673	698	708	688	656
Latah	97	131	131	131	113	130	127	167	124	127
Lemhi	45	39	27	45	42	45	44	42	46	59
Lewis	13	10	11	19	16	18	20	16	24	18
Lincoln	20	15	11	16	21	18	34	18	14	13
Madison	62	57	62	80	63	55	54	59	66	59
Minidoka	58	68	78	85	82	55	100	81	101	112
Nez Perce	210	228	239	210	232	224	282	252	279	258
Oneida	8	13	16	10	16	8	15	16	9	6
Owyhee	17	29	22	28	35	20	17	27	24	34
Payette	112	154	160	118	143	164	132	144	143	146
Power	18	20	26	29	24	28	30	29	34	29
Shoshone	44	83	73	56	66	71	97	75	60	81
Teton	24	22	26	23	28	28	24	30	20	8
Twin Falls	464	380	375	380	405	398	451	408	439	440
Valley	48	45	49	45	47	62	56	62	51	67
Washington	49	56	53	55	50	65	62	54	53	45
Tribal Courts:										
Coeur d'Alene	4	7	13	1	-	4	2	8	32	2
Kootenai	-	1	2	-	-	-	1	1	NA	NA
Nez Perce	10	8	15	2	4	2	9	17	NA	NA
Shoshone-Bannock	27	33	15	10	4	6	18	48	15	-

Note: Tribal court data are included in District totals.

DIVORCES GRANTED IN IDAHO
Number This Marriage: Husband, Wife
2004

NUMBER THIS MARRIAGE	HUSBAND	WIFE
TOTAL DIVORCES	6,921	6,921
Number this marriage:		
First	2,818	2,715
Second	1,171	1,147
Third	405	484
Fourth	125	153
Fifth	51	60
Sixth	12	13
Seventh +	11	12
Not stated	2,328	2,337

DIVORCES GRANTED IN IDAHO
Duration of Marriage
2002 - 2004

DURATION OF MARRIAGE	2004		2003	2002
	Number	Percent	Percent	Percent
TOTAL	6,921	100.0%	(7,080)	(7,087)
0-4 years	2,793	40.6%	40.5%	40.2%
<1 year	439	6.4	6.3	5.9
1-4 years	2,355	34.3	34.3	34.3
5-9 years	1,737	25.3	25.1	24.5
10-14 years	940	13.7	14.0	14.5
15-19 years	566	8.2	8.9	9.1
20-24 years	398	5.8	5.9	5.6
25-29 years	207	3.0	3.1	3.1
30-34 years	130	1.9	1.4	1.7
35-39 years	55	0.8	0.7	0.7
40+ years	45	0.7	0.4	0.5
Not stated	49	NA	(40)	(37)
Median years duration	5.5		5.5	5.7

Percents based on records with stated duration of marriage.

Note: Total numbers of divorces and numbers of divorces with duration of marriage not stated in 2002 and 2003 are shown in parentheses.

DIVORCES GRANTED IN IDAHO
Number of Children <18 Years of Age in Household
2004

NUMBER OF CHILDREN <18 YEARS OF AGE IN HOUSEHOLD	TOTAL DIVORCES	TOTAL CHILDREN
TOTAL	6,921	6,606
No children	3,221	-
1 child	1,396	1,396
2 children	1,336	2,672
3 children	523	1,569
4 children	158	632
5 children	35	175
6 children	15	90
7 children	3	21
8 children	4	32
9 children	1	9
10+ children	1	10
Not stated	228	-

DIVORCES GRANTED IN IDAHO
Legal Grounds
2004

LEGAL GROUNDS	TOTAL	DIVORCES	ANNULMENTS
TOTAL	6,921	6,872	49
Adultery	8	8	-
Bigamy	4	-	4
Conviction of a felony	-	-	-
Habitual intemperance	3	3	-
Extreme cruelty	6	6	-
Five-year continuous separation without cohabitation	-	-	-
Fraud, misrepresentation	35	-	35
Incapacity	5	-	5
Irreconcilable differences	6,853	6,853	-
Permanent insanity	-	-	-
Underage	-	-	-
Willful desertion	1	1	-
Willful neglect or nonsupport	-	-	-
Other	6	1	5
Not stated	-	-	-

DIVORCES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2004

OCCURRENCE	TOTAL DIVORCES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	6,921	5,512	1,290	28	91
District 1	1,134	839	271	8	16
District 2	421	308	102	3	8
District 3	1,217	980	219	3	15
District 4	1,813	1,498	296	6	13
District 5	877	718	136	3	20
District 6	633	506	117	1	9
District 7	826	663	149	4	10
Ada	1,550	1,304	230	5	11
Adams	27	18	9	-	-
Bannock	314	258	51	1	4
Bear Lake	23	16	7	-	-
Benewah	35	30	5	-	-
Bingham	163	131	28	-	4
Blaine	78	62	14	-	2
Boise	12	11	-	-	1
Bonner	240	179	53	3	5
Bonneville	569	460	100	2	7
Boundary	39	29	10	-	-
Butte	3	2	1	-	-
Camas	4	4	-	-	-
Canyon	933	784	138	1	10
Caribou	30	21	8	-	1
Cassia	98	78	19	-	1
Clark	-	-	-	-	-
Clearwater	39	28	9	1	1
Custer	13	8	5	-	-
Elmore	203	148	53	1	1
Franklin	47	33	14	-	-
Fremont	46	38	5	1	2
Gem	79	64	13	-	2
Gooding	50	39	11	-	-
Idaho	52	43	8	-	1
Jefferson	67	56	9	1	1
Jerome	105	89	13	1	2
Kootenai	772	570	186	5	11
Latah	97	69	26	-	2
Lemhi	45	36	9	-	-
Lewis	13	9	4	-	-
Lincoln	20	16	3	-	1
Madison	62	47	15	-	-
Minidoka	58	48	7	-	3
Nez Perce	210	152	52	2	4
Oneida	8	5	3	-	-
Owyhee	17	12	5	-	-
Payette	112	70	39	1	2
Power	18	16	2	-	-
Shoshone	44	30	14	-	-
Teton	24	18	6	-	-
Twin Falls	464	382	69	2	11
Valley	48	35	13	-	-
Washington	49	32	15	1	1
Tribal Courts:					
Coeur d'Alene	4	1	3	-	-
Kootenai	-	-	-	-	-
Nez Perce	10	7	3	-	-
Shoshone-Bannock	27	24	3	-	-

Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	IDAHO		DISTRICT 1		DISTRICT 2		DISTRICT 3		DISTRICT 4		DISTRICT 5		DISTRICT 6		DISTRICT 7	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	1,393,262		194,406		100,754		220,096		376,733		168,624		159,076		173,573	
LIVE BIRTHS	22,529	16.2	2,367	12.2	1,130	11.2	4,051	18.4	5,859	15.6	2,855	16.9	2,828	17.8	3,439	19.8
Fertility rate		77.2		62.4		55.4		87.5		72.3		86.3		84.0		87.6
Out-of-wedlock births ²	5,079	22.5%	635	26.8%	300	26.5%	1,107	27.3%	1,164	19.9%	791	27.7%	563	19.9%	519	15.1%
Low birth weight ²	1,538	6.8%	142	6.0%	63	5.6%	259	6.4%	435	7.4%	189	6.6%	213	7.5%	237	6.9%
INFANT DEATHS	139	6.2	15	6.3	10	8.8	28	6.9	39	6.7	15	5.3	16	5.7	16	4.7
Neonatal deaths	89	4.0	7	3.0	8	7.1	21	5.2	27	4.6	4	1.4	11	3.9	11	3.2
Postneonatal deaths	50	2.2	8	3.4	2	1.8	7	1.7	12	2.0	11	3.9	5	1.8	5	1.5
PERINATAL DEATHS	194	8.6	16	6.8	12	10.6	44	10.9	47	8.0	28	9.8	26	9.2	21	6.1
Stillbirths	113	5.0	9	3.8	5	4.4	24	5.9	22	3.8	25	8.8	17	6.0	11	3.2
INDUCED ABORTIONS (resident) (ratio)	1,618	5.5	357	9.4	172	8.4	183	4.0	625	7.7	147	4.4	83	2.5	51	1.3
		71.8		150.8		152.2		45.2		106.7		51.5		29.3		14.8
DEATHS ³	10,013	718.7	1,633	840.0	905	898.2	1,616	734.2	2,228	591.4	1,350	800.6	1,190	748.1	1,091	628.6
Diseases of the heart	2,443	175.3	404	207.8	226	224.3	384	174.5	514	136.4	325	192.7	311	195.5	279	160.7
Malignant neoplasms	2,225	159.7	387	199.1	195	193.5	356	161.7	548	145.5	305	180.9	219	137.7	215	123.9
Cerebrovascular diseases	708	50.8	123	63.3	56	55.6	129	58.6	153	40.6	79	46.8	106	66.6	62	35.7
Accidents	587	42.1	83	42.7	45	44.7	109	49.5	107	28.4	87	51.6	68	42.7	88	50.7
Chronic lower respiratory diseases	573	41.1	91	46.8	63	62.5	82	37.3	129	34.2	83	49.2	71	44.6	54	31.1
Diabetes mellitus	342	24.5	56	28.8	27	26.8	39	17.7	67	17.8	47	27.9	54	33.9	52	30.0
Alzheimer's disease	342	24.5	40	20.6	39	38.7	62	28.2	102	27.1	47	27.9	23	14.5	29	16.7
Intentional self-harm (suicide)	239	17.2	32	16.5	17	16.9	43	19.5	62	16.5	25	14.8	31	19.5	29	16.7
Influenza and pneumonia	221	15.9	28	14.4	15	14.9	40	18.2	35	9.3	44	26.1	30	18.9	29	16.7
Chronic liver disease and cirrhosis	112	8.0	23	11.8	8	7.9	17	7.7	20	5.3	15	8.9	16	10.1	13	7.5
Nephritis, nephrotic syndrome, and nephrosis	112	8.0	19	9.8	7	6.9	18	8.2	20	5.3	-	-	14	8.8	14	8.1
All other causes	2,109	NA	347	NA	207	NA	337	NA	471	NA	273	NA	247	NA	227	NA
MARRIAGES	14,997	10.8	4,576	23.5	730	7.2	1,621	7.4	3,485	9.3	1,434	8.5	1,102	6.9	2,049	11.8
DIVORCES ⁴	6,921	5.0	1,134	5.8	421	4.2	1,217	5.5	1,813	4.8	877	5.2	633	4.0	826	4.8

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	ADA		ADAMS		BANNOCK		BEAR LAKE		BENEWAH		BINGHAM		BLAINE		BOISE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	332,523		3,451		75,672		6,323		8,961		43,205		21,103		7,362	
LIVE BIRTHS	5,209	15.7	27	7.8	1,407	18.6	85	13.4	111	12.4	790	18.3	267	12.7	55	7.5
Fertility rate		72.0		47.2		83.4		72.7		71.0		87.7		65.0		39.7
Out-of-wedlock births ²	1,041	20.0%	6	22.2%	291	20.7%	6	7.1%	49	44.1%	183	23.2%	50	18.7%	9	16.4%
Low birth weight ²	388	7.5%	2	7.4%	107	7.6%	4	4.7%	4	3.6%	73	9.2%	13	4.9%	4	7.3%
INFANT DEATHS	36	6.9	-	-	8	5.7	-	-	2	18.0	5	6.3	1	3.7	-	-
Neonatal deaths	25	4.8	-	-	6	4.3	-	-	1	9.0	3	3.8	-	-	-	-
Postneonatal deaths	11	2.1	-	-	2	1.4	-	-	1	9.0	2	2.5	1	3.7	-	-
PERINATAL DEATHS	42	8.1	-	-	14	10.0	-	-	2	18.0	6	7.6	1	3.7	1	18.2
Stillbirths	19	3.6	-	-	9	6.4	-	-	1	9.0	4	5.1	1	3.7	1	18.2
INDUCED ABORTIONS (resident) (ratio)	586	8.1	1	1.7	63	3.7	1	0.9	13	8.3	12	1.3	61	14.8	-	-
		112.5		37.0		44.8		11.8		117.1		15.2		228.5		-
DEATHS ³	1,960	589.4	27	782.4	564	745.3	68	1,075.4	93	1,037.8	290	671.2	79	374.4	40	543.3
Diseases of the heart	451	135.6	8	231.8	146	192.9	16	253.0	26	290.1	76	175.9	11	52.1	10	135.8
Malignant neoplasms	476	143.1	8	231.8	117	154.6	14	221.4	24	267.8	53	122.7	19	90.0	8	108.7
Cerebrovascular diseases	132	39.7	2	58.0	52	68.7	5	79.1	8	89.3	15	34.7	3	14.2	2	27.2
Accidents	92	27.7	3	86.9	20	26.4	6	94.9	3	33.5	23	53.2	10	47.4	5	67.9
Chronic lower respiratory diseases	114	34.3	-	-	33	43.6	8	126.5	8	89.3	20	46.3	3	14.2	2	27.2
Diabetes mellitus	61	18.3	1	29.0	27	35.7	1	15.8	1	11.2	12	27.8	1	4.7	-	-
Alzheimer's disease	95	28.6	-	-	12	15.9	-	-	-	-	7	16.2	1	4.7	1	13.6
Intentional self-harm (suicide)	53	15.9	-	-	15	19.8	-	-	-	-	11	25.5	4	19.0	-	-
Influenza and pneumonia	30	9.0	-	-	11	14.5	3	47.4	-	-	6	13.9	2	9.5	-	-
Chronic liver disease and cirrhosis	19	5.7	-	-	9	11.9	1	15.8	2	22.3	4	9.3	2	9.5	-	-
Nephritis, nephrotic syndrome, and nephrosis	20	6.0	1	29.0	4	5.3	2	31.6	1	11.2	5	11.6	1	4.7	-	-
All other causes	417	NA	4	NA	118	NA	12	NA	20	NA	58	NA	22	NA	12	NA
MARRIAGES	2,960	8.9	37	10.7	539	7.1	55	8.7	78	8.7	292	6.8	212	10.0	70	9.5
DIVORCES	1,550	4.7	27	7.8	314	4.1	23	3.6	35	3.9	163	3.8	78	3.7	12	1.6

125

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts. See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	BONNER		BONNEVILLE		BOUNDARY		BUTTE		CAMAS		CANYON		CARIBOU		CASSIA	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	39,872		89,653		10,396		2,838		1,013		158,038		7,213		21,393	
LIVE BIRTHS	388	9.7	1,674	18.7	117	11.3	36	12.7	13	12.8	3,202	20.3	92	12.8	423	19.8
Fertility rate		52.8		89.1		61.5		75.9		65.0		92.6		66.2		105.1
Out-of-wedlock births ²	111	28.6%	333	19.9%	30	25.6%	6	16.7%	2	15.4%	867	27.1%	18	19.6%	95	22.5%
Low birth weight ²	28	7.2%	133	7.9%	6	5.1%	6	16.7%	1	7.7%	196	6.1%	6	6.5%	26	6.1%
INFANT DEATHS	3	7.7	9	5.4	3	25.6	-	-	-	-	24	7.5	2	21.7	1	2.4
Neonatal deaths	1	2.6	5	3.0	2	17.1	-	-	-	-	18	5.6	1	10.9	1	2.4
Postneonatal deaths	2	5.2	4	2.4	1	8.5	-	-	-	-	6	1.9	1	10.9	-	-
PERINATAL DEATHS	2	5.2	12	7.2	3	25.6	2	55.6	-	-	33	10.3	2	21.7	3	7.1
Stillbirths	1	2.6	7	4.2	1	8.5	2	55.6	-	-	16	5.0	1	10.9	2	4.7
INDUCED ABORTIONS (resident)	55	7.5	33	1.8	9	4.7	1	2.1	-	-	150	4.3	1	0.7	7	1.7
(ratio)		141.8		19.7		76.9		27.8		-		46.8		10.9		16.5
DEATHS ³	342	857.7	613	683.7	100	961.9	33	1,162.8	9	888.5	1,047	662.5	55	762.5	178	832.0
Diseases of the heart	73	183.1	154	171.8	31	298.2	10	352.4	1	98.7	239	151.2	10	138.6	52	243.1
Malignant neoplasms	89	223.2	117	130.5	16	153.9	8	281.9	4	394.9	203	128.5	6	83.2	21	98.2
Cerebrovascular diseases	38	95.3	36	40.2	4	38.5	5	176.2	-	-	92	58.2	6	83.2	17	79.5
Accidents	20	50.2	47	52.4	9	86.6	-	-	2	197.4	75	47.5	6	83.2	17	79.5
Chronic lower respiratory diseases	17	42.6	29	32.3	8	77.0	3	105.7	-	-	57	36.1	4	55.5	7	32.7
Diabetes mellitus	10	25.1	30	33.5	3	28.9	2	70.5	-	-	27	17.1	7	97.0	8	37.4
Alzheimer's disease	12	30.1	20	22.3	1	9.6	-	-	-	-	43	27.2	1	13.9	5	23.4
Intentional self-harm (suicide)	6	15.0	15	16.7	2	19.2	1	35.2	-	-	30	19.0	-	-	2	9.3
Influenza and pneumonia	4	10.0	15	16.7	6	57.7	-	-	-	-	30	19.0	2	27.7	5	23.4
Chronic liver disease and cirrhosis	8	20.1	8	8.9	1	9.6	1	35.2	-	-	10	6.3	1	13.9	1	4.7
Nephritis, nephrotic syndrome, and nephrosis	2	5.0	11	12.3	-	-	-	-	-	-	11	7.0	1	13.9	5	23.4
All other causes	63	NA	131	NA	19	NA	3	NA	2	NA	230	NA	11	NA	38	NA
MARRIAGES	370	9.3	1,548	17.3	83	8.0	20	7.0	13	12.8	1,166	7.4	49	6.8	161	7.5
DIVORCES	240	6.0	569	6.3	39	3.8	3	1.1	4	3.9	933	5.9	30	4.2	98	4.6

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	CLARK		CLEARWATER		CUSTER		ELMORE		FRANKLIN		FREMONT		GEM		GOODING	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	906		8,393		4,114		28,878		12,199		12,263		15,963		14,346	
LIVE BIRTHS	15	16.6	55	6.6	32	7.8	517	17.9	240	19.7	235	19.2	188	11.8	256	17.8
Fertility rate	79.4		43.7		46.4		87.0		97.4		101.4		61.0		98.3	
Out-of-wedlock births ²	5	33.3%	19	34.5%	6	18.8%	95	18.4%	19	7.9%	35	14.9%	51	27.1%	83	32.4%
Low birth weight ²	1	6.7%	6	10.9%	-	-	38	7.4%	11	4.6%	15	6.4%	17	9.0%	19	7.4%
INFANT DEATHS	1	66.7	1	18.2	-	-	3	5.8	-	-	1	4.3	-	-	1	3.9
Neonatal deaths	1	66.7	-	-	-	-	2	3.9	-	-	1	4.3	-	-	1	3.9
Postneonatal deaths	-	-	1	18.2	-	-	1	1.9	-	-	-	-	-	-	-	-
PERINATAL DEATHS	1	66.7	1	18.2	-	-	4	7.7	-	-	1	4.3	4	21.3	4	15.6
Stillbirths	-	-	1	18.2	-	-	2	3.9	-	-	-	-	4	21.3	3	11.7
INDUCED ABORTIONS (resident) (ratio)	-	-	7	5.6	3	4.3	23	3.9	3	1.2	2	0.9	6	1.9	7	2.7
			127.3		93.8		44.5		12.5		8.5		31.9		27.3	
DEATHS ³	4	441.5	83	988.9	32	777.8	160	554.1	82	672.2	89	725.8	169	1,058.7	124	864.4
Diseases of the heart	1	110.4	20	238.3	8	194.5	34	117.7	18	147.6	30	244.6	43	269.4	29	202.1
Malignant neoplasms	-	-	21	250.2	7	170.2	48	166.2	9	73.8	17	138.6	49	307.0	31	216.1
Cerebrovascular diseases	1	110.4	3	35.7	4	97.2	15	51.9	15	123.0	3	24.5	9	56.4	8	55.8
Accidents	1	110.4	8	95.3	2	48.6	9	31.2	8	65.6	10	81.5	9	56.4	7	48.8
Chronic lower respiratory diseases	-	-	3	35.7	3	72.9	3	10.4	2	16.4	4	32.6	8	50.1	10	69.7
Diabetes mellitus	-	-	2	23.8	-	-	5	17.3	1	8.2	2	16.3	3	18.8	3	20.9
Alzheimer's disease	-	-	4	47.7	-	-	4	13.9	1	8.2	-	-	7	43.9	4	27.9
Intentional self-harm (suicide)	-	-	-	-	2	48.6	5	17.3	1	8.2	1	8.2	3	18.8	2	13.9
Influenza and pneumonia	-	-	4	47.7	2	48.6	4	13.9	5	41.0	3	24.5	3	18.8	4	27.9
Chronic liver disease and cirrhosis	-	-	-	-	-	-	-	-	-	-	-	-	1	6.3	1	7.0
Nephritis, nephrotic syndrome, and nephrosis	-	-	-	-	-	-	-	-	1	8.2	1	8.2	3	18.8	2	13.9
All other causes	1	NA	18	NA	4	NA	33	NA	21	NA	18	NA	31	NA	23	NA
MARRIAGES	3	3.3	64	7.6	77	18.7	274	9.5	77	6.3	111	9.1	106	6.6	107	7.5
DIVORCES	-	-	39	4.6	13	3.2	203	7.0	47	3.9	46	3.8	79	4.9	50	3.5

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.
2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population.
4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts.
See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	IDAHO		JEFFERSON		JEROME		KOOTENAI		LATAH		LEMHI		LEWIS		LINCOLN	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	15,616		20,782		19,279		122,350		35,169		7,820		3,753		4,326	
LIVE BIRTHS	166	10.6	446	21.5	365	18.9	1,635	13.4	391	11.1	71	9.1	47	12.5	73	16.9
Fertility rate	66.0		102.1		97.3		65.4		45.4		52.5		78.6		82.7	
Out-of-wedlock births ²	47	28.3%	69	15.5%	118	32.3%	413	25.3%	54	13.8%	15	21.1%	12	25.5%	18	24.7%
Low birth weight ²	7	4.2%	24	5.4%	24	6.6%	100	6.1%	15	3.8%	2	2.8%	5	10.6%	3	4.1%
INFANT DEATHS	2	12.0	4	9.0	1	2.7	7	4.3	1	2.6	-	-	-	-	-	-
Neonatal deaths	1	6.0	3	6.7	-	-	3	1.8	1	2.6	-	-	-	-	-	-
Postneonatal deaths	1	6.0	1	2.2	1	2.7	4	2.4	-	-	-	-	-	-	-	-
PERINATAL DEATHS	1	6.0	5	11.2	4	11.0	9	5.5	1	2.6	-	-	-	-	-	-
Stillbirths	-	-	3	6.7	4	11.0	6	3.7	-	-	-	-	-	-	-	-
INDUCED ABORTIONS (resident)	5	2.0	2	0.5	13	3.5	260	10.4	73	8.5	6	4.4	7	11.7	6	6.8
(ratio)	30.1		4.5		35.6		159.0		186.7		84.5		148.9		82.2	
DEATHS ³	162	1,037.4	135	649.6	122	632.8	934	763.4	213	605.6	74	946.3	47	1,252.3	47	1,086.5
Diseases of the heart	46	294.6	34	163.6	30	155.6	227	185.5	53	150.7	14	179.0	14	373.0	7	161.8
Malignant neoplasms	35	224.1	25	120.3	31	160.8	220	179.8	40	113.7	15	191.8	13	346.4	14	323.6
Cerebrovascular diseases	8	51.2	4	19.2	12	62.2	63	51.5	16	45.5	4	51.2	-	-	-	-
Accidents	8	51.2	11	52.9	8	41.5	40	32.7	9	25.6	4	51.2	1	26.6	2	46.2
Chronic lower respiratory diseases	12	76.8	10	48.1	5	25.9	50	40.9	10	28.4	4	51.2	5	133.2	2	46.2
Diabetes mellitus	4	25.6	8	38.5	8	41.5	39	31.9	5	14.2	6	76.7	5	133.2	4	92.5
Alzheimer's disease	6	38.4	6	28.9	1	5.2	21	17.2	10	28.4	1	12.8	-	-	4	92.5
Intentional self-harm (suicide)	2	12.8	7	33.7	2	10.4	21	17.2	5	14.2	1	12.8	1	26.6	-	-
Influenza and pneumonia	2	12.8	2	9.6	2	10.4	13	10.6	2	5.7	3	38.4	-	-	1	23.1
Chronic liver disease and cirrhosis	2	12.8	1	4.8	4	20.7	10	8.2	2	5.7	2	25.6	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis	2	12.8	1	4.8	2	10.4	15	12.3	1	2.8	1	12.8	-	-	1	23.1
All other causes	35	NA	26	NA	17	NA	215	NA	60	NA	19	NA	8	NA	12	NA
MARRIAGES	86	5.5	117	5.6	120	6.2	3,956	32.3	211	6.0	77	9.8	22	5.9	25	5.8
DIVORCES	52	3.3	67	3.2	105	5.4	772	6.3	97	2.8	45	5.8	13	3.5	20	4.6

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	MADISON		MINIDOKA		NEZ PERCE		ONEIDA		OWYHEE		PAYETTE		POWER		SHOSHONE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	30,782		19,229		37,823		4,143		10,998		21,587		7,483		12,827	
LIVE BIRTHS	823	26.7	333	17.3	471	12.5	51	12.3	190	17.3	313	14.5	127	17.0	116	9.0
Fertility rate		81.9		90.2		63.6		66.5		93.8		73.9		83.1		54.7
Out-of-wedlock births ²	33	4.0%	107	32.1%	168	35.7%	6	11.8%	46	24.2%	101	32.3%	34	26.8%	32	27.6%
Low birth weight ²	49	6.0%	22	6.6%	30	6.4%	2	3.9%	11	5.8%	21	6.7%	4	3.1%	4	3.5%
INFANT DEATHS	-	-	3	9.0	6	12.7	-	-	1	5.3	1	3.2	1	7.9	-	-
Neonatal deaths	-	-	-	-	6	12.7	-	-	1	5.3	-	-	1	7.9	-	-
Postneonatal deaths	-	-	3	9.0	-	-	-	-	-	-	1	3.2	-	-	-	-
PERINATAL DEATHS	1	1.2	4	12.0	9	19.1	1	19.6	3	15.8	2	6.4	1	7.9	-	-
Stillbirths	1	1.2	4	12.0	4	8.5	1	19.6	2	10.5	2	6.4	-	-	-	-
INDUCED ABORTIONS (resident) (ratio)	3	0.3	9	2.4	80	10.8	2	2.6	8	4.0	14	3.3	-	-	20	9.4
		3.6		27.0		169.9		39.2		42.1		44.7		-		172.4
DEATHS ³	118	383.3	162	842.5	400	1,057.6	43	1,037.9	83	754.7	181	838.5	55	735.0	164	1,278.6
Diseases of the heart	34	110.5	37	192.4	93	245.9	17	410.3	15	136.4	49	227.0	18	240.5	47	366.4
Malignant neoplasms	28	91.0	44	228.8	86	227.4	6	144.8	33	300.1	37	171.4	6	80.2	38	296.3
Cerebrovascular diseases	7	22.7	6	31.2	29	76.7	4	96.5	4	36.4	15	69.5	4	53.5	10	78.0
Accidents	10	32.5	8	41.6	19	50.2	2	48.3	7	63.6	8	37.1	3	40.1	11	85.8
Chronic lower respiratory diseases	3	9.7	14	72.8	33	87.2	-	-	2	18.2	10	46.3	1	13.4	8	62.4
Diabetes mellitus	6	19.5	6	31.2	11	29.1	-	-	-	-	6	27.8	4	53.5	3	23.4
Alzheimer's disease	2	6.5	3	15.6	19	50.2	-	-	2	18.2	9	41.7	2	26.7	6	46.8
Intentional self-harm (suicide)	3	9.7	9	46.8	9	23.8	-	-	3	27.3	7	32.4	3	40.1	3	23.4
Influenza and pneumonia	2	6.5	2	10.4	7	18.5	-	-	1	9.1	5	23.2	3	40.1	5	39.0
Chronic liver disease and cirrhosis	1	3.2	2	10.4	4	10.6	-	-	1	9.1	2	9.3	-	-	2	15.6
Nephritis, nephrotic syndrome, and nephrosis	-	-	1	5.2	4	10.6	1	24.1	-	-	2	9.3	-	-	1	7.8
All other causes	22	NA	30	NA	86	NA	13	NA	15	NA	31	NA	11	NA	30	NA
MARRIAGES	76	2.5	154	8.0	347	9.2	27	6.5	63	5.7	180	8.3	43	5.7	89	6.9
DIVORCES	62	2.0	58	3.0	210	5.6	8	1.9	17	1.5	112	5.2	18	2.4	44	3.4

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts.

See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2004

	TETON		TWIN FALLS		VALLEY		WASHINGTON	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION ESTIMATE 7/1/2004 ¹	7,253		67,935		7,970		10,059	
LIVE BIRTHS	143	19.7	1,125	16.6	78	9.8	131	13.0
Fertility rate		95.9		81.4		59.7		73.3
Out-of-wedlock births ²	23	16.1%	318	28.3%	19	24.4%	36	27.5%
Low birth weight ²	13	9.1%	81	7.2%	5	6.4%	12	9.2%
INFANT DEATHS	1	7.0	8	7.1	-	-	2	15.3
Neonatal deaths	1	7.0	2	1.8	-	-	2	15.3
Postneonatal deaths	-	-	6	5.3	-	-	-	-
PERINATAL DEATHS	1	7.0	12	10.7	-	-	2	15.3
Stillbirths	-	-	11	9.8	-	-	-	-
INDUCED ABORTIONS (resident) (ratio)	2	1.3	44	3.2	16	12.2	4	2.2
		14.0		39.1		205.1		30.5
DEATHS ³	26	358.5	629	925.9	68	853.2	109	1,083.6
Diseases of the heart	4	55.1	158	232.6	19	238.4	30	298.2
Malignant neoplasms	6	82.7	141	207.6	16	200.8	26	258.5
Cerebrovascular diseases	3	41.4	33	48.6	4	50.2	7	69.6
Accidents	3	41.4	33	48.6	1	12.5	7	69.6
Chronic lower respiratory diseases	1	13.8	42	61.8	10	125.5	5	49.7
Diabetes mellitus	-	-	17	25.0	1	12.5	2	19.9
Alzheimer's disease	-	-	29	42.7	2	25.1	1	9.9
Intentional self-harm (suicide)	-	-	6	8.8	4	50.2	-	-
Influenza and pneumonia	2	27.6	28	41.2	1	12.5	1	9.9
Chronic liver disease and cirrhosis	1	13.8	5	7.4	1	12.5	3	29.8
Nephritis, nephrotic syndrome, and nephrosis	-	-	8	11.8	-	-	1	9.9
All other causes	6	NA	129	NA	9	NA	26	NA
MARRIAGES	40	5.5	642	9.5	181	22.7	69	6.9
DIVORCES	24	3.3	464	6.8	48	6.0	49	4.9

1. Source: U.S. Bureau of the Census, Internet release September 9, 2005.

2. Percent out-of-wedlock live births and percent low birth weight live births are based on records with known data.

3. The rates by cause of death are expressed as the number of deaths per 100,000 population.

4. Divorces by county will not total because tribal court divorces are not included in county totals; see page 118 for number of divorces by tribal courts. See pages vi-vii for definitions and formulas.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers; caution must be exercised when attempting to draw conclusions from small data bases.

TECHNICAL NOTES

Natality

Revision of the Certificate of Live Birth

The U.S. Standard Certificate of Live Birth was revised in 2003. In 2003, Pennsylvania and Washington were the first two states to implement the 2003 revision. In 2004, Idaho implemented the 2003 U.S. Standard Certificate of Live Birth. Some items on the certificate were added or changed from previous years and some items were removed from the Idaho certificate in 2004.

New Items:

- Mother's height
- Mother's prepregnancy weight and weight at delivery
- Date of first prenatal care visit
- Date of last prenatal care visit
- Did mother get WIC food for herself during this pregnancy?
- Is infant being breastfed?
- Apgar score at 10 minutes
- Infant living at time of report

Revised Items:

- Mother's and father's race
- Mother's and father's ethnicity
- Mother's and father's education
- Cigarette smoking before and during pregnancy
- Principal source of payment for delivery
- Risk factors in this pregnancy
- Infections present and/or treated during this pregnancy
- Obstetric procedures
- Characteristics of labor and delivery
- Method of delivery
- Maternal morbidity (complications of labor and delivery)
- Abnormal conditions of the newborn
- Congenital anomalies of the newborn

Removed items:

- Month prenatal care began
- Alcohol use during pregnancy
- Weight gain during pregnancy
- Apgar score at 1 minute

Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. For births to Idaho residents delivered in states with unrevised certificates, unknown and non-compatible data were entered as "not stated" in the Idaho data base. For data analysis, only records with known data were used to calculate percents and means.

Overview of New and Revised Items

Height and weight of mother

The 2004 certificate collected data on the mother's height, prepregnancy weight, and weight at delivery for the first time. Previously, the certificate only asked for mother's weight gain during pregnancy. Height and weight information are needed to calculate maternal body mass index (BMI).

Date of first prenatal care visit

In 2004, the prenatal care item was revised from collecting month prenatal care began to collecting date of first prenatal care visit. With the revision, the calculation of trimester prenatal care began is based on date of the first prenatal care visit and the date of the last menstrual period (LMP). If LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation in weeks, and the baby's birth date are used to estimate the onset of prenatal care. If the day of first prenatal visit is missing, the day is imputed for statistical purposes based on the previous birth record with the same month of first prenatal care visit. If either month or year of prenatal care is missing or implausible, date of visit is coded to unknown.

According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because the timing for care is based on a date in the mother's medical record rather than based on mother's recollection of month of first visit¹. Because of the changes in sources for these data, prenatal care based on date of first visit is not comparable to prenatal care based on month prenatal care began.

Did mother get WIC food for herself during this pregnancy?

WIC is the Idaho Health and Welfare program for women, infants, and children that provides nutritional education, monetary checks for food, and health referrals. Data on WIC from the birth certificate may differ from data from the WIC Program.

Is infant being breastfed?

The NCHS recommended adding this item to the birth certificate because the information is important for the Maternal and Child Health program to track breast feeding levels. Data are based on infant being breastfed at the time of birth through the time the birth certificate is completed.

Apgar score

The Apgar score was developed in the 1950s by Virginia Apgar, M.D., as a means of evaluating the physical condition of the infant after birth. The score is calculated by assessing five signs of the infant at birth and designating the score of 0, 1, or 2 for each sign. The five signs checked are heart rate, respiratory effort, muscle tone, reflex irritability, and color. The Apgar score is the sum of these five values and ranges from 0 to 10, with 10 being optimum. A score of 0-3 indicates an infant in need of resuscitation; a score of 4-6 is considered intermediate; a score of 7-10 indicates good to excellent physical condition².

The data items on apgar scores were revised in 2004. The one-minute apgar score was removed from the Idaho birth certificate; the five-minute apgar remained, and the ten-minute apgar was added. The ten-minute apgar is to be completed only for infants with five-minute apgar less than six.

Infant living at time of report

If infant is not living at time of report, there is follow-up at the Bureau of Health Policy and Vital Statistics to obtain a matching infant death certificate from the state of death.

Mother's and father's race

Beginning in 2004, mothers and fathers may choose multiple races on the Idaho birth certificate. In 2004, there were 213 in-state births and five out-of-state births in which the mother reported more than one race. For statistical analysis, Idaho birth records with more than one race were provided to the National Centers for Health Statistics (NCHS) for NCHS to provide bridged-race codes for in-state births. However, mother's bridged-race codes are not provided to Idaho for out-of-state births. Idaho resident birth data provided in the table on page 31 entitled "Idaho Resident Births by Race of Mother and Residence, 2004" are based on single-race and bridged-race categories for births in Idaho and single-race categories for births out of state. The five out-of-state births with multiple race of mother are included in the total number of births, but are not shown in the table.

Year	Births to Idaho Residents in Idaho			Births to Idaho Residents Out of State		
	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2004	21,398	21,185	213	1,131	1,126	5

Prior to 2004, mother's and father's race was written on the birth certificate. For statistical analysis, races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or "other race". In 2004, the birth certificate was revised to include check boxes for races and parents had the ability to select one or more race. At the same time, the race category structure was revised. Prior to use of check boxes, write-ins of "Hispanic" or "Mexican" for race were coded to white. Beginning with 2004 births, check boxes of "other race" with write-ins of "Hispanic" or "Mexican" were coded to "other race". Therefore, race data in 2004 are not comparable with race data for births prior to 2004. In addition, population data for "other race" are not available for use in analysis from the Census Bureau and therefore, rates by mother's race are not available at this time.

Bridged Race of Mother	2003 Live Births	2004 Live Births
White	20,721	20,795
Black	104	101
Native American	361	372
Asian or Pacific Islander	344	294
Other race	13	670
Race not stated	251	292

In 2003, there were 13 Idaho mothers with race coded to "other race." Because of the newly implemented bridged-race code rules, in 2004, there were 670 Idaho resident mothers with race coded to "other race". Nearly 95 percent of the 670 mothers with race coded to "other race" were Hispanic.

Mother's and father's ethnicity

The 2004 Idaho certificate includes check boxes for Hispanic origin and allows the mother and father to choose more than one Hispanic origin. Origin is then categorized as Hispanic or non-Hispanic. Race and Hispanic origin are reported separately on the birth certificate. Data shown for Hispanic mothers may be of any race.

Mother's and father's education

The 2004 birth certificate was revised to report the highest degree or level of school completed at delivery. Prior to 2004, education was reported as years of school completed. Because of this change, data in 2004 are not comparable with data prior to 2004. For birth occurring out of state in states with unrevised birth certificates, years of schooling were entered as close as possible to highest level of school completed.

Number of Years Schooling Conversion to Highest Degree or Level of School Completed	
Number of Years Schooling	Highest Level of School Completed
0-8 years	8 th grade or less (includes none)
9-11 years	9 th – 12 th grade, but no diploma
12 years	High school graduate or GED completed
13-15 years	Some college credit, but no degree, includes associate's degree
16 years	Bachelor's degree
17 or more years	Master's, doctorate or professional degree

Cigarette smoking before and during pregnancy

Prior to 2004, tobacco use during pregnancy (yes or no) and average number of cigarettes per day were reported on the birth certificate. Beginning in 2004, the Idaho birth certificate includes four data items for cigarette smoking before and during pregnancy. The revised certificate collects data on average number of cigarettes smoked per day during the three months before pregnancy, the first three months of pregnancy, the second three months of pregnancy, and the third three months of pregnancy. For births occurring out of state in states with unrevised certificates, if mother used tobacco during pregnancy, the birth record was coded to mother smoked cigarettes during all three trimesters of pregnancy. There were 20 records in 2004 in which mother smoked during pregnancy and birth occurred in a state which does not ask for cigarette smoking data by trimester of pregnancy. Data for cigarettes smoking prior to pregnancy were not collected on the unrevised certificate and were coded to "not stated" for data analysis.

Data based on mother's cigarette smoking status during the three trimesters of pregnancy were used to generate a data item for mother smoking during pregnancy. Mother's who smoked during the first three months of pregnancy, the second three months of pregnancy, or the third three months of pregnancy were coded to "yes" smoked cigarettes during pregnancy for data analysis. Because of changes in the method data are collected for smoking during pregnancy, Idaho data for 2004 are not comparable with Idaho data prior to 2004 or other data based on tobacco use during pregnancy.

Medical and health section

The medical and health section for mother includes risk factors in this pregnancy, infections present and/or treated during this pregnancy, obstetric procedures that applied to this pregnancy, onset of labor, characteristics of labor and delivery, method of delivery, and maternal morbidity (complications of labor and delivery). The medical and health section for the infant includes abnormal conditions of the newborn and congenital anomalies of the newborn. There were extensive changes for each of these items on the revised certificate. Every effort was made to code information for births born out of state in states with unrevised certificates to the appropriate data item in the Idaho data base.

Risk factors in this pregnancy

The definition of selected medical risk factors of the mother during this pregnancy are provided by the CDC, NCHS³.

Prepregnancy diabetes – Glucose intolerance requiring treatment diagnosed prior to this pregnancy.

Gestational diabetes - Glucose intolerance requiring treatment diagnosed during this pregnancy.

Prepregnancy hypertension – Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed prior to the onset of this pregnancy.

Gestational hypertension - Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed during this pregnancy.

Previous preterm birth – History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation.

Other previous poor pregnancy outcome – History of pregnancy(ies) with fetal and neonatal death, small for gestational age, and/or intrauterine growth restricted birth.

Vaginal bleeding during pregnancy – Any reported or observed bleeding per vaginum at any time in the pregnancy presenting prior to the onset of labor.

Infertility treatment- Any assisted reproduction technique whether artificial insemination, drugs, or any technical procedures (in-vitro fertilization) used to initiate the pregnancy.

Previous cesarean delivery - Previous operative delivery in which the fetus is extracted through an incision in the maternal abdominal and uterine walls.

Infections present and/or treated during this pregnancy

The revised U.S. birth certificate includes six infections which are known to cause concomitant fetal and/or subsequent neonatal infection. The infections listed on the U.S. revised certificate are Gonorrhea, Syphilis, Herpes Simplex Virus (HSV), Chlamydia, Hepatitis B, and Hepatitis C. In addition to the infections listed on the revised U.S. certificate, the Idaho birth certificate includes HIV, Listeria, group B streptococcus, Cytomegalovirus, Parvovirus, and Toxoplasmosis. The CDC provides more information on these infections at <http://www.cdc.gov/>.

Gonorrhea - Infection due to *Neisseria gonorrhoeae* transmitted sexually (a STD) in most cases, but also by contact with infected exudates in neonatal infants at birth.

Syphilis - A subacute to chronic infectious disease caused by the spirochete *Treponema pallidum*, which is usually transmitted sexually or acquired in utero.

HIV (Human immunodeficiency virus) – HIV is the virus that causes AIDS (acquired immune deficiency syndrome). HIV may be transmitted sexually or through infected blood or contact with an infected person's broken skin or mucous membranes. In addition, infected pregnant women can pass HIV to their baby during pregnancy or delivery, as well as through breast-feeding.

Herpes Simplex Virus (HSV) – Infection of the skin on the genital area by herpes simplex virus and is transmitted sexually.

Chlamydia - A disease transmitted sexually that is caused by the bacterium *Chlamydia trachomatis*.

Listeria - A genus of bacteria of uncertain affiliation, closely resembling those of the family *Corynebacteriaceae*, made up of small, coccoid gram-positive rods that have a tendency to form chains and palisades; they are found in the feces of humans and other animals, on vegetation, and in silage.

Group B Streptococcus (GBS) - A type of bacteria that can cause serious illness and death in newborns. Group B streptococcus is the most common cause of sepsis (blood infection) and meningitis (infection of the fluid and lining around the brain) in newborns. It is not spread by the consumption of water or food or transmitted sexually.

Cytomegalovirus (CMV) – A common virus of the subfamily *Betaherpesvirinae* that can be present in the body without causing infection. It is spread from person to person by contact with urine, saliva, breast milk, blood, semen, and possibly other body fluids. The virus can be spread from an infected mother to her fetus or newborn baby.

Parvovirus - Parvovirus B19 is a virus that commonly infects humans; about 50 percent of all adults have been infected sometime during childhood or adolescence. Parvovirus B19 infects only humans. There are also animal parvoviruses, but they do not infect humans. Therefore, a person cannot catch parvovirus B19 from a dog or cat.

Toxoplasmosis - A disease caused by a single-cell parasite called *Toxoplasma gondii*. The *Toxoplasma* infection could cause serious health problems in pregnant women. *Toxoplasma* infection occurs from contaminated food or drinking water and cat feces from a *Toxoplasma*-infected cat. Most infants are infected while still in the womb. They have no symptoms at birth, but they may develop symptoms later in life.

Hepatitis B (HBV) - A serious disease caused by a virus that attacks the liver. This virus can cause lifelong infection, cirrhosis (scarring) of the liver, liver cancer, liver failure, and death. The Hepatitis virus may be transmitted sexually, through contaminated blood, or from infected mothers to their infants at birth.

Hepatitis C - A disease caused by the Hepatitis C virus which results in infection of the liver. The Hepatitis C virus is spread by contact with contaminated blood or plasma. The role of person-to-person contact and sexually transmission is unclear, but it may be transmitted from an infected mother to her baby during birth.

Characteristics of labor and delivery

Characteristic of labor and delivery include information about the course of the delivery. Definitions of are provided by the CDC, NCHS³.

Induction of labor - Initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor.

Augmentation of labor - Stimulation of uterine contractions by drug or manipulative technique with the intent to reduce the time to delivery.

Non-vertex presentation - Includes any non-vertex fetal presentation, e.g., breech, shoulder, brow, face presentations, and transverse lie in the active phase of labor or at delivery other than vertex.

Steroids (glucocorticoids) for fetal lung maturation - Steroids received by the mother prior to delivery including betamethasone, dexamethasone, or hydrocortisone specifically given to accelerate fetal lung maturation in anticipation of preterm delivery. Excludes steroid medication given to the mother as an anti-inflammatory treatment.

Antibiotics during labor - Includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery.

Chorioamnionitis or Maternal temp. >100.4 degrees F - A clinical diagnosis of chorioamnionitis during labor made by the delivery attendant. Usually includes more than one of the following: fever, uterine tenderness and/or irritability, leukocytosis, and fetal tachycardia.

Moderate/heavy meconium staining of amniotic fluid - Staining of the amniotic fluid caused by passage of fetal bowel contents during labor and/or delivery which is more than enough to cause a greenish color change of the fluid.

Fetal intolerance of labor - In-utero resuscitation measure (maternal position change, oxygen administration to the mother, IV fluid, amnioinfusion, support of maternal blood pressure, uterine relaxing agents), further fetal assessment (scalp pH, scalp stimulation, acoustic stimulation), operative delivery/intervention to shorten time to deliver the fetus.

Epidural or spinal anesthesia during labor - Administration of a regional anesthetic to the mother for control of the pain of labor, i.e., delivery of an agent into a limited space with the distribution of the analgesic effect limited to the lower body.

Maternal morbidity (complications of labor and delivery)

Maternal morbidity includes serious complications experienced by the mother associated with the labor and delivery. Definitions of are provided by the CDC, NCHS³.

Maternal transfusion - Includes infusion of whole blood or packed red blood cells within the period specified.

Third or fourth degree perineal laceration - Third degree laceration extends completely through the perineal skin, vaginal mucosa, perineal body, and anal sphincter. Fourth degree laceration is all of the above with extension through the rectal mucosa.

Ruptured uterus - Tearing of the uterine wall.

Unplanned hysterectomy - Surgical removal of the uterus that was not planned prior to admission for delivery. Includes an anticipated or possible but not definitively planned procedure.

ICU admission - Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care (ICU).

Unplanned operating room procedure following delivery - Any transfer of the mother back to a surgical area for an operative procedure that was not planned prior to the admission for delivery. This complication excludes postpartum tubal ligations.

Abnormal conditions of the newborn

Abnormal conditions of the newborn include disorders or significant morbidity experienced by the newborn infant. Definitions of abnormal conditions are provided by the CDC, NCHS³.

Assisted ventilation required immediately following delivery - Infant given manual breaths with bag and mask or bag and endotracheal tube within the first several minutes from birth for any duration.

Assisted ventilation required for more than six hours – Infant given mechanical ventilation (breathing assistance) by any method for more than six hours.

Seizure or serious neurologic dysfunction - Seizure defined as any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction defined as severe alteration of alertness such as obtundation, stupor, or coma.

Significant birth injury (injury present immediately following delivery or manifesting following delivery) - Any bone fracture or weakness or loss of sensation. This condition excludes fractured clavicles and transient facial nerve palsy.

NICU admission – NICU (neonatal intensive care unit) is defined as a facility or unit staffed and equipped to provide continuous mechanical ventilatory support for the newborn. The infant may require additional or other medical support in an NICU than continuous mechanical ventilatory support.

Newborn given surfactant replacement therapy - Treatment of surfactant deficiency either due to preterm birth or pulmonary injury resulting in decreased lung compliance.

Antibiotics received by the newborn for suspected neonatal sepsis - Any antibacterial drug given systemically.

Failed newborn hearing test - Failure of the newborn hearing screening test in one or both ears. Data are based on infants given the test in which test results were available prior to the birth

certificate being filed with the state. Newborn hearing screening tests may vary by birth facility.

Congenital anomalies of the newborn

These items are anomalies which are diagnosable within the first 24 hours following birth using widely available conventional diagnostic techniques. Definitions of are provided by the CDC, NCHS³.

Anencephaly - Absence of the cerebral hemispheres.

Meningomyelocele/spina bifida - Developmental anomaly characterized by defective closure of the bony encasement of the spinal cord, through which the cord and meninges may or may not protrude.

Cyanotic congenital heart disease - Congenial heart defects which cause cyanosis. Includes, but is not limited to, transposition of the great arteries, teratology of Fallot, pulmonary or pulmonic valvular atresia, tricuspid atresia, truncus arteriosus, and total or partial anomalous pulmonary venous return with or without obstruction.

Congenital diaphragmatic hernia - Defects in the formation of the diaphragm allowing herniation of abdominal organs into the thoracic cavity.

Omphalocele - Protrusion of variable amounts of abdominal viscera from a midline defect at the base of the umbilicus.

Gastroschisis - The abdominal viscera protrude through an abdominal wall defect, usually on the right side of the umbilical cord insertion.

Limb reduction defect - Complete or partial absence of a portion of an extremity secondary to failure to develop. Congenital amputation and dwarfing syndromes are excluded.

Cleft lip with or without cleft palate - Refers to incomplete closure of the lip. Cleft lip may be unilateral, bilateral, or median.

Cleft palate alone - Refers to incomplete fusion of the palatal shelves. This may be limited to the soft palate or may also extend into the hard palate.

Down syndrome (karyotype confirmed and karyotype pending - The most common chromosomal defect, with most cases resulting from an extra chromosome (Trisomy 21).

Suspected other chromosomal disorder (karyotype confirmed and karyotype pending) - Includes any constellation of congenital malformations resulting from or compatible with known syndromes caused by detectable defects in chromosome structure.

Hypospadias – Congenital malformations of genital organs.

Principal source of payment for delivery

In 2004, the Idaho birth certificate included eight check boxes for the principle source of payment for this delivery: private insurance, Medicaid, self-pay, Indian Health Services, CHAMPUS/TRICARE, other government, other, and none. If no check box was selected, payment source was coded to “not stated”. For data analysis, records with Indian Health Services, CHAMPUS/TRICARE, or other government selected were categorized as “other government”. Principal source for payment was added to the Idaho certificate in 1996. The categories listed from 1996 to 2003 were: HMO, self-pay, other health insurance, Medicaid, and other government. Data from 1996 to 2003 are not comparable with 2004 data for payment source for delivery. Data for Medicaid-paid births from the birth certificate may not match data from the Medicaid Program. In addition, the principal source for payment may change after the certificate is filed with the state.

Method of delivery

In 2004, the Idaho birth certificate was revised to collect additional data for cesarean births. The revised certificate asks for two additional data items regarding cesarean deliveries, 1) was a trial of labor attempted, and 2) number of previous cesarean deliveries.

The formulas for calculating rates by method of delivery are based on mother’s delivery history. For mothers with no previous deliveries or with a previous vaginal delivery, the method of delivery for this birth will either be vaginal or primary cesarean. For women with a previous cesarean delivery, the method of delivery for this birth will either be vaginal birth after cesarean (VBAC) or repeat cesarean. See below for formulas for rates by method of delivery:

Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: $[(\text{vaginal, non-VBAC births}) / (\text{total births} - \text{births with unknown method of delivery})] \times 100$

Vaginal birth after previous cesarean (VBAC) rate: Number of vaginal deliveries per 100 births to women with a previous cesarean.

Formula: $[(\text{VBAC births}) / (\text{VBAC births} + \text{repeat cesarean births})] \times 100$

Total cesarean rate: Number of cesarean deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: $[(\text{total cesarean births}) / (\text{total births} - \text{births with unknown method of delivery})] \times 100$

Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans. Rate is based on records with known data for method of delivery.

Formula: $[(\text{primary cesarean births}) / (\text{total births} - \text{VBAC's} - \text{repeat cesareans} - \text{births with unknown method of delivery})] \times 100$

Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.

Formula: $[(\text{repeat cesarean births}) / (\text{repeat cesarean births} + \text{VBAC births})] \times 100$

Mortality

Revision of the Certificate of Death

A new U.S. Standard Certificate of Death was implemented on January 1, 2003 and at that time five states including Idaho implemented the revision within their states. The revision of the death certificate included three new data fields relating to the cause of death:

- 1) Did tobacco use contribute to the death?
- 2) What was the pregnancy status of females aged 10-54?
- 3) What type of safety device(s) did decedent use/employ (transportation deaths)?

In addition to the new variables, there were notable changes to existing data fields. One was a revision to the manner in which decedent's education is collected. Prior to 2003, data collected for decedent's education were based on number of years of school; beginning in 2003, data are based on the education level that best describes the highest degree or level of school completed at time of death.

Another notable change to the death certificate in 2003 was on decedent's race and ethnicity. In 2003, the Idaho death certificate was revised to allow for more than one race and more than one Hispanic origin of the decedent. To facilitate coding and processing of multiple-race data in a uniform manner for all vital statistics jurisdictions, the National Center for Health Statistics (NCHS) developed a computer system to code and edit reported race and ethnicity data.

Race of decedent

Beginning in 2003, Idaho Vital Statistics transmitted Idaho death records to NCHS, NCHS re-coded multiple-race categories to single-race codes; NCHS returned the records back to Idaho for analysis. The data used for analysis was the "bridged-multiple race" code on each death certificate. The bridging procedure is similar to the procedure used to bridge multiracial population estimates. For Idaho death certificates, multiracial decedents are imputed to a single race using a coding algorithm according to their combination of races, Hispanic origin, sex, and age indicated on the death certificate. The categories for the bridged race codes are the four main categories used by NCHS – White, Black, American Indian or Alaskan Native, Asian or Pacific Islander. In addition, there is a fifth category in Idaho for "other race of decedent".

The imputation of multiple-race to single-race procedure is described at the CDC's website at: <http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm>.

Idaho was one of the first states to adopt a new death certificate in 2003; however, not all states adopted multiple-race options in 2003. In 2003, all records received by Idaho Vital Statistics for Idahoans who died out state reported single-race. In 2004, there was one out-of-state death certificate with multiple-races of decedent reported. Bridged-race codes are not provided to Idaho for out-of-state records; therefore not all Idaho resident records have bridged-race codes to be used for data analysis. Idaho resident death data provided in the table on page 70 entitled "Idaho Resident Deaths by Race and Ethnicity, 2004" are based on single-race and bridged-race

categories for deaths in Idaho and single-race categories for deaths out of state. There was one out-of-state death with multiple races listed for decedent; this record is included in the total number of deaths, but is not shown in the table.

Year	Deaths to Idaho Residents in Idaho			Deaths to Idaho Residents Out of State		
	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2003	9,774	9,747	27	590	590	0
2004	9,430	9,408	22	583	582	1

Other race category

Prior to 2003, decedent’s race was a write-in response on the death certificate. Races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or “other race”. With the change to check boxes on the certificates and the ability to select one or more race, the race category structure was revised. Prior to use of check boxes, if the term “Hispanic” or “Mexican” was written on the certificate as race, then race was coded to white. Beginning in 2003, if the check box “other race” was checked and the write-in for other race was specified as “Hispanic” or “Mexican”, then race was coded to “other race”. Therefore, race data for deaths in 2003-2004 are not comparable with race data prior to 2003.

Prior to 2003, the number of deaths categorized as “other race” was historically low. For example, in 2002, there were four residents deaths reported as “other race”. Due to the change in the methodology, the number of records with “other race” of decedent increased to 58 in 2003 and 77 in 2004.

Cause-of-Death Classification

Mortality statistics are compiled in accordance with the World Health Organization (WHO) regulations, which specify that member nations, including the United States, classify and code causes of death in accordance with the International Statistical Classification of Diseases and Related Health Problems. The tenth revision of the International Classification of Diseases (ICD-10) was implemented in the United States beginning with deaths occurring in 1999 and replaces the ninth revision of the ICD (ICD-9), which was used from 1979 through 1998. Some changes from ICD-9 to ICD-10 include:

1. ICD-10 is far more detailed than ICD-9, with about 8,000 categories compared with 4,000 categories.
2. ICD-10 uses 4-digit alphanumeric codes, compared to 4-digit numeric codes in ICD-9.
3. Some cause-of-death titles have been changed, and conditions have been regrouped.
4. Some cause-of-death coding rules have been changed.

For more information on ICD, go to the Centers for Disease Control and Prevention website link at <http://www.cdc.gov/nchs/about/major/dvs/icd10des.htm>.

Comparability Ratio

The change from ICD-9 to ICD-10 may result in discontinuities in cause-of-death trends. These discontinuities are measured using comparability ratios. NCHS developed comparability ratios to measure the level of agreement between classification systems for causes of death. Go to <http://www.cdc.gov/nchs/datawh/nchsdefs/comparabilityratio.htm> for more information regarding comparability ratios.

The comparability ratio is the result of a study completed by NCHS in which a sample of U.S. mortality records was coded by both the new (ICD-10) and the old revision (ICD-9) codes.

Comparability ratio:
$$\frac{\text{Number of deaths for a cause of death based on ICD-10 code(s)}}{\text{Number of deaths for a cause of death based on the most comparable ICD-9 code(s)}}$$

A comparability ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause whether ICD-9 or ICD-10 was used. A comparability ratio of less than 1.00 indicates fewer deaths would be coded to the cause of death using ICD-10 compared with ICD-9, solely because of the revision of the ICD. For example, a ratio of 0.83 indicates there were 17 percent fewer deaths (1.00-0.83) for this cause because of the code revision. A comparability ratio of more than 1.00 indicates more deaths occurred from this cause using ICD-10 compared with ICD-9, only because of the implementation of ICD-10. A ratio of 1.19 indicates 19 percent more deaths (absolute difference of 1.00-1.19) were attributed to the cause using ICD-10 than would have been using ICD-9.

Because ICD-10 is more detailed than ICD-9, and because of changes in the coding rules, the ICD-9 codes most comparable to ICD-10 codes may or may not be the ICD-9 codes used to categorize cause of death from 1979-1998. The ICD-9 codes most comparable to ICD-10 codes are called Modified ICD-9 codes. For example, from 1979-1998, the ICD-9 codes used for Diseases of the heart were 390-398, 402, and 404-429. To compare with ICD-10, the Modified ICD-9 codes for Diseases of the heart changed to 390-398, 402, 404, and 410-429. Other examples of causes of death that were modified are Major cardiovascular diseases, Ischemic heart disease, All other forms of chronic ischemic heart disease, Cerebrovascular diseases (stroke), Chronic lower respiratory diseases (formally called Chronic obstructive pulmonary disease), Other chronic lower respiratory diseases, and Accidents. For the complete list of Modified ICD-9 codes, refer to the List of 113 Selected Causes of Death in Table 1 in the Technical Notes of this report.

To show trends in data, NCHS has instructed states to treat ICD-10 as the standard and adjust statistics prior to 1999 using Modified ICD-9 codes and comparability ratios. **Therefore, mortality statistics provided in this report are NOT comparable to previously published mortality statistics based on non-modified ICD-9 codes.** Idaho trend data using Modified ICD-9 codes and comparability ratios are available upon request.

Age-Adjusted Mortality Rates Standardized to the Year 2000 U.S. Standard

Age adjustment is a statistical technique used to standardize rates. The technique is employed when comparing two or more populations with different age distributions. Age-adjusted

rates are artificial measures for comparison purposes only and should not be used to measure the absolute magnitude of a health issue. To allow for comparison, the same standard population must be used. If different standard populations are used to compute the age-adjusted rates (1940 and 2000, for example), then the age-adjusted rates are NOT comparable. Statistically, it is a weighted average of the age-specific death rates, where the weights represent the fixed population proportions by age.

There are two methods for age-adjusting rates: direct and indirect. In this report, Idaho age-adjusted rates were developed using the following steps for the direct method:

- 1) Calculate **age-specific rates** for the 11 age groups used in the 2000 standard million: less than 1, 1-4, 5-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, and 85 and older.

$$\frac{(\text{Annual number of deaths in age group})}{(\text{Population of age group for corresponding year})}$$

- 2) Calculate **expected number of deaths** for each age group.

$$(\text{2000 U.S. standard million population of age group}) \times (\text{Age-specific rate})$$

- 3) Calculate **total expected number of deaths**.

$$(\text{Sum of expected deaths for all age groups})$$

- 4) Calculate **age-adjusted rate per 100,000 persons**.

$$\frac{(\text{Total expected deaths})}{(\text{Standard million})} \times 100,000$$

YEAR 2000 U.S. STANDARD POPULATION	
All ages	1,000,000
Under 1 year	13,818
1-4 years	55,317
5-14 years	145,565
15-24 years	138,646
25-34 years	135,573
35-44 years	162,613
45-54 years	134,834
55-64 years	87,247
65-74 years	66,037
75-84 years	44,842
85+ years	15,508

Life Expectancy

Data used to calculate Idaho life expectancy are based on July 1, 2004, population estimates from the U.S. Bureau of the Census, age-specific population estimates computed by the Bureau of Health Policy and Vital Statistics, and 2004 Idaho resident mortality rates. Average number of years of life remaining (${}^o e_x$) is the expectation of life for those who survived to age x.

$${}^o e_x = T_x / l_x$$

T_x is the total time lived beyond age x by all individuals of the life table proportion alive at age x; l_x is the number of persons who survive to the exact age marking the beginning of each age interval. The number alive at age 0 (l_0) is taken arbitrarily as 100,000.

Years of Potential Life Lost (YPLL)

Years of potential life lost (YPLL) is a statistic used to measure the number of years of life lost in a population when persons in that population die prematurely. YPLL provides valuable information regarding the causes of death that contribute most significantly to premature mortality. For example, in 2004, Accidents was the fourth-leading cause of death of Idahoans and accounted for 5.9 percent of all resident deaths. However, Accidents was the second leading cause of premature death under age 75 and accounted for 14.3 percent of all YPLL in 2004.

In order to calculate YPLL, a standard must be chosen (e.g., age 75) as a reference point for years of life lost. The number of years of life lost is then calculated for each person dying before the standard age. Assume a standard of 75 years of age is chosen. For calculation purposes, all people are considered half way through the year of their age at death. For example, an infant who dies under one year of age is considered .5 years of age at death, and a child who dies at age one - between its first and second birthday - is considered 1.5 years of age, and so forth. Therefore, a person dying at 39 has lost 35.5 years of life relative to the standard (i.e., 75 years – 39.5 years = 35.5 years). To obtain YPLL, the number of years of life lost for each person in the population dying before the standard age is summed. Persons dying at 75 years of age or older would be excluded from the analysis, because they have not lost years of life relative to the standard. For this report, a standard of 75 years of age was chosen to calculate YPLL.

Population

The Office of Management and Budget announced revisions to the standards for classification of federal data on race and ethnicity on October 30, 1997. These standards require that agencies offer individuals the opportunity to select one or more races when reporting information on race in federal data collections. The Census in 2000 was the first nationwide implementation of the revised standards.

The files released from the U.S. Census Bureau contain data for single race categories (including “Other race” category) and multiple race categories. This presents problems for vital rates from two standpoints: first, the file contains counts of persons with more than one race and therefore, is not compatible with vital statistics numerators; second, the file contains the “Other race” category that is not used to calculate vital statistics rates.

NCHS contracted with the Census Bureau to produce a “bridged” data set in which all multiple race persons are allocated to a single race, to reproduce what these people would have reported had they not had the option to report more than one race. In September 2005, NCHS released state and county population estimates for July 1, 2004. These estimates are for the four race groups (White, Black, American Indian or Alaska Native, Asian or Pacific Islander (including Native Hawaiian)) by single year of age, sex, and Hispanic origin.

Standard Race Categories April 1, 2000 Census for Idaho		
Race	Number	Percent
Total	1,293,953	100.0%
White	1,177,304	91.0%
Black	5,456	0.4%
American Indian/Alaskan Native	17,645	1.4%
Asian	11,889	0.9%
Native Hawaiian/Pacific Islander	1,308	0.1%
Other race	54,742	4.2%
Two or more races	25,609	2.0%

Standard Race Categories Idaho Bridged Postcensal 2002, 2003 and 2004 Estimates						
Race	July 1, 2002		July 1, 2003		July 1, 2004	
	Number	Percent	Number	Percent	Number	Percent
Total	1,343,124	100.0%	1,366,332	100.0%	1,393,262	100.0%
White	1,295,362	96.4%	1,316,780	96.4%	1,343,609	96.4%
Black	9,051	0.7%	9,764	0.7%	10,178	0.7%
American Indian/ Alaskan Native	21,388	1.6%	21,760	1.6%	21,951	1.6%
Asian/Pacific Islander	17,323	1.3%	18,028	1.3%	17,524	1.3%

1. "Report of the Panel to Evaluate the U.S. Standard Certificates," National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.

2. "Births: Final Data for 2003," [National Vital Statistics Reports](#), National Center for Health Statistics, Vol. 54/No.2, September 8, 2005.

3. "Birth Edit Specifications for the 2003 Revision of the U.S. Standard Certificate of Birth" National Center for Health Statistics, Division of Vital Statistics, April 2004, Updated March 18, 2005.

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 July 2006