IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Division of Public Health
Idaho Department of Health & Welfare

2014 Idaho Vital Statistics

Vital Statistics 2014

Contact

For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at www.healthstatistics.dhw.idaho.gov.

Art Design

Special thanks go to Jeff Harder of Boise, Idaho, for his excellent artwork and his design of the cover and divider pages.

Prepared by

This report was prepared by Pam Harder, Research Analyst Supervisor, Elsa Howard, Senior Research Analyst, and Martijn van Beek, Senior Research Analyst, each of the Idaho Department of Health and Welfare.

Citation

Suggested citation: *Idaho Vital Statistics 2014*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, May 2016.

TABLE OF CONTENTS

	Page
DEFINITIONS AND FORMULAS	vi
POPULATION	1
April 1, 2000 and April 1, 2010 census, and July 1, 2014 population estimates and percent change (*U.S., states*)	3
April 1, 2000, and April 1, 2010 census, and July 1, 2011-July 1, 2014 population estimates and percent change *(districts, counties)*	4
July 1, 2014 estimates, April 1, 2000 and April 1, 2010 census, and percent change *(cities)*	6
July 1, 2014 population by race and ethnicity *(Idaho, districts, counties)*	10
July 1, 2014 population by race by ethnicity *(Idaho, districts, counties)*	11
July 1, 2014 population by age by race or ethnicity and sex *(Idaho)*	12
July 1, 2014 population by age and sex *(Idaho, districts, counties)*	13
July 1, 2014 population by single years of age and sex *(Idaho)*	17
TRENDS AND SUMMARY	18
Idaho vital statistics, 2004-2014	20
Summary of 2014 births, deaths, marriages, divorces *(U.S., Idaho, districts, counties)*	22
Summary of 2014 infant, fetal, perinatal mortality *(U.S., Idaho, districts, counties)*	23
Live births, number and rate, 1920-2014	24
Teen pregnancies, number and rate by age, 2003-2014	25
Teen live births, number and rate by age, 2003-2014	25
Deaths, number and rate, 1920-2014	26
Marriage and divorces, number and rate, 1950-2014	27
Idaho vital events, 2014	28
NATALITY	29
Live births and rates, 2010-2014 *(U.S., Idaho, districts, counties)*	36
2014 Live births: sex and race/ethnicity *(Idaho, districts, counties)*	37
2014 Live births: age of mother *(Idaho, districts, counties)*	38
2014 Live births: education of mother *(Idaho, districts, counties)*	39
2014 Live births: attendant at birth *(Idaho, districts, counties)*	40
2014 Live births: place of birth *(Idaho, districts, counties)*	41
2014 Live births: birth and fertility rates *(U.S., Idaho, districts, counties)*	42
2014 Live births: live birth order by age of mother	43
2014 Live births: fertility and age-specific rates *(U.S., Idaho)*	43
Prenatal care	44
2014 Live births: prenatal care by mother's characteristics	45
2014 Live births: trimester when prenatal care began *(Idaho, districts, counties)*	46
2014 Live births: APNCU Index of prenatal care *(Idaho, districts, counties)*	47
2014 Low birthweight live births: weight at birth *(U.S., Idaho, districts, counties)*	48
2014 Low birthweight live births: race/ethnicity of mother *(Idaho, districts, counties)*	49
2014 Low birthweight live births: age of mother *(Idaho, districts, counties)*	50
2014 Low birthweight live births: live birth order by age of mother	51
2014 Low birthweight live births: age-specific percentages *(U.S., Idaho)*	51
2014 Live births: birthweight by gestational age	52
2014 Live births: birthweight by cigarette smoking status during pregnancy	52
2014 Live births: gestational age in weeks *(U.S., Idaho, districts, counties)*	53
2014 Live births: number and percent of births by plurality (*Idaho, districts*)	54
2014 Live births: plurality by gestational age	54
2014 Live births: plurality by birthweight	54
2014 Live births: WIC participation, infant breastfed *(Idaho, districts, counties)*	55
Out-of-wedlock live births	56
2014 Out-of-wedlock live births: race/ethnicity of mother *(Idaho, districts, counties)*	58

TABLE OF CONTENTS (CONTINUED)

2014 Out-of-wedlock live births: age of mother *(Idaho, districts, counties)* 59
2014 Out-of-wedlock live births: live birth order by age of mother 60
2014 Out-of-wedlock live births: age-specific percentages *(U.S., Idaho)* 60
2014 Live births: risk factors, infections present and/or treated during pregnancy by age of mother 61
2014 Live births: risk factors, infections present and/or treated during pregnancy 61
2014 Live births: maternal morbidity (complications), characteristics of labor and delivery by age of mother 62
2014 Live births: maternal morbidity (complications), characteristics of labor and delivery 62
2014 Live births: abnormal conditions of the newborn 63
2014 Live births: congenital anomalies of the newborn 63
2014 Live births: method of delivery (*U.S., Idaho, districts, counties*) 64
2014 Live births: method of delivery by birthweight 65
2014 Live births: method of delivery by gestational age 65
2014 Live births: method of delivery by principal source of payment for delivery 66
2014 Live births: method of delivery by age of mother 66
2014 Live births: principal source of payment for delivery by birth attendant 67
2014 Live births: principal source of payment for delivery by age of mother 67
2014 Live births: principal source of payment for delivery (*Idaho, districts, counties*) 68
2014 Live births: cigarette smoking before and during pregnancy by trimester (*Idaho, districts, counties*) 69
2014 Live births: cigarette smoking during pregnancy by age of mother 70
2014 Live births: cigarette smoking during pregnancy by race and ethnicity of mother 70
2014 Live births: pre-pregnancy body mass index (*Idaho, districts, counties*) 71
2014 Live births: pre-pregnancy body mass index by age of mother 72
2014 Live births: pre-pregnancy body mass index by race and ethnicity of mother 72
2014 Teen pregnancy: fertility rates, percent out-of-wedlock, percent low birthweight by age *(U.S., Idaho)* 73
2014 Teen pregnancy: pregnancy rates, abortion rates and ratios by age 73
2014 Teen pregnancy: total pregnancies and rates by age of female *(Idaho, districts, counties)* 76
2014 Teen live births: age of mother *(Idaho, districts, counties)* 77
2014 Teen live births: out-of-wedlock by age of mother *(Idaho, districts, counties)* 78
2014 Teen live births: low birthweight by age of mother *(Idaho, districts, counties)* 79
2014 Teen abortions: abortions, ratios and rates by age of patient *(Idaho, districts, counties)* 80
2014 Most common given names and selected unique names 81

MORTALITY 82
Deaths and rates, 2010-2014 *(U.S., Idaho, districts, counties)* 86
2014 Deaths: age at death *(Idaho, districts, counties)* 87
2014 Deaths: sex and race/ethnicity *(Idaho, districts, counties)* 88
2014 Deaths: ten leading causes, percent of deaths, crude rates and age-adjusted rates *(U.S., Idaho)* 89
2014 Deaths: ten leading causes by sex, percent of deaths, crude rates and age-adjusted rates *(U.S., Idaho)* 90
2014 Deaths: ten leading causes by age group (total) 91
2014 Deaths: ten leading causes by age group (males) 92
2014 Deaths: ten leading causes by age group (females) 93
2014 Deaths: ten leading causes of premature deaths, total and by sex, based on years of potential life lost before age 75 94
2014 Deaths: life expectancy, by sex *(Idaho, districts)* 95
2014 Deaths: malignant neoplasms by leading site of cancer *(Idaho, districts, counties)* 96
2014 Deaths: malignant neoplasms by leading site of cancer by sex *(Idaho, districts, counties)* 97
2014 Deaths: primary site of malignant neoplasms by sex 98
2014 Deaths: selected causes *(Idaho, districts, counties)* 100

TABLE OF CONTENTS (CONTINUED)

2014 Deaths: 113 selected causes by age 102
2014 Deaths: accidental deaths by age 113
2014 Deaths: accidental deaths by place of injury and accident type 118
2014 Deaths: work injury deaths occurring in Idaho by manner, sex and age 119
2014 Deaths: accidental work injury deaths occurring in Idaho by industry and place of injury 119
2014 Deaths: firearm injury, alcohol-induced, and drug-induced deaths (*U.S., Idaho, districts*) by age, sex, and manner (*Idaho*) and years of potential life lost before age 75 120
2014 Deaths: disposition method *(Idaho, districts, counties)* 121
Infant, fetal, and maternal mortality 122
Infant deaths and rates, 2010-2014 *(U.S., Idaho, districts, counties)* 125
2014 Infant deaths: sex and race/ethnicity *(Idaho, districts, counties)* 126
2014 Infant deaths: causes of death, neonatal and postneonatal 127
2014 Infant deaths and rates: age of mother 127
2011-2014 Infant deaths: causes of death *(Idaho, districts, counties)* 128
2014 Infant deaths: neonatal, postneonatal *(U.S., Idaho, districts, counties)* 129
Infant mortality: three-year rates, 2002-2004 through 2011-2014 *(Idaho, districts, counties)* 130
Stillbirths and ratios, 2010-2014 *(Idaho, districts, counties)* 131
Perinatal deaths and ratios, 2010-2014 *(Idaho, districts, counties)* 132

INDUCED ABORTION 133
2014 Induced abortions in Idaho and to Idaho residents *(Idaho, districts, counties)* 135
2014 Induced abortions to Idaho residents: ratios and race/ethnicity *(Idaho, districts, counties)* 136
2014 Induced abortions to Idaho residents: rates and age *(Idaho, districts, counties)* 137
2014 Induced abortions in Idaho: procedure by length of gestation 138
2014 Induced abortions in Idaho: procedure by complications 138
2014 Induced abortions in Idaho: age of patient by marital status 139
2014 Induced abortions in Idaho: previous abortions, living children 139

MARRIAGE 140
Marriages, 2005-2014 *(Idaho, districts, counties)* 142
2014 Marriages: district and county of marriage by title of spouses 143
2014 Marriages: total marriages in Idaho by age 144
2014 Marriages: total marriages in Idaho by race 144
2014 Marriages: opposite-sex marriages between groom and bride: age 145
2014 Marriages: same-sex marriages between partner and partner: age 145
2014 Marriages: opposite-sex marriages between groom and bride: race 146
2014 Marriages: same-sex marriages between partner and partner: race 146
2014 Marriages: Number of marriages and spouses by type of marriage and title 147
2014 Marriages: Number of spouses and median age by title and previous marital status 147
2014 Marriages: District and county of occurrence by Idaho residents 148

DIVORCE 149
Divorces, 2005-2014 *(Idaho, districts, counties, tribal courts)* 150
2014 Divorces: occurrence by Idaho residence (*Idaho, districts, counties, tribal courts*) 151
2014 Divorces: number this marriage (husband, wife) 152
Divorces, 2012-2014: duration of marriage 152
2014 Divorces: number of children <18 years of age in household 153
2014 Divorces: legal grounds 153

DISTRICT AND COUNTY PROFILE 154
Counties comprising Idaho public health districts 155
2014 Vital statistics profile of Idaho by district and county 156

TECHNICAL NOTES 163

DEFINITIONS AND FORMULAS

Residence Data Data allocated by place of residence of the registrant, or by place of residence of the infant's mother (births, stillbirths)

Occurrence Data Data allocated by place where event occurred, regardless of the person's place of residence

Live Birth A birth that shows any sign of life after delivery

(CRUDE) BIRTH RATE -- number of live births per 1,000 population

$$\frac{\text{live births}}{\text{population}} \times 1{,}000$$

FERTILITY RATE -- number of live births per 1,000 women 15-44 years of age

$$\frac{\text{all live births}}{\text{females 15-44}} \times 1{,}000$$

Out-of-wedlock Birth A live birth to a women who was not married at conception, birth, or anytime between

OUT-OF-WEDLOCK RATE (percent) -- number of out-of-wedlock live births per 100 live births

$$\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 100$$

Low Birthweight A live birth weighing under 2,500 grams (5 ½ pounds or less)

LOW BIRTHWEIGHT RATE (percent) -- number of low birthweight live births per 100 live births with stated birthweight

$$\frac{\text{low birthweight live births}}{\text{live births with stated birthweight}} \times 100$$

Infant Death Death of an infant under 1 year of age

INFANT MORTALITY RATE -- number of infant deaths per 1,000 live births

$$\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000$$

Neonatal Death Death of an infant within the first 27 days of life

NEONATAL MORTALITY RATE -- number of neonatal deaths per 1,000 live births

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000$$

Postneonatal Death Death of an infant 28 days through the first 11 months of life

POSTNEONATAL MORTALITY RATE -- number of postneonatal deaths per 1,000 live births

$$\frac{\text{postneonatal deaths}}{\text{live births}} \times 1{,}000$$

DEFINITIONS AND FORMULAS (continued)

Stillbirth

A spontaneous fetal death of at least 20 weeks gestation or a weight of at least 350 grams (does not include any induced abortions)

STILLBIRTH RATIO -- number of stillbirths per 1,000 live births

$$\frac{\text{stillbirths}}{\text{live births}} \times 1{,}000$$

Perinatal Death

Includes stillbirths and deaths of infants within the first 6 days of life

PERINATAL MORTALITY RATIO -- number of perinatal deaths per 1,000 live births

$$\frac{\text{perinatal deaths}}{\text{live births}} \times 1{,}000$$

Maternal Death

Death attributable to complications of pregnancy, childbirth, or the puerperium based on ICD-10 codes A34, O00-O95, and O98-O99.

MATERNAL MORTALITY RATE -- number of maternal deaths per 100,000 live births

$$\frac{\text{maternal deaths}}{\text{live births}} \times 100{,}000$$

Death

(CRUDE) DEATH RATE -- number of deaths per 1,000 population

$$\frac{\text{deaths}}{\text{population}} \times 1{,}000$$

CAUSE-SPECIFIC DEATH RATE -- number of deaths from a specific cause per 100,000 population

$$\frac{\text{deaths from specific cause}}{\text{population}} \times 100{,}000$$

AGE-ADJUSTED DEATH RATE (DIRECT METHOD) -- number of deaths per 100,000 standard population. Age-adjusted death rates are artificial measurements and should be used only to compare to other age-adjusted death rates calculated using the same standard population. Idaho and U.S. age-adjusted rates shown were calculated using the 2000 population estimate as the standard population.

$$\frac{\text{sum of (age-specific death rates per 100,000 for selected population x standard population in corresponding age groups)}}{\text{sum of standard population}}$$

Induced Abortion

A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1{,}000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1{,}000$$

DEFINITIONS AND FORMULAS (continued)

In this publication, there are references to provisional and preliminary U.S. data. If the U.S. statistics are not noted as provisional or preliminary, they are considered final. In either case, the most recent U.S. information is provided. The following definitions have been added to clarify the differences among the types of U.S. data.

U.S. Provisional Data

Prior to 1996, the National Center for Health Statistics (NCHS) released U.S. vital data and rates in two basic forms: provisional and final. Provisional data are based on monthly summary counts of birth, death, marriage, and divorce records received in state vital registration offices. Rates for 12-month periods, January through December, are the sum of events for the period per population estimated at the midpoint of the period. Provisional divorce rates are based on 44 reporting states and the District of Columbia. Provisional marriage rates are based on 50 reporting states and the District of Columbia. Populations have been estimated by NCHS for the 12-month divorce and marriage rates based on these reporting states. The 2014 U.S. marriage and divorce rates in this publication are provisional measures[1]. These and U.S. provisional rates for previous years are available at: http://www.cdc.gov/nchs/nvss/marriage_divorce_tables.htm.

U.S. Preliminary Data

Preliminary U.S. vital statistics are based on events in the 50 states and the District of Columbia. The National Center for Health Statistics believes that more than 98 percent of the births and deaths occurring in this country are registered through the state vital registration system.

U.S. Final Data

Final U.S. vital statistics are based on events in the 50 states and the District of Columbia. The National Center for Health Statistics believes that more than 99 percent of the births and deaths occurring in this country are registered through the state vital registration system. As of January 2016, the latest U.S. final data available are 2014 for death[2] and 2014 for birth[3] data.

1. "National Marriage and Divorce Rate Trends," National Vital Statistics System. November, 2015.
2. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at http://wonder.cdc.gov/ucd-icd10.html, January, 2016.
3. "Births: Final Data for 2014," National Vital Statistics Reports, National Center for Health Statistics, Vol. 64, No. 12, December 23, 2015.

VITAL REGISTRATION AND DATA COLLECTION

Registration of Records

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

Births, Deaths, and Stillbirths

Registration of births, deaths, and stillbirths is a legal requirement. The attending physician, midwife, or parent must file the birth certificate with the local registrar within 15 days of the birth. Most certificates of births occurring at Idaho hospitals are filed electronically. Death certificates are usually completed by physicians, coroners, and funeral directors. The certificate must be filed with the county's local registrar within five days from the date of death. A stillbirth certificate must be filed for all spontaneous fetal deaths of at least 20 weeks gestation or with a weight of at least 350 grams.

Unless otherwise stated, birth, death, and stillbirth data contained in this report are provided for Idaho residents, regardless of where the event occurred. There is an agreement among all registration areas in the United States for resident exchange of copies of birth, death, and stillbirth certificates. For data analysis, the cut-off date for 2014 birth records was July 7, 2015; the cut-off date for 2014 stillbirth records was July 23, 2015; and the cut-off date for 2014 death records was July 9, 2015. Records may be sent to Idaho after these dates; they are included in the vital records mainframe database, but are not included in the databases for statistical analysis.

Marriage and Divorce

Idaho vital statistics law makes marriages and divorces occurring in Idaho reportable events. Marriages are registered with the county recorder in the county where the license was issued; divorces are filed with the clerk of the court where the divorce was granted. These records are then forwarded to the Bureau of Vital Records and Health Statistics. There is no agreement among states to exchange certificates of resident marriages or divorces that occur out of state. Marriage and divorce data provided in this annual report are based on events occurring in Idaho, regardless of the party's residence. The cut-off date for inclusion in the data base for analysis was July 7, 2015 for marriage records and August 21, 2015 for divorce records.

Induced Abortion

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was August 3, 2015 for 2014 records.

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Population

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

POPULATION

Idaho

Since the last census in 2010, Idaho's population increased by 66,882 residents from 1,567,582 to 1,634,464 in 2014. In the past few years, the West South Central states (Arkansas, Louisiana, Oklahoma, and Texas) experienced the highest growth rate with 5.8 percent. The Mountain states region (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming) experienced the second highest growth rate at 5.1 percent. North Dakota experienced the highest growth rate (9.9 percent) in the nation, and West Virginia lost 0.1 percent of their population from 2010 to 2014. In the Mountain states, Utah and Colorado had the highest growth rates (6.5 percent). Idaho was tied for 13th highest growth rate in the nation with North Carolina (4.3 percent).

Counties

Idaho counties that experienced the largest percentage increases from April 1, 2010 to July 1, 2014 were Ada, Canyon, Kootenai, and Twin Falls. Numerically, Ada, Canyon, Kootenai, and Bonneville gained the most population. Clark, Butte, Camas, and Custer Counties reflected the greatest percentage decreases. Numerically, Elmore, Gooding, Shoshone, and Fremont experienced the greatest losses in population from 2010 to 2014.

Population Change, April 1, 2010 to July 1, 2014

County	Percent Change	County	Numeric Change
Ada	+8.6%	Ada	+33,871
Canyon	+7.5	Canyon	+14,220
Kootenai	+6.4	Kootenai	+8,832
Twin Falls	+4.8	Bonneville	+4,389
Clark	-11.7	Elmore	-944
Butte	-9.3	Gooding	-400
Camas	-7.0	Shoshone	-375
Custer	-5.2	Fremont	-375

Cities

Of the Idaho cities with at least 1,000 population in 2014, Star experienced the highest growth rate since 2010 (20.6 percent growth), followed by Marsing (20.4 percent growth), Meridian (14.4 percent growth), and Middleton with 14.0 percent growth. Cities under 1,000 population in 2014 with highest growth rates were State Line (13.6 percent), Franklin (13.5 percent), Kootenai (11.9 percent), and Clifton (8.5 percent).

Race

The National Center for Health Statistics contracts with the U.S. Census Bureau to develop and disseminate detailed population estimates for the states. These population estimates include “bridged” race data in which multiple race estimates are allocated to four single races. In 2014, 95.0 percent of Idaho’s population was white, 1.2 percent was Black, 2.0 percent was American Indian or Alaska Native, and 1.9 percent was Asian or Pacific Islander. Persons of Hispanic ethnicity may be of any race. In 2014, 12.0 percent of Idaho’s population was Hispanic and 88.0 percent of the population was non-Hispanic.

RESIDENT POPULATION OF STATES
April 1, 2000 and April 1, 2010 Census
July 1, 2013 and July 1, 2014 Estimates

(Includes Armed Forces residing in each state)

REGION AND STATE	ESTIMATES		CENSUS		CHANGE 4/1/10 TO 7/1/14*	
	July 1, 2014	July 1, 2013	April 1, 2010	April 1, 2000	Number	Percent
UNITED STATES	318,857,056	316,128,839	308,745,538	281,421,906	10,111,518	3.3
NEW ENGLAND:	14,680,722	14,618,806	14,444,865	13,922,517	235,857	1.6
Connecticut	3,596,677	3,596,080	3,574,097	3,405,565	22,580	0.6
Maine	1,330,089	1,328,302	1,328,361	1,274,923	1,728	0.1
Massachusetts	6,745,408	6,692,824	6,547,629	6,349,097	197,779	3.0
New Hampshire	1,326,813	1,323,459	1,316,470	1,235,786	10,343	0.8
Rhode Island	1,055,173	1,051,511	1,052,567	1,048,319	2,606	0.2
Vermont	626,562	626,630	625,741	608,827	821	0.1
MIDDLE ATLANTIC:	41,471,611	41,324,267	40,872,375	39,671,861	599,236	1.5
New Jersey	8,938,175	8,899,339	8,791,894	8,414,350	146,281	1.7
New York	19,746,227	19,651,127	19,378,102	18,976,457	368,125	1.9
Pennsylvania	12,787,209	12,773,801	12,702,379	12,281,054	84,830	0.7
EAST NORTH CENTRAL:	46,739,039	46,662,180	46,421,564	45,155,037	317,475	0.7
Illinois	12,880,580	12,882,135	12,830,632	12,419,293	49,948	0.4
Indiana	6,596,855	6,570,902	6,483,802	6,080,485	113,053	1.7
Michigan	9,909,877	9,895,622	9,883,640	9,938,444	26,237	0.3
Ohio	11,594,163	11,570,808	11,536,504	11,353,140	57,659	0.5
Wisconsin	5,757,564	5,742,713	5,686,986	5,363,675	70,578	1.2
WEST NORTH CENTRAL:	21,006,069	20,885,710	20,505,437	19,237,739	500,632	2.4
Iowa	3,107,126	3,090,416	3,046,355	2,926,324	60,771	2.0
Kansas	2,904,021	2,893,957	2,853,118	2,688,418	50,903	1.8
Minnesota	5,457,173	5,420,380	5,303,925	4,919,479	153,248	2.9
Missouri	6,063,589	6,044,171	5,988,927	5,595,211	74,662	1.2
Nebraska	1,881,503	1,868,516	1,826,341	1,711,263	55,162	3.0
North Dakota	739,482	723,393	672,591	642,200	66,891	9.9
South Dakota	853,175	844,877	814,180	754,844	38,995	4.8
SOUTH ATLANTIC:	62,514,615	61,783,647	59,777,037	51,769,160	2,737,578	4.6
Delaware	935,614	925,749	897,934	783,600	37,680	4.2
District of Columbia	658,893	646,449	601,723	572,059	57,170	9.5
Florida	19,893,297	19,552,860	18,801,310	15,982,378	1,091,987	5.8
Georgia	10,097,343	9,992,167	9,687,653	8,186,453	409,690	4.2
Maryland	5,976,407	5,928,814	5,773,552	5,296,486	202,855	3.5
North Carolina	9,943,964	9,848,060	9,535,483	8,049,313	408,481	4.3
South Carolina	4,832,482	4,774,839	4,625,364	4,012,012	207,118	4.5
Virginia	8,326,289	8,260,405	8,001,024	7,078,515	325,265	4.1
West Virginia	1,850,326	1,854,304	1,852,994	1,808,344	-2,668	-0.1
EAST SOUTH CENTRAL:	18,806,265	18,716,202	18,432,505	17,022,810	373,760	2.0
Alabama	4,849,377	4,833,722	4,779,736	4,447,100	69,641	1.5
Kentucky	4,413,457	4,395,295	4,339,367	4,041,769	74,090	1.7
Mississippi	2,994,079	2,991,207	2,967,297	2,844,658	26,782	0.9
Tennessee	6,549,352	6,495,978	6,346,105	5,689,283	203,247	3.2
WEST SOUTH CENTRAL:	38,451,054	37,883,604	36,346,202	31,444,850	2,104,852	5.8
Arkansas	2,966,369	2,959,373	2,915,918	2,673,400	50,451	1.7
Louisiana	4,649,676	4,625,470	4,533,372	4,468,976	116,304	2.6
Oklahoma	3,878,051	3,850,568	3,751,351	3,450,654	126,700	3.4
Texas	26,956,958	26,448,193	25,145,561	20,851,820	1,811,397	7.2
MOUNTAIN:	23,197,119	22,881,245	22,065,451	18,172,295	1,131,668	5.1
Arizona	6,731,484	6,626,624	6,392,017	5,130,632	339,467	5.3
Colorado	5,355,866	5,268,367	5,029,196	4,301,261	326,670	6.5
Idaho	1,634,464	1,612,136	1,567,582	1,293,953	66,882	4.3
Montana	1,023,579	1,015,165	989,415	902,195	34,164	3.5
Nevada	2,839,099	2,790,136	2,700,551	1,998,257	138,548	5.1
New Mexico	2,085,572	2,085,287	2,059,179	1,819,046	26,393	1.3
Utah	2,942,902	2,900,872	2,763,885	2,233,169	179,017	6.5
Wyoming	584,153	582,658	563,626	493,782	20,527	3.6
PACIFIC:	51,990,562	51,373,178	49,880,102	45,025,637	2,110,460	4.2
Alaska	736,732	735,132	710,231	626,932	26,501	3.7
California	38,802,500	38,332,521	37,253,956	33,871,648	1,548,544	4.2
Hawaii	1,419,561	1,404,054	1,360,301	1,211,537	59,260	4.4
Oregon	3,970,239	3,930,065	3,831,074	3,421,399	139,165	3.6
Washington	7,061,530	6,971,406	6,724,540	5,894,121	336,990	5.0

Source: U.S. Bureau of the Census Internet release Dec. 2014.

IDAHO RESIDENT POPULATION
April 1, 2000 and April 1, 2010 Census
July 1, 2011-July 1, 2014 Estimates
Idaho, Districts, and Counties

RESIDENCE	ESTIMATES* July 1, 2014	July 1, 2013	July 1, 2012	July 1, 2011	CENSUS April 1, 2010	CENSUS April 1, 2000	CHANGE 4/1/10 TO 7/1/14 Number	Percent
IDAHO	1,634,464	1,612,136	1,595,728	1,584,985	1,567,582	1,293,953	66,882	4.3%
District 1	221,398	217,551	215,460	214,625	212,393	178,333	9,005	4.2
District 2	107,033	106,588	106,502	106,217	105,358	100,533	1,675	1.6
District 3	268,080	263,411	258,653	256,653	253,965	191,297	14,115	5.6
District 4	468,980	459,035	451,664	443,851	436,293	344,355	32,687	7.5
District 5	190,496	188,860	187,171	187,012	185,790	162,397	4,706	2.5
District 6	168,854	168,780	169,487	170,147	169,175	156,906	-321	-0.2
District 7	209,623	207,911	206,791	206,480	204,608	160,132	5,015	2.5
Ada	426,236	416,464	409,061	400,842	392,365	300,904	33,871	8.6
Adams	3,861	3,828	3,915	3,977	3,976	3,476	-115	-2.9
Bannock	83,347	83,249	83,800	83,691	82,839	75,565	508	0.6
Bear Lake	5,957	5,943	5,907	6,001	5,986	6,411	-29	-0.5
Benewah	9,118	9,044	9,117	9,209	9,285	9,171	-167	-1.8
Bingham	45,269	45,290	45,474	45,952	45,607	41,735	-338	-0.7
Blaine	21,482	21,329	21,146	21,199	21,376	18,991	106	0.5
Boise	6,824	6,795	6,835	7,025	7,028	6,670	-204	-2.9
Bonner	41,585	40,699	40,476	40,808	40,877	36,835	708	1.7
Bonneville	108,623	107,517	106,684	105,772	104,234	82,522	4,389	4.2
Boundary	10,979	10,853	10,808	10,804	10,972	9,871	7	0.1
Butte	2,622	2,642	2,740	2,822	2,891	2,899	-269	-9.3
Camas	1,039	1,042	1,077	1,124	1,117	991	-78	-7.0
Canyon	203,143	198,871	193,888	191,694	188,923	131,441	14,220	7.5
Caribou	6,837	6,808	6,787	6,850	6,963	7,304	-126	-1.8
Cassia	23,540	23,331	23,249	23,186	22,952	21,416	588	2.6
Clark	867	867	869	949	982	1,022	-115	-11.7
Clearwater	8,562	8,577	8,590	8,702	8,761	8,930	-199	-2.3
Custer	4,140	4,249	4,331	4,333	4,368	4,342	-228	-5.2
Elmore	26,094	26,170	26,223	26,346	27,038	29,130	-944	-3.5
Franklin	13,021	12,854	12,786	12,850	12,786	11,329	235	1.8
Fremont	12,867	12,927	12,957	13,128	13,242	11,819	-375	-2.8
Gem	16,866	16,686	16,673	16,665	16,719	15,181	147	0.9
Gooding	15,064	15,080	15,291	15,475	15,464	14,155	-400	-2.6
Idaho	16,215	16,116	16,308	16,446	16,267	15,511	-52	-0.3
Jefferson	27,021	26,914	26,684	26,301	26,140	19,155	881	3.4
Jerome	22,818	22,514	22,499	22,682	22,374	18,342	444	2.0
Kootenai	147,326	144,265	142,357	141,132	138,494	108,685	8,832	6.4
Latah	38,411	38,078	38,184	37,704	37,244	34,935	1,167	3.1
Lemhi	7,726	7,712	7,758	7,967	7,936	7,806	-210	-2.6
Lewis	3,838	3,902	3,889	3,822	3,821	3,747	17	0.4
Lincoln	5,316	5,315	5,277	5,186	5,208	4,044	108	2.1
Madison	38,038	37,450	37,456	37,864	37,536	27,467	502	1.3
Minidoka	20,323	20,292	20,037	20,155	20,069	20,174	254	1.3
Nez Perce	40,007	39,915	39,531	39,543	39,265	37,410	742	1.9
Oneida	4,184	4,275	4,215	4,215	4,286	4,125	-102	-2.4
Owyhee	11,353	11,472	11,439	11,438	11,526	10,644	-173	-1.5
Payette	22,836	22,610	22,639	22,624	22,623	20,578	213	0.9
Power	7,617	7,719	7,778	7,766	7,817	7,538	-200	-2.6
Shoshone	12,390	12,690	12,702	12,672	12,765	13,771	-375	-2.9
Teton	10,341	10,275	10,052	10,166	10,170	5,999	171	1.7
Twin Falls	80,914	79,957	78,595	78,005	77,230	64,284	3,684	4.8
Valley	9,826	9,606	9,545	9,638	9,862	7,651	-36	-0.4
Washington	10,021	9,944	10,099	10,255	10,198	9,977	-177	-1.7

*2011-2014 population estimate is based on 2010 census.

Source: Census: U.S. Bureau of the Census in collaboration with the National Center for Health Statistics, April 1, 2010 are from May 2011; July 1, 2011 are from July 18, 2012; July 1, 2012 estimates are from June 13, 2013; July 1, 2013 are from June 26, 2014, and July 1, 2014 are from June 30, 2015.


IDAHO RESIDENT POPULATION
Percent Change, 2010-2014
Net Loss: -11.7 to -3.0%
Net Loss: -2.9 to -1.0%
Net Loss: -0.9 to -0.1%
Net Gain: 0.0 to 1.9%
Net Gain: 2.0 to 8.6%
Boundary
Bonner
Kootenai
Shoshone
Benewah
Latah
Clearwater
Nez Perce
Lewis
Idaho
Lemhi
Adams
Valley
Washington
Custer
Clark
Fremont
Payette
Gem
Boise
Jefferson
Madison
Teton
Canyon
Ada
Elmore
Camas
Blaine
Butte
Bonneville
Bingham
Gooding
Lincoln
Minidoka
Caribou
Jerome
Power
Bannock
Owyhee
Twin Falls
Cassia
Oneida
Franklin
Bear Lake

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate, April 1, 2010 Census, and April 1, 2000 Census
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/00 TO 4/1/10		CHANGE 4/1/10 TO 7/1/14	
City or Place	County	July 1, 2014	April 1, 2010	April 1, 2000	Number	Percent	Number	Percent
Aberdeen	Bingham	1,951	1,994	1,840	154	8.4	-43	-2.2
Acequia	Minidoka	124	124	144	-20	-13.9	-	-
Albion	Cassia	272	267	262	5	1.9	5	1.8
American Falls	Power	4,314	4,457	4,111	346	8.4	-143	-3.3
Ammon	Bonneville	14,685	13,816	6,187	7,629	123.3	869	5.9
Arco	Butte	896	995	1,026	-31	-3.0	-99	-11.0
Arimo	Bannock	356	355	348	7	2.0	1	0.3
Ashton	Fremont	1,064	1,127	1,129	-2	-0.2	-63	-5.9
Athol	Kootenai	694	692	676	16	2.4	2	0.3
Atomic City	Bingham	29	29	25	4	16.0	-	-
Bancroft	Caribou	371	377	382	-5	-1.3	-6	-1.6
Basalt	Bingham	389	394	419	-25	-6.0	-5	-1.3
Bellevue	Blaine	2,300	2,287	1,876	411	21.9	13	0.6
Blackfoot	Bingham	11,814	11,899	10,419	1,480	14.2	-85	-0.7
Bliss	Gooding	302	318	275	43	15.6	-16	-5.3
Bloomington	Bear Lake	209	206	251	-45	-17.9	3	1.4
Boise City	Ada	216,282	205,671	185,787	19,884	10.7	10,611	4.9
Bonners Ferry	Boundary	2,490	2,543	2,515	28	1.1	-53	-2.1
Bovill	Latah	255	260	305	-45	-14.8	-5	-2.0
Buhl	Twin Falls	4,231	4,122	3,985	137	3.4	109	2.6
Burley	Cassia, Minidoka	10,480	10,345	9,316	1,029	11.0	135	1.3
Butte City	Butte	67	74	76	-2	-2.6	-7	-10.4
Caldwell	Canyon	50,224	46,237	25,967	20,270	78.1	3,987	7.9
Cambridge	Washington	314	328	360	-32	-8.9	-14	-4.5
Carey	Blaine	603	604	513	91	17.7	-1	-0.2
Cascade	Valley	919	939	997	-58	-5.8	-20	-2.2
Castleford	Twin Falls	234	226	277	-51	-18.4	8	3.4
Challis	Custer	1,056	1,081	909	172	18.9	-25	-2.4
Chubbuck	Bannock	14,229	13,922	9,700	4,222	43.5	307	2.2
Clark Fork	Bonner	540	536	530	6	1.1	4	0.7
Clayton	Custer	7	7	27	-20	-74.1	-	-
Clifton	Franklin	283	259	213	46	21.6	24	8.5
Coeur d'Alene	Kootenai	47,912	44,137	34,514	9,623	27.9	3,775	7.9
Cottonwood	Idaho	918	900	944	-44	-4.7	18	2.0
Council	Adams	812	839	816	23	2.8	-27	-3.3
Craigmont	Lewis	503	501	556	-55	-9.9	2	0.4
Crouch	Boise	156	162	154	8	5.2	-6	-3.8
Culdesac	Nez Perce	379	380	378	2	0.5	-1	-0.3
Dalton Gardens	Kootenai	2,370	2,335	2,278	57	2.5	35	1.5
Dayton	Franklin	462	463	444	19	4.3	-1	-0.2
Deary	Latah	507	506	552	-46	-8.3	1	0.2
Declo	Cassia	352	343	338	5	1.5	9	2.6
Dietrich	Lincoln	339	332	150	182	121.3	7	2.1
Donnelly	Valley	144	152	138	14	10.1	-8	-5.6
Dover	Bonner	607	556	342	214	62.6	51	8.4
Downey	Bannock	617	625	613	12	2.0	-8	-1.3
Driggs	Teton	1,662	1,660	1,100	560	50.9	2	0.1
Drummond	Fremont	15	16	15	1	6.7	-1	-6.7
Dubois	Clark	597	677	647	30	4.6	-80	-13.4

Source: U.S. Bureau of the Census, 2000 Census: Internet release March 23, 2001; 2010 Census: Internet release March 10, 2011; 2014 Estimate: Internet release June 2015.

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate, April 1, 2010 Census, and April 1, 2000 Census
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/00 TO 4/1/10		CHANGE 4/1/10 TO 7/1/14	
City or Place	County	July 1, 2014	April 1, 2010	April 1, 2000	Number	Percent	Number	Percent
Eagle	Ada	22,502	19,908	11,085	8,823	79.6	2,594	11.5
East Hope	Bonner	214	210	200	10	5.0	4	1.9
Eden	Jerome	404	405	411	-6	-1.5	-1	-0.2
Elk River	Clearwater	120	125	156	-31	-19.9	-5	-4.2
Emmett	Gem	6,599	6,557	5,490	1,067	19.4	42	0.6
Fairfield	Camas	381	416	395	21	5.3	-35	-9.2
Ferdinand	Idaho	160	159	145	14	9.7	1	0.6
Fernan Lake Village	Kootenai	172	169	186	-17	-9.1	3	1.7
Filer	Twin Falls	2,655	2,508	1,620	888	54.8	147	5.5
Firth	Bingham	471	477	408	69	16.9	-6	-1.3
Franklin	Franklin	741	641	641	-	0.0	100	13.5
Fruitland	Payette	4,949	4,684	3,805	879	23.1	265	5.4
Garden City	Ada	11,420	10,972	10,624	348	3.3	448	3.9
Genesee	Latah	956	955	946	9	1.0	1	0.1
Georgetown	Bear Lake	470	476	538	-62	-11.5	-6	-1.3
Glenns Ferry	Elmore	1,241	1,319	1,611	-292	-18.1	-78	-6.3
Gooding	Gooding	3,461	3,567	3,384	183	5.4	-106	-3.1
Grace	Caribou	905	915	990	-75	-7.6	-10	-1.1
Grand View	Owyhee	444	452	470	-18	-3.8	-8	-1.8
Grangeville	Idaho	3,141	3,141	3,228	-87	-2.7	-	-
Greenleaf	Canyon	878	846	862	-16	-1.9	32	3.6
Hagerman	Gooding	856	872	656	216	32.9	-16	-1.9
Hailey	Blaine	8,076	7,960	6,200	1,760	28.4	116	1.4
Hamer	Jefferson	51	48	12	36	300.0	3	5.9
Hansen	Twin Falls	1,226	1,144	970	174	17.9	82	6.7
Harrison	Kootenai	215	203	267	-64	-24.0	12	5.6
Hauser	Kootenai	680	678	668	10	1.5	2	0.3
Hayden	Kootenai	13,870	13,294	9,159	4,135	45.1	576	4.2
Hayden Lake	Kootenai	590	574	494	80	16.2	16	2.7
Hazelton	Jerome	747	753	687	66	9.6	-6	-0.8
Heyburn	Minidoka	3,183	3,089	2,899	190	6.6	94	3.0
Hollister	Twin Falls	274	272	237	35	14.8	2	0.7
Homedale	Owyhee	2,582	2,633	2,528	105	4.2	-51	-2.0
Hope	Bonner	88	86	79	7	8.9	2	2.3
Horseshoe Bend	Boise	669	707	770	-63	-8.2	-38	-5.7
Huetter	Kootenai	101	100	96	4	4.2	1	1.0
Idaho City	Boise	461	485	458	27	5.9	-24	-5.2
Idaho Falls	Bonneville	58,691	56,813	50,730	6,083	12.0	1,878	3.2
Inkom	Bannock	863	854	738	116	15.7	9	1.0
Iona	Bonneville	1,953	1,803	1,201	602	50.1	150	7.7
Irwin	Bonneville	221	219	157	62	39.5	2	0.9
Island Park	Fremont	273	286	215	71	33.0	-13	-4.8
Jerome	Jerome	11,189	10,890	7,780	3,110	40.0	299	2.7
Juliaetta	Latah	578	579	609	-30	-4.9	-1	-0.2
Kamiah	Idaho, Lewis	1,297	1,295	1,160	135	11.6	2	0.2
Kellogg	Shoshone	2,063	2,120	2,395	-275	-11.5	-57	-2.8
Kendrick	Latah	299	303	369	-66	-17.9	-4	-1.3
Ketchum	Blaine	2,720	2,689	3,003	-314	-10.5	31	1.1
Kimberly	Twin Falls	3,510	3,264	2,614	650	24.9	246	7.0
Kooskia	Idaho	604	607	675	-68	-10.1	-3	-0.5
Kootenai	Bonner	770	678	441	237	53.7	92	11.9
Kuna	Ada	16,999	15,210	5,382	9,828	182.6	1,789	10.5

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate, April 1, 2010 Census, and April 1, 2000 Census
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/00 TO 4/1/10		CHANGE 4/1/10 TO 7/1/14	
City or Place	County	July 1, 2014	April 1, 2010	April 1, 2000	Number	Percent	Number	Percent
Lapwai	Nez Perce	1,149	1,137	1,134	3	0.3	12	1.0
Lava Hot Springs	Bannock	406	407	521	-114	-21.9	-1	-0.2
Leadore	Lemhi	102	105	90	15	16.7	-3	-2.9
Lewiston	Nez Perce	32,482	31,894	30,904	990	3.2	588	1.8
Lewisville	Jefferson	476	458	467	-9	-1.9	18	3.8
Mackay	Custer	483	517	566	-49	-8.7	-34	-7.0
Malad City	Oneida	2,017	2,095	2,158	-63	-2.9	-78	-3.9
Malta	Cassia	199	193	177	16	9.0	6	3.0
Marsing	Owyhee	1,295	1,031	890	141	15.8	264	20.4
McCall	Valley	3,006	2,991	2,084	907	43.5	15	0.5
McCammon	Bannock	797	809	805	4	0.5	-12	-1.5
Melba	Canyon	529	513	439	74	16.9	16	3.0
Menan	Jefferson	747	741	707	34	4.8	6	0.8
Meridian	Ada	87,743	75,092	34,919	40,173	115.0	12,651	14.4
Middleton	Canyon	6,420	5,524	2,978	2,546	85.5	896	14.0
Midvale	Washington	165	171	176	-5	-2.8	-6	-3.6
Minidoka	Minidoka	112	112	129	-17	-13.2	-	-
Montpelier	Bear Lake	2,536	2,597	2,785	-188	-6.8	-61	-2.4
Moore	Butte	172	189	196	-7	-3.6	-17	-9.9
Moscow	Latah	24,767	23,800	21,291	2,509	11.8	967	3.9
Mountain Home	Elmore	13,780	14,206	11,143	3,063	27.5	-426	-3.1
Moyie Springs	Boundary	702	718	656	62	9.5	-16	-2.3
Mud Lake	Jefferson	369	358	270	88	32.6	11	3.0
Mullan	Shoshone	673	692	840	-148	-17.6	-19	-2.8
Murtaugh	Twin Falls	120	115	139	-24	-17.3	5	4.2
Nampa	Canyon	88,211	81,557	51,867	29,690	57.2	6,654	7.5
Newdale	Fremont	309	323	358	-35	-9.8	-14	-4.5
New Meadows	Adams	475	496	533	-37	-6.9	-21	-4.4
New Plymouth	Payette	1,510	1,538	1,400	138	9.9	-28	-1.9
Nezperce	Lewis	467	466	523	-57	-10.9	1	0.2
Notus	Canyon	545	531	458	73	15.9	14	2.6
Oakley	Cassia	790	763	668	95	14.2	27	3.4
Oldtown	Bonner	181	184	190	-6	-3.2	-3	-1.7
Onaway	Latah	189	187	230	-43	-18.7	2	1.1
Orofino	Clearwater	3,096	3,142	3,247	-105	-3.2	-46	-1.5
Osburn	Shoshone	1,504	1,555	1,545	10	0.6	-51	-3.4
Oxford	Franklin	48	48	53	-5	-9.4	-	-
Paris	Bear Lake	508	513	576	-63	-10.9	-5	-1.0
Parker	Fremont	298	305	319	-14	-4.4	-7	-2.3
Parma	Canyon	2,066	1,983	1,771	212	12.0	83	4.0
Paul	Minidoka	1,188	1,169	998	171	17.1	19	1.6
Payette	Payette	7,422	7,433	7,054	379	5.4	-11	-0.1
Peck	Nez Perce	201	197	186	11	5.9	4	2.0
Pierce	Clearwater	490	508	617	-109	-17.7	-18	-3.7
Pinehurst	Shoshone	1,575	1,619	1,661	-42	-2.5	-44	-2.8
Placerville	Boise	52	53	60	-7	-11.7	-1	-1.9
Plummer	Benewah	1,026	1,044	990	54	5.5	-18	-1.8
Pocatello	Bannock, Power	54,292	54,255	51,466	2,789	5.4	37	0.1
Ponderay	Bonner	1,136	1,137	638	499	78.2	-1	-0.1
Post Falls	Kootenai	29,896	27,574	17,247	10,327	59.9	2,322	7.8

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate, April 1, 2010 Census, and April 1, 2000 Census
Idaho Cities and Incorporated Places

AREA		ESTIMATE	CENSUS	CENSUS	CHANGE 4/1/00 TO 4/1/10		CHANGE 4/1/10 TO 7/1/14	
City or Place	County	July 1, 2014	April 1, 2010	April 1, 2000	Number	Percent	Number	Percent
Potlatch	Latah	806	804	791	13	1.6	2	0.2
Preston	Franklin	5,217	5,204	4,682	522	11.1	13	0.2
Priest River	Bonner	1,751	1,751	1,754	-3	-0.2	-	-
Rathdrum	Kootenai	7,283	6,826	4,816	2,010	41.7	457	6.3
Reubens	Lewis	72	71	72	-1	-1.4	1	1.4
Rexburg	Madison	27,094	25,484	17,257	8,227	47.7	1,610	5.9
Richfield	Lincoln	489	482	412	70	17.0	7	1.4
Rigby	Jefferson	4,037	3,945	2,998	947	31.6	92	2.3
Riggins	Idaho	416	419	410	9	2.2	-3	-0.7
Ririe	Bonneville, Jefferson	636	656	545	111	20.4	-20	-3.1
Roberts	Jefferson	576	580	647	-67	-10.4	-4	-0.7
Rockland	Power	288	295	316	-21	-6.6	-7	-2.4
Rupert	Minidoka	5,673	5,554	5,645	-91	-1.6	119	2.1
Salmon	Lemhi	3,033	3,112	3,122	-10	-0.3	-79	-2.6
Sandpoint	Bonner	7,760	7,365	6,835	530	7.8	395	5.1
Shelley	Bingham	4,382	4,409	3,813	596	15.6	-27	-0.6
Shoshone	Lincoln	1,493	1,461	1,398	63	4.5	32	2.1
Smelterville	Shoshone	603	627	651	-24	-3.7	-24	-4.0
Soda Springs	Caribou	2,980	3,058	3,381	-323	-9.6	-78	-2.6
Spencer	Clark	33	37	38	-1	-2.6	-4	-12.1
Spirit Lake	Kootenai	2,040	1,945	1,376	569	41.4	95	4.7
Stanley	Custer	68	63	100	-37	-37.0	5	7.4
Star	Ada	7,295	5,793	1,795	3,998	222.7	1,502	20.6
State Line	Kootenai	44	38	28	10	35.7	6	13.6
Stites	Idaho	221	221	226	-5	-2.2	-	-
St. Anthony	Fremont	3,454	3,542	3,342	200	6.0	-88	-2.5
St. Charles	Bear Lake	135	131	156	-25	-16.0	4	3.0
St. Maries	Benewah	2,347	2,402	2,652	-250	-9.4	-55	-2.3
Sugar City	Madison	1,367	1,514	1,242	272	21.9	-147	-10.8
Sun Valley	Blaine	1,412	1,406	1,427	-21	-1.5	6	0.4
Swan Valley	Bonneville	215	204	213	-9	-4.2	11	5.1
Tensed	Benewah	121	123	126	-3	-2.4	-2	-1.7
Teton	Fremont	712	735	569	166	29.2	-23	-3.2
Tetonia	Teton	272	269	247	22	8.9	3	1.1
Troy	Latah	881	862	798	64	8.0	19	2.2
Twin Falls	Twin Falls	46,528	44,125	34,469	9,656	28.0	2,403	5.2
Ucon	Bonneville	1,128	1,108	943	165	17.5	20	1.8
Victor	Teton	1,945	1,928	840	1,088	129.5	17	0.9
Wallace	Shoshone	760	784	960	-176	-18.3	-24	-3.2
Wardner	Shoshone	185	188	215	-27	-12.6	-3	-1.6
Warm River	Fremont	3	3	10	-7	-70.0	-	-
Weippe	Clearwater	411	441	416	25	6.0	-30	-7.3
Weiser	Washington	5,356	5,507	5,343	164	3.1	-151	-2.8
Wendell	Gooding	2,707	2,782	2,338	444	19.0	-75	-2.8
Weston	Franklin	448	437	425	12	2.8	11	2.5
White Bird	Idaho	93	91	106	-15	-14.2	2	2.2
Wilder	Canyon	1,597	1,533	1,462	71	4.9	64	4.0
Winchester	Lewis	343	340	308	32	10.4	3	0.9
Worley	Kootenai	254	257	223	34	15.2	-3	-1.2

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate by Race and Ethnicity*
Idaho Districts and Counties

RESIDENCE	TOTAL	RACE				ETHNICITY	
		White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Non-Hispanic	Hispanic
IDAHO	1,634,464	1,552,607	18,928	32,662	30,267	1,437,962	196,502
(percent)		95.0%	1.2%	2.0%	1.9%	88.0%	12.0%
District 1	221,398	212,950	1,477	4,547	2,424	212,732	8,666
District 2	107,033	100,333	1,081	4,063	1,556	103,000	4,033
District 3	268,080	255,840	2,751	5,483	4,006	207,969	60,111
District 4	468,980	440,442	8,342	4,925	15,271	431,072	37,908
District 5	190,496	182,856	1,718	3,500	2,422	146,902	43,594
District 6	168,854	157,534	1,585	7,577	2,158	149,922	18,932
District 7	209,623	202,652	1,974	2,567	2,430	186,365	23,258
Ada	426,236	400,543	7,253	4,207	14,233	393,249	32,987
Adams	3,861	3,765	25	48	23	3,737	124
Bannock	83,347	77,454	1,007	3,383	1,503	76,681	6,666
Bear Lake	5,957	5,841	31	52	33	5,708	249
Benewah	9,118	8,091	75	907	45	8,817	301
Bingham	45,269	40,887	309	3,638	435	37,209	8,060
Blaine	21,482	20,736	132	335	279	17,040	4,442
Boise	6,824	6,608	63	89	64	6,579	245
Bonner	41,585	40,505	218	497	365	40,372	1,213
Bonneville	108,623	104,566	1,127	1,560	1,370	94,994	13,629
Boundary	10,979	10,514	97	277	91	10,519	460
Butte	2,622	2,562	22	26	12	2,469	153
Camas	1,039	1,001	17	14	7	961	78
Canyon	203,143	193,609	2,268	4,047	3,219	153,098	50,045
Caribou	6,837	6,703	33	45	56	6,475	362
Cassia	23,540	22,696	199	433	212	17,269	6,271
Clark	867	823	12	23	9	498	369
Clearwater	8,562	8,208	75	213	66	8,254	308
Custer	4,140	4,073	19	30	18	3,969	171
Elmore	26,094	23,689	976	515	914	21,854	4,240
Franklin	13,021	12,798	66	121	36	12,119	902
Fremont	12,867	12,510	146	144	67	11,274	1,593
Gem	16,866	16,304	93	207	262	15,477	1,389
Gooding	15,064	14,476	117	300	171	10,759	4,305
Idaho	16,215	15,444	104	574	93	15,709	506
Jefferson	27,021	26,236	185	389	211	24,249	2,772
Jerome	22,818	21,873	200	575	170	15,068	7,750
Kootenai	147,326	141,878	1,011	2,603	1,834	141,060	6,266
Latah	38,411	36,544	548	419	900	36,817	1,594
Lemhi	7,726	7,513	70	98	45	7,486	240
Lewis	3,838	3,528	38	243	29	3,683	155
Lincoln	5,316	5,131	53	95	37	3,708	1,608
Madison	38,038	36,819	345	239	635	35,384	2,654
Minidoka	20,323	19,466	209	497	151	13,484	6,839
Nez Perce	40,007	36,609	316	2,614	468	38,537	1,470
Oneida	4,184	4,108	22	22	32	4,014	170
Owyhee	11,353	10,544	127	573	109	8,346	3,007
Payette	22,836	21,962	153	448	273	19,016	3,820
Power	7,617	7,181	95	290	51	5,247	2,370
Shoshone	12,390	11,962	76	263	89	11,964	426
Teton	10,341	10,112	70	84	75	8,511	1,830
Twin Falls	80,914	77,477	791	1,251	1,395	68,613	12,301
Valley	9,826	9,602	50	114	60	9,390	436
Washington	10,021	9,656	85	160	120	8,295	1,726

* Race and Hispanic origin are reported separately. Persons of Hispanic origin are included in appropriate race totals. Data on two or more races available upon request; see Technical Notes for information on bridged race estimates.

Source: The bridged-race July 1, 2014 population estimates were produced by the Population Estimates Program of the U.S. Census Bureau in collaboration with the National Center for Health Statistics (NCHS). Internet release date June 30, 2015.

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate by Race by Ethnicity
Idaho Districts and Counties

RESIDENCE	RACE BY ETHNICITY							
	White		Black		American Indian or Alaska Native		Asian or Pacific Islander	
	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic	Non-Hispanic	Hispanic
IDAHO	1,373,405	179,202	15,650	3,278	21,202	11,460	27,705	2,562
District 1	205,334	7,616	1,309	168	3,833	714	2,256	168
District 2	96,988	3,345	955	126	3,551	512	1,506	50
District 3	200,264	55,576	1,953	798	2,562	2,921	3,190	816
District 4	405,860	34,582	7,553	789	3,053	1,872	14,606	665
District 5	142,459	40,397	1,109	609	1,341	2,159	1,993	429
District 6	141,130	16,404	1,252	333	5,581	1,996	1,959	199
District 7	181,370	21,282	1,519	455	1,281	1,286	2,195	235
Ada	370,399	30,144	6,572	681	2,651	1,556	13,627	606
Adams	3,651	114	23	2	40	8	23	-
Bannock	71,792	5,662	875	132	2,603	780	1,411	92
Bear Lake	5,620	221	28	3	32	20	28	5
Benewah	7,893	198	62	13	818	89	44	1
Bingham	34,034	6,853	179	130	2,647	991	349	86
Blaine	16,658	4,078	74	58	57	278	251	28
Boise	6,394	214	54	9	67	22	64	-
Bonner	39,419	1,086	185	33	425	72	343	22
Bonneville	92,094	12,472	928	199	737	823	1,235	135
Boundary	10,114	400	94	3	229	48	82	9
Butte	2,416	146	20	2	21	5	12	-
Camas	927	74	14	3	13	1	7	-
Canyon	147,277	46,332	1,631	637	1,659	2,388	2,531	688
Caribou	6,367	336	31	2	27	18	50	6
Cassia	16,890	5,806	89	110	146	287	144	68
Clark	476	347	7	5	9	14	6	3
Clearwater	7,936	272	69	6	183	30	66	-
Custer	3,908	165	15	4	28	2	18	-
Elmore	19,834	3,855	886	90	276	239	858	56
Franklin	11,976	822	60	6	49	72	34	2
Fremont	11,060	1,450	66	80	96	48	52	15
Gem	15,019	1,285	76	17	135	72	247	15
Gooding	10,470	4,006	56	61	128	172	105	66
Idaho	15,029	415	94	10	499	75	87	6
Jefferson	23,779	2,457	113	72	174	215	183	28
Jerome	14,665	7,208	112	88	175	400	116	54
Kootenai	136,315	5,563	906	105	2,118	485	1,721	113
Latah	35,140	1,404	469	79	332	87	876	24
Lemhi	7,311	202	63	7	72	26	40	5
Lewis	3,402	126	37	1	221	22	23	6
Lincoln	3,589	1,542	46	7	50	45	23	14
Madison	34,374	2,445	289	56	130	109	591	44
Minidoka	13,117	6,349	93	116	180	317	94	57
Nez Perce	35,481	1,128	286	30	2,316	298	454	14
Oneida	3,948	160	18	4	20	2	28	4
Owyhee	7,856	2,688	55	72	365	208	70	39
Payette	18,409	3,553	113	40	262	186	232	41
Power	4,977	2,204	41	54	182	108	47	4
Shoshone	11,593	369	62	14	243	20	66	23
Teton	8,368	1,744	38	32	35	49	70	5
Twin Falls	66,143	11,334	625	166	592	659	1,253	142
Valley	9,233	369	41	9	59	55	57	3
Washington	8,052	1,604	55	30	101	59	87	33

Source: The bridged-race July 1, 2013 population estimates were produced by the Population Estimates Program of the U.S. Census Bureau in collaboration with the National Center for Health Statistics (NCHS). Internet release date June 30, 2015.

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate
Age by Race or Ethnicity* and Sex

Age	RACE								
	White			Black			American Indian or Alaska Native		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	1,552,607	777,360	775,247	18,928	10,504	8,424	32,662	16,429	16,233
< 1	21,140	10,769	10,371	459	227	232	674	344	330
1-4	84,513	42,924	41,589	1,846	922	924	2,920	1,414	1,506
5-9	116,318	59,795	56,523	2,313	1,195	1,118	2,906	1,488	1,418
10-14	115,075	58,856	56,219	2,121	1,091	1,030	2,803	1,422	1,381
15-17	66,797	34,488	32,309	1,257	646	611	1,619	841	778
18-19	40,870	20,650	20,220	894	446	448	1,067	551	516
20-24	105,029	54,800	50,229	2,078	1,222	856	2,679	1,392	1,287
25-29	100,453	50,420	50,033	1,609	962	647	2,451	1,237	1,214
30-34	101,966	51,569	50,397	1,326	778	548	2,301	1,185	1,116
35-39	96,783	49,326	47,457	1,003	583	420	2,017	1,033	984
40-44	92,320	46,565	45,755	931	557	374	1,960	1,001	959
45-49	90,032	45,316	44,716	777	482	295	1,914	966	948
50-54	100,300	49,759	50,541	743	481	262	1,913	938	975
55-59	100,504	49,257	51,247	549	302	247	1,679	813	866
60-64	92,442	45,444	46,998	422	267	155	1,348	663	685
65-69	77,960	38,688	39,272	260	153	107	923	458	465
70-74	57,314	27,948	29,366	140	89	51	687	317	370
75-79	39,161	18,798	20,363	99	58	41	398	205	193
80-84	26,793	11,971	14,822	45	21	24	227	97	130
85+	26,837	10,017	16,820	56	22	34	176	64	112

Age	RACE			ETHNICITY					
	Asian or Pacific Islander			Non-Hispanic			Hispanic		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	30,267	14,203	16,064	1,437,962	717,020	720,942	196,502	101,476	95,026
< 1	532	279	253	18,613	9,481	9,132	4,192	2,138	2,054
1-4	1,748	944	804	73,522	37,495	36,027	17,505	8,709	8,796
5-9	2,216	1,085	1,131	100,370	51,749	48,621	23,383	11,814	11,569
10-14	2,487	1,252	1,235	101,715	52,152	49,563	20,771	10,469	10,302
15-17	1,336	624	712	59,589	30,724	28,865	11,420	5,875	5,545
18-19	883	402	481	36,300	18,329	17,971	7,414	3,720	3,694
20-24	2,539	1,336	1,203	94,484	49,421	45,063	17,841	9,329	8,512
25-29	2,615	1,243	1,372	91,465	45,424	46,041	15,663	8,438	7,225
30-34	2,651	1,309	1,342	92,963	46,773	46,190	15,281	8,068	7,213
35-39	2,355	1,093	1,262	88,779	44,906	43,873	13,379	7,129	6,250
40-44	2,422	1,100	1,322	85,763	43,095	42,668	11,870	6,128	5,742
45-49	1,919	786	1,133	84,401	42,128	42,273	10,241	5,422	4,819
50-54	1,643	753	890	96,093	47,456	48,637	8,506	4,475	4,031
55-59	1,421	611	810	97,702	47,607	50,095	6,451	3,376	3,075
60-64	1,200	531	669	90,787	44,443	46,344	4,625	2,462	2,163
65-69	869	338	531	76,848	37,993	38,855	3,164	1,644	1,520
70-74	540	226	314	56,582	27,539	29,043	2,099	1,041	1,058
75-79	328	123	205	38,741	18,578	20,163	1,245	606	639
80-84	283	74	209	26,542	11,815	14,727	806	348	458
85+	280	94	186	26,703	9,912	16,791	646	285	361

* Race and Hispanic origin are reported separately. Persons of non-Hispanic origin and persons of Hispanic origin are included in appropriate race totals. The four race categories will sum to Idaho total; non-Hispanic and Hispanic will sum to Idaho total.

Source: The bridged-race July 1, 2014 population estimates were produced by the Population Estimates Program of the U.S. Census Bureau in collaboration with the National Center for Health Statistics. Internet release date June 30, 2015.

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate by Age and Sex
Idaho Districts and Counties

RESIDENCE	ALL AGES			< 5		5 - 9		10 -14	
	TOTAL	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	1,634,464	818,496	815,968	57,823	56,009	63,563	60,190	62,621	59,865
District 1	221,398	109,987	111,411	6,526	6,154	7,164	6,609	7,504	7,216
District 2	107,033	54,672	52,361	3,149	2,957	2,990	2,731	3,038	2,778
District 3	268,080	132,739	135,341	10,040	10,019	11,439	10,918	11,198	10,748
District 4	468,980	235,758	233,222	15,010	14,253	17,263	16,500	17,542	16,848
District 5	190,496	95,619	94,877	7,398	7,140	8,250	7,795	7,626	7,390
District 6	168,854	84,520	84,334	6,523	6,611	7,307	6,862	7,083	6,526
District 7	209,623	105,201	104,422	9,177	8,875	9,150	8,775	8,630	8,359
Ada	426,236	213,508	212,728	13,579	12,944	15,801	15,137	16,151	15,537
Adams	3,861	1,988	1,873	88	73	89	92	85	102
Bannock	83,347	41,502	41,845	3,030	3,070	3,352	3,121	3,190	2,965
Bear Lake	5,957	2,961	2,996	218	219	198	236	247	225
Benewah	9,118	4,604	4,514	239	279	323	268	274	291
Bingham	45,269	22,747	22,522	1,980	1,907	2,210	2,034	2,026	1,928
Blaine	21,482	10,913	10,569	591	536	786	691	765	779
Boise	6,824	3,523	3,301	125	93	172	147	213	208
Bonner	41,585	20,775	20,810	992	1,041	1,192	1,093	1,302	1,236
Bonneville	108,623	53,908	54,715	4,803	4,827	5,124	4,879	4,727	4,605
Boundary	10,979	5,558	5,421	309	251	341	314	399	393
Butte	2,622	1,325	1,297	66	62	105	108	95	96
Camas	1,039	532	507	27	32	40	46	29	33
Canyon	203,143	100,279	102,864	8,053	8,079	9,107	8,703	8,732	8,403
Caribou	6,837	3,435	3,402	265	242	258	295	309	272
Cassia	23,540	11,931	11,609	962	985	1,141	1,103	1,161	1,052
Clark	867	457	410	24	27	39	34	37	39
Clearwater	8,562	4,689	3,873	151	188	200	176	218	175
Custer	4,140	2,124	2,016	98	82	97	95	112	97
Elmore	26,094	13,624	12,470	1,074	1,021	1,005	980	915	849
Franklin	13,021	6,599	6,422	482	561	676	585	724	606
Fremont	12,867	6,723	6,144	453	433	508	489	558	508
Gem	16,866	8,385	8,481	471	487	593	514	617	578
Gooding	15,064	7,735	7,329	540	493	637	616	620	612
Idaho	16,215	8,465	7,750	423	426	461	409	478	438
Jefferson	27,021	13,592	13,429	1,235	1,148	1,411	1,440	1,325	1,332
Jerome	22,818	11,570	11,248	1,065	1,038	1,088	1,022	904	944
Kootenai	147,326	72,796	74,530	4,644	4,285	4,975	4,630	5,166	4,943
Latah	38,411	19,797	18,614	1,161	1,072	963	960	952	874
Lemhi	7,726	3,918	3,808	158	153	207	206	208	204
Lewis	3,838	1,926	1,912	101	101	145	132	122	139
Lincoln	5,316	2,739	2,577	188	183	264	231	261	238
Madison	38,038	19,123	18,915	2,040	1,760	1,338	1,203	1,247	1,208
Minidoka	20,323	10,279	10,044	842	819	892	823	804	741
Nez Perce	40,007	19,795	20,212	1,313	1,170	1,221	1,054	1,268	1,152
Oneida	4,184	2,074	2,110	118	161	170	170	183	174
Owyhee	11,353	5,776	5,577	341	380	455	418	462	450
Payette	22,836	11,314	11,522	799	784	885	865	944	844
Power	7,617	3,877	3,740	364	389	338	313	309	260
Shoshone	12,390	6,254	6,136	342	298	333	304	363	353
Teton	10,341	5,356	4,985	366	445	426	429	416	366
Twin Falls	80,914	39,920	40,994	3,183	3,054	3,402	3,263	3,082	2,991
Valley	9,826	5,103	4,723	232	195	285	236	263	254
Washington	10,021	4,997	5,024	288	216	310	326	358	371

Source: National Center for Health Statistics. Estimates of the July 1, 2014 resident population from the Vintage 2014 postcensal series by state, county, year, age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release June 30, 2015.

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate by Age and Sex
Idaho Districts and Counties

	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39	
RESIDENCE	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	58,648	56,075	58,750	53,575	53,862	53,266	54,841	53,403	52,035	50,123
District 1	7,210	6,672	6,438	5,880	6,025	6,344	6,431	6,458	6,293	6,262
District 2	4,085	3,694	6,159	5,108	3,632	3,247	3,205	2,943	2,818	2,544
District 3	10,323	9,794	8,650	8,389	7,947	8,333	8,336	8,722	8,296	8,481
District 4	15,769	14,880	16,065	14,183	17,252	16,505	17,726	16,557	16,548	15,721
District 5	6,738	6,297	6,135	5,761	5,790	5,873	6,365	6,212	6,184	5,689
District 6	6,517	5,946	5,755	5,537	5,630	5,717	5,638	5,615	5,374	5,221
District 7	8,006	8,792	9,548	8,717	7,586	7,247	7,140	6,896	6,522	6,205
Ada	14,395	13,637	13,979	12,792	15,661	15,204	16,362	15,269	15,342	14,575
Adams	100	90	81	72	86	76	72	83	83	79
Bannock	3,115	2,844	3,207	3,251	3,457	3,389	3,097	3,008	2,698	2,625
Bear Lake	214	231	152	135	132	158	187	132	161	197
Benewah	292	245	235	216	206	214	223	209	211	229
Bingham	1,814	1,599	1,404	1,321	1,230	1,326	1,407	1,457	1,429	1,373
Blaine	623	612	549	478	534	546	666	630	751	630
Boise	225	212	115	129	122	96	112	132	156	142
Bonner	1,227	1,183	964	877	895	965	1,051	1,036	1,091	1,089
Bonneville	3,941	3,688	3,287	3,254	3,452	3,794	4,121	3,980	3,522	3,478
Boundary	414	372	269	217	232	217	275	298	315	283
Butte	110	93	67	58	54	52	65	70	63	73
Camas	33	30	18	11	18	16	24	39	43	43
Canyon	7,986	7,679	6,752	6,694	6,334	6,822	6,730	6,998	6,575	6,716
Caribou	253	224	196	144	153	175	196	224	249	189
Cassia	946	865	815	690	678	656	747	750	721	661
Clark	33	37	23	23	39	17	35	24	17	26
Clearwater	242	183	271	138	240	144	265	161	265	179
Custer	105	104	84	92	95	98	97	89	90	90
Elmore	894	809	1,774	1,079	1,235	1,013	992	888	745	736
Franklin	579	551	378	324	294	313	379	379	443	446
Fremont	613	470	369	316	341	327	384	363	458	384
Gem	563	512	466	412	384	386	412	427	390	416
Gooding	608	523	491	403	405	385	474	443	513	421
Idaho	533	423	471	308	362	308	439	346	394	338
Jefferson	1,136	1,043	749	741	786	766	872	950	963	859
Jerome	806	728	810	722	783	756	844	746	667	643
Kootenai	4,913	4,536	4,641	4,276	4,377	4,650	4,569	4,621	4,367	4,353
Latah	1,950	1,843	3,951	3,192	1,619	1,369	1,231	1,147	987	880
Lemhi	226	167	168	136	154	155	194	205	176	165
Lewis	119	98	79	68	84	82	98	112	84	71
Lincoln	213	211	182	140	124	150	189	183	199	155
Madison	1,621	2,981	4,600	3,959	2,420	1,840	1,040	865	776	751
Minidoka	768	705	670	599	606	572	585	590	643	589
Nez Perce	1,241	1,147	1,387	1,402	1,327	1,344	1,172	1,177	1,088	1,076
Oneida	162	138	102	80	69	88	108	126	116	115
Owyhee	445	394	355	332	302	243	315	318	345	342
Payette	854	768	718	640	631	610	586	659	646	675
Power	270	266	249	224	241	216	199	219	215	203
Shoshone	364	336	329	294	315	298	313	294	309	308
Teton	331	302	268	196	299	250	397	420	520	452
Twin Falls	2,741	2,623	2,600	2,718	2,642	2,792	2,836	2,831	2,647	2,547
Valley	255	222	197	183	234	192	260	268	305	268
Washington	375	351	278	239	210	196	221	237	257	253

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate by Age and Sex
Idaho Districts and Counties

	40 - 44		45 - 49		50 - 54		55 - 59		60 - 64	
RESIDENCE	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	49,223	48,410	47,550	47,092	51,931	52,668	50,983	53,170	46,905	48,507
District 1	6,513	6,468	6,633	6,860	7,608	8,050	8,061	8,645	7,935	8,580
District 2	2,809	2,659	2,919	2,920	3,412	3,550	3,692	3,776	3,585	3,521
District 3	8,095	8,244	7,798	7,707	8,079	8,488	7,649	7,980	7,059	7,470
District 4	16,274	15,608	15,313	14,905	15,749	15,716	14,514	15,489	12,999	13,574
District 5	5,426	5,300	5,350	5,165	6,106	5,965	5,959	6,121	5,302	5,398
District 6	4,532	4,546	4,300	4,433	4,967	5,039	5,266	5,301	4,851	4,814
District 7	5,574	5,585	5,237	5,102	6,010	5,860	5,842	5,858	5,174	5,150
Ada	15,049	14,477	14,174	13,705	14,282	14,249	12,961	13,882	11,441	12,095
Adams	91	90	92	99	148	161	204	214	240	208
Bannock	2,206	2,277	2,107	2,195	2,317	2,391	2,454	2,587	2,356	2,385
Bear Lake	146	139	136	140	178	189	215	209	204	193
Benewah	243	231	270	271	330	347	409	399	368	363
Bingham	1,244	1,250	1,186	1,210	1,431	1,403	1,384	1,396	1,243	1,249
Blaine	716	714	746	706	807	862	838	865	824	839
Boise	181	203	211	220	321	311	354	378	406	389
Bonner	1,134	1,208	1,199	1,189	1,501	1,583	1,811	1,922	1,913	1,991
Bonneville	3,042	3,049	2,854	2,797	3,291	3,212	3,076	3,150	2,696	2,823
Boundary	299	313	332	299	378	396	398	464	463	487
Butte	69	58	64	62	90	98	117	114	95	105
Camas	27	32	29	23	48	44	44	37	43	37
Canyon	6,337	6,443	5,915	5,743	5,800	6,103	5,358	5,624	4,870	5,274
Caribou	180	176	165	191	210	199	262	235	213	214
Cassia	657	635	607	577	714	666	717	670	593	584
Clark	29	24	27	27	25	30	38	16	28	21
Clearwater	258	185	326	247	374	349	347	349	397	360
Custer	123	116	110	109	170	181	201	188	235	195
Elmore	717	653	663	682	807	796	739	753	616	572
Franklin	381	359	322	315	366	386	390	356	336	318
Fremont	347	348	387	336	443	373	434	402	404	361
Gem	419	438	502	562	613	645	635	653	576	593
Gooding	421	408	443	419	501	463	490	456	405	396
Idaho	391	384	473	436	548	613	715	714	773	713
Jefferson	736	749	700	674	804	809	804	754	619	614
Jerome	628	619	648	635	749	656	674	682	613	596
Kootenai	4,489	4,368	4,438	4,719	4,884	5,271	4,944	5,284	4,649	5,251
Latah	933	907	903	850	980	1,035	1,011	1,105	1,009	990
Lemhi	165	171	193	209	285	292	332	365	360	361
Lewis	77	83	85	105	162	141	169	175	153	127
Lincoln	155	162	171	140	150	151	164	171	159	130
Madison	655	694	566	586	621	652	619	676	533	503
Minidoka	526	522	553	546	636	652	683	674	579	555
Nez Perce	1,150	1,100	1,132	1,282	1,348	1,412	1,450	1,433	1,253	1,331
Oneida	114	107	99	109	126	137	170	151	152	133
Owyhee	337	332	333	318	401	382	417	369	371	343
Payette	625	667	682	697	776	849	704	739	637	679
Power	192	180	221	211	249	236	274	253	252	217
Shoshone	348	348	394	382	515	453	499	576	542	488
Teton	477	434	400	364	371	311	338	307	299	272
Twin Falls	2,296	2,208	2,153	2,119	2,501	2,471	2,349	2,566	2,086	2,261
Valley	327	275	265	298	339	360	460	476	536	518
Washington	286	274	274	288	341	348	331	381	365	373

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate by Age and Sex
Idaho Districts and Counties

	65 - 69		70 - 74		75 - 79		80 - 84		85+	
RESIDENCE	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	39,637	40,375	28,580	30,101	19,184	20,802	12,163	15,185	10,197	17,152
District 1	7,204	7,280	5,219	5,207	3,520	3,498	2,144	2,454	1,559	2,774
District 2	3,099	2,993	2,362	2,378	1,681	1,693	1,069	1,313	968	1,556
District 3	6,263	6,663	4,856	5,114	3,241	3,366	1,908	2,351	1,562	2,554
District 4	10,840	11,026	6,990	7,796	4,424	5,171	2,840	3,828	2,640	4,662
District 5	4,387	4,546	3,402	3,514	2,356	2,664	1,538	1,917	1,307	2,130
District 6	3,747	3,781	2,752	2,893	1,908	2,208	1,324	1,644	1,046	1,640
District 7	4,097	4,086	2,999	3,199	2,054	2,202	1,340	1,678	1,115	1,836
Ada	9,503	9,897	6,040	6,887	3,847	4,624	2,505	3,513	2,436	4,304
Adams	186	156	165	123	110	79	44	52	24	24
Bannock	1,834	1,872	1,202	1,302	833	1,030	592	749	455	784
Bear Lake	188	190	154	141	89	121	76	76	66	65
Benewah	342	341	283	249	171	145	119	112	66	105
Bingham	907	915	746	752	502	568	341	444	263	390
Blaine	663	668	484	469	295	228	163	151	112	165
Boise	337	273	262	187	117	74	60	48	34	59
Bonner	1,754	1,542	1,221	1,123	788	737	426	455	314	540
Bonneville	2,126	2,162	1,474	1,771	1,039	1,205	707	925	626	1,116
Boundary	419	403	309	278	217	148	120	135	69	153
Butte	104	68	65	61	52	50	28	37	16	32
Camas	44	30	34	16	15	18	4	13	12	7
Canyon	4,275	4,617	3,198	3,448	2,016	2,206	1,217	1,553	1,024	1,759
Caribou	164	169	155	158	85	118	68	85	54	92
Cassia	482	481	381	394	283	318	172	250	154	272
Clark	17	22	14	14	14	14	10	12	8	3
Clearwater	398	330	340	242	205	217	111	115	81	135
Custer	192	148	154	123	75	77	46	68	40	64
Elmore	504	499	387	448	269	304	178	183	110	205
Franklin	261	266	208	248	177	155	103	119	100	135
Fremont	316	333	289	271	200	162	134	152	85	116
Gem	553	572	477	479	342	321	193	239	179	247
Gooding	372	383	306	303	211	252	167	171	131	182
Idaho	691	616	544	473	374	311	218	251	177	243
Jefferson	525	521	378	368	258	266	155	211	136	184
Jerome	434	467	361	358	240	255	166	199	90	182
Kootenai	4,211	4,534	3,069	3,245	2,114	2,193	1,335	1,565	1,011	1,806
Latah	796	750	541	587	380	355	233	313	197	385
Lemhi	369	325	309	265	194	176	113	105	107	148
Lewis	132	136	112	136	96	88	60	52	48	66
Lincoln	118	104	72	78	48	58	39	44	43	48
Madison	352	388	270	294	210	247	128	153	87	155
Minidoka	497	479	377	403	268	296	171	210	179	269
Nez Perce	1,082	1,161	825	940	626	722	447	582	465	727
Oneida	122	118	84	89	78	70	50	64	51	80
Owyhee	318	313	227	257	168	172	119	92	65	122
Payette	575	642	493	523	382	395	207	252	170	234
Power	167	183	138	142	92	96	66	70	41	62
Shoshone	478	460	337	312	230	275	144	187	99	170
Teton	200	187	111	93	64	55	47	52	26	50
Twin Falls	1,777	1,934	1,387	1,493	996	1,239	656	879	586	1,005
Valley	496	357	301	274	191	169	97	84	60	94
Washington	356	363	296	284	223	193	128	163	100	168

IDAHO RESIDENT POPULATION
July 1, 2014 Estimate
Single Age by Sex

AGE	TOTAL	MALE	FEMALE	AGE	TOTAL	MALE	FEMALE
<1	22,805	11,619	11,186	44	20,322	10,189	10,133
1	22,721	11,481	11,240	45	19,341	9,729	9,612
2	22,211	11,324	10,887	46	18,613	9,440	9,173
3	22,744	11,526	11,218	47	18,568	9,365	9,203
4	23,351	11,873	11,478	48	18,767	9,372	9,395
5	24,078	12,289	11,789	49	19,353	9,644	9,709
6	24,829	12,800	12,029	50	20,003	9,843	10,160
7	25,085	12,940	12,145	51	20,694	10,307	10,387
8	24,771	12,790	11,981	52	20,949	10,448	10,501
9	24,990	12,744	12,246	53	21,626	10,659	10,967
10	24,584	12,609	11,975	54	21,327	10,674	10,653
11	24,361	12,548	11,813	55	20,826	10,210	10,616
12	24,382	12,469	11,913	56	21,271	10,361	10,910
13	24,500	12,374	12,126	57	21,197	10,279	10,918
14	24,659	12,621	12,038	58	20,521	10,094	10,427
15	24,163	12,448	11,715	59	20,338	10,039	10,299
16	23,442	12,117	11,325	60	19,923	9,784	10,139
17	23,404	12,034	11,370	61	19,912	9,818	10,094
18	22,236	11,365	10,871	62	19,234	9,479	9,755
19	21,478	10,684	10,794	63	18,427	9,036	9,391
20	21,052	10,609	10,443	64	17,916	8,788	9,128
21	21,621	11,406	10,215	65	17,520	8,677	8,843
22	23,253	12,497	10,756	66	17,653	8,761	8,892
23	23,182	12,331	10,851	67	18,045	8,998	9,047
24	23,217	11,907	11,310	68	13,391	6,695	6,696
25	22,561	11,300	11,261	69	13,403	6,506	6,897
26	21,115	10,483	10,632	70	13,234	6,421	6,813
27	21,060	10,545	10,515	71	13,357	6,543	6,814
28	20,999	10,625	10,374	72	11,536	5,654	5,882
29	21,393	10,909	10,484	73	10,571	5,093	5,478
30	21,014	10,678	10,336	74	9,983	4,869	5,114
31	21,503	10,831	10,672	75	9,342	4,607	4,735
32	21,967	11,119	10,848	76	8,561	4,100	4,461
33	21,698	11,032	10,666	77	7,819	3,742	4,077
34	22,062	11,181	10,881	78	7,382	3,482	3,900
35	21,293	10,898	10,395	79	6,882	3,253	3,629
36	20,558	10,437	10,121	80	6,134	2,829	3,305
37	20,606	10,435	10,171	81	5,892	2,714	3,178
38	19,575	9,940	9,635	82	5,598	2,504	3,094
39	20,126	10,325	9,801	83	5,006	2,139	2,867
40	18,795	9,458	9,337	84	4,718	1,977	2,741
41	18,768	9,446	9,322	85+	27,349	10,197	17,152
42	19,297	9,770	9,527				
43	20,451	10,360	10,091	TOTAL	1,634,464	818,496	815,968

Source: U.S. Census Bureau, Internet release date June 30, 2015.

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Trends and Summary

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

2014 IDAHO SUMMARY

Births

The number of Idaho resident live births in 2014 increased by 540 births from 22,348 in 2013 to 22,888 in 2014. This is a 2.4 percent increase in the number of resident births. The birth rate increased 1.4 percent from 71.7 per 1,000 to 72.7 per 1,000 in 2014 after a 3.5 decrease the year before.

Out-of-Wedlock Births

The number of births to unmarried women increased 5.2 percent from 6,040 in 2013 to 6,354 in 2014. The percent of out-of-wedlock births increased to its highest level among Idaho residents in 2014. In 2014, 27.8 percent of births were born out-of-wedlock. This is a slight increase from 27.0 percent in 2013.

Deaths

Idaho recorded the highest number of deaths in 2014 with 12,610 deaths. This was an increase of 184 deaths from 2013. The mortality rate remained the same as 2013 at 7.7 deaths per 1,000 population.

Stillbirths

In the past ten years, the number of stillbirths have fluctuated from a high of 137 in 2011 to a low of 108 in 2006. In 2014, there were 114 reported stillbirths; the ratio of stillbirths to live births was 5.0 stillbirths per 1,000 live births.

Infant Deaths

The infant mortality rate was 5.5 deaths per 1,000 live births in 2014, a slight decrease from 5.6 deaths per 1000 births in 2013. The neonatal mortality rate increased slightly in 2014 (3.8 per 1,000 live births from 3.7 in 2013), while the postneonatal mortality rate decreased from 2.0 per 1,000 live births in 2013 to 1.7 per 1,000 births in 2014.

Induced Abortions

The number of induced abortions among Idaho residents decreased 2.4 percent from 1,794 in 2013 to 1,751 in 2014; the rate decreased from 5.8 abortions per 1,000 females aged 15-44 to 5.6 in 2014. The number of induced abortions occurring in Idaho decreased 1.6 percent from 1,375 in 2013 to 1,353 in 2014.

Marriages

The number of marriages occurring in Idaho increased by 492 in 2014, from 13,207 in 2013 to 13,699 in 2014. The marriage rate increased from 8.2 marriages per 1,000 population in 2013 to 8.4 marriages per 1,000 population in 2014.

Divorces

The number of divorces occurring in Idaho decreased 4.2 percent in 2014 to 6,943 from 7,248 in 2013. The 2014 divorce rate of 4.2 per 1,000 population was slightly lower than the rate of 4.5 per 1,000 population in 2013.

IDAHO VITAL STATISTICS
2005-2014

	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
LIVE BIRTHS	22,888	22,348	22,941	22,311	23,202	23,726	25,156	25,023	24,185	23,064
Birth Rate	14.0	13.9	14.4	14.1	14.8	15.3	16.5	16.7	16.5	16.1
Fertility Rate	72.7	71.7	74.0	72.3	75.7	77.4	83.4	83.4	80.9	77.4
Males	11,751	11,334	11,661	11,501	11,882	12,188	12,770	12,891	12,400	11,748
Females	11,137	11,014	11,280	10,810	11,320	11,538	12,386	12,132	11,785	11,316
OUT-OF-WEDLOCK LIVE BIRTHS	6,354	6,040	6,267	5,898	6,143	6,084	6,358	6,353	5,866	5,273
Percent	27.8	27.0	27.3	26.4	26.5	25.6	25.3	25.4	24.3	22.9
LOW BIRTHWEIGHT LIVE BIRTHS	1,478	1,547	1,481	1,355	1,582	1,557	1,643	1,643	1,676	1,544
Percent	6.5	6.9	6.5	6.1	6.8	6.6	6.5	6.6	6.9	6.7
DEATHS	12,610	12,426	11,993	11,990	11,411	11,065	10,927	10,742	10,556	10,513
Crude Death Rate	7.7	7.7	7.5	7.6	7.3	7.2	7.2	7.2	7.2	7.4
Age-Adjusted Death Rate	7.2	7.3	7.3	7.4	7.3	7.2	7.2	7.3	7.4	7.6
Males	6,493	6,402	6,203	6,112	5,883	5,703	5,519	5,331	5,395	5,360
Females	6,117	6,024	5,790	5,878	5,528	5,362	5,408	5,411	5,161	5,153
INFANT DEATHS	126	126	121	112	112	126	146	169	164	142
Rate	5.5	5.6	5.3	5.0	4.8	5.3	5.8	6.8	6.8	6.2
<28 Days	3.8	3.7	3.7	3.0	2.7	3.4	3.9	4.5	4.6	4.0
28 Days - <1 Year	1.7	2.0	1.6	2.0	2.1	1.9	1.9	2.2	2.2	2.1
STILLBIRTHS[1]	114	109	115	137	123	115	128	130	108	134
Ratio	5.0	4.9	5.0	6.1	5.3	4.8	5.1	5.2	4.5	5.8
PERINATAL DEATHS[1]	191	186	191	193	174	178	217	221	201	217
Ratio	8.3	8.3	8.3	8.7	7.5	7.5	8.6	8.8	8.3	9.4
MATERNAL DEATHS[2]	3	9	3	2	5	3	4	5	3	6
Rate/100,000 births	13.1	40.3	13.1	9.0	21.5	12.6	15.9	20.0	12.4	26.0
INDUCED ABORTIONS										
Idaho Residents	1,751	1,794	1,916	2,005	2,123	2,348	2,132	2,160	1,919	1,827
Rate	5.6	5.8	6.2	6.5	6.9	7.7	7.1	7.2	6.4	6.1
Ratio births to residents	76.5	80.3	83.5	89.9	91.5	99.0	84.8	86.3	79.3	79.2
Occurring in Idaho[3]	1,353	1,375	1,458	1,440	1,510	1,650	1,481	1,442	1,249	1,099
Ratio births in Idaho	60.2	62.5	64.8	65.9	66.2	71.0	60.0	59.0	52.7	48.8
MARRIAGES[3]	13,699	13,207	13,114	13,696	13,757	13,771	14,641	14,973	14,855	14,933
Rate	8.4	8.2	8.2	8.6	8.8	8.9	9.6	10.0	10.1	10.4
DIVORCES[3]	6,943	7,248	7,598	7,773	8,136	7,729	7,424	7,344	7,392	7,118
Rate	4.2	4.5	4.8	4.9	5.2	5.0	4.9	4.9	5.0	5.0

1. Number and ratio of stillbirths and perinatal deaths in 2005 may differ from previously published data due to revisions in the database.
2. In 2003, a question on pregnancy status among females aged 10-54 was added to the Idaho death certificate resulting in the identification of more maternal deaths. Maternal death data for 2003 and after are not comparable with data prior to 2003.
3. Marriage, divorce, and specified abortion data are for events occurring in Idaho; all other data reflect events occurring to Idaho residents.

Note: All rates are per 1,000 unless otherwise stated; see Definitions and Formulas for specific rates and ratio definitions.

IDAHO VITAL STATISTICS
Births, Deaths, Marriages, Divorces
2004-2014



Idaho and U.S. Birth and Death Rates
2004-2014



SUMMARY OF IDAHO VITAL STATISTICS
Births, Deaths, Marriages, Divorces
2014

	POPULATION	LIVE BIRTHS[2]		DEATHS[2]		MARRIAGES[3]		DIVORCES[3]	
	July 1, 2014[1]	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates			12.5 (2014 Final)		8.2 (2014 Final)		6.9 (2014 Provisional)		3.2 (2014 Provisional)
IDAHO	1,634,464	22,888	14.0	12,610	7.7	13,699	8.4	6,943	4.2
District 1	221,398	2,615	11.8	2,172	9.8	3,093	14.0	1,010	4.6
District 2	107,033	1,180	11.0	1,054	9.8	711	6.6	368	3.4
District 3	268,080	4,005	14.9	1,977	7.4	1,742	6.5	1,130	4.2
District 4	468,980	5,751	12.3	3,017	6.4	3,702	7.9	2,157	4.6
District 5	190,496	2,789	14.6	1,582	8.3	1,461	7.7	847	4.4
District 6	168,854	2,579	15.3	1,444	8.6	1,057	6.3	567	3.4
District 7	209,623	3,969	18.9	1,364	6.5	1,933	9.2	864	4.1
Ada	426,236	5,128	12.0	2,736	6.4	3,166	7.4	1,959	4.6
Adams	3,861	31	8.0	37	9.6	35	9.1	10	2.6
Bannock	83,347	1,324	15.9	707	8.5	552	6.6	293	3.5
Bear Lake	5,957	90	15.1	74	12.4	42	7.1	21	3.5
Benewah	9,118	107	11.7	130	14.3	61	6.7	31	3.4
Bingham	45,269	687	15.2	345	7.6	272	6.0	131	2.9
Blaine	21,482	222	10.3	120	5.6	168	7.8	85	4.0
Boise	6,824	39	5.7	45	6.6	62	9.1	11	1.6
Bonner	41,585	431	10.4	418	10.1	362	8.7	180	4.3
Bonneville	108,623	1,875	17.3	792	7.3	1,169	10.8	576	5.3
Boundary	10,979	132	12.0	121	11.0	72	6.6	30	2.7
Butte	2,622	26	9.9	31	11.8	15	5.7	8	3.1
Camas	1,039	5	4.8	5	4.8	14	13.5	1	1.0
Canyon	203,143	3,227	15.9	1,325	6.5	1,233	6.1	861	4.2
Caribou	6,837	83	12.1	57	8.3	53	7.8	19	2.8
Cassia	23,540	374	15.9	191	8.1	191	8.1	103	4.4
Clark	867	10	11.5	10	11.5	4	4.6	1	1.2
Clearwater	8,562	58	6.8	96	11.2	66	7.7	23	2.7
Custer	4,140	42	10.1	46	11.1	71	17.1	9	2.2
Elmore	26,094	495	19.0	172	6.6	229	8.8	153	5.9
Franklin	13,021	176	13.5	104	8.0	67	5.1	48	3.7
Fremont	12,867	198	15.4	96	7.5	85	6.6	37	2.9
Gem	16,866	192	11.4	212	12.6	142	8.4	89	5.3
Gooding	15,064	202	13.4	147	9.8	80	5.3	41	2.7
Idaho	16,215	158	9.7	205	12.6	95	5.9	52	3.2
Jefferson	27,021	445	16.5	138	5.1	167	6.2	95	3.5
Jerome	22,818	384	16.8	186	8.2	157	6.9	96	4.2
Kootenai	147,326	1,795	12.2	1,315	8.9	2,479	16.8	701	4.8
Latah	38,411	448	11.7	227	5.9	231	6.0	109	2.8
Lemhi	7,726	65	8.4	117	15.1	59	7.6	29	3.8
Lewis	3,838	35	9.1	42	10.9	17	4.4	5	1.3
Lincoln	5,316	62	11.7	29	5.5	12	2.3	20	3.8
Madison	38,038	1,197	31.5	126	3.3	295	7.8	93	2.4
Minidoka	20,323	326	16.0	160	7.9	153	7.5	73	3.6
Nez Perce	40,007	481	12.0	484	12.1	302	7.5	179	4.5
Oneida	4,184	44	10.5	49	11.7	19	4.5	18	4.3
Owyhee	11,353	142	12.5	84	7.4	70	6.2	19	1.7
Payette	22,836	310	13.6	204	8.9	190	8.3	115	5.0
Power	7,617	149	19.6	77	10.1	37	4.9	17	2.2
Shoshone	12,390	150	12.1	188	15.2	119	9.6	59	4.8
Teton	10,341	137	13.2	39	3.8	83	8.0	24	2.3
Twin Falls	80,914	1,214	15.0	744	9.2	686	8.5	428	5.3
Valley	9,826	89	9.1	64	6.5	245	24.9	34	3.5
Washington	10,021	103	10.3	115	11.5	72	7.2	36	3.6

1. Source for population: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Births, deaths: county of residence. Rate: number per 1,000 population.
3. Marriages, divorces: county of occurrence. Divorces by county will not total district and state totals because tribal court divorces are not included in county totals; tribal court divorces are included in district totals Rate: number per 1,000 population.

SUMMARY OF IDAHO VITAL STATISTICS
Resident Infant, Fetal, Perinatal Mortality
2014

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS		STILLBIRTHS		PERINATAL DEATHS	
		Number	Rate	Number	Ratio	Number	Ratio
U.S. Rate			5.8 (2014 Final)		NA		NA
IDAHO	22,888	126	5.5	114	5.0	191	8.3
District 1	2,615	17	6.5	12	4.6	26	9.9
District 2	1,180	10	8.5	7	5.9	10	8.5
District 3	4,005	24	6.0	23	5.7	37	9.2
District 4	5,751	27	4.7	20	3.5	39	6.8
District 5	2,789	17	6.1	21	7.5	32	11.5
District 6	2,579	11	4.3	12	4.7	16	6.2
District 7	3,969	20	5.0	19	4.8	31	7.8
Ada	5,128	23	4.5	20	3.9	38	7.4
Adams	31	-	-	-	-	-	-
Bannock	1,324	7	5.3	8	6.0	10	7.6
Bear Lake	90	-	-	-	-	-	-
Benewah	107	2	18.7	1	9.3	3	28.0
Bingham	687	1	1.5	3	4.4	3	4.4
Blaine	222	-	-	1	4.5	1	4.5
Boise	39	-	-	-	-	-	-
Bonner	431	5	11.6	3	7.0	7	16.2
Bonneville	1,875	14	7.5	13	6.9	22	11.7
Boundary	132	1	7.6	1	7.6	2	15.2
Butte	26	-	-	-	-	-	-
Camas	5	-	-	-	-	-	-
Canyon	3,227	20	6.2	18	5.6	30	9.3
Caribou	83	1	12.0	-	-	1	12.0
Cassia	374	4	10.7	3	8.0	5	13.4
Clark	10	-	-	-	-	-	-
Clearwater	58	-	-	1	17.2	1	17.2
Custer	42	-	-	1	23.8	1	23.8
Elmore	495	4	8.1	-	-	1	2.0
Franklin	176	-	-	1	5.7	1	5.7
Fremont	198	1	5.1	-	-	-	-
Gem	192	3	15.6	1	5.2	3	15.6
Gooding	202	1	5.0	1	5.0	2	9.9
Idaho	158	2	12.7	2	12.7	3	19.0
Jefferson	445	-	-	1	2.2	1	2.2
Jerome	384	7	18.2	3	7.8	8	20.8
Kootenai	1,795	8	4.5	7	3.9	13	7.2
Latah	448	4	8.9	1	2.2	2	4.5
Lemhi	65	2	30.8	1	15.4	3	46.2
Lewis	35	-	-	2	57.1	2	57.1
Lincoln	62	-	-	1	16.1	1	16.1
Madison	1,197	2	1.7	3	2.5	4	3.3
Minidoka	326	2	6.1	4	12.3	4	12.3
Nez Perce	481	4	8.3	1	2.1	2	4.2
Oneida	44	-	-	-	-	-	-
Owyhee	142	-	-	1	7.0	1	7.0
Payette	310	1	3.2	2	6.5	2	6.5
Power	149	2	13.4	-	-	1	6.7
Shoshone	150	1	6.7	-	-	1	6.7
Teton	137	1	7.3	-	-	-	-
Twin Falls	1,214	3	2.5	8	6.6	11	9.1
Valley	89	-	-	-	-	-	-
Washington	103	-	-	1	9.7	1	9.7

Infant death rate: Number of infant deaths under one year of age per 1,000 live births.
Stillbirth ratio: Number of spontaneous fetal deaths of at least 20 weeks gestation or a weight of 350 grams per 1,000 live births.
Perinatal ratio: Number of stillbirths plus infant deaths within the first 6 days of life per 1,000 live births.
NA: not available.

IDAHO BIRTHS
Number and Rate per 1,000 Population
1920-2014

IDAHO BIRTHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1920	10,227	25.2	1952	16,402	26.4	1984	17,988	18.2
1921	10,885	NA	1953	16,499	26.0	1985	17,553	17.7
1922	10,500	NA	1954	16,747	25.9	1986	16,436	16.6
1923	10,047	NA	1955	16,705	25.4	1987	15,927	16.2
1924	9,872	NA	1956	16,428	24.5	1988	15,730	16.0
1925	9,070	NA	1957	16,500	23.9	1989	15,868	16.0
1926	10,128	NA	1958	16,732	24.1	1990	16,442	16.3
1927	9,777	NA	1959	17,009	25.7	1991	16,789	16.2
1928	9,099	NA	1960	17,016	25.5	1992	17,318	16.2
1929	9,925	NA	1961	16,701	24.7	1993	17,411	15.8
1930	9,711	21.8	1962	16,303	23.7	1994	17,541	15.4
1931	9,908	NA	1963	14,734	21.0	1995	18,003	15.5
1932	8,887	NA	1964	14,080	20.5	1996	18,564	15.6
1933	8,448	NA	1965	13,370	19.3	1997	18,537	15.3
1934	9,594	NA	1966	12,978	18.7	1998	19,350	15.7
1935	9,763	NA	1967	12,762	18.3	1999	19,870	15.9
1936	10,367	NA	1968	13,101	18.6	2000	20,305	15.7
1937	10,631	NA	1969	13,468	18.9	2001	20,686	15.7
1938	11,376	NA	1970	14,540	20.4	2002	20,973	15.6
1939	11,307	NA	1971	14,387	19.5	2003	21,794	16.0
1940	11,761	22.4	1972	14,250	18.9	2004	22,529	16.2
1941	11,970	NA	1973	14,507	18.7	2005	23,064	16.1
1942	11,537	NA	1974	15,570	19.5	2006	24,185	16.5
1943	12,675	NA	1975	16,242	20.0	2007	25,023	16.7
1944	12,432	NA	1976	17,322	20.8	2008	25,156	16.5
1945	11,811	NA	1977	18,813	22.0	2009	23,726	15.3
1946	13,495	NA	1978	19,355	21.9	2010	23,202	14.8
1947	15,940	NA	1979	19,919	22.0	2011	22,311	14.1
1948	15,720	NA	1980	20,140	21.3	2012	22,941	14.4
1949	15,802	NA	1981	19,488	20.3	2013	22,348	13.9
1950	15,666	26.6	1982	19,581	20.4	2014	22,888	14.0
1951	16,182	26.6	1983	18,742	19.0			

NA: Birth rates for 1921-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.
Births from 1920 to 1963 are numbers occurring in Idaho regardless of person's state of residence.
Births from 1964 to 2014 are numbers occurring to residents of Idaho, regardless of state of occurrence.
Birth rate: number of births per 1,000 population in corresponding year.

Source for population: 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010 are Census estimates from the U.S. Census Bureau. Population estimates for 1951-1959 are in-house estimates based on the average annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to the present, not including the census years, are based on number of births and postcensal estimates provided in the corresponding Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO RESIDENT TEEN PREGNANCIES[1]
Number of Pregnancies and Rates[2] by Age
2003-2014

YEAR	IDAHO RESIDENT PREGNANCIES BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
2003	31	0.6	2,421	45.8	653	20.9	1,768	81.6
2004	20	0.4	2,396	45.2	655	20.9	1,741	80.2
2005	28	0.6	2,387	44.7	659	20.8	1,728	79.7
2006	31	0.6	2,543	46.5	762	22.9	1,781	83.3
2007	25	0.5	2,702	49.5	788	23.9	1,914	88.7
2008	25	0.5	2,672	48.7	781	23.8	1,891	85.5
2009	23	0.4	2,458	43.3	690	21.2	1,768	73.1
2010	27	0.5	2,218	39.3	618	18.5	1,600	69.4
2011	21	0.4	1,921	33.6	488	14.6	1,433	60.5
2012	17	0.3	1,891	34.1	496	14.8	1,395	63.6
2013	15	0.3	1,657	29.9	375	11.1	1,282	59.6
2014	14	0.2	1,541	27.5	369	10.7	1,172	54.1

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).
2. Pregnancy rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on pregnancies to females aged < 15 and population for females aged 10-14.
   Data may differ from previous publications due to updates in the data base, revisions in population estimates, and standardization of file cutoff dates.

IDAHO RESIDENT TEEN LIVE BIRTHS
Number of Births and Rates[1] by Age
2003-2014

YEAR	IDAHO RESIDENT LIVE BIRTHS BY AGE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
2003	19	0.4	2,076	39.3	545	17.5	1,531	70.7
2004	14	0.3	2,058	38.8	525	16.8	1,533	70.6
2005	19	0.4	2,019	37.8	532	16.8	1,487	68.6
2006	18	0.3	2,148	39.3	597	17.9	1,551	72.5
2007	17	0.3	2,260	41.4	628	19.0	1,632	75.6
2008	18	0.3	2,262	41.2	651	19.9	1,611	72.9
2009	15	0.3	2,031	35.8	548	16.8	1,483	61.3
2010	13	0.2	1,864	33.0	505	15.1	1,359	58.9
2011	15	0.3	1,584	27.7	385	11.5	1,199	50.6
2012	9	0.2	1,567	28.3	391	11.7	1,176	53.6
2013	11	0.2	1,426	25.7	311	9.2	1,115	51.9
2014	7	0.1	1,302	23.2	311	9.0	991	45.7

1. Live birth rate: Number of live births per 1,000 females in corresponding age group. Rates for <15 age group are based on births to females aged < 15 and population for females aged 10-14.

IDAHO DEATHS
Number and Rate per 1,000 Population
1920-2014

IDAHO DEATHS								
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1920	3,319	7.7	1952	4,722	7.6	1984	7,229	7.2
1921	3,638	NA	1953	4,902	7.7	1985	7,105	7.1
1922	3,729	NA	1954	4,773	7.3	1986	7,345	7.4
1923	3,406	NA	1955	4,836	7.3	1987	7,305	7.4
1924	3,791	NA	1956	4,931	7.3	1988	7,654	7.8
1925	3,488	NA	1957	5,095	7.4	1989	7,386	7.4
1926	3,910	NA	1958	5,092	7.3	1990	7,386	7.3
1927	3,781	NA	1959	5,295	7.9	1991	7,678	7.4
1928	3,931	NA	1960	5,252	7.9	1992	7,870	7.4
1929	4,640	NA	1961	5,357	7.9	1993	8,360	7.6
1930	4,246	9.5	1962	5,362	7.8	1994	8,394	7.4
1931	4,117	NA	1963	5,619	8.0	1995	8,491	7.3
1932	3,920	NA	1964	5,833	8.4	1996	8,706	7.3
1933	4,106	NA	1965	5,939	8.6	1997	8,952	7.4
1934	4,502	NA	1966	5,939	8.6	1998	9,141	7.4
1935	4,604	NA	1967	5,898	8.4	1999	9,508	7.6
1936	5,003	NA	1968	6,000	8.5	2000	9,535	7.4
1937	4,852	NA	1969	6,119	8.6	2001	9,751	7.4
1938	4,566	NA	1970	6,146	8.6	2002	9,909	7.4
1939	4,796	NA	1971	6,336	8.6	2003	10,364	7.6
1940	4,897	9.3	1972	6,283	8.3	2004	10,013	7.2
1941	4,466	NA	1973	6,465	8.3	2005	10,513	7.4
1942	4,627	NA	1974	6,452	8.1	2006	10,556	7.2
1943	4,712	NA	1975	6,505	8.0	2007	10,742	7.2
1944	4,650	NA	1976	6,635	8.0	2008	10,927	7.2
1945	4,615	NA	1977	6,448	7.5	2009	11,065	7.2
1946	4,540	NA	1978	6,487	7.4	2010	11,411	7.3
1947	4,666	NA	1979	6,386	7.1	2011	11,990	7.6
1948	4,782	NA	1980	6,753	7.2	2012	11,993	7.5
1949	4,577	NA	1981	6,902	7.2	2013	12,426	7.7
1950	4,698	8.0	1982	6,924	7.1	2014	12,610	7.7
1951	4,891	8.0	1983	7,204	7.3			

NA: Death rates for 1921-1929, 1931-1939, and 1941-1949 are not available because population estimates are not available.
Deaths from 1920 to 1963 are numbers occurring in Idaho regardless of person's state of residence.
Deaths from 1964 to 2014 are numbers occurring to residents of Idaho, regardless of state of occurrence.
Death rate: number of deaths per 1,000 population in corresponding year.

Source for population: 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010 are Census estimates from the U.S. Census Bureau. Population estimates for 1951-1959 are in-house estimates based on the average annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to the present, not including the census years, are based on number of deaths and postcensal estimates provided in the corresponding Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO
Number and Rate per 1,000 Population
1950-2014

MARRIAGES OCCURRING IN IDAHO						DIVORCES OCCURRING IN IDAHO					
Year	Number	Rate	Year	Number	Rate	Year	Number	Rate	Year	Number	Rate
1950	8,345	14.2	1983	13,421	13.6	1950	2,696	4.6	1983	6,228	6.3
1951	7,849	13.2	1984	13,264	13.3	1951	2,569	4.3	1984	6,210	6.3
1952	8,120	13.4	1985	12,277	12.2	1952	2,586	4.3	1985	6,207	6.2
1953	8,486	13.9	1986	11,957	11.9	1953	2,584	4.2	1986	6,067	6.1
1954	8,915	14.4	1987	11,428	11.5	1954	2,523	4.1	1987	5,892	6.0
1955	8,879	14.1	1988	12,165	12.3	1955	2,414	3.8	1988	5,987	6.1
1956	9,132	14.4	1989	13,193	13.3	1956	2,214	3.5	1989	6,275	6.3
1957	8,995	14.0	1990	14,064	13.9	1957	2,360	3.7	1990	6,446	6.4
1958	9,522	14.6	1991	14,352	13.8	1958	2,372	3.6	1991	6,619	6.4
1959	9,343	14.2	1992	14,458	13.6	1959	2,652	4.0	1992	6,857	6.4
1960	10,325	15.5	1993	14,836	13.5	1960	2,515	3.8	1993	6,899	6.3
1961	11,151	16.5	1994	14,895	13.1	1961	2,685	4.0	1994	6,799	6.0
1962	11,934	17.4	1995	15,106	13.0	1962	2,547	3.7	1995	6,749	5.8
1963	12,680	18.1	1996	15,027	12.7	1963	2,798	4.0	1996	6,985	5.9
1964	14,019	20.4	1997	15,114	12.5	1964	2,876	4.1	1997	7,035	5.8
1965	15,864	22.9	1998	15,266	12.4	1965	2,874	4.2	1998	6,980	5.7
1966	17,129	24.6	1999	15,489	12.4	1966	3,062	4.4	1999	6,947	5.6
1967	14,108	20.1	2000	15,057	11.6	1967	3,183	4.6	2000	7,110	5.5
1968	11,130	16.0	2001	14,820	11.2	1968	3,278	4.7	2001	7,025	5.3
1969	10,993	15.5	2002	14,683	10.9	1969	3,506	5.0	2002	7,087	5.3
1970	10,915	15.3	2003	14,867	10.9	1970	3,612	5.1	2003	7,080	5.2
1971	11,356	15.4	2004	14,997	10.8	1971	3,664	5.0	2004	6,921	5.0
1972	12,086	16.0	2005	14,933	10.4	1972	3,847	5.1	2005	7,118	5.0
1973	12,236	15.8	2006	14,855	10.1	1973	4,341	5.6	2006	7,392	5.0
1974	12,489	15.7	2007	14,973	10.0	1974	4,808	6.0	2007	7,344	4.9
1975	12,688	15.6	2008	14,641	9.6	1975	5,203	6.4	2008	7,424	4.9
1976	13,104	15.8	2009	13,771	8.9	1976	5,699	6.8	2009	7,729	5.0
1977	13,691	16.0	2010	13,757	8.8	1977	6,013	7.0	2010	8,136	5.2
1978	13,570	15.4	2011	13,696	8.6	1978	6,356	7.2	2011	7,773	4.9
1979	13,429	14.8	2012	13,114	8.2	1979	6,449	7.1	2012	7,598	4.8
1980	13,428	14.2	2013	13,207	8.2	1980	6,596	7.0	2013	7,248	4.5
1981	14,175	14.7	2014	13,699	8.4	1981	6,770	7.0	2014	6,943	4.2
1982	14,066	14.4				1982	6,238	6.4			

Marriage rate: number of marriages occurring in Idaho per 1,000 population in Idaho in corresponding year.
Divorce rate: number of divorces occurring in Idaho per 1,000 population in Idaho in corresponding year.

Source for population: 1950, 1960, 1970, 1980, 1990, 2000, and 2010 are Census estimates from the U.S. Census Bureau. Population estimates for 1951-1959 are in-house estimates based on the average annual change in the population from 1950 and 1960 based on 1950 and 1960 Census. Rates from 1961 to the present not including the census years, are based on number of births and postcensal estimates provided in the corresponding Vital Statistics annual report. Population estimates may have been revised since the publication of the annual reports.

IDAHO VITAL EVENTS

Among Idaho residents, each day in 2014 there were approximately:



*Marriage and divorce data are based on events occurring in Idaho; all other data reflect events occurring to Idaho residents

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Natality

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

NATALITY

U.S.

The total number of live births for the U.S in 2014 was 3,988,076, an increase of 1.4 percent from 2013 (3,932,181 births)[1]. This was the first increase since 2007, ending a downward trend. The 2014 birth rate was 12.5 per 1,000 population, compared with 12.4 in 2013 and 12.6 in 2012. The 2014 fertility rate was 62.9 births per 1,000 women aged 15-44, up from 62.5 in 2013, which was a historic low for the United States[1].

Idaho

Following decades of consistently higher birth and fertility rates, Idaho's birth rates fell considerably in the 1980's to converge with the U.S. rate in 1988 for the first time. After three years below the U.S. rate, Idaho's birth rate rose above the U.S. birth rate again from 1992 through 2014. In 2014, the birth rate for Idaho was 14.0, less than one percent increase from 13.9 in 2013. The fertility rate increased 1.4 percent from 71.7 per 1,000 women aged 15-44 in 2013 to 72.7 births in 2014. The number of births increased by 540 births (2.4 percent), from 22,348 births in 2013 to 22,888 in 2014.

Idaho live birth rates in 2014 ranged from a low of 11.0 per 1,000 population in District 2 to a high of 18.9 per 1,000 in District 7. Six districts experienced higher birth rates in 2014 from 2013. District 1 had the largest rate increase (3.5 percent) from 11.4 to 11.8; District 5 experienced a 3.3 percent decrease from 15.1 in 2013 to 14.6 in 2014.

Race and Ethnicity of Mother

Beginning in 2004, more than one race and ethnicity may be reported for the mother, and mother's race data were collapsed into six race categories: white, black, American Indian, Asian and Pacific Islander, other race, or race not stated. Ethnicity data were collapsed into Hispanic, non-Hispanic, or ethnicity not stated. In 2014, 89.8 percent of Idaho mothers were white, 1.0 percent were black, 1.7 percent were American Indian, 2.1 percent were Asian or Pacific Islander and 5.4 percent reported other race. A total of 16.0 percent of mothers were of Hispanic origin and 84.0 percent were non-Hispanic.

Race and Hispanic origin are reported separately on the certificate; mothers of Hispanic origin may be of any race. The method in which race data are categorized changed in 2004 with the use of the new birth certificate, and data in 2014 are not comparable with race data prior to 2004. In Idaho, if mother's race is reported as other race and "Hispanic" or "Mexican" is specified as the race, then mother's race remains coded to "other race". Not all states follow this method of coding mother's race. In some states, if mother's race is reported as "Hispanic" or "Mexican", the race is coded as white. Because not all states report race and ethnicity to the National Center for Health Statistics in the same manner, Idaho race data are not comparable with national data. See Technical Notes for more information.

Age of Mother

The mean age of all Idaho mothers was 27.6 years in 2014. For the 7,894 first-time mothers with known age, the mean age was 24.7 years in 2014, compared with 26.3 years for first-time mothers in the U.S. in 2014. The ages for first-time mothers ranged from 13 to 53 in Idaho in 2014. The majority of Idaho births, 58.4 percent, were to mothers aged 20 to 29 in 2014 compared with 58.8 percent in 2013. Teen mothers aged less than 20 accounted for 5.7 percent of births in 2014 compared with 6.4 percent of all live births in 2013. A total of 35.9 percent of mothers were aged 30 or older in 2014, compared with 34.8 percent in 2013.

Education of Mother

In 2004, education data collected on the birth certificate were revised to report the highest degree or level of school completed at the time of delivery. Prior to 2004, the number of years of school completed was reported on the Idaho birth certificate. In 2014, 12.1 percent of mothers were not high school graduates, and 88.0 percent of mothers were high school graduates, had their GED or attained a higher level of education at the time of delivery. Of the Idaho mothers aged less than 18 years, 85.8 percent had not yet received their high school diploma. A total of 35.4 percent of mothers aged 18 and 19 had not received their diploma, and 9.9 percent of mothers aged 20 and older had not received their diploma at the time of delivery in 2014.

Birth Attendant

In 2014, 88.5 percent of births to Idaho residents were attended by physicians and 11.5 percent were non-physician attended. While the number of total births increased less than 1 percent from 2013 to 2014, the number of births attended by physicians increased 2 percent from 19,854 in 2013 to 20,245 in 2014. The number of births attended by certified nurse midwives increased 9.0 percent from 1,753 to 1,912; the number of births attended by licensed, other or lay midwives increased 1.3 percent from 614 in 2013 to 622 in 2014.

The category "licensed midwife" was added to the Idaho birth certificate in 2010. A lay midwife can become a licensed midwife in Idaho by meeting the requirements established by the Idaho Bureau of Occupational Licenses under the auspices of the State Board of Midwifery. Successful applicants are required to provide proof of certification as a Certified Professional Midwife and successful completion of board approved courses in pharmacology, the treatment of shock/IV therapy and suturing specific to midwives.

Place of Birth

A total of 3.4 percent (785) of Idaho's 2014 resident births occurred in a non-hospital setting. Most of the out-of-hospital births occurred at a residence (490 or 2.1 percent) or a freestanding birthing center (276 or 1.2 percent). In 2014, a total of 10 babies were born en route to a hospital.

Prenatal Care

The collection of prenatal care data changed dramatically with the revision of the Idaho birth certificate in 2004. Prenatal care data on the revised certificate are based on the date of the first prenatal care visit, the length of gestation, and the date of birth. Prior to 2004, prenatal care on the certificate was based on the month prenatal care began (first, second, third, etc. month of pregnancy). In 2014, the National Center for Health Statistics (NCHS) made a transition in the measurement used to determine length of gestation which affected prenatal care data. Prior to 2014, the length of gestation was based on the date of the mother's last normal menses and the infant's date of birth. Beginning in 2014, length of gestation is based on the obstetric estimate (OE) at the time of birth. Prenatal care data based on the two different measurements are not comparable. Using the OE, the onset of prenatal care is measured using the infant's birthdate minus the number of day's length of gestation to determine the beginning OE date. The number of days between the beginning of the OE date and the date of the first prenatal care visit is used to determine the trimester prenatal care began. The impact of using the OE to measure Idaho's prenatal care data was an approximate 3 percentage point increase in the percentage of births to women receiving prenatal care in the first trimester. Using the OE, the percentage of mothers receiving prenatal care in the first trimester was 74.2 percent in 2014, 76.0 percent in 2013, and 76.4 percent in 2012.

Low birthweight and Preterm

Nationally, 8.0 percent of births were low birthweight (< 2,500 grams or 5 lb. 8 oz.) in 2014[2], which is unchanged from 2013 (8.0 percent). Among Idaho residents, the percent of low

Births

birthweight live births decreased from 6.9 percent in 2013 to 6.5 in 2014. In 2014, the NCHS made a transition for determining length of gestation for the infant. Prior to 2014, the length of gestation was calculated using date of the last menses period and the date of birth; beginning in 2014, the length of gestation is determined by the obstetrical estimate (OE). These two measurements are not comparable. Births are less likely to be classified as preterm using the OE. Final 2014 U.S. data based on the OE indicates 9.6 percent of live births were preterm. (less than 37 completed weeks of gestation)[1]. The percent of preterm infants was 8.2 percent in Idaho in 2014, 9.2 percent in 2013, and 8.6 percent in 2012 using the obstetric estimate. There is a correlation between low birthweight babies and preterm births. Of the 1,863 babies born preterm (prior to 37 weeks gestation), 1,025 (55.0 percent) were born low birthweight compared with 2.1 percent born low birthweight among babies born to term (37 or more weeks gestation).

The National Center for Health Statistics report called "Measuring Gestational Age in Vital Statistics Data: Transitioning to the Obstetric Estimate" can be found: http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_05.pdf

Plurality

In 2014, there were 22,188 singletons, 687 twins and 12 triplets or higher-order births. The percent of low birthweight infants was 5.0 percent for singletons, 53.0 for twins, and 100.0 percent for triplets or higher-order births in 2014. The Idaho preterm rate was 6.5 percent for singletons, 61.4 percent for twins, and 100.0 percent for triplets or higher-order births in 2014.

WIC (Supplemental Nutritional Program for Women, Infants, and Children)

In 2014, 39.1 percent of live births were to mothers who received WIC food for themselves during pregnancy, compared with 40.1 percent of births in 2013. By district of residence, the percentage of mothers who participated in WIC ranged from a low of 30.8 percent in District 4, to a high of 47.1 percent in District 3. Mothers aged less than 20 were twice as likely to receive WIC food (76.0 percent) than mothers aged 20 and older (36.9 percent). Unmarried mothers were more than twice as likely to receive WIC food (65.5 percent) than married mothers (29.0 percent).

Breastfeeding

A total of 90.9 percent of Idaho infants were breastfed at birth in 2014. Mothers aged less than 20 were less likely to have breastfed at the time of birth (87.9 percent) than mothers aged 20 and older (91.1 percent). Fewer unmarried mothers breastfed at birth (84.8 percent) than married mothers (93.2 percent).

Out of Wedlock

In Idaho, the total number of births increased 2.4 percent from 2013 to 2014, while the number of out-of-wedlock births increased 5.2 percent from 6,040 in 2013 to 6,354 in 2014. The percent of out-of-wedlock Idaho births increased from 27.0 percent in 2013 to 27.8 percent in 2014. In Idaho, the percentage of births to unmarried mothers ranged from 13.3 percent among Asian or Pacific Islander mothers to 66.6 percent among American Indian or Alaska Native mothers. Nationally, the percent of all births to unmarried women slightly decreased from 40.6 in 2013 to 40.2 in 2014[1].

Risk Factors

The section on the Idaho birth certificate for maternal risk factors was revised in 2014. In 2014, the question for vaginal bleeding was removed, and a question on eclampsia was added. Also added were specific questions regarding infertility treatment on the use of drugs, insemination, and assisted reproductive technology. A total of 6,346 births (27.7 percent) were to Idaho mothers with at least one risk factor during pregnancy. The most common risk factor to mothers was previous cesarean delivery (2,980) followed by gestational hypertension (1,512), and gestational diabetes (1,023).

Infections

There are 12 infections listed on the Idaho birth certificate, plus a category for "other" infections present and/or treated during this pregnancy. The most common infection reported was group B streptococcus; 4,354 or 19.7 percent of births were to mothers with or treated for group B streptococcus. Among births with known data for infection status, 5,381 (24.4 percent) births were to mothers with at least one infection present and/or treated during pregnancy in 2014.

Maternal Morbidity

Maternal morbidity is defined on the Idaho birth certificate as complications associated with labor and delivery. A total of 1.8 percent of Idaho births (406) were to mothers with one or more complications of labor and delivery reported on the birth certificate in 2014. The leading complications reported were: third or fourth degree perineal laceration (269 births), maternal transfusion (79 births), and unplanned operating room procedure following delivery (63 births).

Characteristics of Labor and Delivery

The most common characteristics of labor and delivery reported in 2014 were: epidural or spinal anesthesia during labor (17,184 births or 75.1 percent), antibiotics received by mother during labor (6,437 or 28.1 percent), induction of labor (6,270 births or 27.4 percent), and augmentation of labor (5,478 births or 23.9 percent).

Abnormal Conditions of the newborn

Nearly one in seven newborns had at least one abnormal condition reported on the 2014 birth certificate (3,244 or 14.2 percent). The most common abnormal condition reported was Neonatal Intensive Care Unit (NICU) admission (2,669), followed by assisted ventilation required immediately following delivery (851), and newborn received antibiotics for suspected neonatal sepsis (729 births).

Congenital Anomalies of the Newborn

A total of 151 Idaho newborns had one or more congenital anomalies in 2014. A total of 32 births reported cyanotic congenital heart disease, cleft lip with or without cleft palate was reported for 31 births, and Hypospadias was reported 21 times. Suspected other chromosomal disorders was reported for 18 births (3 had confirmed karyotype disorders), and 23 births reported down syndrome (5 had karyotype confirmed),

Cigarette Smoking

A total of 14.5 percent of mothers reported smoking the three months prior to pregnancy. Of the 3,308 who reported smoking in the three months prior to pregnancy, 921 (27.8 percent) reported they did not smoke anytime during pregnancy. Among the women who smoked during pregnancy, 10.4 percent reported smoking during the first three months of pregnancy; 8.6 percent reported smoking during the second three months of pregnancy; and 8.2 percent reported smoking during the third three months of pregnancy. Overall, 2,431 (10.6 percent) live births were to Idaho mothers who reported smoking any time during pregnancy. The percentage of mothers who reported smoking any time during pregnancy ranged from a low of 6.6 percent in District 7 to a high of 16.6 percent in both District 1 and District 2.

By age group, teens aged 18-19 had the highest percentage of mothers who smoked during pregnancy (18.9 percent), and mothers aged 45 and older had the lowest percentage of mothers who smoked (3.7 percent). By race, American Indian or Alaskan natives had the highest percentage of mothers who smoked (18.7 percent), and mothers of other race had the lowest percentage of mothers who smoked (3.1 percent). Non-Hispanic mothers were nearly 3.0 times more likely to smoke during pregnancy (11.8 percent) than Hispanic mothers (4.4 percent) in 2014.

In 2014, 6.5 percent of all live births were low birthweight. Of the 2,431 births to women who smoked during pregnancy, 299 (12.3 percent) infants were low birthweight compared with 5.8 percent of babies born to nonsmokers.

Method of Delivery

In 2014, the Idaho resident birth rate for vaginal, non-VBAC (vaginal deliveries after a cesarean) births was 73.3 deliveries per 100 births; the total birth rate for vaginal deliveries was 75.8 per 100 births compared with 67.8 per 100 births nationally in 2014. Conversely, Idaho's total cesarean rate (24.2 deliveries per 100 births) in 2014 was lower than the national rate of 32.2 per 100 births in 2014[1]. Rates for VBACs and repeat cesareans are based on mothers with a previous cesarean. Idaho's VBAC rate was 19.5 deliveries per 100 births to women with previous cesarean, and the repeat cesarean rate for Idaho was 80.5 per 100 births to women with a previous cesarean.

Method of Payment

In 2014, 50.7 percent of deliveries were paid by private insurance in Idaho compared with 49.1 percent in 2013. In 2014, 39.6 percent of births were paid by Medicaid compared with 38.9 percent in 2013. A total of 6.2 percent of births were reported as self-pay, and a total of 2.8 percent of births were paid by other governmental agencies. A total of 0.7 percent of births had "other" payment source or did not have any payment source reported for the delivery. The payment source for delivery may change after the birth certificate is filed with the state.

Body Mass Index (BMI)

Pre-pregnancy Body Mass Index (BMI) is a measure of weight and height before the woman became pregnant (see Technical Notes for classifications). In 2014, 11,055 (48.4 percent) births were to mothers classified as normal weight while 5,643 (24.7 percent) births were to women who were classified as being overweight and 5,317 (23.3 percent) births were to mothers who were obese prior to pregnancy.

Teen Pregnancy

Reportable pregnancies include live births, abortions, and stillbirths. Miscarriages under 20 weeks are not reported in Idaho. In 2014, there were 1,555 reportable pregnancies among Idaho females under the age of 20 (1,309 live births, 240 abortions, and 6 stillbirths). During the past decade there has been a steady decline in the annual teen pregnancy number (from 2,396 in 2004 to 1,541 in 2014) and rate (from 45.2 per 1,000 in 2004 to 27.5 per 1,000 in 2014) among Idahoans aged 15 to 19. The pregnancy rate for females aged less than 15, females aged 15-17, and females aged 18-19 decreased from 2013 to 2014. The rate declined 0.3 per 1,000 to 0.2 per 1,000 among females aged 10-14; declined 3.6 percent from 11.1 in 2013 to 10.7 per 1,000 in 2014 for teens aged 15-17, and decreased 6.3 percent from 63.6 per 1,000 to 59.6 per 1,000 females aged 18-19.

1. "Births: Final Data for 2014, "National Vital Statistics Reports, National Center for Health Statistics, Vol. 64, No. 12, December 23, 2015.

IDAHO RESIDENT LIVE BIRTHS
Births by Month
2014



IDAHO RESIDENT LIVE BIRTH RATES
Idaho and Districts
2014



IDAHO RESIDENT LIVE BIRTHS
Number of Live Births and Live Birth Rates
2010-2014

	2014		2013		2012		2011		2010	
RESIDENCE	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		12.5		12.4		12.6		12.7		13.0
IDAHO	22,888	14.0	22,348	13.9	22,941	14.4	22,311	14.1	23,202	14.8
District 1	2,615	11.8	2,473	11.4	2,499	11.6	2,368	11.0	2,478	11.7
District 2	1,180	11.0	1,157	10.9	1,252	11.8	1,144	10.8	1,166	11.1
District 3	4,005	14.9	3,846	14.6	3,907	15.1	3,778	14.7	3,937	15.5
District 4	5,751	12.3	5,594	12.2	5,644	12.5	5,760	13.0	5,663	13.0
District 5	2,789	14.6	2,845	15.1	2,881	15.4	2,754	14.7	3,018	16.2
District 6	2,579	15.3	2,581	15.3	2,703	15.9	2,590	15.2	2,873	17.0
District 7	3,969	18.9	3,852	18.5	4,055	19.6	3,917	19.0	4,067	19.9
Ada	5,128	12.0	4,980	12.0	5,079	12.4	5,151	12.9	5,044	12.9
Adams	31	8.0	28	7.3	29	7.4	29	7.3	27	6.8
Bannock	1,324	15.9	1,249	15.0	1,324	15.8	1,320	15.8	1,436	17.3
Bear Lake	90	15.1	79	13.3	90	15.2	63	10.5	91	15.2
Benewah	107	11.7	106	11.7	123	13.5	108	11.7	111	12.0
Bingham	687	15.2	745	16.4	769	16.9	733	16.0	788	17.3
Blaine	222	10.3	211	9.9	235	11.1	213	10.0	245	11.5
Boise	39	5.7	43	6.3	36	5.3	40	5.7	42	6.0
Bonner	431	10.4	394	9.7	392	9.7	380	9.3	396	9.7
Bonneville	1,875	17.3	1,847	17.2	2,004	18.8	1,878	17.8	2,020	19.4
Boundary	132	12.0	129	11.9	120	11.1	127	11.8	112	10.2
Butte	26	9.9	30	11.4	30	10.9	30	10.6	30	10.4
Camas	5	4.8	10	9.6	12	11.1	8	7.1	19	17.0
Canyon	3,227	15.9	3,079	15.5	3,098	16.0	3,019	15.7	3,156	16.7
Caribou	83	12.1	100	14.7	89	13.1	84	12.3	110	15.8
Cassia	374	15.9	383	16.4	377	16.2	400	17.3	406	17.7
Clark	10	11.5	10	11.5	9	10.4	14	14.8	8	8.1
Clearwater	58	6.8	75	8.7	71	8.3	62	7.1	58	6.6
Custer	42	10.1	42	9.9	31	7.2	41	9.5	34	7.8
Elmore	495	19.0	486	18.6	439	16.7	484	18.4	494	18.3
Franklin	176	13.5	203	15.8	205	16.0	185	14.4	218	17.0
Fremont	198	15.4	179	13.8	196	15.1	212	16.1	213	16.1
Gem	192	11.4	199	11.9	210	12.6	186	11.2	181	10.8
Gooding	202	13.4	208	13.8	196	12.8	190	12.3	245	15.8
Idaho	158	9.7	135	8.4	175	10.7	150	9.1	160	9.8
Jefferson	445	16.5	484	18.0	494	18.5	509	19.4	517	19.8
Jerome	384	16.8	409	18.2	405	18.0	390	17.2	425	19.0
Kootenai	1,795	12.2	1,708	11.8	1,746	12.3	1,648	11.7	1,723	12.4
Latah	448	11.7	434	11.4	454	11.9	446	11.8	444	11.9
Lemhi	65	8.4	62	8.0	58	7.5	74	9.3	82	10.3
Lewis	35	9.1	43	11.0	39	10.0	42	11.0	42	11.0
Lincoln	62	11.7	75	14.1	78	14.8	73	14.1	91	17.5
Madison	1,197	31.5	1,084	28.9	1,095	29.2	1,026	27.1	1,029	27.4
Minidoka	326	16.0	331	16.3	347	17.3	323	16.0	326	16.2
Nez Perce	481	12.0	470	11.8	513	13.0	444	11.2	462	11.8
Oneida	44	10.5	47	11.0	50	11.9	49	11.6	65	15.2
Owyhee	142	12.5	123	10.7	154	13.5	140	12.2	131	11.4
Payette	310	13.6	301	13.3	308	13.6	319	14.1	328	14.5
Power	149	19.6	128	16.6	146	18.8	126	16.2	135	17.3
Shoshone	150	12.1	136	10.7	118	9.3	105	8.3	136	10.7
Teton	137	13.2	144	14.0	168	16.7	163	16.0	164	16.1
Twin Falls	1,214	15.0	1,218	15.2	1,231	15.7	1,157	14.8	1,261	16.3
Valley	89	9.1	85	8.8	90	9.4	85	8.8	83	8.4
Washington	103	10.3	116	11.7	108	10.7	85	8.3	114	11.2

Birth rate: Number of live births per 1,000 population.

IDAHO RESIDENT LIVE BIRTHS
Sex of Child and Race/Ethnicity of Mother
2014

RESIDENCE	TOTAL LIVE BIRTHS	SEX OF CHILD		RACE OF MOTHER						MOTHER HISPANIC[2]
		Male	Female	White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race[1]	Not Stated	
IDAHO	22,888	11,751	11,137	20,455	233	380	473	1,227	120	3,652
District 1	2,615	1,339	1,276	2,494	10	47	23	34	7	102
District 2	1,180	615	565	1,075	7	62	19	12	5	39
District 3	4,005	2,009	1,996	3,503	31	40	58	344	29	1,181
District 4	5,751	2,915	2,836	5,068	133	40	238	247	25	591
District 5	2,789	1,465	1,324	2,574	16	29	63	94	13	909
District 6	2,579	1,336	1,243	2,177	13	135	26	195	33	349
District 7	3,969	2,072	1,897	3,564	23	27	46	301	8	481
Ada	5,128	2,625	2,503	4,552	114	35	205	200	22	491
Adams	31	12	19	31	-	-	-	-	-	3
Bannock	1,324	678	646	1,175	10	61	18	47	13	107
Bear Lake	90	42	48	88	-	-	-	1	1	3
Benewah	107	56	51	91	1	13	-	2	-	1
Bingham	687	363	324	526	3	68	7	71	12	135
Blaine	222	104	118	174	-	2	8	27	11	94
Boise	39	20	19	38	-	-	-	1	-	1
Bonner	431	210	221	412	-	2	9	5	3	12
Bonneville	1,875	997	878	1,654	13	17	22	165	4	273
Boundary	132	68	64	122	1	5	1	3	-	5
Butte	26	16	10	23	-	1	-	-	2	3
Camas	5	2	3	5	-	-	-	-	-	-
Canyon	3,227	1,622	1,605	2,796	29	26	54	300	22	1,000
Caribou	83	48	35	80	-	-	-	3	-	4
Cassia	374	213	161	358	3	3	4	6	-	136
Clark	10	5	5	8	-	-	-	2	-	3
Clearwater	58	33	25	53	1	3	-	-	1	4
Custer	42	22	20	37	-	2	-	2	1	4
Elmore	495	229	266	394	19	4	29	46	3	88
Franklin	176	89	87	159	-	1	1	13	2	17
Fremont	198	95	103	170	-	-	2	26	-	29
Gem	192	89	103	176	1	2	-	12	1	23
Gooding	202	106	96	180	-	5	1	16	-	91
Idaho	158	87	71	146	-	8	1	1	2	1
Jefferson	445	233	212	400	1	3	2	38	1	52
Jerome	384	186	198	350	1	4	-	28	1	176
Kootenai	1,795	920	875	1,722	8	27	11	23	4	81
Latah	448	206	242	420	3	5	15	5	-	15
Lemhi	65	34	31	62	-	1	1	1	-	1
Lewis	35	21	14	30	-	4	1	-	-	-
Lincoln	62	35	27	52	1	-	1	7	1	29
Madison	1,197	613	584	1,115	9	4	17	51	1	90
Minidoka	326	177	149	314	1	3	2	6	-	148
Nez Perce	481	268	213	426	3	42	2	6	2	19
Oneida	44	18	26	41	-	-	-	2	1	1
Owyhee	142	78	64	119	-	3	-	18	2	43
Payette	310	156	154	292	1	6	2	6	3	83
Power	149	82	67	85	-	4	-	58	2	79
Shoshone	150	85	65	147	-	-	2	1	-	3
Teton	137	73	64	118	-	-	2	16	1	29
Twin Falls	1,214	642	572	1,141	10	12	47	4	-	235
Valley	89	41	48	84	-	1	4	-	-	11
Washington	103	52	51	89	-	3	2	8	1	29

1. Beginning in 2009, out-of-state births with more than one race are included with "other race"; there were 25 births with more than one race delivered out of state during 2014.
2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals. There were 55 births with Hispanic origin not stated.

IDAHO RESIDENT LIVE BIRTHS
Age of Mother
2014

RESIDENCE	TOTAL LIVE BIRTHS	AGE OF MOTHER										
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+	Not Stated
			Total	15-17	18-19							
IDAHO	22,888	7	1,302	311	991	6,146	7,225	5,474	2,262	444	27	1
District 1	2,615	-	166	29	137	674	847	623	247	52	6	-
District 2	1,180	-	66	17	49	337	390	253	101	29	4	-
District 3	4,005	4	290	76	214	1,153	1,258	857	370	72	1	-
District 4	5,751	1	226	53	173	1,157	1,760	1,707	748	144	8	-
District 5	2,789	2	203	53	150	808	835	643	242	51	4	1
District 6	2,579	-	173	47	126	728	850	562	227	38	1	-
District 7	3,969	-	178	36	142	1,289	1,285	829	327	58	3	-
Ada	5,128	1	195	42	153	974	1,547	1,579	691	134	7	-
Adams	31	-	-	-	-	8	11	8	3	1	-	-
Bannock	1,324	-	76	26	50	362	447	308	113	18	-	-
Bear Lake	90	-	8	3	5	24	34	16	8	-	-	-
Benewah	107	-	9	1	8	39	37	16	6	-	-	-
Bingham	687	-	52	10	42	208	225	136	56	10	-	-
Blaine	222	-	5	1	4	32	57	79	43	6	-	-
Boise	39	-	-	-	-	16	11	4	5	3	-	-
Bonner	431	-	30	6	24	115	119	113	47	7	-	-
Bonneville	1,875	-	121	26	95	491	618	432	184	27	2	-
Boundary	132	-	9	1	8	36	35	31	18	2	1	-
Butte	26	-	3	-	3	4	8	9	1	1	-	-
Camas	5	-	-	-	-	-	2	1	2	-	-	-
Canyon	3,227	4	225	62	163	933	1,005	700	302	57	1	-
Caribou	83	-	1	-	1	23	32	21	5	1	-	-
Cassia	374	-	28	10	18	118	111	88	24	5	-	-
Clark	10	-	-	-	-	3	3	1	3	-	-	-
Clearwater	58	-	9	3	6	17	15	8	5	4	-	-
Custer	42	-	-	-	-	8	21	10	3	-	-	-
Elmore	495	-	30	11	19	146	176	96	42	4	1	-
Franklin	176	-	13	2	11	51	49	37	22	4	-	-
Fremont	198	-	14	4	10	56	66	45	14	3	-	-
Gem	192	-	13	2	11	56	62	42	14	5	-	-
Gooding	202	-	15	2	13	68	61	33	16	9	-	-
Idaho	158	-	9	2	7	39	44	43	15	8	-	-
Jefferson	445	-	20	3	17	103	167	112	35	7	1	-
Jerome	384	-	38	10	28	123	110	77	30	5	-	1
Kootenai	1,795	-	107	21	86	428	613	439	164	39	5	-
Latah	448	-	12	1	11	126	151	103	46	8	2	-
Lemhi	65	-	1	1	-	20	16	22	5	1	-	-
Lewis	35	-	2	1	1	14	10	8	1	-	-	-
Lincoln	62	-	7	2	5	12	21	15	7	-	-	-
Madison	1,197	-	19	1	18	587	369	158	54	10	-	-
Minidoka	326	2	31	9	22	121	84	65	17	6	-	-
Nez Perce	481	-	34	10	24	141	170	91	34	9	2	-
Oneida	44	-	2	-	2	10	16	12	4	-	-	-
Owyhee	142	-	15	4	11	42	38	33	12	2	-	-
Payette	310	-	28	8	20	76	111	60	30	5	-	-
Power	149	-	18	6	12	46	39	23	18	4	1	-
Shoshone	150	-	11	-	11	56	43	24	12	4	-	-
Teton	137	-	3	1	2	21	25	49	29	10	-	-
Twin Falls	1,214	-	79	19	60	334	389	285	103	20	4	-
Valley	89	-	1	-	1	21	26	28	10	3	-	-
Washington	103	-	9	-	9	38	31	14	9	2	-	-

IDAHO RESIDENT LIVE BIRTHS
Education of Mother
2014

RESIDENCE	TOTAL LIVE BIRTHS	HIGHEST DEGREE OR LEVEL OF SCHOOL COMPLETED						
		8th Grade or Less	9th-12th Grade, But No Diploma	GED or Diploma	Some College, No Degree (Includes Associates)	Bachelor's Degree	Master's, Doctorate or Professional Degree	Not Stated
IDAHO	22,888	582	2,163	5,873	8,215	4,694	1,251	110
District 1	2,615	24	222	771	1,046	404	138	10
District 2	1,180	7	86	304	446	260	76	1
District 3	4,005	171	564	1,234	1,344	529	120	43
District 4	5,751	119	385	1,144	2,000	1,486	599	18
District 5	2,789	169	427	679	1,073	343	93	5
District 6	2,579	32	232	1,043	642	516	88	26
District 7	3,969	60	247	698	1,664	1,156	137	7
Ada	5,128	103	329	981	1,748	1,386	567	14
Adams	31	-	2	11	14	1	3	-
Bannock	1,324	3	86	613	238	298	71	15
Bear Lake	90	1	13	24	34	17	1	-
Benewah	107	2	9	48	32	15	1	-
Bingham	687	15	84	226	233	114	11	4
Blaine	222	18	30	42	60	47	23	2
Boise	39	3	2	12	18	3	1	-
Bonner	431	5	42	145	148	75	15	1
Bonneville	1,875	28	152	449	725	447	71	3
Boundary	132	5	20	50	36	15	5	1
Butte	26	1	3	11	6	2	3	-
Camas	5	-	-	1	3	1	-	-
Canyon	3,227	124	455	981	1,085	449	94	39
Caribou	83	-	3	29	27	24	-	-
Cassia	374	16	61	99	146	43	8	1
Clark	10	-	-	2	8	-	-	-
Clearwater	58	1	13	19	20	5	-	-
Custer	42	-	4	11	16	8	2	1
Elmore	495	12	45	130	207	76	21	4
Franklin	176	2	14	52	75	30	1	2
Fremont	198	6	23	41	81	45	2	-
Gem	192	5	29	56	72	20	9	1
Gooding	202	15	44	57	71	11	4	-
Idaho	158	2	13	51	54	34	3	1
Jefferson	445	14	31	77	197	113	12	1
Jerome	384	45	81	92	124	32	9	1
Kootenai	1,795	9	132	474	776	283	113	8
Latah	448	-	23	79	152	138	56	-
Lemhi	65	2	2	15	27	16	3	-
Lewis	35	2	2	8	18	5	-	-
Lincoln	62	6	10	19	23	4	-	-
Madison	1,197	4	24	77	574	493	24	1
Minidoka	326	16	62	88	128	27	5	-
Nez Perce	481	2	35	147	202	78	17	-
Oneida	44	-	2	14	13	13	1	1
Owyhee	142	12	22	47	41	16	2	2
Payette	310	22	45	96	99	37	10	1
Power	149	10	27	74	16	18	-	4
Shoshone	150	3	19	54	54	16	4	-
Teton	137	6	11	26	36	34	23	1
Twin Falls	1,214	53	139	281	518	178	44	1
Valley	89	1	9	21	27	21	10	-
Washington	103	8	11	43	33	6	2	-

IDAHO RESIDENT LIVE BIRTHS
Attendant at Birth
2014

RESIDENCE	TOTAL LIVE BIRTHS	ATTENDANT AT BIRTH						
		Physician M.D., D.O.	Certified Nurse Midwife	Nurse	Licensed Midwife*	Other or Lay Midwife	Other	Not Stated
IDAHO	22,888	20,245	1,912	32	522	100	76	1
District 1	2,615	2,057	317	6	176	36	23	-
District 2	1,180	945	142	5	79	3	6	-
District 3	4,005	3,674	200	2	77	38	14	-
District 4	5,751	5,150	490	-	100	2	9	-
District 5	2,789	2,641	112	-	28	3	4	1
District 6	2,579	2,336	211	1	14	7	10	-
District 7	3,969	3,442	440	18	48	11	10	-
Ada	5,128	4,550	472	-	97	1	8	-
Adams	31	31	-	-	-	-	-	-
Bannock	1,324	1,165	145	-	9	4	1	-
Bear Lake	90	88	1	-	-	-	1	-
Benewah	107	95	2	-	9	1	-	-
Bingham	687	642	35	1	5	1	3	-
Blaine	222	216	3	-	3	-	-	-
Boise	39	32	5	-	1	1	-	-
Bonner	431	355	11	-	47	12	6	-
Bonneville	1,875	1,647	202	1	20	2	3	-
Boundary	132	104	2	-	21	5	-	-
Butte	26	24	2	-	-	-	-	-
Camas	5	4	1	-	-	-	-	-
Canyon	3,227	3,008	125	2	58	26	8	-
Caribou	83	78	3	-	-	1	1	-
Cassia	374	365	1	-	7	1	-	-
Clark	10	9	1	-	-	-	-	-
Clearwater	58	43	9	1	4	-	1	-
Custer	42	37	4	-	1	-	-	-
Elmore	495	483	10	-	1	-	1	-
Franklin	176	167	4	-	-	1	4	-
Fremont	198	175	18	4	-	-	1	-
Gem	192	170	14	-	8	-	-	-
Gooding	202	170	29	-	2	1	-	-
Idaho	158	117	12	2	24	1	2	-
Jefferson	445	378	51	-	9	5	2	-
Jerome	384	336	42	-	3	-	2	1
Kootenai	1,795	1,376	285	5	97	17	15	-
Latah	448	395	9	1	39	2	2	-
Lemhi	65	57	1	2	1	2	2	-
Lewis	35	31	3	-	1	-	-	-
Lincoln	62	49	12	-	1	-	-	-
Madison	1,197	1,018	148	11	16	2	2	-
Minidoka	326	324	1	-	-	1	-	-
Nez Perce	481	359	109	1	11	-	1	-
Oneida	44	38	6	-	-	-	-	-
Owyhee	142	128	5	-	-	8	1	-
Payette	310	247	46	-	8	4	5	-
Power	149	134	15	-	-	-	-	-
Shoshone	150	127	17	1	2	1	2	-
Teton	137	121	15	-	1	-	-	-
Twin Falls	1,214	1,177	23	-	12	-	2	-
Valley	89	85	3	-	1	-	-	-
Washington	103	90	10	-	3	-	-	-

* Beginning July 1, 2010 Idaho law requires that midwives accepting payment be licensed by the state.

IDAHO RESIDENT LIVE BIRTHS
Place of Birth
2014

RESIDENCE	TOTAL LIVE BIRTHS	PLACE OF BIRTH					
		Hospital*	Freestanding Birthing Center	Clinic/Doctor's Office	Home	Other	Not Stated
IDAHO	22,888	22,101	276	-	490	19	2
District 1	2,615	2,387	85	-	141	2	-
District 2	1,180	1,092	16	-	72	-	-
District 3	4,005	3,858	51	-	96	-	-
District 4	5,751	5,567	92	-	91	-	1
District 5	2,789	2,750	4	-	18	16	1
District 6	2,579	2,548	7	-	23	1	-
District 7	3,969	3,899	21	-	49	-	-
Ada	5,128	4,953	87	-	87	-	1
Adams	31	31	-	-	-	-	-
Bannock	1,324	1,310	4	-	10	-	-
Bear Lake	90	89	-	-	1	-	-
Benewah	107	97	1	-	8	1	-
Bingham	687	678	1	-	7	1	-
Blaine	222	218	2	-	1	1	-
Boise	39	36	1	-	2	-	-
Bonner	431	366	29	-	35	1	-
Bonneville	1,875	1,850	4	-	21	-	-
Boundary	132	106	15	-	11	-	-
Butte	26	26	-	-	-	-	-
Camas	5	5	-	-	-	-	-
Canyon	3,227	3,123	37	-	67	-	-
Caribou	83	81	1	-	1	-	-
Cassia	374	365	-	-	2	7	-
Clark	10	10	-	-	-	-	-
Clearwater	58	53	2	-	3	-	-
Custer	42	41	1	-	-	-	-
Elmore	495	491	2	-	2	-	-
Franklin	176	171	1	-	4	-	-
Fremont	198	197	-	-	1	-	-
Gem	192	181	5	-	6	-	-
Gooding	202	199	-	-	3	-	-
Idaho	158	131	6	-	21	-	-
Jefferson	445	429	4	-	12	-	-
Jerome	384	378	-	-	5	-	1
Kootenai	1,795	1,673	40	-	82	-	-
Latah	448	405	5	-	38	-	-
Lemhi	65	59	2	-	4	-	-
Lewis	35	34	-	-	1	-	-
Lincoln	62	60	1	-	-	1	-
Madison	1,197	1,177	10	-	10	-	-
Minidoka	326	325	-	-	1	-	-
Nez Perce	481	469	3	-	9	-	-
Oneida	44	44	-	-	-	-	-
Owyhee	142	132	1	-	9	-	-
Payette	310	291	7	-	12	-	-
Power	149	149	-	-	-	-	-
Shoshone	150	145	-	-	5	-	-
Teton	137	136	-	-	1	-	-
Twin Falls	1,214	1,200	1	-	6	7	-
Valley	89	87	2	-	-	-	-
Washington	103	100	1	-	2	-	-

* Babies born en route to facility are included in appropriate facility category.

IDAHO RESIDENT LIVE BIRTHS
Birth and Fertility Rates
2014

RESIDENCE	TOTAL LIVE BIRTHS	BIRTH RATES		FERTILITY RATES	
		Population Estimate July 1, 2014[1]	Birth Rate[2]	Estimate Females 15-44 July 1, 2014[1]	Fertility Rate[3]
U.S. 2014	3,988,076		12.5		62.9
IDAHO	22,888	1,634,464	14.0	314,852	72.7
District 1	2,615	221,398	11.8	38,084	68.7
District 2	1,180	107,033	11.0	20,195	58.4
District 3	4,005	268,080	14.9	51,963	77.1
District 4	5,751	468,980	12.3	93,454	61.5
District 5	2,789	190,496	14.6	35,132	79.4
District 6	2,579	168,854	15.3	32,582	79.2
District 7	3,969	209,623	18.9	43,442	91.4
Ada	5,128	426,236	12.0	85,954	59.7
Adams	31	3,861	8.0	490	63.3
Bannock	1,324	83,347	15.9	17,394	76.1
Bear Lake	90	5,957	15.1	992	90.7
Benewah	107	9,118	11.7	1,344	79.6
Bingham	687	45,269	15.2	8,326	82.5
Blaine	222	21,482	10.3	3,610	61.5
Boise	39	6,824	5.7	914	42.7
Bonner	431	41,585	10.4	6,358	67.8
Bonneville	1,875	108,623	17.3	21,243	88.3
Boundary	132	10,979	12.0	1,700	77.6
Butte	26	2,622	9.9	404	64.4
Camas	5	1,039	4.8	171	29.2
Canyon	3,227	203,143	15.9	41,352	78.0
Caribou	83	6,837	12.1	1,132	73.3
Cassia	374	23,540	15.9	4,257	87.9
Clark	10	867	11.5	151	66.2
Clearwater	58	8,562	6.8	990	58.6
Custer	42	4,140	10.1	589	71.3
Elmore	495	26,094	19.0	5,178	95.6
Franklin	176	13,021	13.5	2,372	74.2
Fremont	198	12,867	15.4	2,208	89.7
Gem	192	16,866	11.4	2,591	74.1
Gooding	202	15,064	13.4	2,583	78.2
Idaho	158	16,215	9.7	2,107	75.0
Jefferson	445	27,021	16.5	5,108	87.1
Jerome	384	22,818	16.8	4,214	91.1
Kootenai	1,795	147,326	12.2	26,804	67.0
Latah	448	38,411	11.7	9,338	48.0
Lemhi	65	7,726	8.4	999	65.1
Lewis	35	3,838	9.1	514	68.1
Lincoln	62	5,316	11.7	1,001	61.9
Madison	1,197	38,038	31.5	11,090	107.9
Minidoka	326	20,323	16.0	3,577	91.1
Nez Perce	481	40,007	12.0	7,246	66.4
Oneida	44	4,184	10.5	654	67.3
Owyhee	142	11,353	12.5	1,961	72.4
Payette	310	22,836	13.6	4,019	77.1
Power	149	7,617	19.6	1,308	113.9
Shoshone	150	12,390	12.1	1,878	79.9
Teton	137	10,341	13.2	2,054	66.7
Twin Falls	1,214	80,914	15.0	15,719	77.2
Valley	89	9,826	9.1	1,408	63.2
Washington	103	10,021	10.3	1,550	66.5

1. Population source: United State Census Bureau. Internet release June 30, 2015.
2. Birth rate: Number of live births per 1,000 population.
3. Fertility rate: Number of live births per 1,000 women 15-44 years of age.

IDAHO RESIDENT LIVE BIRTHS
Live Birth Order by Age of Mother
2014

LIVE BIRTH ORDER	TOTAL LIVE BIRTHS	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL*	22,888	7	311	991	6,146	7,225	5,474	2,262	444	27
1	7,894	7	293	817	3,247	2,112	1,010	340	59	9
2	6,671	-	17	151	1,990	2,456	1,446	523	83	5
3	4,250	-	-	19	695	1,650	1,330	474	79	3
4	2,250	-	-	1	165	706	948	361	66	3
5	1,024	-	1	-	35	216	453	258	59	2
6	447	-	-	-	6	57	180	166	36	2
7	162	-	-	-	-	13	62	63	23	1
8	87	-	-	-	-	6	25	41	15	-
9	34	-	-	-	-	1	9	17	6	1
10-14	39	-	-	-	-	-	4	18	16	1
15+	1	-	-	-	-	-	-	-	1	-
Not stated*	29	-	-	3	8	8	7	1	1	-

* Total includes one birth with age of mother not stated (live birth order not stated).

IDAHO RESIDENT LIVE BIRTHS
Fertility Rate and Birth Rates by Age of Mother
2014

AGE	IDAHO			U.S.
	Total Live Births	Female Population July 1, 2014[1]	Fertility Rate and Age-Specific Birth Rates, 2014	Fertility Rate and Age-Specific Birth Rates, 2014
TOTAL	22,888	314,935[2]	72.7[3]	62.9
<15	7	59,865[4]	0.1	0.3
15-19	1,302	56,075	23.2	24.2
15-17	311	34,410	9.0	10.9
18-19	991	21,665	45.7	43.8
20-24	6,146	53,575	114.7	79.0
25-29	7,225	53,266	135.6	105.8
30-34	5,474	53,403	102.5	100.8
35-39	2,262	50,123	45.1	51.0
40-44	444	48,493	9.2	10.6
45+	27	47,092[5]	0.6	0.8
Not stated	1	-	NA	NA

1. Source: U.S. Census Bureau, Internet release date June 30, 2015.
2. Total female population aged 15-44 NOT including women under 15 or over 44.
3. Total number of live births per 1,000 women 15-44 years of age.
4. Total female population aged 10-14; rates for females aged <15 are based on female population 10-14.
5. Total female population aged 45-49; rates for females aged 45+ are based on female population 45-49.

NA: Not applicable.

PRENATAL CARE

Measurement of Prenatal Care

The effects of prenatal care are difficult to quantify, but appropriate care can promote healthier pregnancies by detecting and managing pre-existing medical conditions and providing health behavior advice[1]. The measurement of prenatal care in the U.S. and Idaho changed dramatically in 2014 when the National Center for Health Statistics (NCHS) transitioned from measuring gestational age based on the last normal menses (LMP) and the date of infant's birth to the new measure, the obstetric estimate of gestation at delivery (OE)[2]. This transition was due to the increasing evidence of the greater validity of the OE compared with the LMP-based measure. The OE-based measurement of gestational age impacts prenatal care due to prenatal care being categorized by the trimester in which care began.

Prenatal care data utilizing OE – based measurements has resulted in more accurate data because care is based on a date in a prenatal medical record rather than mother's recollection of the date of first visit. Prenatal care data based on the 2014 revision and the previous standard are not directly comparable.

PERCENT BEGINNING PRENATAL CARE IN THE FIRST TRIMESTER BASED ON OBSTETRIC ESTIMATE OF GESTATION	
Idaho, 2010	76.3%
Idaho, 2011	76.8%
Idaho, 2012	76.4%
Idaho, 2013	76.0%
Idaho, 2014	74.2%

Adequacy of Prenatal Care Utilization (APNCU) Index

One measure of prenatal care in which classifications of the adequacy of prenatal care are based on the onset of prenatal care, the number of prenatal visits, and the length of gestation is the Adequacy of Prenatal Care Utilization (APNCU) Index. The APNCU Index is based on full recommendations set forth by the American College of Obstetricians and Gynecologists (ACOG). This index classifies care as intensive, adequate, intermediate, inadequate, or no care by comparing the number of actual prenatal care visits to the number of visits that a woman was expected to receive, given the onset of prenatal care and the length of gestation.

In reviewing Trimester of First Prenatal Care Visit and APNCU data, keep in mind:

1) Prenatal care data based on date of first visit are not comparable with prenatal care data based on month prenatal care began.
2) Not all states have revised their birth certificate to the 2003 U.S. Standard Certificate. Idaho resident births occurring in states with non-revised certificates will not have comparable data for onset of prenatal care. Data are shown as not stated in data table(s).

1. "Expanded Data from the New Birth Certificate, 2008," National Vital Statistics Reports, National Center for Health Statistics, Vol. 59. No.7, July 27, 2011.
2. Martin JA, Osterman MJK, Kirmeyer SE, Gregory ECW. Measuring gestational age in vital statistics data: Transitioning to the obstetric estimate. National vital statistics reports; vol 64 no 5. Hyattsville, MD: National Center for Health Statistics. 2015.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Trimester of Pregnancy for Prenatal Care
By Select Maternal Characteristics
2014

	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	16,907	74.2%	4,691	20.6%	984	4.3%	202	0.9%	104
Mother's Age										
<15	7	2	28.6	4	57.1	1	14.3	-	-	-
15-19	1,302	799	61.8	399	30.9	78	6.0	17	1.3	9
15-17	311	172	56.0	107	34.9	23	7.5	5	1.6	4
18-19	991	627	63.6	292	29.6	55	5.6	12	1.2	5
20-24	6,146	4,329	70.8	1,413	23.1	317	5.2	58	0.9	29
25-29	7,225	5,549	77.1	1,328	18.5	273	3.8	44	0.6	31
30-34	5,474	4,167	76.4	1,002	18.4	222	4.1	61	1.1	22
35-39	2,262	1,742	77.2	425	18.8	74	3.3	15	0.7	6
40-44	444	303	69.2	112	25.6	17	3.9	6	1.4	6
45+	27	16	59.3	8	29.6	2	7.4	1	3.7	-
Age not stated	1	-	NA	-	NA	-	NA	-	NA	1
Race/Ethnicity[1]										
White	20,455	15,378	75.5	3,988	19.6	827	4.1	177	0.9	85
Black	233	152	65.2	60	25.8	18	7.7	3	1.3	-
American Indian	380	200	53.5	124	33.2	44	11.8	6	1.6	6
Asian/Pacific Islander	473	335	71.3	111	23.6	20	4.3	4	0.9	3
Other race/multiple race	1,227	770	63.1	372	30.5	71	5.8	7	0.6	7
Race not stated	120	72	NA	36	NA	4	NA	5	NA	3
Non-Hispanic	19,181	14,511	76.0	3,653	19.1	777	4.1	158	0.8	82
Hispanic	3,652	2,373	65.3	1,014	27.9	204	5.6	42	1.2	19
Ethnicity not stated	55	23	NA	24	NA	3	NA	2	NA	3
Mother's Education										
Did not graduate high school	2,745	1,628	59.5	859	31.4	187	6.8	62	2.3	9
Graduated high school	20,033	15,227	76.4	3,793	19.0	789	4.0	134	0.7	90
Education not stated	110	52	NA	39	NA	8	NA	6	NA	5
Payment Source[2]										
Private Insurance	11,587	9,449	81.8	1,764	15.3	320	2.8	24	0.2	30
Medicaid	9,052	6,015	66.8	2,376	26.4	531	5.9	81	0.9	49
Self Pay	1,418	851	60.5	426	30.3	104	7.4	26	1.8	11
Other Government	632	501	79.8	100	15.9	24	3.8	3	0.5	4
Not applicable/none/other	159	69	43.7	18	11.4	5	3.2	66	41.8	1
Payment source not stated	40	22	NA	7	NA	-	NA	2	NA	9
Cigarette Smoking[3]										
Yes	2,431	1,625	67.1	589	24.3	160	6.6	46	1.9	11
No	20,412	15,253	75.1	4,093	20.1	821	4.0	156	0.8	89
Smoking status not stated	45	29	NA	9	NA	3	NA	-	NA	4
Parity[4]										
High for age	846	500	59.3	241	28.6	66	7.8	36	4.3	3
Not high for age	22,013	16,399	74.8	4,443	20.3	916	4.2	165	0.8	90
Parity not stated	29	8	NA	7	NA	2	NA	1	NA	11

1. Other race includes 12 out-of-state births with multiple races. For more information, see Technical Notes.
2. 'Other Government' includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).
3. Based on cigarette smoking during pregnancy. For more information, see Technical Notes.
4. High parity for age: one or more previous live births for females 17 years or age or younger; three or more previous live births for females 18-21 years of age; four or more previous live births for females 22-24 years of age; and five or more previous live births for females aged 25 years and older. Not high for age: includes all other combinations of parity and age of mother.

Percentages based on records with stated date of first prenatal care visit. NA: not applicable.

Note: Prior to 2014, the trimester of pregnancy prenatal care began was based on the date of first prenatal care visit, and the length of baby's gestation based on the date of mother's last normal menses and the baby's birth date. Beginning in 2014, the trimester of pregnancy prenatal care began is based on the date of first prenatal care visit, the length of gestation based on the obstetric estimate and the baby's birth date. Data using the two methods are not 100 percent comparable. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Trimester of Pregnancy of First Prenatal Care Visit
2014

RESIDENCE	TOTAL LIVE BIRTHS	TRIMESTER OF PREGNANCY OF FIRST PRENATAL CARE VISIT								
		First		Second		Third		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
IDAHO	22,888	16,907	74.2%	4,691	20.6%	984	4.3%	202	0.9%	104
District 1	2,615	1,924	74.5	478	18.5	159	6.2	21	0.8	33
District 2	1,180	873	74.9	252	21.6	29	2.5	12	1.0	14
District 3	4,005	2,856	71.5	929	23.3	142	3.6	65	1.6	13
District 4	5,751	4,538	79.0	1,018	17.7	155	2.7	31	0.5	9
District 5	2,789	1,999	71.9	578	20.8	155	5.6	50	1.8	7
District 6	2,579	1,868	73.0	563	22.0	123	4.8	6	0.2	19
District 7	3,969	2,849	71.9	873	22.0	221	5.6	17	0.4	9
Ada	5,128	4,065	79.4	893	17.4	137	2.7	27	0.5	6
Adams	31	22	71.0	9	29.0	-	-	-	-	-
Bannock	1,324	984	74.9	268	20.4	61	4.6	1	0.1	10
Bear Lake	90	76	84.4	12	13.3	2	2.2	-	-	-
Benewah	107	73	70.2	25	24.0	6	5.8	-	-	3
Bingham	687	450	66.1	190	27.9	41	6.0	-	-	6
Blaine	222	169	76.1	45	20.3	7	3.2	1	0.5	-
Boise	39	24	61.5	14	35.9	-	-	1	2.6	-
Bonner	431	305	70.9	87	20.2	28	6.5	10	2.3	1
Bonneville	1,875	1,323	70.7	443	23.7	99	5.3	5	0.3	5
Boundary	132	88	67.2	32	24.4	11	8.4	-	-	1
Butte	26	22	84.6	4	15.4	-	-	-	-	-
Camas	5	4	80.0	1	20.0	-	-	-	-	-
Canyon	3,227	2,348	73.0	723	22.5	104	3.2	43	1.3	9
Caribou	83	59	71.1	19	22.9	5	6.0	-	-	-
Cassia	374	263	70.5	89	23.9	19	5.1	2	0.5	1
Clark	10	9	90.0	1	10.0	-	-	-	-	-
Clearwater	58	40	72.7	13	23.6	2	3.6	-	-	3
Custer	42	26	61.9	10	23.8	6	14.3	-	-	-
Elmore	495	380	77.2	94	19.1	15	3.0	3	0.6	3
Franklin	176	133	76.9	31	17.9	4	2.3	5	2.9	3
Fremont	198	142	71.7	42	21.2	13	6.6	1	0.5	-
Gem	192	124	65.3	51	26.8	12	6.3	3	1.6	2
Gooding	202	134	66.3	54	26.7	11	5.4	3	1.5	-
Idaho	158	105	68.2	35	22.7	9	5.8	5	3.2	4
Jefferson	445	312	70.3	106	23.9	22	5.0	4	0.9	1
Jerome	384	263	68.7	91	23.8	19	5.0	10	2.6	1
Kootenai	1,795	1,355	76.6	305	17.2	101	5.7	8	0.5	26
Latah	448	332	74.6	106	23.8	3	0.7	4	0.9	3
Lemhi	65	39	60.9	20	31.3	3	4.7	2	3.1	1
Lewis	35	26	74.3	7	20.0	2	5.7	-	-	-
Lincoln	62	36	59.0	20	32.8	4	6.6	1	1.6	1
Madison	1,197	905	75.7	218	18.2	70	5.9	3	0.3	1
Minidoka	326	229	70.2	77	23.6	15	4.6	5	1.5	-
Nez Perce	481	370	77.6	91	19.1	13	2.7	3	0.6	4
Oneida	44	34	77.3	7	15.9	3	6.8	-	-	-
Owyhee	142	97	68.3	33	23.2	2	1.4	10	7.0	-
Payette	310	204	66.0	80	25.9	16	5.2	9	2.9	1
Power	149	110	73.8	32	21.5	7	4.7	-	-	-
Shoshone	150	103	69.6	29	19.6	13	8.8	3	2.0	2
Teton	137	93	68.4	33	24.3	8	5.9	2	1.5	1
Twin Falls	1,214	901	74.5	201	16.6	80	6.6	28	2.3	4
Valley	89	69	77.5	17	19.1	3	3.4	-	-	-
Washington	103	61	59.8	33	32.4	8	7.8	-	-	1

Percentages based on records with stated date of first prenatal care visit.

Note: Prior to 2014, the trimester of pregnancy prenatal care began was based on the date of first prenatal care visit, and the length of baby's gestation based on the date of mother's last normal menses and the baby's birth date. Beginning in 2014, the trimester of pregnancy prenatal care began is based on the date of first prenatal care visit, the length of gestation based on the obstetric estimate and the baby's birth date. Data using the two methods are not 100 percent comparable. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Adequacy of Prenatal Care Utilization Index
2014

RESIDENCE	TOTAL LIVE BIRTHS	ADEQUACY OF PRENATAL CARE (APNCU INDEX)										
		Intensive		Adequate		Intermediate		Inadequate		No Prenatal Care		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
IDAHO	22,888	7,864	34.6%	9,953	43.7%	1,668	7.3%	3,069	13.5%	202	0.9%	132
District 1	2,615	1,043	40.5	983	38.2	140	5.4	387	15.0	21	0.8	41
District 2	1,180	323	27.8	606	52.2	102	8.8	119	10.2	12	1.0	18
District 3	4,005	1,145	28.7	1,850	46.4	338	8.5	591	14.8	65	1.6	16
District 4	5,751	1,801	31.4	3,065	53.4	286	5.0	556	9.7	31	0.5	12
District 5	2,789	1,259	45.3	777	27.9	218	7.8	477	17.2	50	1.8	8
District 6	2,579	953	37.3	1,094	42.9	141	5.5	359	14.1	6	0.2	26
District 7	3,969	1,340	33.9	1,578	39.9	443	11.2	580	14.7	17	0.4	11
Ada	5,128	1,659	32.4	2,756	53.8	200	3.9	477	9.3	27	0.5	9
Adams	31	8	25.8	17	54.8	5	16.1	1	3.2	-	-	-
Bannock	1,324	520	39.7	564	43.0	60	4.6	166	12.7	1	0.1	13
Bear Lake	90	35	38.9	39	43.3	7	7.8	9	10.0	-	-	-
Benewah	107	24	23.1	40	38.5	17	16.3	23	22.1	-	-	3
Bingham	687	237	35.0	267	39.4	45	6.6	129	19.0	-	-	9
Blaine	222	97	43.7	86	38.7	11	5.0	27	12.2	1	0.5	-
Boise	39	11	28.2	20	51.3	-	-	7	17.9	1	2.6	-
Bonner	431	136	31.8	168	39.3	43	10.0	71	16.6	10	2.3	3
Bonneville	1,875	830	44.4	709	37.9	68	3.6	258	13.8	5	0.3	5
Boundary	132	38	29.5	56	43.4	12	9.3	23	17.8	-	-	3
Butte	26	11	42.3	12	46.2	1	3.8	2	7.7	-	-	-
Camas	5	1	20.0	3	60.0	-	-	1	20.0	-	-	-
Canyon	3,227	940	29.2	1,504	46.8	277	8.6	451	14.0	43	1.3	12
Caribou	83	24	28.9	35	42.2	11	13.3	13	15.7	-	-	-
Cassia	374	156	41.8	134	35.9	21	5.6	60	16.1	2	0.5	1
Clark	10	6	60.0	3	30.0	-	-	1	10.0	-	-	-
Clearwater	58	5	9.4	32	60.4	6	11.3	10	18.9	-	-	5
Custer	42	8	19.0	19	45.2	4	9.5	11	26.2	-	-	-
Elmore	495	113	23.0	231	47.0	80	16.3	65	13.2	3	0.6	3
Franklin	176	60	34.7	86	49.7	8	4.6	14	8.1	5	2.9	3
Fremont	198	47	23.9	79	40.1	38	19.3	32	16.2	1	0.5	1
Gem	192	38	20.0	96	50.5	19	10.0	34	17.9	3	1.6	2
Gooding	202	82	40.6	61	30.2	18	8.9	38	18.8	3	1.5	-
Idaho	158	33	21.4	74	48.1	16	10.4	26	16.9	5	3.2	4
Jefferson	445	148	33.3	188	42.3	47	10.6	57	12.8	4	0.9	1
Jerome	384	161	42.0	97	25.3	39	10.2	76	19.8	10	2.6	1
Kootenai	1,795	784	44.4	674	38.2	60	3.4	240	13.6	8	0.5	29
Latah	448	125	28.2	227	51.1	60	13.5	28	6.3	4	0.9	4
Lemhi	65	22	34.4	24	37.5	5	7.8	11	17.2	2	3.1	1
Lewis	35	7	20.0	18	51.4	3	8.6	7	20.0	-	-	-
Lincoln	62	17	28.3	23	38.3	2	3.3	17	28.3	1	1.7	2
Madison	1,197	240	20.1	498	41.7	272	22.8	182	15.2	3	0.3	2
Minidoka	326	144	44.2	112	34.4	11	3.4	54	16.6	5	1.5	-
Nez Perce	481	153	32.1	255	53.6	17	3.6	48	10.1	3	0.6	5
Oneida	44	9	20.5	22	50.0	7	15.9	6	13.6	-	-	-
Owyhee	142	40	28.2	65	45.8	14	9.9	13	9.2	10	7.0	-
Payette	310	88	28.5	131	42.4	16	5.2	65	21.0	9	2.9	1
Power	149	57	38.5	69	46.6	2	1.4	20	13.5	-	-	1
Shoshone	150	61	41.5	45	30.6	8	5.4	30	20.4	3	2.0	3
Teton	137	39	28.7	58	42.6	9	6.6	28	20.6	2	1.5	1
Twin Falls	1,214	601	49.7	261	21.6	116	9.6	204	16.9	28	2.3	4
Valley	89	18	20.2	58	65.2	6	6.7	7	7.9	-	-	-
Washington	103	31	30.4	37	36.3	7	6.9	27	26.5	-	-	1

Percentages based on records with stated data to calculate APNCU (date of first prenatal care visit, number of visits, and length of gestation).

Note: Prior to 2014, the APNCU was based on the date of first prenatal care visit, and the length of baby's gestation based on the date of mother's last normal menses and the baby's birth date. Beginning in 2014, the APNCU is based on the date of first prenatal care visit, the length of gestation based on the obstetric estimate and the baby's birth date. Data using the two methods are not 100 percent comparable. For more information, see Technical Notes.

IDAHO RESIDENT LOW BIRTHWEIGHT LIVE BIRTHS
Weight at Birth
2014

RESIDENCE	TOTAL LIVE BIRTHS	LOW BIRTHWEIGHT LIVE BIRTHS						2,500+ Grams	Not Stated
		Total Low Birthweight (< 2,500 grams)		Very Low Birthweight (<1,500 Grams)		Moderately Low Weight (1,500-2,499 Grams)			
		Number	Percent	Number	Percent	Number	Percent		
U.S. 2014	3,988,076		8.0%		1.4%		6.6%		
IDAHO	22,888	1,478	6.5%	232	1.0%	1,246	5.4%	21,406	4
District 1	2,615	137	5.2	30	1.1	107	4.1	2,478	-
District 2	1,180	48	4.1	5	0.4	43	3.6	1,132	-
District 3	4,005	282	7.0	39	1.0	243	6.1	3,721	2
District 4	5,751	373	6.5	58	1.0	315	5.5	5,378	-
District 5	2,789	193	6.9	33	1.2	160	5.7	2,595	1
District 6	2,579	174	6.7	17	0.7	157	6.1	2,404	1
District 7	3,969	271	6.8	50	1.3	221	5.6	3,698	-
Ada	5,128	330	6.4	49	1.0	281	5.5	4,798	-
Adams	31	2	6.5	1	3.2	1	3.2	29	-
Bannock	1,324	81	6.1	7	0.5	74	5.6	1,242	1
Bear Lake	90	10	11.1	1	1.1	9	10.0	80	-
Benewah	107	5	4.7	-	-	5	4.7	102	-
Bingham	687	49	7.1	5	0.7	44	6.4	638	-
Blaine	222	13	5.9	1	0.5	12	5.4	209	-
Boise	39	4	10.3	-	-	4	10.3	35	-
Bonner	431	25	5.8	7	1.6	18	4.2	406	-
Bonneville	1,875	148	7.9	25	1.3	123	6.6	1,727	-
Boundary	132	6	4.5	1	0.8	5	3.8	126	-
Butte	26	3	11.5	1	3.8	2	7.7	23	-
Camas	5	-	-	-	-	-	-	5	-
Canyon	3,227	211	6.5	28	0.9	183	5.7	3,016	-
Caribou	83	7	8.4	1	1.2	6	7.2	76	-
Cassia	374	25	6.7	8	2.1	17	4.5	349	-
Clark	10	1	10.0	-	-	1	10.0	9	-
Clearwater	58	4	6.9	3	5.2	1	1.7	54	-
Custer	42	2	4.8	-	-	2	4.8	40	-
Elmore	495	37	7.5	9	1.8	28	5.7	458	-
Franklin	176	15	8.5	-	-	15	8.5	161	-
Fremont	198	14	7.1	5	2.5	9	4.5	184	-
Gem	192	17	8.9	2	1.1	15	7.9	173	2
Gooding	202	18	8.9	2	1.0	16	7.9	184	-
Idaho	158	3	1.9	1	0.6	2	1.3	155	-
Jefferson	445	21	4.7	2	0.4	19	4.3	424	-
Jerome	384	37	9.7	9	2.3	28	7.3	346	1
Kootenai	1,795	89	5.0	20	1.1	69	3.8	1,706	-
Latah	448	20	4.5	1	0.2	19	4.2	428	-
Lemhi	65	8	12.3	2	3.1	6	9.2	57	-
Lewis	35	1	2.9	-	-	1	2.9	34	-
Lincoln	62	1	1.6	-	-	1	1.6	61	-
Madison	1,197	65	5.4	9	0.8	56	4.7	1,132	-
Minidoka	326	21	6.4	4	1.2	17	5.2	305	-
Nez Perce	481	20	4.2	-	-	20	4.2	461	-
Oneida	44	1	2.3	-	-	1	2.3	43	-
Owyhee	142	15	10.6	2	1.4	13	9.2	127	-
Payette	310	30	9.7	4	1.3	26	8.4	280	-
Power	149	8	5.4	2	1.3	6	4.0	141	-
Shoshone	150	12	8.0	2	1.3	10	6.7	138	-
Teton	137	12	8.8	7	5.1	5	3.6	125	-
Twin Falls	1,214	78	6.4	9	0.7	69	5.7	1,136	-
Valley	89	2	2.2	-	-	2	2.2	87	-
Washington	103	7	6.8	2	1.9	5	4.9	96	-

Percentages are based on records with stated birthweight.

IDAHO RESIDENT LOW BIRTHWEIGHT LIVE BIRTHS
Race/Ethnicity of Mother
2014

RESIDENCE	LOW BIRTHWEIGHT LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC[2]
	Total	Percent[1]	White	Black	Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated	
IDAHO	1,478	6.5%	1,288	19	21	28	113	9	262
(Percent)			6.3%	8.2%	5.5%	5.9%	9.2%	NA	7.2%
District 1	137	5.2	132	1	3	-	1	-	4
District 2	48	4.1	44	-	2	1	1	-	1
District 3	282	7.0	230	4	3	3	41	1	89
District 4	373	6.5	328	10	3	14	16	2	42
District 5	193	6.9	169	-	1	7	15	1	68
District 6	174	6.7	148	1	8	3	10	4	20
District 7	271	6.8	237	3	1	-	29	1	38
Ada	330	6.4	293	8	3	13	11	2	33
Adams	2	6.5	2	-	-	-	-	-	-
Bannock	81	6.1	72	1	4	1	1	2	6
Bear Lake	10	11.1	9	-	-	-	1	-	1
Benewah	5	4.7	4	-	1	-	-	-	-
Bingham	49	7.1	37	-	4	2	6	-	9
Blaine	13	5.9	11	-	-	-	1	1	5
Boise	4	10.3	4	-	-	-	-	-	-
Bonner	25	5.8	24	-	1	-	-	-	-
Bonneville	148	7.9	129	1	1	-	16	1	22
Boundary	6	4.5	5	-	1	-	-	-	-
Butte	3	11.5	3	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	211	6.5	164	4	3	3	36	1	76
Caribou	7	8.4	7	-	-	-	-	-	-
Cassia	25	6.7	20	-	-	2	3	-	10
Clark	1	10.0	-	-	-	-	1	-	1
Clearwater	4	6.9	4	-	-	-	-	-	1
Custer	2	4.8	2	-	-	-	-	-	-
Elmore	37	7.5	29	2	-	1	5	-	9
Franklin	15	8.5	14	-	-	-	1	-	1
Fremont	14	7.1	12	-	-	-	2	-	3
Gem	17	8.9	16	-	-	-	1	-	2
Gooding	18	8.9	17	-	-	-	1	-	10
Idaho	3	1.9	3	-	-	-	-	-	-
Jefferson	21	4.7	16	1	-	-	4	-	4
Jerome	37	9.7	33	-	-	-	4	-	15
Kootenai	89	5.0	87	1	-	-	1	-	4
Latah	20	4.5	18	-	-	1	1	-	-
Lemhi	8	12.3	8	-	-	-	-	-	-
Lewis	1	2.9	1	-	-	-	-	-	-
Lincoln	1	1.6	1	-	-	-	-	-	1
Madison	65	5.4	59	1	-	-	5	-	6
Minidoka	21	6.4	16	-	-	-	5	-	12
Nez Perce	20	4.2	18	-	2	-	-	-	-
Oneida	1	2.3	1	-	-	-	-	-	-
Owyhee	15	10.6	11	-	-	-	4	-	5
Payette	30	9.7	30	-	-	-	-	-	3
Power	8	5.4	5	-	-	-	1	2	3
Shoshone	12	8.0	12	-	-	-	-	-	-
Teton	12	8.8	11	-	-	-	1	-	2
Twin Falls	78	6.4	71	-	1	5	1	-	15
Valley	2	2.2	2	-	-	-	-	-	-
Washington	7	6.8	7	-	-	-	-	-	3

1. Percentages are based on records with stated birthweight.
2. Race and Hispanic origin are reported separately on birth certificate. Mothers of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT LOW BIRTHWEIGHT LIVE BIRTHS
Age of Mother
2014

RESIDENCE	TOTAL LOW BIRTH WEIGHT	AGE OF MOTHER									
			15-19								
		<15	Total	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1,478	1	94	18	76	419	448	313	165	32	6
(Percent)	6.5%	14.3%	7.2%	5.8%	7.7%	6.8%	6.2%	5.7%	7.3%	7.2%	22.2%
District 1	137	-	7	1	6	43	44	30	8	5	-
District 2	48	-	1	-	1	17	20	8	2	-	-
District 3	282	-	28	5	23	75	89	48	32	10	-
District 4	373	-	21	4	17	74	111	99	55	10	3
District 5	193	1	10	3	7	66	48	38	24	4	2
District 6	174	-	9	3	6	59	56	35	15	-	-
District 7	271	-	18	2	16	85	80	55	29	3	1
Ada	330	-	20	3	17	58	97	92	51	9	3
Adams	2	-	-	-	-	1	-	-	-	1	-
Bannock	81	-	2	1	1	25	33	12	9	-	-
Bear Lake	10	-	2	1	1	1	5	1	1	-	-
Benewah	5	-	-	-	-	2	3	-	-	-	-
Bingham	49	-	1	-	1	20	14	11	3	-	-
Blaine	13	-	-	-	-	2	2	3	5	1	-
Boise	4	-	-	-	-	2	-	-	1	1	-
Bonner	25	-	1	-	1	9	8	5	1	1	-
Bonneville	148	-	12	2	10	39	45	31	19	1	1
Boundary	6	-	-	-	-	3	-	1	2	-	-
Butte	3	-	-	-	-	-	-	3	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	211	-	20	3	17	58	67	36	22	8	-
Caribou	7	-	1	-	1	5	1	-	-	-	-
Cassia	25	-	1	1	-	12	5	6	1	-	-
Clark	1	-	-	-	-	-	-	-	1	-	-
Clearwater	4	-	1	-	1	2	1	-	-	-	-
Custer	2	-	-	-	-	-	2	-	-	-	-
Elmore	37	-	1	1	-	13	13	7	3	-	-
Franklin	15	-	2	1	1	5	2	6	-	-	-
Fremont	14	-	-	-	-	2	7	3	2	-	-
Gem	17	-	1	-	1	2	5	6	3	-	-
Gooding	18	-	-	-	-	7	8	1	1	1	-
Idaho	3	-	-	-	-	2	1	-	-	-	-
Jefferson	21	-	1	-	1	7	5	4	3	1	-
Jerome	37	-	1	-	1	15	8	5	8	-	-
Kootenai	89	-	4	1	3	26	31	22	3	3	-
Latah	20	-	-	-	-	5	9	4	2	-	-
Lemhi	8	-	-	-	-	2	2	3	-	1	-
Lewis	1	-	-	-	-	1	-	-	-	-	-
Lincoln	1	-	-	-	-	1	-	-	-	-	-
Madison	65	-	3	-	3	35	14	10	3	-	-
Minidoka	21	1	1	1	-	8	5	4	-	2	-
Nez Perce	20	-	-	-	-	7	9	4	-	-	-
Oneida	1	-	-	-	-	-	1	-	-	-	-
Owyhee	15	-	3	-	3	1	5	3	2	1	-
Payette	30	-	3	2	1	12	11	3	1	-	-
Power	8	-	1	-	1	3	-	2	2	-	-
Shoshone	12	-	2	-	2	3	2	2	2	1	-
Teton	12	-	2	-	2	-	5	4	1	-	-
Twin Falls	78	-	7	1	6	21	20	19	9	-	2
Valley	2	-	-	-	-	1	1	-	-	-	-
Washington	7	-	1	-	1	1	1	-	4	-	-

Percentages are based on records with stated birthweight.

Source: Bureau of Vital Records and Health Statsitics, Division of Public Health, Idaho Department of Health and Welfare (November 2015)

IDAHO RESIDENT LOW BIRTHWEIGHT LIVE BIRTHS
Live Birth Order by Age of Mother
2014

LIVE BIRTH ORDER	TOTAL	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	1,478	1	18	76	419	448	313	165	32	6
1	544	1	18	54	211	148	70	32	7	3
2	395	-	-	16	122	126	83	35	11	2
3	267	-	-	4	61	86	78	34	3	1
4	145	-	-	1	18	59	41	23	3	-
5	79	-	-	-	6	20	26	23	4	-
6	26	-	-	-	-	5	8	13	-	-
7	9	-	-	-	-	2	3	3	1	-
8	3	-	-	-	-	-	2	-	1	-
9	3	-	-	-	-	-	-	2	1	-
10-14	2	-	-	-	-	-	1	-	1	-
15+	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	-	1	1	2	1	-	-	-

IDAHO RESIDENT LOW BIRTHWEIGHT LIVE BIRTHS
Number and Percentage of Low Birthweight Births by Age of Mother
2014

AGE OF MOTHER	IDAHO			U.S. 2014
	Total Live Births	Low Birthweight Live Births	Percent Low Birthweight	Percent Low Birthweight
TOTAL	22,888	1,478	6.5%	7.1%
<15	7	1	14.3	10.3
15-19	1,302	94	7.2	7.9
15-17	311	18	5.8	9.6
18-19	991	76	7.7	9.2
20-24	6,146	419	6.8	6.7
25-29	7,225	448	6.2	6.4
30-34	5,474	313	5.7	6.9
35-39	2,262	165	7.3	8.1
40-44	444	32	7.2	9.8
45+	27	6	22.2	19.5
Not stated	1	-	NA	NA

Percentages are based on records with stated birthweight. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Birthweight by Gestational Age
2014

GESTATION IN COMPLETED WEEKS[1]	TOTAL LIVE BIRTHS	Birthweight										
		Total Low Birthweight (< 2,500 Grams)		Very Low (< 1,500 Grams)		Moderately Low (1,500-2,499 Grams)		Normal (2,500-3,999 Grams)		Heavy (4,000+ Grams)		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	1,478	6.5%	232	1.0%	1,246	5.4%	19,460	85.0%	1,946	8.5%	4
Preterm (< 37 weeks)	1,864	1,026	55.0	227	12.2	799	42.9	828	44.4	10	0.5	-
Under 32 weeks	255	249	97.6	183	71.8	66	25.9	6	2.4	-	-	-
32-33 weeks	200	183	91.5	29	14.5	154	77.0	17	8.5	-	-	-
34-36 weeks	1,409	594	42.2	15	1.1	579	41.1	805	57.1	10	0.7	-
Term (37-41 weeks)	20,886	450	2.2	5	0.0	445	2.1	18,530	88.7	1,905	9.1	1
37-38 weeks	5,347	338	6.3	2	0.0	336	6.3	4,817	90.1	192	3.6	-
39-41 weeks	15,539	112	0.7	3	0.0	109	0.7	13,713	88.3	1,713	11.0	1
Postterm (42+ weeks)	101	1	1.0	-	-	1	1.0	74	73.3	26	25.7	-
Not stated	37	1	NA	-	NA	1	NA	28	NA	5	NA	3

Percentages are based on records with stated data for birthweight. NA: not applicable.

1. Gestational age is based on the obstetric estimate (OE) at birth. Prior to 2014, the primary measure used to determine the gestational age of the newborn was based on the date of the mother's last normal menses and the baby's birth date. Gestational age using the two methods is not 100 percent comparable. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Birthweight by Cigarette Smoking Status During Pregnancy
2014

CIGARETTE SMOKING DURING PREGNANCY	TOTAL LIVE BIRTHS	Birthweight										
		Total Low Birthweight (< 2,500 Grams)		Very Low (< 1,500 Grams)		Moderately Low (1,500-2,499 Grams)		Normal (2,500-3,999 Grams)		Heavy (4,000+ Grams)		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	1,478	6.5%	232	1.0%	1,246	5.4%	19,460	85.0%	1,946	8.5%	4
Yes	2,431	299	12.3	42	1.7	257	10.6	2,028	83.4	104	4.3	-
No	20,412	1,177	5.8	190	0.9	987	4.8	17,395	85.2	1,839	9.0	1
Not Stated	45	2	NA	-	NA	2	NA	37	NA	3	NA	3

Percentages are based on records with stated data for birthweight. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Gestational Age
2014

RESIDENCE	TOTAL LIVE BIRTHS	GESTATIONAL AGE IN WEEKS[1]				
		< 37 Completed Weeks Gestation (Preterm Births)		37+ Completed Weeks Gestation (Term Births)		Not Stated
		Number	Percent	Number	Percent	
U.S. 2014			9.6%		90.4%	
IDAHO	22,888	1,864	8.2%	20,987	91.8%	37
District 1	2,615	203	7.8	2,412	92.2	-
District 2	1,180	52	4.4	1,125	95.6	3
District 3	4,005	359	9.0	3,619	91.0	27
District 4	5,751	472	8.2	5,278	91.8	1
District 5	2,789	239	8.6	2,547	91.4	3
District 6	2,579	210	8.2	2,366	91.8	3
District 7	3,969	329	8.3	3,640	91.7	-
Ada	5,128	427	8.3	4,700	91.7	1
Adams	31	4	12.9	27	87.1	-
Bannock	1,324	99	7.5	1,223	92.5	2
Bear Lake	90	6	6.7	84	93.3	-
Benewah	107	9	8.4	98	91.6	-
Bingham	687	66	9.6	621	90.4	-
Blaine	222	16	7.2	206	92.8	-
Boise	39	4	10.3	35	89.7	-
Bonner	431	34	7.9	397	92.1	-
Bonneville	1,875	182	9.7	1,693	90.3	-
Boundary	132	9	6.8	123	93.2	-
Butte	26	3	11.5	23	88.5	-
Camas	5	-	-	5	100.0	-
Canyon	3,227	286	8.9	2,923	91.1	18
Caribou	83	8	9.6	75	90.4	-
Cassia	374	30	8.0	343	92.0	1
Clark	10	-	-	10	100.0	-
Clearwater	58	5	8.6	53	91.4	-
Custer	42	3	7.1	39	92.9	-
Elmore	495	39	7.9	456	92.1	-
Franklin	176	18	10.3	157	89.7	1
Fremont	198	15	7.6	183	92.4	-
Gem	192	17	8.9	174	91.1	1
Gooding	202	20	9.9	182	90.1	-
Idaho	158	4	2.5	153	97.5	1
Jefferson	445	36	8.1	409	91.9	-
Jerome	384	37	9.7	346	90.3	1
Kootenai	1,795	133	7.4	1,662	92.6	-
Latah	448	25	5.6	421	94.4	2
Lemhi	65	9	13.8	56	86.2	-
Lewis	35	1	2.9	34	97.1	-
Lincoln	62	2	3.3	59	96.7	1
Madison	1,197	65	5.4	1,132	94.6	-
Minidoka	326	20	6.1	306	93.9	-
Nez Perce	481	17	3.5	464	96.5	-
Oneida	44	3	6.8	41	93.2	-
Owyhee	142	17	12.7	117	87.3	8
Payette	310	28	9.0	282	91.0	-
Power	149	7	4.7	142	95.3	-
Shoshone	150	18	12.0	132	88.0	-
Teton	137	19	13.9	118	86.1	-
Twin Falls	1,214	114	9.4	1,100	90.6	-
Valley	89	2	2.2	87	97.8	-
Washington	103	7	6.8	96	93.2	-

1. For both U.S. and Idaho data, the primary measure used to determine the gestational age of the newborn is the obstetric estimate (OE). Prior to 2014, the primary measure used to determine the gestational age of the newborn was based on the date of the mother's last normal menses and the baby's birth date. Preterm data using the two methods are not comparable. Prior year's data based on the obstetric estimate are available upon request. For more information, see Technical Notes.

Percentages based on records with stated gestational age.

IDAHO RESIDENT LIVE BIRTHS
Number and Percent of Births by Plurality
2014

RESIDENCE	PLURALITY[1]					
	Single		Twin		Triplet/+[2]	
	Number	Percent	Number	Percent	Number	Percent
IDAHO	22,188	96.9%	687	3.0%	12	0.1%
District 1	2,531	96.8	84	3.2	-	-
District 2	1,151	97.5	29	2.5	-	-
District 3	3,869	96.6	132	3.3	3	0.1
District 4	5,556	96.6	189	3.3	6	0.1
District 5	2,722	97.6	67	2.4	-	-
District 6	2,500	96.9	79	3.1	-	-
District 7	3,859	97.2	107	2.7	3	0.1

IDAHO RESIDENT LIVE BIRTHS
Number and Percent of Births by Plurality by Gestational Age
2014

GESTATIONAL AGE IN WEEKS[3]	PLURALITY[1]					
	Single		Twin		Triplet/+[2]	
	Number	Percent	Number	Percent	Number	Percent
TOTAL	22,188	100.0%	687	100.0%	12	100.0%
<37 Completed weeks gestation (Preterm births)	1,430	6.5	422	61.4	12	100.0
37+ Completed weeks gestation (Term births)	20,722	93.5	265	38.6	-	-
Gestational age not stated	36	NA	-	NA	-	NA

IDAHO RESIDENT LIVE BIRTHS
Number and Percent of Births by Plurality by Birthweight
2014

BIRTHWEIGHT	PLURALITY[1]					
	Single		Twin		Triplet/+[2]	
	Number	Percent	Number	Percent	Number	Percent
TOTAL	22,188	100.0%	687	100.0%	12	100.0%
Total low birthweight	1,102	5.0	364	53.0	12	100.0
<1,500 grams	172	0.8	54	7.9	6	50.0
1,500 - 2,499 grams	930	4.2	310	45.1	6	50.0
2,500+ grams	21,083	95.0	323	47.0	-	-
Birthweight not stated	3	NA	-	NA	-	NA

1. In 2014, there was (1) birth with plurality not stated (not shown).
2. Triplet/+: includes triplets, quadruplets, and other high-order multiple births.
3. Gestational age is based on the obstetric estimate (OE) at birth. Prior to 2014, the primary measure used to determine the gestational age of the newborn was based on the date of the mother's last normal menses and the baby's birth date. Gestational age using the two methods is not 100 percent comparable. For more information, see Technical Notes.

Percentages based on records with stated gestational age or birthweight. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
WIC Participation and Infant Breastfed
2014

RESIDENCE	TOTAL LIVE BIRTHS	WIC Participation[1]		Breastfed	
		Number	Percent	Number	Percent
IDAHO	22,888	8,890	39.1%	20,723	90.9%
District 1	2,615	1,011	39.0	2,357	90.8
District 2	1,180	427	36.4	1,099	93.4
District 3	4,005	1,860	47.1	3,611	90.6
District 4	5,751	1,764	30.8	5,406	94.1
District 5	2,789	1,235	44.4	2,487	89.5
District 6	2,579	1,104	43.4	2,155	84.4
District 7	3,969	1,489	37.6	3,608	91.0
Ada	5,128	1,489	29.1	4,827	94.2
Adams	31	9	29.0	31	100.0
Bannock	1,324	565	43.0	1,121	85.6
Bear Lake	90	29	33.0	69	76.7
Benewah	107	62	57.9	95	88.8
Bingham	687	310	45.7	586	85.9
Blaine	222	62	28.7	211	96.3
Boise	39	19	48.7	37	94.9
Bonner	431	144	34.1	395	91.9
Bonneville	1,875	702	37.7	1,642	87.7
Boundary	132	45	34.9	125	96.2
Butte	26	9	36.0	23	88.5
Camas	5	2	40.0	5	100.0
Canyon	3,227	1,544	48.6	2,917	90.7
Caribou	83	35	42.2	67	82.7
Cassia	374	185	49.5	325	87.1
Clark	10	4	40.0	10	100.0
Clearwater	58	26	45.6	54	93.1
Custer	42	13	31.0	40	95.2
Elmore	495	225	47.6	454	92.3
Franklin	176	61	36.5	132	75.4
Fremont	198	74	37.4	172	87.3
Gem	192	77	40.3	170	89.5
Gooding	202	113	55.9	177	87.6
Idaho	158	52	33.5	143	91.1
Jefferson	445	131	29.5	420	94.4
Jerome	384	204	53.3	338	88.3
Kootenai	1,795	688	38.5	1,613	90.6
Latah	448	135	30.2	424	94.6
Lemhi	65	25	38.5	56	87.5
Lewis	35	15	42.9	33	100.0
Lincoln	62	24	38.7	55	90.2
Madison	1,197	519	43.4	1,141	95.3
Minidoka	326	167	51.4	273	84.5
Nez Perce	481	199	41.6	445	92.5
Oneida	44	15	36.6	35	81.4
Owyhee	142	61	43.9	124	87.3
Payette	310	125	40.5	279	90.3
Power	149	80	54.1	122	82.4
Shoshone	150	72	48.0	129	86.6
Teton	137	21	15.3	127	92.7
Twin Falls	1,214	478	39.4	1,103	90.9
Valley	89	31	34.8	88	98.9
Washington	103	44	42.7	90	90.0

1. WIC participation: Did mother get WIC food for herself during this pregnancy? WIC is a supplemental nutritional program for women, infants, and children. Data from birth certificate may differ from data from the WIC Program.

Percentages are based on records with known breastfeeding or WIC participation data.

OUT-OF-WEDLOCK BIRTHS

2013 to 2014 Out-of-Wedlock Births

The number of out-of-wedlock births increased each year from 1998 to 2008, and fluctuated from 2008 to 2014. In the past year, the number of out-of-wedlock births increased 314 (5.2 percent) from 6,040 in 2013 to 6,354 in 2014. Because the total number of births increased at a slower rate from 2013 to 2014 than the number of out-of-wedlock births, the percentage of total live births that were out-of-wedlock births increased 3.0 percent from 2013 to 2014.

Race/Ethnicity

The 2014 out-of-wedlock percentages increased for the White, and Black population, and decreased for American Indian or Alaska Native, Asian/Pacific Islanders, Hispanics, and women of "other race". Note, Idaho has relatively small numbers for non-white rates; some fluctuation from year to year can be expected.

IDAHO RACE/ETHNICITY – SPECIFIC PERCENTAGES					
Race/Ethnicity	2014	2013	2012	2011	2010
Total	27.8 %	27.0 %	27.3 %	26.4 %	26.5 %
White	26.2	25.2	25.5	24.7	24.7
Black	33.0	32.7	39.8	42.9	34.9
American Indian or Alaska Native	66.6	70.8	66.4	62.2	60.0
Asian or Pacific Islander	13.3	16.3	16.1	13.9	14.7
Other Race	44.6	46.0	45.4	45.6	46.7
Ethnicity: Hispanic[1]	44.4	45.2	45.0	43.0	45.1

U.S. and Idaho Out-of-Wedlock Births

The percent of all U.S. out-of-wedlock births declined slightly from 40.6 percent to 40.2 percent from 2013 to 2014. By race, U.S. 2014 out-of-wedlock percent for whites was 36.3 percent higher than Idaho's percent, and the U.S. black percent was more than twice as high as Idaho's percent. The U.S. 2014 Hispanic percent was 19.1 percent higher than Idaho's percent in 2014. In 2014, the rate for American Indians in Idaho was 1.4 percent higher than the U.S. percent. The U.S. 2014 Asian or Pacific Islander percent was 23.3 percent higher than Idaho's percent in 2014.

	Total	White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Ethnicity: Hispanic[1]
U.S. 2014[2]	40.2%	35.7%	70.4%	65.7%	16.4%	52.9%
Idaho	27.8%	26.2%	33.0%	66.6%	13.3%	44.4%

When comparing Idaho with the U.S., one should keep in mind that Idaho has a predominantly white population; the usually higher rates for most other races/ethnicities have less effect on the overall rate in Idaho.

Districts

From 2013 to 2014, the percentage of out-of-wedlock births increased in Health Districts 3, 4, 5, 6 and 7, decreased in districts 1, and remained the same in District 2. Districts 3 recorded the highest proportion of live births that were out of wedlock (34.7 percent) followed by District 1 (33.8 percent). District 7 recorded the lowest percent of out-of-wedlock births again in 2014 (16.7 percent).

Counties

Counties with the highest percentages of out-of-wedlock births were Shoshone (50.7 percent) Lewis (48.6 percent), and Boise (46.2 percent). The lowest percentages occurred in Madison (2.7 percent), Jefferson (14.2 percent), and Butte (15.4 percent).

1. Race and Hispanic origin are reported separately on the birth certificate. Women of Hispanic origin are included in appropriate race totals.
2. "Births: Final Data for 2014," National Vital Statistics Reports, National Center for Health Statistics, Vol. 64/No. 12, December 23, 2015.

PERCENT OUT-OF-WEDLOCK BIRTHS
U.S., Idaho, and Districts
2014



PERCENT OUT-OF-WEDLOCK BIRTHS
U.S. and Idaho (Total and White)
2004-2014



IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Race/Ethnicity of Mother
2014

RESIDENCE	OUT-OF-WEDLOCK LIVE BIRTHS		RACE OF MOTHER						MOTHER HISPANIC[2]
	Total	Percent	White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race[1]	Not Stated	
IDAHO	6,354	27.8%	5,361	77	253	63	547	53	1,621
(Percent)			26.2%	33.0%	66.6%	13.3%	44.6%	NA	44.4%
District 1	884	33.8	824	8	29	6	13	4	38
District 2	387	32.8	329	5	42	3	6	2	14
District 3	1,389	34.7	1,161	15	20	9	172	12	579
District 4	1,402	24.4	1,217	34	20	27	94	10	219
District 5	922	33.1	833	4	20	9	49	7	415
District 6	707	27.4	476	5	110	4	96	16	176
District 7	663	16.7	521	6	12	5	117	2	180
Ada	1,223	23.8	1,064	30	18	24	77	10	178
Adams	11	35.5	11	-	-	-	-	-	1
Bannock	362	27.3	279	3	49	4	23	4	52
Bear Lake	20	22.2	19	-	-	-	-	1	1
Benewah	48	44.9	32	1	13	-	2	-	-
Bingham	208	30.3	108	2	56	-	32	10	65
Blaine	72	32.4	50	-	2	1	14	5	43
Boise	18	46.2	17	-	-	-	1	-	1
Bonner	139	32.3	128	-	2	4	4	1	6
Bonneville	472	25.2	377	5	11	5	73	1	121
Boundary	32	24.2	28	1	2	-	1	-	2
Butte	4	15.4	3	-	-	-	-	1	1
Camas	1	20.0	1	-	-	-	-	-	-
Canyon	1,106	34.3	911	14	10	8	152	11	487
Caribou	13	15.7	11	-	-	-	2	-	3
Cassia	114	30.5	104	1	3	3	3	-	64
Clark	-	-	-	-	-	-	-	-	-
Clearwater	25	43.1	21	1	3	-	-	-	2
Custer	9	21.4	9	-	-	-	-	-	1
Elmore	128	25.9	104	4	1	3	16	-	34
Franklin	29	16.5	19	-	1	-	9	-	12
Fremont	40	20.2	25	-	-	-	15	-	16
Gem	73	38.0	62	1	2	-	8	-	15
Gooding	71	35.1	61	-	2	-	8	-	35
Idaho	40	25.3	34	-	5	-	1	-	1
Jefferson	63	14.2	44	1	1	-	16	1	22
Jerome	148	38.5	129	1	3	-	14	1	77
Kootenai	589	32.8	561	6	12	1	6	3	29
Latah	99	22.1	91	1	2	3	2	-	2
Lemhi	21	32.3	21	-	-	-	-	-	-
Lewis	17	48.6	15	-	2	-	-	-	-
Lincoln	24	38.7	17	-	-	-	6	1	16
Madison	32	2.7	23	-	-	-	9	-	10
Minidoka	121	37.1	118	-	1	-	2	-	69
Nez Perce	206	42.8	168	3	30	-	3	2	9
Oneida	7	15.9	6	-	-	-	1	-	-
Owyhee	47	33.1	37	-	3	-	7	-	15
Payette	110	35.5	104	-	3	1	2	-	43
Power	64	43.0	31	-	4	-	29	-	42
Shoshone	76	50.7	75	-	-	1	-	-	1
Teton	26	19.0	22	-	-	-	4	-	10
Twin Falls	371	30.6	353	2	9	5	2	-	111
Valley	33	37.1	32	-	1	-	-	-	6
Washington	42	40.8	36	-	2	-	3	1	18

1. Beginning with 2009, out-of-state births with more than one race are included with "other race"; there were 11 out-of-state births with more than one race.
2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic origin are included in appropriate race totals.
NA: not applicable.

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Age of Mother
2014

RESIDENCE	TOTAL OUT-OF-WEDLOCK	AGE OF MOTHER									
		<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
			Total	15-17	18-19						
IDAHO	6,354	7	997	280	717	2,543	1,560	832	328	81	5
District 1	884	-	130	25	105	366	218	116	39	13	2
District 2	387	-	54	17	37	169	93	49	18	3	1
District 3	1,389	4	237	72	165	581	317	169	64	17	-
District 4	1,402	1	174	49	125	529	377	209	91	19	2
District 5	922	2	155	47	108	352	220	129	50	13	-
District 6	707	-	126	36	90	292	167	83	31	8	-
District 7	663	-	121	34	87	254	168	77	35	8	-
Ada	1,223	1	152	38	114	452	327	196	76	18	1
Adams	11	-	-	-	-	5	3	2	-	1	-
Bannock	362	-	56	20	36	145	88	50	18	5	-
Bear Lake	20	-	5	1	4	6	7	2	-	-	-
Benewah	48	-	6	1	5	24	13	5	-	-	-
Bingham	208	-	40	9	31	87	51	22	7	1	-
Blaine	72	-	4	1	3	15	22	20	9	2	-
Boise	18	-	-	-	-	12	4	-	1	1	-
Bonner	139	-	22	4	18	58	34	16	8	1	-
Bonneville	472	-	91	25	66	178	127	48	23	5	-
Boundary	32	-	6	1	5	17	4	3	2	-	-
Butte	4	-	-	-	-	3	-	-	-	1	-
Camas	1	-	-	-	-	-	1	-	-	-	-
Canyon	1,106	4	187	60	127	473	244	133	51	14	-
Caribou	13	-	-	-	-	7	5	1	-	-	-
Cassia	114	-	23	9	14	46	24	14	7	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	25	-	5	3	2	13	4	2	1	-	-
Custer	9	-	-	-	-	3	4	1	1	-	-
Elmore	128	-	22	11	11	48	38	8	11	-	1
Franklin	29	-	7	1	6	15	2	2	3	-	-
Fremont	40	-	10	4	6	14	9	6	1	-	-
Gem	73	-	8	2	6	29	23	8	4	1	-
Gooding	71	-	8	2	6	30	14	15	2	2	-
Idaho	40	-	7	2	5	16	8	5	3	1	-
Jefferson	63	-	14	3	11	23	14	9	2	1	-
Jerome	148	-	32	9	23	56	30	20	7	2	-
Kootenai	589	-	85	19	66	231	149	85	27	10	2
Latah	99	-	11	1	10	46	20	15	7	-	-
Lemhi	21	-	1	1	-	12	3	3	1	1	-
Lewis	17	-	2	1	1	7	5	3	-	-	-
Lincoln	24	-	7	2	5	9	4	1	3	-	-
Madison	32	-	5	1	4	13	8	3	2	1	-
Minidoka	121	2	22	7	15	53	27	9	6	2	-
Nez Perce	206	-	29	10	19	87	56	24	7	2	1
Oneida	7	-	2	-	2	5	-	-	-	-	-
Owyhee	47	-	12	2	10	18	6	7	3	1	-
Payette	110	-	22	8	14	37	34	13	4	-	-
Power	64	-	16	5	11	24	14	6	3	1	-
Shoshone	76	-	11	-	11	36	18	7	2	2	-
Teton	26	-	-	-	-	11	3	7	5	-	-
Twin Falls	371	-	59	17	42	143	98	50	16	5	-
Valley	33	-	-	-	-	17	8	5	3	-	-
Washington	42	-	8	-	8	19	7	6	2	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Live Birth Order by Age of Mother
2014

LIVE BIRTH ORDER	TOTAL OUT-OF-WEDLOCK	AGE OF MOTHER								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
TOTAL	6,354	7	280	717	2,543	1,560	832	328	81	5
1	2,934	7	266	604	1,386	450	153	50	14	4
2	1,743	-	13	96	776	539	227	80	12	-
3	957	-	-	13	292	327	231	73	21	-
4	425	-	-	1	65	164	121	59	14	1
5	167	-	1	-	16	55	62	21	12	-
6	70	-	-	-	3	16	21	27	3	-
7	26	-	-	-	-	5	11	7	3	-
8	10	-	-	-	-	2	2	5	1	-
9	3	-	-	-	-	-	-	3	-	-
10-14	6	-	-	-	-	-	2	3	1	-
15+	-	-	-	-	-	-	-	-	-	-
Not stated	12	-	-	3	5	2	2	-	-	-

IDAHO RESIDENT OUT-OF-WEDLOCK LIVE BIRTHS
Number and Percentage of Births Out-of-Wedlock by Age of Mother
2014

AGE OF MOTHER	IDAHO			U.S. 2014
	Total Live Births	Out-of-Wedlock Live Births	Percent Out-of-Wedlock	Percent Out-of-Wedlock
TOTAL	22,888	6,354	27.8%	40.2%
<15	7	7	100.0	99.4
15-19	1,302	997	76.6	88.6
15-17	311	280	90.0	95.7
18-19	991	717	72.4	86.0
20-24	6,146	2,543	41.4	65.7
25-29	7,225	1,560	21.6	36.7
30-34	5,474	832	15.2	22.5
35-39	2,262	328	14.5	21.6
40-44	444	81	18.2	NA
45+	27	5	18.5	NA
Not stated	1	1	NA	NA

NA: not applicable / not available.

IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections Present or Treated by Age of Mother
2014

AGE	Total Live Births	Risk Factors In This Pregnancy		Infections Present/Treated During This Pregnancy	
		Number	Percent	Number	Percent
Total	22,888	6,346	27.7%	5,381	24.4%
<15	7	-	-	-	-
15-19	1,302	183	14.1	289	23.1
15-17	311	27	8.7	57	18.9
18-19	991	156	15.7	232	24.4
20-24	6,146	1,202	19.6	1,432	24.1
25-29	7,225	1,976	27.4	1,632	23.4
30-34	5,474	1,842	33.6	1,322	25.0
35-39	2,262	931	41.2	579	26.7
40-44	444	194	43.7	121	28.5
45+	27	18	66.7	6	25.0
Not stated	1	-	-	-	-

Percentages are based on records with stated risk factors and infections reported.

IDAHO RESIDENT LIVE BIRTHS
Risk Factors and Infections Present and/or Treated During This Pregnancy
2014

Risk Factors in This Pregnancy	Number	Infections Present and/or Treated	Number
Total Births	22,888	Total Births	22,888
Births with Risk Factor(s) reported	6,346	Births with Infection(s) of Mother reported	5,381
Diabetes:			
Prepregnancy (diagnosis prior to this pregnancy)	154	Gonorrhea	20
Gestational (diagnosis in this pregnancy)	1,023	Syphilis	5
Hypertension:		HIV Infection	1
Prepregnancy (chronic)	259	Herpes Simplex Virus (HSV)	537
Gestational (PIH, preeclampsia)	1,512	Chlamydia	283
Eclampsia	17	Listeria	6
Previous preterm birth	877	Group B Streptococcus	4,354
Other previous poor pregnancy outcome*	300	Cytomegalovirus	6
Pregnancy resulted from infertility treatment:		Parvovirus	12
Fertility-enhancing drugs, Artificial insemination, or		Toxoplasmosis	2
intrauterine insemination	240	Hepatitis B	36
Assisted reproductive technology (in vitro fertilization		Hepatitis C	47
(IVF), gamete intrafallopian transfer (GIFT))	190		
Mother had a previous cesarean delivery	2,980	Other infection not elsewhere specified	397
None of the above	16,541	None of the above	16,696
Risk factors in pregnancy not stated	1	Infections not stated	811

* Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth.
Note: Infection data is collected differently by state and therefore may not be available for out-of-state births.
More than one type of risk factor or infection may be reported for a live birth. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery by Age of Mother
2014

AGE	Total Live Births	Maternal Morbidity (Complications)		Characteristics of Labor and Delivery	
		Number	Percent	Number	Percent
Total	22,888	406	1.8%	19,511	85.3%
<15	7	-	-	6	85.7
15-19	1,302	20	1.5	1,175	90.2
15-17	311	6	1.9	281	90.4
18-19	991	14	1.4	894	90.2
20-24	6,146	120	2.0	5,426	88.3
25-29	7,225	137	1.9	6,087	84.2
30-34	5,474	81	1.5	4,546	83.0
35-39	2,262	40	1.8	1,890	83.6
40-44	444	7	1.6	362	81.5
45+	27	1	3.7	19	70.4
Not stated	1	-	NA	-	NA

Percentages based on records with stated maternal morbidity and characteristics of labor and delivery.

IDAHO RESIDENT LIVE BIRTHS
Maternal Morbidity and Characteristics of Labor and Delivery
2014

Maternal Morbidity (Complications)	Number
Total Births	22,888
Births with Maternal Morbidity(ies) reported	406
Maternal transfusion	79
Third or fourth degree perineal laceration	269
Ruptured uterus	6
Unplanned hysterectomy	10
Admission to intensive care unit	25
Unplanned operating room procedure following delivery	63
None of the above	22,462
Maternal morbidity not stated	20

Characteristics of Labor and Delivery	Number
Total Births	22,888
Births with Characteristic(s) reported	19,511
Induction of labor	6,270
Augmentation of labor	5,478
Non-vertex presentation	424
Steroids for fetal lung maturation received by mother prior to delivery	647
Antibiotics received by mother during labor	6,437
Clinical chorioamnionitis diagnosed during labor or maternal temperature >=38°C (100.4°F)	442
Moderate/heavy meconium staining of the amniotic fluid	1,287
Fetal intolerance to labor*	1,854
Epidural or spinal anesthesia during labor	17,184
None of the above	3,374
Characteristic of labor and delivery not stated	3

* Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery.

More than one complication or characteristic may be reported for a live birth. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Abnormal Conditions of the Newborn
2014

Abnormal Conditions of Newborn	Number
Total Births	22,888
Births with Abnormal Condition(s) reported	3,244
Assisted ventilation required	
Immediately following delivery	851
For more than six hours	643
NICU admission	2,669
Newborn given surfactant replacement therapy	147
Antibiotics given for suspected neonatal sepsis	729
Seizure or serious neurologic dysfunction	9
Significant birth injury*	13
Failed newborn hearing test	393
None of the above	19,623
Abnormal conditions not stated	21

* Significant birth injury includes skeletal fracture, peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention.

IDAHO RESIDENT LIVE BIRTHS
Congenital Anomalies
2014

Congenital Anomalies	Number
Total Births	22,888
Births with Congenital Anomaly(ies) reported	151
Congenital malformations of the nervous system	
Anencephaly	4
Meningomyelocele/Spina Bifida	9
Congenital malformations of the circulatory system	
Cyanotic congenital heart disease	32
Cleft lip and cleft palate	
Cleft lip with or without cleft palate	24
Cleft palate alone	7
Congenital malformations of genital organs	
Hypospadias	21
Male	21
Female	-

Congenital Anomalies	Number
Congenital malformations and deformations of the musculoskeletal system	
Congenital diaphragmatic hernia	4
Limb reduction defect	4
Gastroschisis	9
Omphalocele	3
Down syndrome	
Karyotype confirmed	5
Karyotype pending	18
Suspected other chromosomal disorder	
Karyotype confirmed	3
Karyotype pending	15
None of the above	22,693
Congenital anomalies not stated	44

More than one type of abnormal condition or congenital anomaly may be reported for a live birth. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Method of Delivery
2014

RESIDENCE	TOTAL LIVE BIRTHS	METHOD OF DELIVERY												
		Vaginal Births						Cesarean Births						Not Stated
		Total Vaginal		Vaginal		VBAC		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
U.S. 2014*			67.8		NA		NA		32.2		NA		NA	
IDAHO	22,888	17,349	75.8	16,768	73.3	581	19.5	5,536	24.2	3,137	15.8	2,399	80.5	3
District 1	2,615	1,907	72.9	1,871	71.5	36	11.1	708	27.1	421	18.4	287	88.9	-
District 2	1,180	907	76.9	873	74.0	34	24.8	273	23.1	170	16.3	103	75.2	-
District 3	4,005	2,994	74.8	2,870	71.7	124	21.2	1,010	25.2	550	16.1	460	78.8	1
District 4	5,751	4,327	75.2	4,159	72.3	168	21.9	1,424	24.8	824	16.5	600	78.1	-
District 5	2,789	2,122	76.1	2,054	73.7	68	16.6	666	23.9	325	13.7	341	83.4	1
District 6	2,579	1,975	76.6	1,932	74.9	43	14.1	603	23.4	342	15.0	261	85.9	1
District 7	3,969	3,117	78.5	3,009	75.8	108	23.7	852	21.5	505	14.4	347	76.3	-
Ada	5,128	3,838	74.8	3,683	71.8	155	22.0	1,290	25.2	739	16.7	551	78.0	-
Adams	31	20	64.5	20	64.5	-	-	11	35.5	8	28.6	3	100.0	-
Bannock	1,324	1,018	76.9	1,005	76.0	13	11.0	305	23.1	200	16.6	105	89.0	1
Bear Lake	90	69	76.7	66	73.3	3	27.3	21	23.3	13	16.5	8	72.7	-
Benewah	107	68	63.6	67	62.6	1	8.3	39	36.4	28	29.5	11	91.7	-
Bingham	687	526	76.6	512	74.5	14	14.1	161	23.4	76	12.9	85	85.9	-
Blaine	222	177	79.7	173	77.9	4	14.3	45	20.3	21	10.8	24	85.7	-
Boise	39	35	89.7	32	82.1	3	60.0	4	10.3	2	5.9	2	40.0	-
Bonner	431	315	73.1	311	72.2	4	7.7	116	26.9	68	17.9	48	92.3	-
Bonneville	1,875	1,476	78.7	1,432	76.4	44	21.0	399	21.3	233	14.0	166	79.0	-
Boundary	132	105	79.5	102	77.3	3	21.4	27	20.5	16	13.6	11	78.6	-
Butte	26	19	73.1	18	69.2	1	20.0	7	26.9	3	14.3	4	80.0	-
Camas	5	4	80.0	3	60.0	1	100.0	1	20.0	1	25.0	-	-	-
Canyon	3,227	2,425	75.1	2,320	71.9	105	22.5	802	24.9	440	15.9	362	77.5	-
Caribou	83	62	74.7	59	71.1	3	20.0	21	25.3	9	13.2	12	80.0	-
Cassia	374	285	76.2	281	75.1	4	7.8	89	23.8	42	13.0	47	92.2	-
Clark	10	4	40.0	4	40.0	-	-	6	60.0	2	33.3	4	100.0	-
Clearwater	58	44	75.9	41	70.7	3	33.3	14	24.1	8	16.3	6	66.7	-
Custer	42	32	76.2	31	73.8	1	16.7	10	23.8	5	13.9	5	83.3	-
Elmore	495	381	77.0	371	74.9	10	19.6	114	23.0	73	16.4	41	80.4	-
Franklin	176	123	69.9	119	67.6	4	12.5	53	30.1	25	17.4	28	87.5	-
Fremont	198	148	74.7	141	71.2	7	24.1	50	25.3	28	16.6	22	75.9	-
Gem	192	142	74.3	139	72.8	3	10.7	49	25.7	24	14.7	25	89.3	1
Gooding	202	159	78.7	148	73.3	11	34.4	43	21.3	22	12.9	21	65.6	-
Idaho	158	129	81.6	124	78.5	5	23.8	29	18.4	13	9.5	16	76.2	-
Jefferson	445	342	76.9	329	73.9	13	21.7	103	23.1	56	14.5	47	78.3	-
Jerome	384	285	74.4	276	72.1	9	15.5	98	25.6	49	15.1	49	84.5	1
Kootenai	1,795	1,306	72.8	1,281	71.4	25	11.0	489	27.2	286	18.3	203	89.0	-
Latah	448	324	72.3	314	70.1	10	22.7	124	27.7	90	22.3	34	77.3	-
Lemhi	65	44	67.7	43	66.2	1	10.0	21	32.3	12	21.8	9	90.0	-
Lewis	35	24	68.6	22	62.9	2	28.6	11	31.4	6	21.4	5	71.4	-
Lincoln	62	53	85.5	49	79.0	4	50.0	9	14.5	5	9.3	4	50.0	-
Madison	1,197	974	81.4	937	78.3	37	32.5	223	18.6	146	13.5	77	67.5	-
Minidoka	326	248	76.1	244	74.8	4	8.9	78	23.9	37	13.2	41	91.1	-
Nez Perce	481	386	80.2	372	77.3	14	25.0	95	19.8	53	12.5	42	75.0	-
Oneida	44	42	95.5	40	90.9	2	66.7	2	4.5	1	2.4	1	33.3	-
Owyhee	142	109	76.8	105	73.9	4	20.0	33	23.2	17	13.9	16	80.0	-
Payette	310	225	72.6	214	69.0	11	21.6	85	27.4	45	17.4	40	78.4	-
Power	149	116	77.9	113	75.8	3	14.3	33	22.1	15	11.7	18	85.7	-
Shoshone	150	113	75.3	110	73.3	3	17.6	37	24.7	23	17.3	14	82.4	-
Teton	137	97	70.8	92	67.2	5	22.7	40	29.2	23	20.0	17	77.3	-
Twin Falls	1,214	911	75.0	880	72.5	31	16.7	303	25.0	148	14.4	155	83.3	-
Valley	89	73	82.0	73	82.0	-	-	16	18.0	10	12.0	6	100.0	-
Washington	103	73	70.9	72	69.9	1	6.7	30	29.1	16	18.2	14	93.3	-

* U.S. 2014 total vaginal and total cesarean rates are based on all reporting areas.
U.S. 2014 VBAC and other rates are not available for the states with revised certificates.
VBAC: Vaginal birth after previous cesarean. See Technical Notes for formulas.

IDAHO RESIDENT LIVE BIRTHS
Number and Rate of Births by Method of Delivery and Birthweight
2014

BIRTHWEIGHT*	TOTAL LIVE BIRTHS	METHOD OF DELIVERY												
		Vaginal Births						Cesarean Births						Not Stated
		Total Vaginal		Vaginal[1]		VBAC[2]		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	22,888	17,349	75.8	16,768	73.3	581	19.5	5,536	24.2	3,137	15.8	2,399	80.5	3
Total low birthweight	1,478	794	53.7	763	51.6	31	15.7	684	46.3	517	40.4	167	84.3	-
Very low birthweight	232	96	41.4	83	35.8	13	35.1	136	58.6	112	57.4	24	64.9	-
Moderately low birthweight	1,246	698	56.0	680	54.6	18	11.2	548	44.0	405	37.3	143	88.8	-
Normal birthweight	19,460	15,109	77.6	14,622	75.1	487	19.4	4,351	22.4	2,329	13.7	2,022	80.6	-
Heavy birthweight	1,946	1,445	74.3	1,382	71.0	63	23.1	501	25.7	291	17.4	210	76.9	-
Not stated	4	1	NA	1	NA	-	NA	-	NA	-	NA	-	NA	3

* Low birthweight (less than 2,500 grams); very low birthweight (less than 1,500 grams); moderately low birthweight (1,500-2,499 grams); normal birthweight (2,500-3,999 grams); and heavy birthweight (4,000 grams or more).

See below for definition of rates by method of delivery; rates are based on records with known method of delivery. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Number and Rate of Births by Method of Delivery and Gestational Age
2014

GESTATIONAL AGE[3]	TOTAL LIVE BIRTHS	METHOD OF DELIVERY												
		Vaginal Births						Cesarean Births						Not Stated
		Total Vaginal		Vaginal[1]		VBAC[2]		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	22,888	17,349	75.8	16,768	73.3	581	19.5	5,536	24.2	3,137	15.8	2,399	80.5	3
Preterm: Total < 37 weeks	1,864	1,025	55.0	984	52.8	41	13.9	839	45.0	586	37.3	253	86.1	-
Under 32 weeks	255	116	45.5	102	40.0	14	29.2	139	54.5	105	50.7	34	70.8	-
32-33 weeks	200	85	42.5	83	41.5	2	7.4	115	57.5	90	52.0	25	92.6	-
34-36 weeks	1,409	824	58.5	799	56.7	25	11.4	585	41.5	391	32.9	194	88.6	-
Term - Total 37-41 weeks	20,886	16,210	77.6	15,676	75.1	534	20.0	4,676	22.4	2,534	13.9	2,142	80.0	-
37-38 weeks	5,347	4,017	75.1	3,881	72.6	136	18.1	1,330	24.9	716	15.6	614	81.9	-
39-41 weeks	15,539	12,193	78.5	11,795	75.9	398	20.7	3,346	21.5	1,818	13.4	1,528	79.3	-
Postterm: 42 weeks+	101	81	80.2	76	75.2	5	55.6	20	19.8	16	17.4	4	44.4	-
Not stated	37	33	NA	32	NA	1	NA	1	NA	1	NA	-	NA	3

1. Vaginal births, not including VBAC.
2. VBAC: Vaginal birth after previous cesarean.

Rates are based on records with known data for method of delivery. NA: not applicable.
Total vaginal rate: Number of vaginal deliveries per 100 births.
Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births.
Vaginal birth after previous cesarean (VBAC): Number of vaginal deliveries per 100 births to women with a previous cesarean.
Total cesarean rate: Number of cesarean deliveries per 100 births.
Primary cesarean rate: Number of primary cesarean deliveries per 100 births to women who had no previous cesareans.
Repeat cesarean rate: Number of repeat cesarean deliveries per 100 births to women with a previous cesarean.

3. Gestational age is based on the obstetric estimate (OE) at birth. Prior to 2014, the primary measure used to determine the gestational age of the newborn was based on the date of the mother's last normal menses and the baby's birth date. Gestational age using the two methods is not 100 percent comparable. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Number and Rate of Births by Method of Delivery and Main Payment Source for Delivery[1]
2014

METHOD OF PAYMENT	TOTAL LIVE BIRTHS	METHOD OF DELIVERY												
		Vaginal Births						Cesarean Births						Not Stated
		Total Vaginal		Vaginal		VBAC		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	22,348	16,777	75.1	16,261	72.8	516	17.9	5,564	24.9	3,200	16.4	2,364	82.1	7
Self-Pay	1,655	1,377	83.2	1,318	79.6	59	32.6	278	16.8	156	10.6	122	67.4	-
Private Insurance	10,953	8,169	74.6	7,908	72.2	261	18.5	2,783	25.4	1,634	17.1	1,149	81.5	1
Medicaid[2]	8,666	6,419	74.1	6,246	72.1	173	14.8	2,247	25.9	1,255	16.7	992	85.2	-
Other Government[3]	842	623	74.2	610	72.6	13	13.3	217	25.8	132	17.8	85	86.7	2
Not Applicable, Other or None	190	164	86.3	155	81.6	9	47.4	26	13.7	16	9.4	10	52.6	-
Not Stated	42	25	NA	24	NA	1	NA	13	NA	7	NA	6	NA	4

1. Payment source for delivery at time birth record is filed with the State. Payment source may change after record is filed with the state.
2. Data for Medicaid-paid deliveries may differ from Medicaid statistics.
3. Other government includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).

See below for definition of rates by method of delivery; rates are based on records with known method of delivery. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Number and Rate of Births by Method of Delivery and Age of Mother
2014

AGE OF MOTHER	TOTAL LIVE BIRTHS	METHOD OF DELIVERY												
		Vaginal Births						Cesarean Births						Not Stated
		Total Vaginal		Vaginal[1]		VBAC[2]		Total Cesarean		Primary		Repeat		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
TOTAL	22,348	16,777	75.1	16,261	72.8	516	17.9	5,564	24.9	3,200	16.4	2,364	82.1	7
<15	11	9	81.8	9	81.8	-	-	2	18.2	2	18.2	-	-	-
15-19	1,426	1,176	82.5	1,173	82.3	3	9.4	250	17.5	221	15.9	29	90.6	-
15-17	311	275	88.4	275	88.4	-	-	36	11.6	35	11.3	1	100.0	-
18-19	1,115	901	80.8	898	80.5	3	9.7	214	19.2	186	17.2	28	90.3	-
20-24	5,853	4,598	78.6	4,531	77.4	67	14.9	1,253	21.4	871	16.1	382	85.1	2
25-29	7,282	5,543	76.1	5,370	73.7	173	18.0	1,739	23.9	951	15.0	788	82.0	-
30-34	5,190	3,736	72.0	3,570	68.8	166	18.1	1,453	28.0	702	16.4	751	81.9	1
35-39	2,111	1,432	67.8	1,339	63.4	93	21.8	679	32.2	345	20.5	334	78.2	-
40-44	431	258	59.9	245	56.8	13	15.1	173	40.1	100	29.0	73	84.9	-
45+	38	24	63.2	23	60.5	1	12.5	14	36.8	7	23.3	7	87.5	-
Not stated	6	1	NA	1	NA	-	NA	1	NA	1	NA	-	NA	4

1. Vaginal births, not including VBAC.
2. VBAC: Vaginal birth after previous cesarean.

Rates are based on records with known data for method of delivery. NA: not applicable.
Total vaginal rate: Number of vaginal deliveries per 100 births.
Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births.
Vaginal birth after previous cesarean (VBAC): Number of vaginal deliveries per 100 births to women with a previous cesarean.
Total cesarean rate: Number of cesarean deliveries per 100 births.
Primary cesarean rate: Number of primary cesarean deliveries per 100 births to women who had no previous cesareans.
Repeat cesarean rate: Number of repeat cesarean deliveries per 100 births to women with a previous cesarean.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Main Payment Source for Delivery[1]
By Birth Attendant
2014

BIRTH ATTENDANT	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										
		Self-pay		Private Insurance		Medicaid[2]		Other Government[3]		Not Applicable, Other, or None		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	1,418	6.2%	11,587	50.7%	9,052	39.6%	632	2.8%	159	0.7%	40
Physician (M.D., D.O.)	20,245	884	4.4	10,485	51.9	8,166	40.4	605	3.0	67	0.3	38
Certified Nurse Midwife	1,912	131	6.9	990	51.8	763	39.9	26	1.4	2	0.1	-
Nurse	32	-	-	14	43.8	18	56.3	-	-	-	-	-
Licensed Midwife	522	372	71.4	62	11.9	80	15.4	1	0.2	6	1.2	1
Lay Midwife	100	22	22.0	16	16.0	12	12.0	-	-	50	50.0	-
Other	76	9	11.8	20	26.3	13	17.1	-	-	34	44.7	-
Not stated	1	-	NA	-	NA	-	NA	-	NA	-	NA	1

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Main Payment Source for Delivery[1]
By Age of Mother
2014

AGE OF MOTHER	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										
		Self-pay		Private Insurance		Medicaid[2]		Other Government[3]		Not Applicable, Other, or None		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	1,418	6.2%	11,587	50.7%	9,052	39.6%	632	2.8%	159	0.7%	40
<15	7	2	28.6	-	-	5	71.4	-	-	-	-	-
15-19	1,302	53	4.1	220	16.9	992	76.4	23	1.8	10	0.8	4
15-17	311	15	4.8	54	17.4	234	75.5	4	1.3	3	1.0	1
18-19	991	38	3.8	166	16.8	758	76.7	19	1.9	7	0.7	3
20-24	6,146	320	5.2	2,235	36.4	3,373	54.9	179	2.9	33	0.5	6
25-29	7,225	454	6.3	3,939	54.6	2,555	35.4	219	3.0	43	0.6	15
30-34	5,474	377	6.9	3,461	63.3	1,428	26.1	154	2.8	45	0.8	9
35-39	2,262	161	7.1	1,467	65.0	560	24.8	49	2.2	20	0.9	5
40-44	444	51	11.5	248	55.9	130	29.3	8	1.8	7	1.6	-
45+	27	-	-	17	63.0	9	33.3	-	-	1	3.7	-
Not stated	1	-	NA	-	NA	-	NA	-	NA	-	NA	1

1. Payment source for delivery at time birth record is filed with the State. Payment source may change after record is filed with the state.
2. Data for Medicaid-paid deliveries may differ from Medicaid statistics.
3. Other government includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).
Percentages are based on records with stated data for payment of delivery. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Main Payment Source for Delivery[1]
2014

RESIDENCE	TOTAL LIVE BIRTHS	PAYMENT FOR DELIVERY										
		Self-pay		Private Insurance		Medicaid[2]		Other Government[3]		Not Applicable, Other, or None		Not Stated
		Number	Percent	Number	Percent	Percent	Percent	Number	Percent	Number	Percent	
IDAHO	22,888	1,418	6.2%	11,587	50.7%	9,052	39.6%	632	2.8%	159	0.7%	40
District 1	2,615	200	7.7	1,250	47.9	1,108	42.5	40	1.5	11	0.4	6
District 2	1,180	85	7.2	617	52.4	433	36.8	36	3.1	6	0.5	3
District 3	4,005	313	7.8	1,544	38.6	1,988	49.7	70	1.7	87	2.2	3
District 4	5,751	181	3.1	3,190	55.5	1,947	33.9	412	7.2	18	0.3	3
District 5	2,789	280	10.1	1,206	43.4	1,254	45.1	29	1.0	13	0.5	7
District 6	2,579	145	5.7	1,446	56.4	932	36.4	28	1.1	12	0.5	16
District 7	3,969	214	5.4	2,334	58.8	1,390	35.0	17	0.4	12	0.3	2
Ada	5,128	156	3.0	3,050	59.5	1,730	33.7	180	3.5	10	0.2	2
Adams	31	2	6.5	15	48.4	13	41.9	1	3.2	-	-	-
Bannock	1,324	57	4.3	770	58.3	486	36.8	7	0.5	1	0.1	3
Bear Lake	90	1	1.1	67	74.4	21	23.3	-	-	1	1.1	-
Benewah	107	12	11.2	35	32.7	57	53.3	3	2.8	-	-	-
Bingham	687	41	6.0	361	52.6	275	40.1	8	1.2	1	0.1	1
Blaine	222	18	8.3	115	53.2	77	35.6	4	1.9	2	0.9	6
Boise	39	3	7.7	13	33.3	22	56.4	-	-	1	2.6	-
Bonner	431	59	13.7	192	44.5	171	39.7	5	1.2	4	0.9	-
Bonneville	1,875	94	5.0	1,054	56.2	712	38.0	13	0.7	1	0.1	1
Boundary	132	19	14.5	52	39.7	54	41.2	4	3.1	2	1.5	1
Butte	26	1	3.8	13	50.0	12	46.2	-	-	-	-	-
Camas	5	-	-	2	40.0	3	60.0	-	-	-	-	-
Canyon	3,227	247	7.7	1,256	38.9	1,599	49.6	58	1.8	65	2.0	2
Caribou	83	6	7.3	51	62.2	25	30.5	-	-	-	-	1
Cassia	374	56	15.0	161	43.0	153	40.9	3	0.8	1	0.3	-
Clark	10	1	10.0	5	50.0	4	40.0	-	-	-	-	-
Clearwater	58	4	7.0	17	29.8	35	61.4	1	1.8	-	-	1
Custer	42	3	7.1	21	50.0	17	40.5	1	2.4	-	-	-
Elmore	495	14	2.8	86	17.4	156	31.6	231	46.8	7	1.4	1
Franklin	176	13	7.8	99	59.3	36	21.6	12	7.2	7	4.2	9
Fremont	198	13	6.6	115	58.1	69	34.8	-	-	1	0.5	-
Gem	192	16	8.4	67	35.1	105	55.0	3	1.6	-	-	1
Gooding	202	34	16.8	69	34.2	96	47.5	2	1.0	1	0.5	-
Idaho	158	21	13.3	79	50.0	48	30.4	7	4.4	3	1.9	-
Jefferson	445	32	7.2	278	62.5	128	28.8	2	0.4	5	1.1	-
Jerome	384	55	14.4	128	33.4	196	51.2	2	0.5	2	0.5	1
Kootenai	1,795	103	5.8	909	50.8	746	41.7	28	1.6	4	0.2	5
Latah	448	46	10.3	269	60.3	115	25.8	15	3.4	1	0.2	2
Lemhi	65	5	7.8	28	43.8	26	40.6	-	-	5	7.8	1
Lewis	35	3	8.6	16	45.7	16	45.7	-	-	-	-	-
Lincoln	62	7	11.3	23	37.1	31	50.0	1	1.6	-	-	-
Madison	1,197	52	4.3	745	62.2	399	33.3	1	0.1	-	-	-
Minidoka	326	46	14.1	132	40.5	145	44.5	1	0.3	2	0.6	-
Nez Perce	481	11	2.3	236	49.1	219	45.5	13	2.7	2	0.4	-
Oneida	44	-	-	29	69.0	11	26.2	1	2.4	1	2.4	2
Owyhee	142	10	7.0	42	29.6	78	54.9	1	0.7	11	7.7	-
Payette	310	30	9.7	126	40.6	138	44.5	5	1.6	11	3.5	-
Power	149	26	17.4	56	37.6	66	44.3	-	-	1	0.7	-
Shoshone	150	7	4.7	62	41.3	80	53.3	-	-	1	0.7	-
Teton	137	14	10.2	88	64.2	35	25.5	-	-	-	-	-
Twin Falls	1,214	64	5.3	576	47.4	553	45.6	16	1.3	5	0.4	-
Valley	89	8	9.0	41	46.1	39	43.8	1	1.1	-	-	-
Washington	103	8	7.8	38	36.9	55	53.4	2	1.9	-	-	-

1. Payment source for delivery at time birth record is filed with the State. Payment source may change after record is filed with the state.
2. Data for Medicaid-paid deliveries may differ from Medicaid statistics.
3. Other government includes Indian Health Services, CHAMPUS/TRICARE, and other government (federal, state, local).
Percentages are based on records with stated data for payment of delivery.

IDAHO RESIDENT LIVE BIRTHS
Cigarette Smoking Before and During Pregnancy
2014

RESIDENCE	CIGARETTE SMOKING									
			During Pregnancy							
	Three Months Before Pregnancy		Any Time During Pregnancy		First Three Months of Pregnancy		Second Three Months of Pregnancy		Third Three Months of Pregnancy	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	3,308	14.5%	2,431	10.6%	2,367	10.4%	1,971	8.6%	1,878	8.2%
District 1	576	22.2	430	16.6	415	16.0	353	13.6	339	13.1
District 2	248	21.1	195	16.6	194	16.5	162	13.8	151	12.8
District 3	633	15.8	449	11.2	436	10.9	373	9.3	360	9.0
District 4	800	13.9	563	9.8	553	9.6	465	8.1	442	7.7
District 5	350	12.6	275	9.9	263	9.4	210	7.5	203	7.3
District 6	340	13.3	259	10.1	253	9.9	210	8.2	201	7.8
District 7	361	9.1	260	6.6	253	6.4	198	5.0	182	4.6
Ada	684	13.3	486	9.5	479	9.3	396	7.7	376	7.3
Adams	10	32.3	5	16.1	5	16.1	5	16.1	5	16.1
Bannock	195	14.8	139	10.5	134	10.2	115	8.7	112	8.5
Bear Lake	20	22.2	15	16.7	15	16.7	12	13.3	13	14.4
Benewah	36	33.6	30	28.0	29	27.1	27	25.2	27	25.2
Bingham	85	12.5	71	10.4	70	10.3	53	7.8	49	7.2
Blaine	12	5.4	6	2.7	5	2.3	4	1.8	4	1.8
Boise	14	35.9	10	25.6	10	25.6	9	23.1	9	23.1
Bonner	96	22.3	78	18.1	73	16.9	62	14.4	60	13.9
Bonneville	237	12.6	172	9.2	166	8.9	130	6.9	123	6.6
Boundary	31	23.5	22	16.7	21	15.9	20	15.2	20	15.2
Butte	4	16.0	3	12.0	3	12.0	3	12.0	2	8.0
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	469	14.5	323	10.0	312	9.7	260	8.1	247	7.7
Caribou	10	12.0	7	8.4	7	8.4	7	8.4	6	7.2
Cassia	41	11.0	32	8.6	32	8.6	25	6.7	24	6.4
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	21	36.2	17	29.3	17	29.3	16	27.6	15	25.9
Custer	9	21.4	9	21.4	9	21.4	6	14.3	3	7.1
Elmore	85	17.2	55	11.1	54	10.9	50	10.1	48	9.7
Franklin	14	8.0	11	6.3	11	6.3	11	6.3	11	6.3
Fremont	19	9.6	15	7.6	15	7.6	13	6.6	11	5.6
Gem	57	29.8	41	21.5	40	20.9	38	19.9	39	20.4
Gooding	32	15.8	27	13.4	24	11.9	23	11.4	23	11.4
Idaho	27	17.3	24	15.4	23	14.7	18	11.5	18	11.5
Jefferson	35	7.9	25	5.6	25	5.6	20	4.5	19	4.3
Jerome	49	12.8	40	10.4	40	10.4	36	9.4	33	8.6
Kootenai	347	19.5	248	14.0	241	13.6	203	11.4	193	10.9
Latah	59	13.2	41	9.2	41	9.2	35	7.8	33	7.4
Lemhi	19	29.2	13	20.0	12	18.5	10	15.4	12	18.5
Lewis	9	25.7	8	22.9	8	22.9	7	20.0	5	14.3
Lincoln	6	9.7	5	8.1	4	6.5	3	4.8	4	6.5
Madison	31	2.6	20	1.7	20	1.7	16	1.3	12	1.0
Minidoka	43	13.2	31	9.5	30	9.2	22	6.7	19	5.8
Nez Perce	132	27.4	105	21.8	105	21.8	86	17.9	80	16.6
Oneida	2	4.8	2	4.8	2	4.8	1	2.4	-	-
Owyhee	25	17.6	19	13.4	19	13.4	14	9.9	14	9.9
Payette	51	16.5	43	13.9	42	13.6	40	12.9	39	12.6
Power	10	6.7	11	7.4	11	7.4	8	5.4	8	5.4
Shoshone	66	44.0	52	34.7	51	34.0	41	27.3	39	26.0
Teton	11	8.1	6	4.4	6	4.4	3	2.2	2	1.5
Twin Falls	167	13.8	134	11.0	128	10.5	97	8.0	96	7.9
Valley	17	19.1	12	13.5	10	11.2	10	11.2	9	10.1
Washington	21	20.4	18	17.5	18	17.5	16	15.5	16	15.5

Percentages are based on records with stated data for cigarette smoking. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Mother's Cigarette Smoking During Pregnancy and Age of Mother
2014

AGE OF MOTHER	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
		Number	Percent	Number	Percent	
TOTAL	22,888	2,431	10.6%	20,412	89.4%	45
<15	7	-	-	7	100.0	-
15-19	1,302	220	16.9	1,080	83.1	2
15-17	311	33	10.6	277	89.4	1
18-19	991	187	18.9	803	81.1	1
20-24	6,146	944	15.4	5,190	84.6	12
25-29	7,225	688	9.5	6,518	90.5	19
30-34	5,474	418	7.6	5,047	92.4	9
35-39	2,262	133	5.9	2,128	94.1	1
40-44	444	27	6.1	416	93.9	1
45+	27	1	3.7	26	96.3	-
Not Stated	1	-	NA	-	NA	1

Percentages are based on records with stated cigarette smoking data. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Mother's Cigarette Smoking During Pregnancy and Race and Ethnicity of Mother[1]
2014

RACE AND ETHNICITY	TOTAL LIVE BIRTHS	CIGARETTE SMOKING DURING PREGNANCY				
		Yes		No		Not Stated
		Number	Percent	Number	Percent	
TOTAL	22,888	2,431	10.6%	20,412	89.4%	45
Race						
White	20,455	2,269	11.1	18,157	88.9	29
Black	233	28	12.0	205	88.0	-
American Indian or Alaska Native	380	71	18.7	308	81.3	1
Asian or Pacific Islander	473	15	3.2	458	96.8	-
Other Race	1,227	38	3.1	1,188	96.9	1
Race not stated	120	10	NA	96	NA	14
Ethnicity[2]						
Non-Hispanic	19,181	2,267	11.8	16,885	88.2	29
Hispanic	3,652	160	4.4	3,487	95.6	5
Ethnicity not stated	55	4	NA	40	NA	11

1. Beginning with 2009, out-of-state births with more than one race are included with "other race".
2. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in the appropriate race totals.

Percentages are based on records with stated cigarette smoking data. NA: not applicable.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Pre-Pregnancy Body Mass Index[1] (BMI)
2014

RESIDENCE	TOTAL LIVE BIRTHS	BODY MASS INDEX[2]								
		Underweight		Normal Weight		Overweight		Obese		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
IDAHO	22,888	817	3.6%	11,055	48.4%	5,643	24.7%	5,317	23.3%	56
District 1	2,615	113	4.3	1,340	51.4	574	22.0	582	22.3	6
District 2	1,180	42	3.6	556	47.1	273	23.1	309	26.2	-
District 3	4,005	136	3.4	1,666	41.8	1,091	27.4	1,090	27.4	22
District 4	5,751	226	3.9	3,003	52.2	1,386	24.1	1,133	19.7	3
District 5	2,789	91	3.3	1,285	46.2	680	24.4	726	26.1	7
District 6	2,579	70	2.7	1,114	43.4	706	27.5	677	26.4	12
District 7	3,969	139	3.5	2,091	52.8	933	23.5	800	20.2	6
Ada	5,128	196	3.8	2,685	52.4	1,235	24.1	1,010	19.7	2
Adams	31	1	3.2	7	22.6	13	41.9	10	32.3	-
Bannock	1,324	28	2.1	592	45.0	359	27.3	338	25.7	7
Bear Lake	90	7	7.9	46	51.7	20	22.5	16	18.0	1
Benewah	107	2	1.9	46	43.0	24	22.4	35	32.7	-
Bingham	687	22	3.2	260	38.0	203	29.7	199	29.1	3
Blaine	222	3	1.4	136	61.8	47	21.4	34	15.5	2
Boise	39	5	12.8	21	53.8	7	17.9	6	15.4	-
Bonner	431	22	5.1	247	57.4	79	18.4	82	19.1	1
Bonneville	1,875	64	3.4	898	48.0	464	24.8	446	23.8	3
Boundary	132	7	5.3	70	53.0	27	20.5	28	21.2	-
Butte	26	1	3.8	8	30.8	9	34.6	8	30.8	-
Camas	5	-	-	1	20.0	2	40.0	2	40.0	-
Canyon	3,227	110	3.4	1,344	41.8	888	27.6	871	27.1	14
Caribou	83	1	1.2	40	48.2	16	19.3	26	31.3	-
Cassia	374	16	4.3	161	43.0	89	23.8	108	28.9	-
Clark	10	-	-	3	30.0	5	50.0	2	20.0	-
Clearwater	58	4	6.9	17	29.3	12	20.7	25	43.1	-
Custer	42	1	2.4	22	52.4	12	28.6	7	16.7	-
Elmore	495	22	4.5	242	49.0	129	26.1	101	20.4	1
Franklin	176	7	4.0	86	49.1	44	25.1	38	21.7	1
Fremont	198	9	4.5	103	52.0	45	22.7	41	20.7	-
Gem	192	8	4.2	90	47.1	44	23.0	49	25.7	1
Gooding	202	4	2.0	75	37.1	53	26.2	70	34.7	-
Idaho	158	7	4.4	78	49.4	40	25.3	33	20.9	-
Jefferson	445	11	2.5	254	57.2	90	20.3	89	20.0	1
Jerome	384	11	2.9	175	45.8	110	28.8	86	22.5	2
Kootenai	1,795	75	4.2	905	50.6	412	23.0	398	22.2	5
Latah	448	19	4.2	222	49.6	101	22.5	106	23.7	-
Lemhi	65	4	6.3	30	46.9	17	26.6	13	20.3	1
Lewis	35	2	5.7	13	37.1	11	31.4	9	25.7	-
Lincoln	62	2	3.2	28	45.2	14	22.6	18	29.0	-
Madison	1,197	46	3.8	708	59.1	265	22.1	178	14.9	-
Minidoka	326	10	3.1	123	37.8	77	23.7	115	35.4	1
Nez Perce	481	10	2.1	226	47.0	109	22.7	136	28.3	-
Oneida	44	2	4.5	23	52.3	9	20.5	10	22.7	-
Owyhee	142	2	1.4	60	43.2	31	22.3	46	33.1	3
Payette	310	10	3.3	130	42.5	79	25.8	87	28.4	4
Power	149	2	1.3	59	39.6	46	30.9	42	28.2	-
Shoshone	150	7	4.7	72	48.0	32	21.3	39	26.0	-
Teton	137	4	2.9	73	53.7	35	25.7	24	17.6	1
Twin Falls	1,214	45	3.7	586	48.3	288	23.8	293	24.2	2
Valley	89	3	3.4	55	61.8	15	16.9	16	18.0	-
Washington	103	5	4.9	35	34.0	36	35.0	27	26.2	-

1. Body Mass Index formula: [weight (lb.) / [height (in)]^2 x 703. Classifications are from the Center for Disease Control.
2. Interpretation of BMI for adults: Underweight <18.5, Normal 18.5-24.9, Overweight 25.0-29.9, Obese 30+.
Percentages are based on records with stated data for body mass index. For more information, see Technical Notes.

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Pre-Pregnancy Body Mass Index[1] (BMI)
by Age of Mother
2014

AGE OF MOTHER	TOTAL LIVE BIRTHS	BODY MASS INDEX[2]								
		Underweight		Normal Weight		Overweight		Obese		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	817	3.6%	11,055	48.4%	5,643	24.7%	5,317	23.3%	56
<15	7	2	28.6	4	57.1	1	14.3	-	-	-
15-19	1,302	99	7.6	688	53.0	303	23.3	209	16.1	3
15-17	311	20	6.4	184	59.2	73	23.5	34	10.9	-
18-19	991	79	8.0	504	51.0	230	23.3	175	17.7	3
20-24	6,146	303	4.9	3,093	50.4	1,436	23.4	1,308	21.3	6
25-29	7,225	235	3.3	3,501	48.6	1,775	24.6	1,695	23.5	19
30-34	5,474	127	2.3	2,585	47.4	1,413	25.9	1,327	24.3	22
35-39	2,262	46	2.0	975	43.2	589	26.1	647	28.7	5
40-44	444	5	1.1	193	43.5	119	26.8	127	28.6	-
45+	27	-	-	16	59.3	7	25.9	4	14.8	-
Not stated	1	-	NA	-	NA	-	NA	-	NA	1

IDAHO RESIDENT LIVE BIRTHS
Number and Percentage of Births by Pre-Pregnancy Body Mass Index[1] (BMI)
by Race and Ethnicity of Mother
2014

RACE AND ETHNICITY[3]	TOTAL LIVE BIRTHS	BODY MASS INDEX[2]								
		Underweight		Normal Weight		Overweight		Obese		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
TOTAL	22,888	817	3.6%	11,055	48.4%	5,643	24.7%	5,317	23.3%	56
Race										
White	20,455	736	3.6	9,999	49.0	4,994	24.5	4,688	23.0	38
Black	233	4	1.7	97	41.6	82	35.2	50	21.5	-
American Indian or Alaska Native	380	9	2.4	122	32.1	100	26.3	149	39.2	-
Asian or Pacific Islander	473	38	8.1	282	60.0	89	18.9	61	13.0	3
Other Race	1,227	30	2.5	507	41.5	344	28.1	342	28.0	4
Race not stated	120	-	NA	48	NA	34	NA	27	NA	11
Ethnicity[4]										
Non-Hispanic	19,181	723	3.8	9,575	50.0	4,574	23.9	4,279	22.3	30
Hispanic	3,652	93	2.6	1,455	40.0	1,055	29.0	1,033	28.4	16
Ethnicity not stated	55	1	NA	25	NA	14	NA	5	NA	10

1. Body Mass Index formula: [weight (lb.) / [height (in)]^2 x 703. Classifications are from the Center for Disease Control.
2. Interpretation of BMI for adults: Underweight <18.5, Normal 18.5-24.9, Overweight 25.0-29.9, Obese 30+.
3. Beginning in 2004, multiple races and Hispanic origins may be reported on the Idaho birth certificate. For mothers with multiple races, the races were bridged to a single race category; however, bridged-race data are not available for out-of-state births. Total and other race includes 12 births with multiple races.
4. Race and Hispanic origin are reported separately on the birth certificate; Hispanic mothers are included in the appropriate race totals. For more information, see Technical Notes.

Percentages are based on records with stated data for body mass index. NA: not applicable.

TEEN FERTILITY RATES BY AGE
U.S. and Idaho (Total and White)
2014



TEEN OUT-OF-WEDLOCK BIRTH PERCENTS BY AGE
U.S. and Idaho (Total and White)
2014



U.S. AND IDAHO RESIDENT TEEN LIVE BIRTHS
Idaho and U.S. (2014)

	Fertility Rate[2]	Percent Out-of-Wedlock	Percent Low Birth Weight[3]
IDAHO TOTAL			
<15[4]	0.1	100.0%	14.3%
15-19	23.2	76.6	7.2
15-17	9.0	90.0	5.8
18-19	45.7	72.4	7.7
IDAHO WHITE			
<15[4]	0.1	100.0%	14.3%
15-19	20.5	75.7	6.8
15-17	7.7	89.5	4.8
18-19	41.0	71.6	7.3
U.S. TOTAL[1]			
<15[4]	0.3	99.4%	11.2%
15-19	24.2	88.6	9.3
15-17	10.9	95.7	9.6
18-19	43.8	86.0	9.2
U.S. WHITE[1]			
<15[4]	0.2	99.1%	11.1%
15-19	23.0	85.9	8.0
15-17	10.2	94.5	NA
18-19	42.0	82.8	NA

1. U.S. fertility rates (total and white), unmarried (total and white), and low birth weight (total): "Births: Final Data for 2014," National Vital Statistics Reports, National Center for Health Statistics, Vol. 64. No. 12. December 23, 2015. U.S. low birth weight (white): United States Department of Health and Human Services (US DHHS), Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics, Natality public-use data 2007-2013, on CDC WONDER Online Database, January 2015.
2. Fertility rate: Number of live births per 1,000 females in corresponding age group.
3. Percentages are based on records with known birth weight. Low birth weight: under 2,500 grams.
4. Rates for <15 age group are based on births to females aged <15 and population among females aged 10-14.

IDAHO RESIDENT TEEN PREGNANCIES AND ABORTIONS
2014

	PREGNANCIES[1]		INDUCED ABORTIONS		
	Number	Rate[2]	Number	Rate[3]	Ratio[4]
TOTAL					
<15[5]	14	0.2	7	0.1	1,000.0
15-19	1,541	27.5	233	4.2	179.0
15-17	369	10.7	56	1.6	180.1
18-19	1,172	54.1	177	8.2	178.6
WHITE					
<15[5]	13	0.2	6	0.1	857.1
15-19	1,277	24.3	195	3.7	180.9
15-17	294	9.1	45	1.4	181.5
18-19	983	48.6	150	7.4	180.7

1. Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weight 350+ grams are required to be reported under Idaho law.)
2. Number of pregnancies per 1,000 females in corresponding age group.
3. Induced abortion rate: Number of induced abortions per 1,000 females in corresponding age group.
4. Induced abortion ratio: Number of induced abortions per 1,000 live births in corresponding age group.
5. Rates for <15 age group are based on pregnancies and abortions to females aged <15 and population among females aged 10-14.

U.S. data for teen pregnancies and abortions are not shown because they are not comparable to Idaho data. Abortion data from the Centers for Disease Control and Prevention's National Center for Chronic Disease Prevention and Health Promotion (NCCDPHP) are adjusted to national totals compiled by The Guttmacher Institute (AGI) from their surveys of all known abortion providers because abortion data by age are not reported to the NCCDPHP for three states (Alaska, California, New Hampshire).

TEEN STILLBIRTH, ABORTION, AND BIRTH RATES BY AGE
Idaho
2014



TEEN PREGNANCY RATES
Idaho and Districts, 15-19 Year-Olds
2014



IDAHO RESIDENT TEEN PREGNANCY
Total Pregnancies and Rates by Age
2014

RESIDENCE	AGE OF FEMALE							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	14	0.2	1,541	27.5	369	10.7	1,172	54.1
District 1	1	0.1	202	30.3	39	8.8	163	73.3
District 2	-	-	87	23.6	25	14.5	62	31.5
District 3	5	0.5	335	34.2	86	14.0	249	68.1
District 4	2	0.1	305	20.5	69	7.2	236	45.1
District 5	5	0.7	237	37.6	63	15.5	174	78.1
District 6	1	0.2	188	31.6	50	13.2	138	63.5
District 7	-	-	187	21.3	37	8.0	150	35.8
Ada	2	0.1	267	19.6	57	6.4	210	43.9
Adams	-	-	-	-	-	-	-	-
Bannock	1	0.3	84	29.5	27	15.9	57	49.8
Bear Lake	-	-	8	34.6	3	18.6	5	71.4
Benewah	-	-	11	44.9	2	12.3	9	109.8
Bingham	-	-	56	35.0	10	9.4	46	86.6
Blaine	1	1.3	10	16.3	4	9.8	6	29.6
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	35	29.6	8	9.9	27	71.4
Bonneville	-	-	128	34.7	27	11.0	101	81.4
Boundary	-	-	9	24.2	1	4.0	8	65.0
Butte	-	-	4	43.0	-	-	4	160.0
Camas	-	-	-	-	-	-	-	-
Canyon	4	0.5	261	34.0	69	14.5	192	65.6
Caribou	-	-	1	4.5	-	-	1	13.3
Cassia	-	-	29	33.5	10	17.1	19	67.6
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	9	49.2	3	23.3	6	111.1
Custer	-	-	-	-	-	-	-	-
Elmore	-	-	37	45.7	12	24.1	25	80.1
Franklin	-	-	13	23.6	2	5.3	11	64.0
Fremont	-	-	15	31.9	4	13.2	11	65.9
Gem	1	1.7	14	27.3	3	8.5	11	69.2
Gooding	1	1.6	16	30.6	2	5.6	14	82.8
Idaho	-	-	10	23.6	3	10.8	7	47.9
Jefferson	-	-	21	20.1	3	4.2	18	55.4
Jerome	-	-	43	59.1	11	24.2	32	116.8
Kootenai	1	0.2	132	29.1	28	9.3	104	68.6
Latah	-	-	25	13.6	4	7.4	21	16.1
Lemhi	-	-	1	6.0	1	8.4	-	-
Lewis	-	-	2	20.4	1	14.9	1	32.3
Lincoln	-	-	8	37.9	2	14.4	6	83.3
Madison	-	-	19	6.4	1	1.4	18	8.0
Minidoka	2	2.7	36	51.1	12	26.7	24	93.8
Nez Perce	-	-	41	35.7	14	19.7	27	61.8
Oneida	-	-	3	21.7	1	11.8	2	37.7
Owyhee	-	-	18	45.7	4	16.7	14	90.3
Payette	-	-	33	43.0	10	19.8	23	87.5
Power	-	-	19	71.4	7	42.4	12	118.8
Shoshone	-	-	15	44.6	-	-	15	120.0
Teton	-	-	3	9.9	1	5.1	2	19.0
Twin Falls	1	0.3	95	36.2	22	13.2	73	75.9
Valley	-	-	1	4.5	-	-	1	16.1
Washington	-	-	9	25.6	-	-	9	74.4

Pregnancies include live births, induced abortions, and reportable stillbirths (only those fetal deaths with a gestational period of 20+ weeks or which weigh 350+ grams are required to be reported under Idaho law).

Rate: Number of pregnancies per 1,000 females in corresponding age group. Rates for <15 age group are based on pregnancies among females aged <15 and population among females aged 10-14.

IDAHO RESIDENT TEEN LIVE BIRTHS
Live Births and Rates by Age of Mother
2014

RESIDENCE	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	7	0.1	1,302	23.2	311	9.0	991	45.7
District 1	-	-	166	24.9	29	6.5	137	61.6
District 2	-	-	66	17.9	17	9.9	49	24.9
District 3	4	0.4	290	29.6	76	12.4	214	58.5
District 4	1	0.1	226	15.2	53	5.5	173	33.1
District 5	2	0.3	203	32.2	53	13.0	150	67.4
District 6	-	-	173	29.1	47	12.5	126	58.0
District 7	-	-	178	20.2	36	7.8	142	33.9
Ada	1	0.1	195	14.3	42	4.7	153	31.9
Adams	-	-	-	-	-	-	-	-
Bannock	-	-	76	26.7	26	15.3	50	43.7
Bear Lake	-	-	8	34.6	3	18.6	5	71.4
Benewah	-	-	9	37	1	6.1	8	97.6
Bingham	-	-	52	32.5	10	9.4	42	79.1
Blaine	-	-	5	8.2	1	2.4	4	19.7
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	30	25.4	6	7.5	24	63.5
Bonneville	-	-	121	32.8	26	10.6	95	76.6
Boundary	-	-	9	24.2	1	4.0	8	65.0
Butte	-	-	3	32.3	-	-	3	120.0
Camas	-	-	-	-	-	-	-	-
Canyon	4	0.5	225	29.3	62	13.0	163	55.7
Caribou	-	-	1	4.5	-	-	1	13.3
Cassia	-	-	28	32.4	10	17.1	18	64.1
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	9	49.2	3	23.3	6	111.1
Custer	-	-	-	-	-	-	-	-
Elmore	-	-	30	37.1	11	22.1	19	60.9
Franklin	-	-	13	23.6	2	5.3	11	64.0
Fremont	-	-	14	29.8	4	13.2	10	59.9
Gem	-	-	13	25.4	2	5.7	11	69.2
Gooding	-	-	15	28.7	2	5.6	13	76.9
Idaho	-	-	9	21.3	2	7.2	7	47.9
Jefferson	-	-	20	19.2	3	4.2	17	52.3
Jerome	-	-	38	52.2	10	22.0	28	102.2
Kootenai	-	-	107	23.6	21	7.0	86	56.7
Latah	-	-	12	6.5	1	1.8	11	8.5
Lemhi	-	-	1	6.0	1	8.4	-	-
Lewis	-	-	2	20.4	1	14.9	1	32.3
Lincoln	-	-	7	33.2	2	14.4	5	69.4
Madison	-	-	19	6.4	1	1.4	18	8.0
Minidoka	2	2.7	31	44.0	9	20.0	22	85.9
Nez Perce	-	-	34	29.6	10	14.1	24	54.9
Oneida	-	-	2	14.5	-	-	2	37.7
Owyhee	-	-	15	38.1	4	16.7	11	71.0
Payette	-	-	28	36.5	8	15.8	20	76.0
Power	-	-	18	67.7	6	36.4	12	118.8
Shoshone	-	-	11	32.7	-	-	11	88.0
Teton	-	-	3	9.9	1	5.1	2	19.0
Twin Falls	-	-	79	30.1	19	11.4	60	62.4
Valley	-	-	1	4.5	-	-	1	16.1
Washington	-	-	9	25.6	-	-	9	74.4

Rate: Number of births per 1,000 females in corresponding age group. Rates for <15 age group are based births to females aged <15 and population of females aged 10-14;

IDAHO RESIDENT TEEN LIVE BIRTHS
Number and Percentage of Out-of-Wedlock Births by Age of Mother
2014

	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
RESIDENCE	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	7	100.0%	997	76.6%	280	90.0%	717	72.4%
District 1	-	-	130	78.3	25	86.2	105	76.6
District 2	-	-	54	81.8	17	100.0	37	75.5
District 3	4	100.0	237	81.7	72	94.7	165	77.1
District 4	1	100.0	174	77.0	49	92.5	125	72.3
District 5	2	100.0	155	76.4	47	88.7	108	72.0
District 6	-	-	126	72.8	36	76.6	90	71.4
District 7	-	-	121	68.0	34	94.4	87	61.3
Ada	1	100.0	152	77.9	38	90.5	114	74.5
Adams	-	-	-	-	-	-	-	-
Bannock	-	-	56	73.7	20	76.9	36	72.0
Bear Lake	-	-	5	62.5	1	33.3	4	80.0
Benewah	-	-	6	66.7	1	100.0	5	62.5
Bingham	-	-	40	76.9	9	90.0	31	73.8
Blaine	-	-	4	80.0	1	100.0	3	75.0
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	22	73.3	4	66.7	18	75.0
Bonneville	-	-	91	75.2	25	96.2	66	69.5
Boundary	-	-	6	66.7	1	100.0	5	62.5
Butte	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-
Canyon	4	100.0	187	83.1	60	96.8	127	77.9
Caribou	-	-	-	-	-	-	-	-
Cassia	-	-	23	82.1	9	90.0	14	77.8
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	5	55.6	3	100.0	2	33.3
Custer	-	-	-	-	-	-	-	-
Elmore	-	-	22	73.3	11	100.0	11	57.9
Franklin	-	-	7	53.8	1	50.0	6	54.5
Fremont	-	-	10	71.4	4	100.0	6	60.0
Gem	-	-	8	61.5	2	100.0	6	54.5
Gooding	-	-	8	53.3	2	100.0	6	46.2
Idaho	-	-	7	77.8	2	100.0	5	71.4
Jefferson	-	-	14	70.0	3	100.0	11	64.7
Jerome	-	-	32	84.2	9	90.0	23	82.1
Kootenai	-	-	85	79.4	19	90.5	66	76.7
Latah	-	-	11	91.7	1	100.0	10	90.9
Lemhi	-	-	1	100.0	1	100.0	-	-
Lewis	-	-	2	100.0	1	100.0	1	100.0
Lincoln	-	-	7	100.0	2	100.0	5	100.0
Madison	-	-	5	26.3	1	100.0	4	22.2
Minidoka	2	100.0	22	71.0	7	77.8	15	68.2
Nez Perce	-	-	29	85.3	10	100.0	19	79.2
Oneida	-	-	2	100.0	-	-	2	100.0
Owyhee	-	-	12	80.0	2	50.0	10	90.9
Payette	-	-	22	78.6	8	100.0	14	70.0
Power	-	-	16	88.9	5	83.3	11	91.7
Shoshone	-	-	11	100.0	-	-	11	100.0
Teton	-	-	-	-	-	-	-	-
Twin Falls	-	-	59	74.7	17	89.5	42	70.0
Valley	-	-	-	-	-	-	-	-
Washington	-	-	8	88.9	-	-	8	88.9

Percentages of out-of-wedlock births for some counties are based on small data bases; number of births should be shown with the percent.

IDAHO RESIDENT TEEN LIVE BIRTHS
Number and Percentage of Low Birth Weight Births by Age of Mother
2014

	AGE OF MOTHER							
	<15		15-19		15-17		18-19	
RESIDENCE	Number	Percent	Number	Percent	Number	Percent	Number	Percent
IDAHO	1	14.3%	94	7.2%	18	5.8%	76	7.7%
District 1	-	-	7	4.2	1	3.4	6	4.4
District 2	-	-	1	1.5	-	-	1	2.0
District 3	-	-	28	9.7	5	6.6	23	10.7
District 4	-	-	21	9.3	4	7.5	17	9.8
District 5	1	50.0	10	4.9	3	5.7	7	4.7
District 6	-	-	9	5.2	3	6.4	6	4.8
District 7	-	-	18	10.1	2	5.6	16	11.3
Ada	-	-	20	10.3	3	7.1	17	11.1
Adams	-	-	-	-	-	-	-	-
Bannock	-	-	2	2.6	1	3.8	1	2.0
Bear Lake	-	-	2	25.0	1	33.3	1	20.0
Benewah	-	-	-	-	-	-	-	-
Bingham	-	-	1	1.9	-	-	1	2.4
Blaine	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-
Bonner	-	-	1	3.3	-	-	1	4.2
Bonneville	-	-	12	9.9	2	7.7	10	10.5
Boundary	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-
Canyon	-	-	20	8.9	3	4.8	17	10.4
Caribou	-	-	1	100.0	-	-	1	100.0
Cassia	-	-	1	3.6	1	10.0	-	-
Clark	-	-	-	-	-	-	-	-
Clearwater	-	-	1	11.1	-	-	1	16.7
Custer	-	-	-	-	-	-	-	-
Elmore	-	-	1	3.3	1	9.1	-	-
Franklin	-	-	2	15.4	1	50.0	1	9.1
Fremont	-	-	-	-	-	-	-	-
Gem	-	-	1	7.7	-	-	1	9.1
Gooding	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-
Jefferson	-	-	1	5.0	-	-	1	5.9
Jerome	-	-	1	2.6	-	-	1	3.6
Kootenai	-	-	4	3.7	1	4.8	3	3.5
Latah	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-
Madison	-	-	3	15.8	-	-	3	16.7
Minidoka	1	50.0	1	3.2	1	11.1	-	-
Nez Perce	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-
Owyhee	-	-	3	20.0	-	-	3	27.3
Payette	-	-	3	10.7	2	25.0	1	5.0
Power	-	-	1	5.6	-	-	1	8.3
Shoshone	-	-	2	18.2	-	-	2	18.2
Teton	-	-	2	66.7	-	-	2	100.0
Twin Falls	-	-	7	8.9	1	5.3	6	10.0
Valley	-	-	-	-	-	-	-	-
Washington	-	-	1	11.1	-	-	1	11.1

Percentage of total live births in each age group that are low birth weight (<2,500 grams). Percentages are based on records with stated birth weight.

The low birth weight percentages for some counties are based on small data bases; number of births should be shown with the percentages.

IDAHO RESIDENT TEEN ABORTIONS
Abortions, Ratios and Rates by Age of Patient
2014

	AGE OF PATIENT											
	<15			15-19			15-17			18-19		
RESIDENCE	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate	Number	Ratio	Rate
IDAHO	7	1,000.0	0.1	233	179.0	4.2	56	180.1	1.6	177	178.6	8.2
District 1	1	**	0.1	34	204.8	5.1	8	275.9	1.8	26	189.8	11.7
District 2	-	-	-	21	318.2	5.7	8	470.6	4.6	13	265.3	6.6
District 3	1	250.0	0.1	44	151.7	4.5	10	131.6	1.6	34	158.9	9.3
District 4	1	1,000.0	0.1	79	349.6	5.3	16	301.9	1.7	63	364.2	12.0
District 5	3	1,500.0	0.4	33	162.6	5.2	10	188.7	2.5	23	153.3	10.3
District 6	1	**	0.2	15	86.7	2.5	3	63.8	0.8	12	95.2	5.5
District 7	-	-	-	7	39.3	0.8	1	27.8	0.2	6	42.3	1.4
Ada	1	1,000.0	0.1	72	369.2	5.3	15	357.1	1.7	57	372.5	11.9
Adams	-	-	-	-	-	-	-	-	-	-	-	-
Bannock	1	**	0.3	8	105.3	2.8	1	38.5	0.6	7	140.0	6.1
Bear Lake	-	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	2	222.2	8.2	1	1,000.0	6.1	1	125.0	12.2
Bingham	-	-	-	4	76.9	2.5	-	-	-	4	95.2	7.5
Blaine	1	**	1.3	5	1,000.0	8.2	3	3,000.0	7.3	2	500.0	9.9
Boise	-	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	5	166.7	4.2	2	333.3	2.5	3	125.0	7.9
Bonneville	-	-	-	5	41.3	1.4	1	38.5	0.4	4	42.1	3.2
Boundary	-	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	1	333.3	10.8	-	-	-	1	333.3	40.0
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	36	160.0	4.7	7	112.9	1.5	29	177.9	9.9
Caribou	-	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	1	35.7	1.2	-	-	-	1	55.6	3.6
Clark	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	7	233.3	8.7	1	90.9	2.0	6	315.8	19.2
Franklin	-	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	1	71.4	2.1	-	-	-	1	100.0	6.0
Gem	1	**	1.7	1	76.9	2.0	1	500.0	2.8	-	-	-
Gooding	1	**	1.6	1	66.7	1.9	-	-	-	1	76.9	5.9
Idaho	-	-	-	1	111.1	2.4	1	500.0	3.6	-	-	-
Jefferson	-	-	-	1	50.0	1.0	-	-	-	1	58.8	3.1
Jerome	-	-	-	5	131.6	6.9	1	100.0	2.2	4	142.9	14.6
Kootenai	1	**	0.2	23	215.0	5.1	5	238.1	1.7	18	209.3	11.9
Latah	-	-	-	13	1,083.3	7.1	3	3,000.0	5.5	10	909.1	7.7
Lemhi	-	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	1	142.9	4.7	-	-	-	1	200.0	13.9
Madison	-	-	-	-	-	-	-	-	-	-	-	-
Minidoka	-	-	-	5	161.3	7.1	3	333.3	6.7	2	90.9	7.8
Nez Perce	-	-	-	7	205.9	6.1	4	400.0	5.6	3	125.0	6.9
Oneida	-	-	-	1	500.0	7.2	1	**	11.8	-	-	-
Owyhee	-	-	-	2	133.3	5.1	-	-	-	2	181.8	12.9
Payette	-	-	-	5	178.6	6.5	2	250.0	4.0	3	150.0	11.4
Power	-	-	-	1	55.6	3.8	1	166.7	6.1	-	-	-
Shoshone	-	-	-	4	363.6	11.9	-	-	-	4	363.6	32.0
Teton	-	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	1	**	0.3	15	189.9	5.7	3	157.9	1.8	12	200.0	12.5
Valley	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-

**Ratio cannot be computed; no live births. Ratio: Number of induced abortions per 1,000 live births in corresponding age group. Rate: Number of induced abortions per 1,000 females in corresponding age group. Rates for <15 age group are based on females aged 10-14.

IDAHO RESIDENT LIVE BIRTHS
Most Common Given Names
2014

GIRLS

1. Emma (122)
2. Olivia (95)
3. Charlotte (83)
4. Abigail (tie-79)
   Sophia
6. Avery (77)
7. Evelyn (74)
8. Harper (73)
9. Elizabeth (69)
10. Emily (66)
11. Ava (61)
12. Madison (57)
13. Brooklyn (tie-56)
    Isabella
15. Amelia (tie-55)
    Ellie
    Lily*
18. Mia* (52)
19. Ella (tie-49)
    Zoey
21. Hannah (48)
22. Addison (47)
23. Chloe (45)
23. Lucy (41)
24. Piper* (tie-39)
    Samantha*

(Number of Occurrences)

BOYS

1. Liam (115)
2. William (104)
3. Mason (98)
4. Oliver (92)
5. Samuel (83)
6. James (78)
7. Alexander (tie-77)
   Henry
   Jackson
   Jaxon
11. Logan (75)
12. Carter (tie-73)
    Noah
13. Wyatt (72)
14. Jacob (71)
16. Aiden (67)
17. Ethan (tie-66)
    Owen
18. Michael (65)
19. Gabriel (64)
20. Benjamin (tie-63)
    David*
22. Issac* (62)
23. Elijah* (tie-60)
    Hudson*
25. Lucas (58)

(Number of Occurrences)

Each spelling constitutes a different name.

*Name was not on Idaho's 25 most common given names list in 2013.

Selected Unique Baby Names, Yewneek Baybee Spellings
2014

GIRLS

Airyibelle	Eastwood	Keiky	Mayhem	Temple
Always	Eighdriana	Kestrel	Mi-Amore	Trophy
Blitzen	Fathoom	Kreedence	RainyRose	Unity
Bryn-lae	Hunnielee	Kwintsei	Snevaeh	Viktorya
Chelseasvea	Kamikazi	Lemon	Sunrise	Wylloh

BOYS

Anchor	Breaker	Eclipse	Land'n	Severin
Atom	Camper	Foxx	Ledge	Trekker
Avenger	Cardigan	Granite	McGuyver	Tyndareus
Balthazar	Clash	Guiness	Nemusus	Wryder
Behr	Darth	Klutch	Remnant	Zakkaeus

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Mortality

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

MORTALITY

U.S. and Idaho

The number of Idaho resident deaths increased 1.5 percent from 12,426 in 2013 to 12,610 in 2014. At the same time, the death rate remained the same at 7.7 deaths per 1,000 population. There were 2,626,418 deaths in the United States in 2014 compared with 2,596,993 in 2013. The 2014 U.S. crude death rate was 8.2 deaths per 1,000 population, which was no change from 2013[1].

U.S. and Idaho Cause of Death Ranking

The ten leading causes of death in U.S in 2014 were the same as the leading causes in Idaho in 2014, with the exception of a few causes. Chronic liver disease and cirrhosis was ranked 10th in Idaho with an age-adjusted rate (AAR) of 10.9 per 100,000 population in 2014, and was ranked 12th in U.S. in 2014 with a rate of 10.4. Nephritis, nephrotic syndrome and nephrosis was ranked 9th in U.S. in 2014 with an AAR of 13.2, and was ranked 13th in Idaho with an AAR of 8.0.

	Age-Adjusted Rate	
Causes Ranked 1-10 in Idaho	**Idaho 2014**	**U.S. 2014 (Rank)**
1. Malignant neoplasms (cancer)	155.1	161.2 (2)
2. Diseases of heart	153.4	167.0 (1)
3. Chronic lower respiratory diseases	46.4	40.5 (3)
4. Accidents (unintentional injuries)	45.5	40.5 (3)
5. Cerebrovascular diseases (stroke)	36.8	36.5 (5)
6. Diabetes mellitus	22.9	20.9 (7)
7. Alzheimer's disease	22.4	25.4 (6)
8. Intentional self-harm (suicide)	20.0	13.0 (10)
9. Influenza and pneumonia	11.5	15.1 (8)
10. Chronic liver disease and cirrhosis	10.9	10.4 (12)

Age-adjusted rates are per 100,000 population.

U.S. mortality rates are consistently much higher than those in Idaho for Diseases of heart, Malignant neoplasms, Alzheimer's disease, Nephritis, nephrotic syndrome and nephrosis, and Influenza and pneumonia. Higher Idaho rates are recorded for Chronic lower respiratory disease, Intentional self-harm (suicide), Chronic liver disease and cirrhosis, Cerebrovascular diseases (stroke), Diabetes mellitus, and Accidents (unintentional injury).

Changes in Cause-of-Death Ranking for Ten leading causes in Idaho from 2013 to 2014

There were no changes in the top ten leading causes of death to Idahoans.

Changes in Idaho Age-Adjusted Rates[2]

There was one significant change in the age-adjusted death rate among the ten leading causes of death from 2013 to 2014. The age-adjusted rate for Influenza and Pneumonia decreased significantly from 15.1 deaths per 100,000 in 2013 (total of 259 deaths) to 11.5 deaths per 100,000 in 2014 (total of 203 deaths).

Changes in Idaho Age-Adjusted Rates[2]

Age-adjusted rates were higher, but not significantly higher, in 2014 than in 2013 for:

Cause	2013 Age-Adjusted Rate	2014 Age-Adjusted Rate
• Diseases of heart	145.0	153.4
• Cerebrovascular diseases	35.5	36.8
• Alzheimer's disease	21.0	22.4
• Intentional self-harm (suicide)	19.2	20.0

There were no significant declines in age-adjusted rates, but were lower in 2014 than in 2013 for:

Cause	2013 Age-Adjusted Rate	2014 Age-Adjusted Rate
• Malignant neoplasms (cancer)	156.3	155.1
• Chronic lower respiratory diseases	46.5	46.4
• Accidents (unintentional injuries)	47.7	45.5
• Diabetes mellitus	23.5	22.9
• Chronic liver disease and cirrhosis	11.9	10.9

Deaths to Idaho Males and Females

The leading cause of death for both males and females was Malignant neoplasms (cancer) in 2014. Age-adjusted rates for males were significantly higher[2] than age-adjusted rates for females for five of the ten leading causes of death among males:

Cause	Male Age-Adjusted Rate	Female Age-Adjusted Rate	Male to Female Ratio
• Malignant neoplasms (cancer)	182.6	133.8	1.4
• Diseases of heart	190.2	121.9	1.6
• Accidents (unintentional injuries)	57.6	34.1	1.7
• Intentional self-harm (suicide)	30.4	10.1	3.0
• Chronic liver disease and cirrhosis	15.1	6.9	2.2

For females, the age-adjusted rate for Alzheimer's disease was significantly higher[2] than for males:

Cause	Female Age-Adjusted Rate	Male Age-Adjusted Rate	Female to Male Ratio
• Alzheimer's disease	26.9	16.0	1.7

Oldest Age at Death to Idaho Males and Females

In 2014, the age of the oldest male at death was 105 (3 deaths), and the age of the oldest female at death was 108 (2 deaths).

1. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015.
2. Significance based on 95-percent confidence interval.

IDAHO RESIDENT DEATHS
By Month of Death
2014



U.S., IDAHO RESIDENT DEATH RATES
2004-2014



IDAHO RESIDENT DEATHS
Number of Deaths and Rates
2010-2014

	2014		2013		2012		2011		2010	
RESIDENCE	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		8.2		8.2		8.1		8.1		8.0
IDAHO	12,610	7.7	12,426	7.7	11,993	7.5	11,990	7.6	11,411	7.3
District 1	2,172	9.8	2,030	9.3	2,058	9.6	2,042	9.5	1,870	8.8
District 2	1,054	9.8	1,106	10.4	1,030	9.7	1,029	9.7	1,036	9.8
District 3	1,977	7.4	2,054	7.8	1,939	7.5	1,904	7.4	1,863	7.3
District 4	3,017	6.4	2,981	6.5	2,781	6.2	2,857	6.4	2,577	5.9
District 5	1,582	8.3	1,556	8.2	1,467	7.8	1,543	8.3	1,515	8.2
District 6	1,444	8.6	1,351	8.0	1,401	8.3	1,294	7.6	1,299	7.7
District 7	1,364	6.5	1,348	6.5	1,317	6.4	1,321	6.4	1,251	6.1
Ada	2,736	6.4	2,660	6.4	2,526	6.2	2,571	6.4	2,275	5.8
Adams	37	9.6	36	9.4	32	8.2	32	8.0	34	8.6
Bannock	707	8.5	676	8.1	696	8.3	630	7.5	611	7.4
Bear Lake	74	12.4	69	11.6	66	11.2	57	9.5	74	12.4
Benewah	130	14.3	120	13.3	106	11.6	110	11.9	106	11.4
Bingham	345	7.6	325	7.2	324	7.1	327	7.1	326	7.1
Blaine	120	5.6	84	3.9	88	4.2	100	4.7	95	4.4
Boise	45	6.6	66	9.7	43	6.3	49	7.0	54	7.7
Bonner	418	10.1	383	9.4	386	9.5	418	10.2	367	9.0
Bonneville	792	7.3	832	7.7	779	7.3	749	7.1	712	6.8
Boundary	121	11.0	102	9.4	105	9.7	115	10.6	87	7.9
Butte	31	11.8	23	8.7	32	11.7	27	9.6	28	9.7
Camas	5	4.8	6	5.8	8	7.4	5	4.4	6	5.4
Canyon	1,325	6.5	1,395	7.0	1,329	6.9	1,276	6.7	1,217	6.4
Caribou	57	8.3	57	8.4	88	13.0	66	9.6	71	10.2
Cassia	191	8.1	184	7.9	190	8.2	193	8.3	187	8.1
Clark	10	11.5	6	6.9	12	13.8	4	4.2	6	6.1
Clearwater	96	11.2	100	11.7	110	12.8	120	13.8	99	11.3
Custer	46	11.1	34	8.0	35	8.1	45	10.4	41	9.4
Elmore	172	6.6	192	7.3	155	5.9	175	6.6	178	6.6
Franklin	104	8.0	103	8.0	101	7.9	92	7.2	93	7.3
Fremont	96	7.5	102	7.9	96	7.4	108	8.2	111	8.4
Gem	212	12.6	205	12.3	178	10.7	179	10.7	213	12.7
Gooding	147	9.8	140	9.3	145	9.5	147	9.5	154	10.0
Idaho	205	12.6	198	12.3	170	10.4	163	9.9	161	9.9
Jefferson	138	5.1	151	5.6	132	4.9	149	5.7	127	4.9
Jerome	186	8.2	164	7.3	159	7.1	134	5.9	164	7.3
Kootenai	1,315	8.9	1,251	8.7	1,262	8.9	1,215	8.6	1,137	8.2
Latah	227	5.9	234	6.1	215	5.6	238	6.3	220	5.9
Lemhi	117	15.1	74	9.6	99	12.8	83	10.4	92	11.6
Lewis	42	10.9	44	11.3	39	10.0	35	9.2	36	9.4
Lincoln	29	5.5	51	9.6	40	7.6	35	6.7	42	8.1
Madison	126	3.3	112	3.0	132	3.5	144	3.8	125	3.3
Minidoka	160	7.9	186	9.2	172	8.6	191	9.5	178	8.9
Nez Perce	484	12.1	530	13.3	496	12.5	473	12.0	520	13.2
Oneida	49	11.7	34	8.0	36	8.5	35	8.3	46	10.7
Owyhee	84	7.4	88	7.7	94	8.2	100	8.7	82	7.1
Payette	204	8.9	193	8.5	193	8.5	194	8.6	198	8.8
Power	77	10.1	64	8.3	58	7.5	60	7.7	50	6.4
Shoshone	188	15.2	174	13.7	199	15.7	184	14.5	173	13.6
Teton	39	3.8	37	3.6	32	3.2	39	3.8	37	3.6
Twin Falls	744	9.2	741	9.3	665	8.5	738	9.5	689	8.9
Valley	64	6.5	63	6.6	57	6.0	62	6.4	70	7.1
Washington	115	11.5	137	13.8	113	11.2	123	12.0	119	11.7

Death rate: Number of deaths per 1,000 population.

IDAHO RESIDENT DEATHS
Age at Death
2014

RESIDENCE	TOTAL DEATHS	AGE AT DEATH										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
IDAHO	12,610	126	20	51	152	231	346	714	1,544	2,319	3,093	4,012
District 1*	2,172	17	2	7	16	28	57	105	295	434	535	675
District 2*	1,054	10	1	4	9	10	19	55	117	206	276	346
District 3	1,977	24	3	9	25	35	58	129	230	391	493	580
District 4	3,017	27	5	12	40	62	75	163	369	527	711	1,026
District 5	1,582	17	5	7	18	31	46	98	177	301	359	523
District 6	1,444	11	2	8	22	37	50	88	194	245	363	424
District 7	1,364	20	2	4	22	28	41	76	162	215	356	438
Ada	2,736	23	3	11	37	58	65	150	318	465	654	952
Adams	37	-	-	-	-	1	1	1	6	8	14	6
Bannock	707	7	1	5	10	19	28	55	97	115	166	204
Bear Lake	74	-	-	-	-	1	1	1	10	11	23	27
Benewah	130	2	-	3	2	3	2	10	12	28	29	39
Bingham	345	1	-	2	8	10	15	22	49	62	87	89
Blaine	120	-	-	1	3	1	9	10	16	21	26	33
Boise	45	-	-	-	-	-	3	2	11	12	7	10
Bonner	418	5	-	1	3	8	9	19	51	86	109	127
Bonneville	792	14	1	2	14	11	29	49	93	124	207	248
Boundary	121	1	-	1	3	2	4	2	22	25	26	35
Butte	31	-	1	-	-	2	-	1	5	6	6	10
Camas	5	-	-	-	-	-	-	-	1	2	2	-
Canyon	1,325	20	3	9	18	22	48	91	160	253	317	384
Caribou	57	1	-	-	1	-	-	2	4	11	20	18
Cassia	191	4	-	1	2	7	5	13	16	38	39	66
Clark	10	-	-	-	1	1	-	1	2	1	1	3
Clearwater	96	-	-	-	-	-	1	7	10	28	22	28
Custer	46	-	-	-	-	2	2	3	7	6	11	15
Elmore	172	4	2	-	3	3	6	8	26	38	34	48
Franklin	104	-	-	1	2	2	5	4	9	18	26	37
Fremont	96	1	1	-	1	1	-	2	11	10	31	38
Gem	212	3	-	-	1	6	2	13	20	41	53	73
Gooding	147	1	1	-	2	2	5	10	18	28	40	40
Idaho	205	2	-	-	2	2	3	9	27	41	58	61
Jefferson	138	-	-	1	4	6	2	6	18	21	32	48
Jerome	186	7	1	2	2	3	6	11	23	42	43	46
Kootenai*	1,315	8	1	2	6	13	38	60	176	251	326	433
Latah	227	4	-	1	3	5	4	14	33	43	50	70
Lemhi	117	2	-	-	-	3	2	6	15	21	30	38
Lewis	42	-	-	-	-	-	1	4	6	10	10	11
Lincoln	29	-	-	1	1	2	1	-	1	5	5	13
Madison	126	2	-	1	1	3	3	4	13	21	37	41
Minidoka	160	2	-	1	3	4	3	9	22	34	29	53
Nez Perce*	484	4	1	3	4	3	10	21	41	84	136	176
Oneida	49	-	-	-	-	-	1	1	7	7	14	19
Owyhee	84	-	-	-	1	1	1	6	19	17	18	21
Payette	204	1	-	-	5	2	4	10	13	44	64	61
Power	77	2	-	-	1	3	-	2	13	15	21	20
Shoshone	188	1	1	-	2	2	4	14	34	44	45	41
Teton	39	1	-	-	1	1	3	5	3	11	7	7
Twin Falls	744	3	3	1	5	12	17	45	80	131	175	272
Valley	64	-	-	1	-	1	1	3	14	12	16	16
Washington	115	-	-	-	-	3	2	8	12	28	27	35

* One record for a Kootenai resident (District 1) and one record for a Nez Perce resident (District 2) did not specify the age at death.

IDAHO RESIDENT DEATHS
Sex, Race and Ethnicity[1]
2014

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC
		Male	Female	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	12,610	6,493	6,117	12,279	31	157	64	76	3	420
District 1	2,172	1,132	1,040	2,129	4	26	5	8	-	22
District 2	1,054	547	507	1,009	3	31	7	3	1	13
District 3	1,977	1,030	947	1,938	5	13	17	4	-	137
District 4	3,017	1,507	1,510	2,940	11	18	24	24	-	78
District 5	1,582	843	739	1,546	1	7	2	25	1	88
District 6	1,444	738	706	1,367	4	57	8	8	-	52
District 7	1,364	696	668	1,350	3	5	1	4	1	30
Ada	2,736	1,359	1,377	2,673	8	13	23	19	-	68
Adams	37	24	13	37	-	-	-	-	-	-
Bannock	707	363	344	664	4	31	4	4	-	21
Bear Lake	74	46	28	73	-	-	-	1	-	1
Benewah	130	66	64	116	-	13	1	-	-	4
Bingham	345	164	181	317	-	25	2	1	-	19
Blaine	120	70	50	119	-	-	-	1	-	6
Boise	45	24	21	44	-	1	-	-	-	-
Bonner	418	210	208	415	1	1	-	1	-	1
Bonneville	792	382	410	783	3	3	1	2	-	24
Boundary	121	68	53	116	1	3	-	1	-	1
Butte	31	14	17	30	-	-	-	1	-	2
Camas	5	2	3	5	-	-	-	-	-	-
Canyon	1,325	690	635	1,298	5	9	11	2	-	115
Caribou	57	28	29	55	-	-	1	1	-	1
Cassia	191	108	83	180	-	-	-	11	-	20
Clark	10	6	4	9	-	-	-	-	1	1
Clearwater	96	61	35	95	-	1	-	-	-	1
Custer	46	29	17	46	-	-	-	-	-	-
Elmore	172	85	87	160	3	3	1	5	-	9
Franklin	104	54	50	104	-	-	-	-	-	-
Fremont	96	51	45	96	-	-	-	-	-	1
Gem	212	106	106	211	-	-	1	-	-	5
Gooding	147	78	69	143	-	3	-	1	-	8
Idaho	205	105	100	197	-	7	1	-	-	-
Jefferson	138	82	56	136	-	1	-	1	-	3
Jerome	186	100	86	184	-	1	-	1	-	15
Kootenai	1,315	687	628	1,297	2	6	4	6	-	13
Latah	227	122	105	221	2	-	2	2	-	3
Lemhi	117	63	54	116	-	1	-	-	-	-
Lewis	42	20	22	37	-	4	1	-	-	-
Lincoln	29	16	13	28	-	-	-	1	-	1
Madison	126	60	66	125	-	-	-	1	-	1
Minidoka	160	94	66	158	-	-	-	2	-	14
Nez Perce	484	239	245	459	1	19	3	1	1	9
Oneida	49	23	26	48	-	-	1	-	-	1
Owyhee	84	43	41	81	-	3	-	-	-	3
Payette	204	105	99	200	-	1	3	-	-	9
Power	77	46	31	76	-	1	-	-	-	7
Shoshone	188	101	87	185	-	3	-	-	-	3
Teton	39	23	16	39	-	-	-	-	-	-
Twin Falls	744	375	369	729	1	3	2	8	1	24
Valley	64	39	25	63	-	1	-	-	-	1
Washington	115	62	53	111	-	-	2	2	-	5

1. Race and Hispanic origin are reported separately on death certificate; people of Hispanic origin are included in appropriate race totals.
Note: Beginning in 2003, multiple races and Hispanic origins may be reported on the Idaho death certificate. For decedents with multiple races, the races were bridged to a single race category.

IDAHO RESIDENT DEATHS
Leading Causes of Death to Idahoans
Cause-Specific Crude and Age-Adjusted Rates
2014 Idaho and 2014 U.S.

RANK FOR IDAHO AND CAUSE OF DEATH	DEATHS		DEATH RATES[1]			
			Crude		Age-Adjusted[2]	
	Number	Percent	Idaho[3]	U.S.[4] 2014	Idaho[3]	U.S.[4] 2014
ALL CAUSES	12,610	100.0%	771.5	823.7	723.6	724.6
1. Malignant neoplasms (cancer)	2,790	22.1%	170.7	185.6	155.1	161.2
2. Diseases of heart	2,684	21.3%	164.2	192.7	153.4	167.0
3. Chronic lower respiratory diseases	830	6.6%	50.8	46.1	46.4	40.5
4. Accidents (unintentional injury)	748	5.9%	45.8	42.7	45.5	40.5
5. Cerebrovascular diseases	638	5.1%	39.0	41.7	36.8	36.5
6. Diabetes mellitus	408	3.2%	25.0	24.0	22.9	20.9
7. Alzheimer's disease	376	3.0%	23.0	29.3	22.4	25.4
8. Intentional self-harm (suicide)	320	2.5%	19.6	13.4	20.0	13.0
9. Influenza and pneumonia	203	1.6%	12.4	17.3	11.5	15.1
10. Chronic liver disease and cirrhosis	196	1.6%	12.0	12.0	10.9	10.4
11. Parkinson's disease	154	1.2%	9.4	8.2	9.4	7.4
12. Essential hypertension & hypertensive renal disease	142	1.1%	8.7	9.5	8.2	8.2
13. Nephritis, nephrotic syndrome and nephrosis	137	1.1%	8.4	15.1	8.0	13.2
14. Pneumonitis due to solids and liquids	101	0.8%	6.2	5.9	5.8	5.1
15. Septicemia	88	0.7%	5.4	12.2	5.0	10.7
All other causes	2,795	22.2%	NA	NA	NA	NA

1. Rates are per 100,000 population.
2. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
3. Idaho rates are based on the July 1, 2014 population estimates.
4. U.S. crude and age-adjusted rates are 2014 final for leading causes of death.Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015.

NA: Age-adjusted rates not calculated for causes with fewer than 20 deaths; crude and age-adjusted rates not applicable for all other causes.

IDAHO RESIDENT DEATHS
Leading Causes of Death to Idahoans by Sex
Cause-Specific Crude and Age-Adjusted Rates[1]
2014 Idaho and 2014 U.S.

MALES						
	Deaths		Crude Rate		Age-Adjusted[2]	
RANK FOR IDAHO AND CAUSE OF DEATH	Number	Percent	Idaho[3]	U.S.[4]	Idaho[3]	U.S.[4]
ALL CAUSES	6,493	100.0%	793.3	846.4	824.0	855.1
1. Malignant neoplasms (cancer)	1,518	23.4%	185.5	198.4	182.6	192.9
2. Diseases of heart	1,476	22.7%	180.3	207.1	190.2	210.9
3. Accidents (unintentional injury)	448	6.9%	54.7	54.4	57.6	54.7
4. Chronic lower respiratory diseases	417	6.4%	50.9	44.3	51.5	45.4
5. Cerebrovascular diseases	282	4.3%	34.5	35.3	37.1	36.9
6. Intentional self-harm (suicide)	240	3.7%	29.3	21.1	30.4	20.7
7. Diabetes mellitus	213	3.3%	26.0	26.2	25.6	25.6
8. Chronic liver disease and cirrhosis	132	2.0%	16.1	15.7	15.1	14.1
9. Alzheimers disease	112	1.7%	13.7	18.1	16.0	20.6
10. Influenza and pneumonia	100	1.5%	12.2	16.9	13.6	17.8
11. Parkinsons disease	85	1.3%	10.4	10.0	11.8	11.1
12. Nephritis, nephrotic syndrome and nephrosis	71	1.1%	8.7	15.6	9.7	16.2
13. Essential hypertension & hypertensive renal disease	56	0.9%	6.8	8.3	7.7	8.5
14. Pneumonitis due to solids and liquids	54	0.8%	6.6	6.6	7.6	7.1
15. Septicemia	46	0.7%	5.6	11.7	5.8	11.8
All other causes	1,243	19.1%	NA	NA	NA	NA

FEMALES						
	Deaths		Crude Rate		Age-Adjusted[2]	
RANK FOR IDAHO AND CAUSE OF DEATH	Number	Percent	Idaho[3]	U.S.[4]	Idaho[3]	U.S.[4]
ALL CAUSES	6,117	100.0%	749.7	801.7	634.1	616.7
1. Malignant neoplasms (cancer)	1,272	20.8%	155.9	173.2	133.8	138.1
2. Diseases of heart	1,208	19.7%	148.0	178.6	121.9	131.8
3. Chronic lower respiratory diseases	413	6.8%	50.6	48.0	42.5	37.1
4. Cerebrovascular diseases	356	5.8%	43.6	47.9	35.7	35.6
5. Accidents (unintentional injury)	300	4.9%	36.8	31.3	34.1	27.3
6. Alzheimers disease	264	4.3%	32.4	40.3	26.9	28.3
7. Diabetes mellitus	195	3.2%	23.9	21.8	20.6	17.2
8. Influenza and pneumonia	103	1.7%	12.6	17.7	10.0	13.2
9. Essential hypertension & hypertensive renal disease	86	1.4%	10.5	10.6	8.5	7.8
10. Intentional self-harm (suicide)	80	1.3%	9.8	6.0	10.1	5.8
11. Parkinsons disease	69	1.1%	8.5	6.5	7.5	4.9
12. Nephritis, nephrotic syndrome and nephrosis	66	1.1%	8.1	14.6	6.8	11.1
13. Chronic liver disease and cirrhosis	64	1.0%	7.8	8.4	6.9	7.1
14. Pneumonitis due to solids and liquids	47	0.8%	5.8	5.2	4.9	3.8
15. Septicemia	42	0.7%	5.1	12.7	4.4	9.9
All other causes	1,552	25.4%	NA	NA	NA	NA

NA: not applicable.

1. Rates are per 100,000 population per gender.
2. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
3. Idaho rates are based on July 1, 2014 population estimates based on the 2010 census.
4. U.S. crude and age-adjusted rates are 2014 final for leading causes of death.Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015.

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2014

RANK	AGE GROUP												ALL AGES[4]
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (31)	Accidents (13) (Trans: 9 MVA: 9 All Other: 4)	Accidents (8) (Trans: 5 MVA: 5 All Other: 3)	Accidents (12) (Trans: 8 MVA: 8 All Other: 4)	Accidents (22) (Trans: 12 MVA: 12 All Other: 10)	Accidents (39) (Trans: 21 MVA: 18 All Other: 18)	Accidents (81) (Trans: 34 MVA: 33 All Other: 47)	Accidents (77) (Trans: 29 MVA: 23 All Other: 48)	Malignant neoplasms (183)	Malignant neoplasms (481)	Malignant neoplasms (816)	Diseases of heart (1,761)	Malignant neoplasms (2,790)
2	Short gestation and low birth weight (18)	Assault (Homicide) (2)	Congenital malformations (4)	Intentional self-harm (Suicide) (9)	Intentional self-harm (Suicide) (16)	Intentional self-harm (Suicide) (28)	Intentional self-harm (Suicide) (47)	Intentional self-harm (Suicide) (60)	Diseases of heart (123)	Diseases of heart (306)	Diseases of heart (428)	Malignant neoplasms (1,226)	Diseases of heart (2,684)
3	(Tie) Maternal complications of pregnancy; Sudden infant death syndrome (14 each)	Influenza and pneumonia (1)	(Tie) Malignant neoplasms; Assault (Homicide) (2 each)	Malignant neoplasms (4)	Malignant neoplasms (2)	Assault (Homicide) (7)	Malignant neoplasms (27)	Diseases of heart (43)	Accidents (94) (Trans: 32 MVA: 27 All Other: 62)	Chronic lower respiratory diseases (110)	Chronic lower respiratory diseases (234)	Chronic lower respiratory diseases (461)	Chronic lower respiratory diseases (830)
4				Diseases of heart (2)	(Tie) Congenital malformations; Diabetes mellitus; Assault (Homicide); Diseases of heart (1 each)	Malignant neoplasms (5)	Diseases of heart (17)	Malignant neoplasms (42)	Intentional self-harm (Suicide) (58)	Accidents (87) (Trans: 29 MVA: 27 All Other: 58)	Diabetes mellitus (116)	Cerebrovas-cular diseases (450)	Accidents (748) (Trans: 234 MVA: 213 All Other: 514)
5	Accidents (6) (Trans: 0 MVA: 0 All Other: 6)		Influenza and pneumonia (1)	(Tie) Congenital malformations; Chronic lower respiratory diseases; Assault (Homicide) (1 each)		Diseases of heart (3)	(Tie) Congenital malformations; Assault (Homicide) (6 each)	Chronic liver disease and cirrhosis (12)	Chronic liver disease and cirrhosis (50)	Diabetes mellitus (66)	Cerebrovas-cular diseases (105)	Alzheimer's disease (347)	Cerebrovas-cular diseases (638)
6	Complications placenta cord & membranes (4)					Cerebrovas-cular diseases (2)		Diabetes mellitus (11)	Cerebrovas-cular diseases (26)	Chronic liver disease and cirrhosis (62)	Accidents (73) (Trans: 23 MVA: 21 All Other: 50)	Accidents (236) (Trans: 32 MVA: 30 All Other: 204)	Diabetes mellitus (408)
7	Pulmonary hemorrhage (3)					(Tie) Influenza and pneumonia; Diabetes mellitus; Septicemia; Congenital malformations; Pregnancy childbirth and the puerperium; In situ neoplasms (1 each)	Chronic liver disease and cirrhosis (5)	(Tie) Cerebrovascul ar diseases; Assault (Homicide) (9 each)	Diabetes mellitus (23)	Intentional self-harm (Suicide) (55)	Chronic liver disease and cirrhosis (40)	Diabetes mellitus (186)	Alzheimer's disease (376)
8	Newborn affected by maternal conditions (2)						Diabetes mellitus (4)		Chronic lower respiratory diseases (22)	Cerebrovas-cular diseases (46)	Influenza and pneumonia (31)	Influenza and pneumonia (134)	Intentional self-harm (Suicide) (320)
9							(Tie) Influenza and pneumonia; Legal intervention (3 each)	Influenza and pneumonia (5)	(Tie) Influenza and pneumonia; Septicemia (7 each)	Viral hepatitis (33)	Alzheimer's disease (22)	Parkinson's disease (132)	Influenza and pneumonia (203)
10								Tie (3 each)[2]		Influenza and pneumonia (20)	Tie (19 each)[3]	Essential hypertension (113)	Chronic liver disease and cirrhosis (196)
Residual[1]	34	4	2	2	8	10	32	69	121	278	561	2,059	3,417
Total	126	20	19	32	52	100	231	346	714	1,544	2,319	7,105	12,610

Note: Number of deaths in parentheses. 'Accidents' is a shortened ICD-10 title for 'Accidents (unintentional injuries)'. 'Trans' is short for 'Transportation Accidents.' 'MVA' is short for "Motor Vehicle Accidents".

1. Residual: Total number of deaths for all other leading causes not listed and all other causes not ranked for leading cause of death.
2. Tie at rank 10 for aged 35-44: Septicemia; Viral hepatitis; Aortic aneurysm and dissection (3 each).
3. Tie at rank 10 for aged 65-74: Septicemia; Intentional self-harm (Suicide) (19 each).
4. There are two deaths where the age of the deceased is 'unknown' at rank 1. malignant neoplasm; and rank 10. chronic liver disease and cirrhosis.) These deaths are included in the total.

IDAHO MALE RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2014

RANK	AGE GROUP												ALL AGES[4]
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (16)	Accidents (8) (Trans: 6 MVA: 6 All other: 2)	Accidents (4) (Trans: 3 MVA: 3 All other: 1)	(Tie) Accidents (Trans: 4 MVA: 4, All Other: 4); Intentional self-harm (Suicide) (8 each)	Accidents (14) (Trans: 5 MVA: 5 All other: 9)	Accidents (27) (Trans: 15 MVA: 12 All other: 12)	Accidents (53) (Trans: 27 MVA: 26 All other: 26)	Accidents (53) (Trans: 22 MVA: 16 All other: 31)	Malignant neoplasms (85)	Malignant neoplasms (263)	Malignant neoplasms (469)	Diseases of heart (848)	Malignant neoplasms (1,518)
2	Sudden infant death syndrome (9)				Intentional self-harm (Suicide) (12)	Intentional self-harm (Suicide) (24)	Intentional self-harm (Suicide) (34)	Intentional self-harm (Suicide) (44)	Diseases of heart (82)	Diseases of heart (220)	Diseases of heart (279)	Malignant neoplasms (664)	Diseases of heart (1,476)
3	Short gestation and low birth weight (8)			Malignant neoplasms (3)	Malignant neoplasms (2)	Assault (Homicide) (5)	Malignant neoplasms (16)	Diseases of heart (31)	Accidents (56) (Trans: 20 MVA: 16 All other: 36)	Chronic lower respiratory diseases (61)	Chronic lower respiratory diseases (119)	Chronic lower respiratory diseases (226)	Accidents (448) (Trans: 160 MVA: 143 All other: 288)
4	Maternal complications of pregnancy (7)					Malignant neoplasms (4)	Diseases of heart (12)	Malignant neoplasms (11)	Intentional self-harm (Suicide) (39)	Accidents (54) (Trans: 22 MVA: 21 All other: 32)	(Tie) Diabetes mellitus; Cerebrovas-cular diseases (61 each)	Cerebrovas-cular diseases (176)	Chronic lower respiratory diseases (417)
5	Accidents (3) (Trans: 0 MVA: 0 All other: 3)					Diseases of heart (3)	Assault (Homicide) (4)	Chronic liver disease and cirrhosis (10)	Chronic liver disease and cirrhosis (36)	(Tie) Diabetes mellitus; Chronic liver disease and cirrhosis (43 each)		Accidents (125) (Trans: 23 MVA: 22 All other: 102)	Cerebrovas-cular diseases (282)
6	(Tie) Newborn affected by maternal conditions; Pulmonary hemorrhage (2 each)						(Tie) Chronic liver disease and cirrhosis; Legal intervention (3 each)	(Tie) Assault (Homicide); Diabetes mellitus (7 each)	Cerebrovas-cular diseases (16)		Accidents (43) (Trans: 13 MVA: 12 All other: 30)	Alzheimer's disease (101)	Intentional self-harm (Suicide) (240)
7									Diabetes mellitus (13)	Intentional self-harm (Suicide) (40)	Chronic liver disease and cirrhosis (26)	Diabetes mellitus (87)	Diabetes mellitus (213)
8							(Tie) Aortic aneurysm and dissection; Congenital malformations (2 each)	Cerebrovas-cular diseases (6)	Chronic lower respiratory diseases (9)	(Tie) Cerebrovas-cular diseases; Viral hepatitis (23 each)	Intentional self-harm (Suicide) (13)	Parkinson's disease (71)	Chronic liver disease and cirrhosis (132)
9								Influenza and pneumonia (4)	Influenza and pneumonia (6)		Influenza and pneumonia (12)	Influenza and pneumonia (65)	Alzheimer's disease (112)
10								Aortic aneurysm and dissection (3)	(Tie) (4 each)[2]	Influenza and pneumonia (10)	(Tie) (11 each)[3]	Nephritis, nephrotic syndrome (54)	Influenza and pneumonia (100)
Residual[1]	20	1	1	4	3	7	16	41	67	157	221	812	1,555
Total	67	11	7	23	31	72	151	217	421	937	1,326	3,229	6,493

Note: Causes of death with one death are not shown. Number of deaths in parentheses. 'Accidents' is a shortened ICD-10 title for 'Accidents (unintentional injuries)'. 'Trans' is short for "Transportation Accidents"; 'MVA' is short for 'Motor Vehicle Accident', and is a subset of transportation Accident.

1. Residual: Total number of deaths for all other leading causes not listed and all other causes not ranked for leading cause of death.
2. Tie at rank 10 for aged 45-54: Assault (homicide); Septicemia; Viral hepatitis. (4 each)
3. Tie at rank 10 for aged 65-74: Septicemia; Parkinson's disease. (11 each) 4. There is one death where age is 'unknown' at rank 8. Chronic liver disease and cirrhosis. This death is included in the total.

IDAHO FEMALE RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2014

RANK	AGE GROUP												ALL AGES[2]
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (15)	Accidents (5) (Trans: 3 MVA: 3 All other: 2)	Accidents (4) (Trans: 2 MVA: 2 All other: 2)	Accidents (4) (Trans: 4 MVA: 4 All other: 0)	Accidents (8) (Trans: 7 MVA: 7 All other: 1)	Accidents (12) (Trans: 6 MVA: 6 All other: 6)	Accidents (28) (Trans: 7 MVA: 7 All other: 21)	Malignant neoplasms (31)	Malignant neoplasms (98)	Malignant neoplasms (218)	Malignant neoplasms (347)	Diseases of heart (913)	Malignant neoplasms (1,272)
2	Short gestation and low birth weight (10)		Congenital malformations (3)		Intentional self-harm (Suicide) (4)	Intentional self-harm (Suicide) (4)	Intentional self-harm (Suicide) (13)	Accidents (24) (Trans: 7 MVA: 7 All other: 17)	Diseases of heart (41)	Diseases of heart (86)	Diseases of heart (149)	Malignant neoplasms (562)	Diseases of heart (1,208)
3	Maternal complications of pregnancy (7)		Assault (Homicide) (2)			(Tie) Cerebrovas-cular diseases; Assault (Homicide) (2 each)	Malignant neoplasms (11)	Intentional self-harm (Suicide) (16)	Accidents (38) (Trans: 12 MVA: 11 All other: 26)	Chronic lower respiratory diseases (49)	Chronic lower respiratory diseases (115)	Cerebrovas-cular diseases (274)	Chronic lower respiratory diseases (413)
4	Sudden infant death syndrome (5)						Diseases of heart (5)	Diseases of heart (12)	Intentional self-harm (Suicide) (19)	Accidents (33) (Trans: 7 MVA: 6 All other: 26)	Diabetes mellitus (55)	Alzheimer's disease (246)	Cerebrovas-cular diseases (356)
5	(Tie) Complications of placenta, cord & membranes; Accidents (Other: 3) (3 each)						Congenital malformations (4)	Diabetes mellitus (4)	Chronic liver disease and cirrhosis (14)	(Tie) Diabetes mellitus; Cerebro-vascular diseases (23 each)	Cerebrovas-cular diseases (44)	Chronic lower respiratory diseases (235)	Accidents (300) (Trans: 74 MVA: 70 All other: 226)
6							Diabetes mellitus (3)	Cerebrovas-cular diseases (3)	Chronic lower respiratory diseases (13)		Accidents (30) (Trans: 10 MVA: 9 All other: 20)	Accidents (111) (Trans: 9 MVA: 8 All other: 102)	Alzheimer's disease (264)
7							(Tie) Assault (Homicide); Influenza and pneumonia; Pregnancy, childbirth and the puerperium; Chronic liver disease and cirrhosis (2 each)	(Tie) Assault (Homicide); Pregnancy, childbirth, and the puerperium; Nephritis, nephrotic syndrome; Complications of medical and surgical care; Chronic liver disease and cirrhosis (2 each)	(Tie) Diabetes mellitus; Cerebro-vascular diseases (10 each)	Chronic liver disease and cirrhosis (19)	Influenza and pneumonia (19)	Diabetes mellitus (99)	Diabetes mellitus (195)
8										Intentional self-harm (Suicide) (15)	Chronic liver disease and cirrhosis (14)	Hypertension (70)	Influenza and pneumonia (103)
9									(Tie) Hypertension; Septicemia (3 each)	(Tie) Influenza and pneumonia; Viral hepatitis (10 each)	Alzheimer's disease (13)	Influenza and pneumonia (69)	Hypertension (86)
10											Pneumonitis due to solids and liquids (11)	Parkinson's disease (61)	Intentional self-harm (Suicide) (80)
Residual[1]	16	4	3	5	9	8	8	29	44	121	196	1,236	1,840
Total	59	9	12	9	21	28	80	129	293	607	993	3,876	6,117

Note: Causes of death with one death are not shown. Number of deaths in parentheses. 'Accidents' is a shortened ICD-10 title for 'Accidents (unintentional injuries)'. 'Trans' is short for Transportation Accidents"; MVA is short for 'Motor Vehicle Accidents', and is a subset of transportation accidents. Hypertension includes essential hypertensive renal disease.

1. Residual: Total number of deaths for all other leading causes not listed and all other causes not ranked for leading cause of death.

2. There is one death where the age of the deceased is 'unknown' at rank 1. Malignant neoplasm. This death is included in the total.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Ten Leading Causes of Death Based on Premature Mortality[1]
Total Population and by Sex
2014

Rank	Cause of Death	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
		Number of Deaths	Percent of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate[2]
	Total	5,503	100.0%	17.3	95,116.5	6,177.3
1.	Malignant neoplasms (cancer)	1,563	28.4	11.9	18,666.5	1,212.3
2.	Accidents (unintentional injury)	512	9.3	31.8	16,274.0	1,056.9
	-Nontransport accidents	310	5.6	29.3	9,095.0	590.7
	-Transport accidents	202	3.7	35.5	7,179.0	466.2
	--Motor vehicle accidents	183	3.3	36.1	6,604.5	428.9
3.	Diseases of heart	923	16.8	12.8	11,858.5	770.1
4.	Intentional self-harm (suicide)	292	5.3	32.6	9,514.0	617.9
5.	Certain conditions originating in perinatal period	58	1.1	74.5	4,321.0	280.6
6.	Chronic lower respiratory diseases	369	6.7	8.7	3,215.5	208.8
7.	Congenital malformations	53	1.0	59.7	3,163.5	205.5
8.	Chronic liver disease and cirrhosis	169	3.1	17.9	3,026.5	196.6
9.	Diabetes mellitus	222	4.0	12.2	2,703.0	175.5
10.	Cerebrovascular diseases	188	3.4	11.8	2,218.0	144.0
	All other causes	1,154	21.0	17.5	20,156.0	1,309.0
	Total Males	3,263	100.0%	17.6	57,550.5	7,407.2
1.	Accidents (unintentional injury)	323	9.9	32.2	10,413.5	1,340.3
	-Nontransport accidents	186	5.7	29.9	5,568.0	716.6
	-Transport accidents	137	4.2	35.4	4,845.5	623.7
	--Motor vehicle accidents	121	3.7	35.7	4,321.5	556.2
2.	Malignant neoplasms (cancer)	854	26.2	11.4	9,737.0	1,253.2
3.	Diseases of heart	628	19.2	13.2	8,260.0	1,063.1
4.	Intentional self-harm (suicide)	214	6.6	33.5	7,167.0	922.5
5.	Chronic liver disease and cirrhosis	118	3.6	18.3	2,163.0	278.4
6.	Certain conditions originating in perinatal period	29	0.9	74.5	2,160.5	278.1
7.	Chronic lower respiratory diseases	191	5.9	8.8	1,689.5	217.5
8.	Diabetes mellitus	126	3.9	12.2	1,541.0	198.3
9.	Congenital malformations	25	0.8	57.8	1,444.5	185.9
10.	Cerebrovascular diseases	106	3.2	11.3	1,199.0	154.3
	All other causes	649	19.9	18.1	11,775.5	1,515.6
	Total Females	2,240	100.0%	16.8	37,566.0	4,924.6
1.	Malignant neoplasms (cancer)	709	31.7	12.6	8,929.5	1,170.6
2.	Accidents (unintentional injury)	189	8.4	31.0	5,860.5	768.3
	-Nontransport accidents	124	5.5	28.4	3,527.0	462.4
	-Transport accidents	65	2.9	35.9	2,333.5	305.9
	--Motor vehicle accidents	62	2.8	36.8	2,283.0	299.3
3.	Diseases of heart	295	13.2	12.2	3,598.5	471.7
4.	Intentional self-harm (suicide)	78	3.5	30.1	2,347.0	307.7
5.	Certain conditions originating in perinatal period	29	1.3	74.5	2,160.5	283.2
6.	Congenital malformations	28	1.3	61.4	1,719.0	225.3
7.	Chronic lower respiratory diseases	178	7.9	8.6	1,526.0	200.0
8.	Diabetes mellitus	96	4.3	12.1	1,162.0	152.3
9.	Cerebrovascular diseases	82	3.7	12.4	1,019.0	133.6
10.	Chronic liver disease and cirrhosis	51	2.3	16.9	863.5	113.2
	All other causes	505	22.5	16.6	8,380.5	1,098.6

1. Ranking based on total number of years of potential life lost (YPLL).
2. YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years. See Technical Notes for methodology.

IDAHO RESIDENT LIFE EXPECTANCY
Age in Years by Sex
2014

EXACT AGE IN YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($^{o}e_{x}$)		
	Total	Male	Female
0	79.9	78.0	81.8
1	78.9	77.0	80.8
5	75.0	73.1	76.9
10	70.0	68.1	71.9
15	65.1	63.2	67.0
20	60.2	58.4	62.1
25	55.5	53.8	57.3
30	50.8	49.1	52.5
35	46.0	44.4	47.7
40	41.4	39.8	42.9
45	36.8	35.3	38.2
50	32.2	30.8	33.6
55	27.9	26.5	29.2
60	23.7	22.5	24.9
65	19.7	18.7	20.7
70	15.8	15.0	16.7
75	12.4	11.7	13.0
80	9.4	8.8	9.9
85	6.8	6.3	7.1

U.S. life expectancy in 2013 was 78.8 years, 76.4 years for males, and 81.2 years for females.

IDAHO RESIDENT LIFE EXPECTANCY AT BIRTH
By District of Residence
2014

RESIDENCE	AVERAGE NUMBER OF YEARS LIFE EXPECTANCY AT BIRTH		
	Total	Male	Female
Idaho	79.9	78.0	81.8
District 1	79.2	77.3	81.2
District 2	79.6	77.8	81.6
District 3	79.9	77.8	81.9
District 4	81.4	79.7	82.9
District 5	79.2	76.7	81.7
District 6	77.7	75.8	79.6
District 7	80.2	78.6	81.8

See Technical Notes for methodology.
Note: Two deaths with unknown age were excluded from this analysis.

IDAHO RESIDENT DEATHS
Malignant Neoplasm (Cancer) Deaths by Leading Site of Cancer
2014

RESIDENCE	Total Malignant Neoplasms	Trachea, Bronchus, and Lung	Colon, Rectum, and Anus	Pancreas	Breast[1]	Prostate[2]	Leukemia	Non-Hodgkin's Lymphoma	All Other Malignant Neoplasms
IDAHO	2,790	658	230	206	195	191	118	118	1,074
Rates	170.7	40.3	14.1	12.6	11.9	23.3	7.2	7.2	65.7
District 1	553	139	48	36	46	46	20	25	193
Rates	249.8	62.8	21.7	16.3	20.8	41.8	9.0	11.3	87.2
District 2	256	61	21	20	16	16	10	16	96
Rates	239.2	57.0	19.6	18.7	14.9	29.3	9.3	14.9	89.7
District 3	434	109	38	38	33	30	13	17	156
Rates	161.9	40.7	14.2	14.2	12.3	22.6	4.8	6.3	58.2
District 4	688	165	52	53	38	34	35	23	288
Rates	146.7	35.2	11.1	11.3	8.1	14.4	7.5	4.9	61.4
District 5	350	80	29	24	25	21	19	13	139
Rates	183.7	42.0	15.2	12.6	13.1	22.0	10.0	6.8	73.0
District 6	255	54	25	19	18	20	10	10	99
Rates	151.0	32.0	14.8	11.3	10.7	23.7	5.9	5.9	58.6
District 7	254	50	17	16	19	24	11	14	103
Rates	121.2	23.9	8.1	7.6	9.1	22.8	5.2	6.7	49.1
Ada	621	147	47	52	36	29	33	23	254
Adams	7	3	-	-	-	2	-	-	2
Bannock	117	29	13	8	6	6	5	6	44
Bear Lake	13	4	1	2	-	2	-	-	4
Benewah	31	8	4	-	2	3	3	1	10
Bingham	62	10	7	7	4	3	4	1	26
Blaine	31	5	1	4	4	2	2	1	12
Boise	12	5	-	-	1	2	1	-	3
Bonner	115	29	9	6	9	9	7	4	42
Bonneville	138	28	7	7	8	14	6	9	59
Boundary	26	3	2	-	4	7	3	-	7
Butte	7	1	-	-	1	-	-	-	5
Camas	3	1	-	-	-	-	-	-	2
Canyon	275	59	27	27	21	20	8	12	101
Caribou	11	3	1	-	1	1	-	1	4
Cassia	44	12	1	2	2	3	4	3	17
Clark	3	-	-	-	3	-	-	-	-
Clearwater	20	5	-	3	-	2	-	-	10
Custer	11	3	-	2	2	1	-	-	3
Elmore	38	11	3	1	1	1	1	-	20
Franklin	20	3	-	-	3	3	-	2	9
Fremont	20	4	1	1	-	1	1	1	11
Gem	46	13	2	2	5	1	2	1	20
Gooding	36	8	6	2	1	1	4	1	13
Idaho	50	11	6	4	5	-	5	3	16
Jefferson	25	4	4	1	1	2	1	-	12
Jerome	44	12	2	1	3	2	4	2	18
Kootenai	339	86	28	29	28	25	7	16	120
Latah	57	11	8	4	3	3	2	4	22
Lemhi	23	6	2	1	2	3	3	2	4
Lewis	13	8	-	-	-	-	-	-	5
Lincoln	6	1	1	-	-	-	-	1	3
Madison	25	3	2	3	2	2	-	2	11
Minidoka	30	7	1	3	1	2	2	1	13
Nez Perce	116	26	7	9	8	11	3	9	43
Oneida	9	1	1	2	1	-	-	-	4
Owyhee	21	4	2	-	2	-	1	1	11
Payette	52	19	4	6	3	2	2	2	14
Power	16	3	2	-	2	5	1	-	3
Shoshone	42	13	5	1	3	2	-	4	14
Teton	9	2	1	1	1	1	-	-	3
Twin Falls	156	34	17	12	14	11	3	4	61
Valley	17	2	2	-	-	2	-	-	11
Washington	33	11	3	3	2	5	-	1	8

Malignant neoplasm death rate: Number of deaths per 100,000 population.

1. Total breast cancer deaths and rates (see table for Malignant neoplasm deaths by sex for female breast cancer numbers and rates).
2. Prostate cancer death rates are expressed as the number of deaths per 100,000 male population.

IDAHO RESIDENT DEATHS
Malignant Neoplasm (Cancer) Deaths by Sex and Leading Site of Cancer
2014

	MALES					FEMALES				
	Total	Trachea, Bronchus, and Lung	Prostate	Colon, Rectum, and Anus	Pancreas	Total	Trachea, Bronchus, and Lung	Breast	Colon, Rectum, and Anus	Pancreas
IDAHO	1,518	354	191	122	100	1,272	304	192	108	106
Rates	185.5	43.3	23.3	14.9	12.2	155.9	37.3	23.5	13.2	13.0
District 1	319	80	46	28	19	234	59	44	20	17
Rates	290.0	72.7	41.8	25.5	17.3	210.0	53.0	39.5	18.0	15.3
District 2	134	29	16	13	9	122	32	16	8	11
Rates	245.1	53.0	29.3	23.8	16.5	233.0	61.1	30.6	15.3	21.0
District 3	238	57	30	21	19	196	52	32	17	19
Rates	179.3	42.9	22.6	15.8	14.3	144.8	38.4	23.6	12.6	14.0
District 4	369	86	34	26	26	319	79	38	26	27
Rates	156.5	36.5	14.4	11.0	11.0	136.8	33.9	16.3	11.1	11.6
District 5	187	47	21	14	11	163	33	25	15	13
Rates	195.6	49.2	22.0	14.6	11.5	171.8	34.8	26.3	15.8	13.7
District 6	137	28	20	13	12	118	26	18	12	7
Rates	162.1	33.1	23.7	15.4	14.2	139.9	30.8	21.3	14.2	8.3
District 7	134	27	24	7	4	120	23	19	10	12
Rates	127.4	25.7	22.8	6.7	3.8	114.9	22.0	18.2	9.6	11.5
Ada	330	74	29	23	25	291	73	36	24	27
Adams	4	1	2	-	-	3	2	-	-	-
Bannock	60	15	6	6	4	57	14	6	7	4
Bear Lake	10	2	2	1	1	3	2	-	-	1
Benewah	21	5	3	3	-	10	3	2	1	-
Bingham	33	4	3	4	6	29	6	4	3	1
Blaine	12	2	2	-	-	19	3	4	1	4
Boise	9	4	2	-	-	3	1	1	-	-
Bonner	63	17	9	7	1	52	12	8	2	5
Bonneville	75	13	14	3	1	63	15	8	4	6
Boundary	15	1	7	1	-	11	2	4	1	-
Butte	4	1	-	-	-	3	-	1	-	-
Camas	2	1	-	-	-	1	-	-	-	-
Canyon	152	29	20	16	16	123	30	21	11	11
Caribou	6	2	1	-	-	5	1	1	1	-
Cassia	25	7	3	-	-	19	5	2	1	2
Clark	-	-	-	-	-	3	-	3	-	-
Clearwater	12	4	2	-	3	8	1	-	-	-
Custer	6	2	1	-	1	5	1	2	-	1
Elmore	19	6	1	2	1	19	5	1	1	-
Franklin	10	2	3	-	-	10	1	3	-	-
Fremont	12	3	1	-	-	8	1	-	1	1
Gem	23	7	1	-	1	23	6	5	2	1
Gooding	16	5	1	2	-	20	3	1	4	2
Idaho	24	4	-	4	2	26	7	5	2	2
Jefferson	16	3	2	3	-	9	1	1	1	1
Jerome	26	8	2	1	1	18	4	3	1	-
Kootenai	193	46	25	17	17	146	40	27	11	12
Latah	28	5	3	6	2	29	6	3	2	2
Lemhi	11	3	3	1	1	12	3	2	1	-
Lewis	7	2	-	-	-	6	6	-	-	-
Lincoln	3	-	-	1	-	3	1	-	-	-
Madison	10	2	2	-	-	15	1	2	2	3
Minidoka	20	6	2	1	2	10	1	1	-	1
Nez Perce	63	14	11	3	2	53	12	8	4	7
Oneida	5	1	-	1	1	4	-	1	-	1
Owyhee	10	2	-	1	-	11	2	2	1	-
Payette	29	10	2	3	-	23	9	2	1	6
Power	9	1	5	1	-	7	2	2	1	-
Shoshone	27	11	2	-	1	15	2	3	5	-
Teton	4	1	1	-	1	5	1	1	1	-
Twin Falls	83	18	11	9	8	73	16	14	8	4
Valley	11	2	2	1	-	6	-	-	1	-
Washington	20	8	5	1	2	13	3	2	2	1

Gender-specific Malignant neoplasm death rates: Number of deaths per gender per 100,000 population per gender.
See table for Malignant neoplasms deaths by leading site of cancer for the complete name of the cancer site.
All other causes not shown in this table.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2014

ICD-10 CODE(S)	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C00-C97	TOTAL MALIGNANT NEOPLASM DEATHS	2,790	1,518	1,272
C00-C14	LIP, ORAL CAVITY AND PHARYNX	42	29	13
C00	Lip	-	-	-
C01-C02	Tongue	14	11	3
C10-C13, C14.0	Pharynx	13	9	4
C03-C09, C14.2-C14.8	Other and unspecified sites within the lip, oral cavity, and pharynx	15	9	6
C15-C26	DIGESTIVE ORGANS	702	399	303
C15	Esophagus	84	69	15
C16	Stomach	46	28	18
C17	Small intestine	5	2	3
C18	Colon	182	92	90
C19-C20	Rectosigmoid junction and rectum	45	28	17
C21	Anus and anal canal	3	2	1
C22.0, C22.2-C22.9	Liver	75	57	18
C22.1	Intrahepatic bile duct	28	8	20
C23-C24	Gallbladder and extrahepatic bile ducts	18	6	12
C25	Pancreas	206	100	106
C26	Other and ill-defined digestive organs	10	7	3
C30-C39	RESPIRATORY AND INTRATHORACIC ORGANS	679	372	307
C30-C31	Nasal cavity, middle ear, and accessory sinuses	4	3	1
C32	Larynx	14	13	1
C33-C34	Trachea, bronchus, and lung	658	354	304
C37-C38	Thymus, heart, mediastinum, and pleura	3	2	1
C39	Other and ill-defined sites in the respiratory system and intrathoracic organs	-	-	-
C40-C41	BONE AND ARTICULAR CARTILAGE	7	7	-
C43-C44	MELANOMA AND OTHER MALIGNANT NEOPLASMS OF SKIN	89	60	29
C43	Melanoma of skin	61	42	19
C44	Other malignant neoplasms of skin	28	18	10
C45-C49	MESOTHELIAL AND SOFT TISSUE	38	20	18
C45	Mesothelioma	14	11	3
C46	Kaposi's sarcoma	-	-	-
C47-C49	Other mesothelial and soft tissue	24	9	15
C50	BREAST	195	3	192
C51-C58	FEMALE GENITAL ORGANS	134	-	134
C51-C52	Vulva and vagina	9	-	9
C53	Cervix uteri	17	-	17
C54-C55	Corpus uteri and uterus, part unspecified	41	-	41
C56	Ovary	62	-	62
C57	Other and unspecified female genital organs	5	-	5
C58	Placenta	-	-	-

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2014 (continued)

ICD-10 CODE(S)	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C60-C63	MALE GENITAL ORGANS	195	195	-
C61	Prostate	191	191	-
C62	Testis	4	4	-
C60, C63	Penis and other and unspecified male genital organs	-	-	-
C64-C68	URINARY TRACT	154	118	36
C64-C65	Kidney and renal pelvis	80	60	20
C67	Bladder	6	3	3
C66, C68	Other and unspecified sites within the urinary tract	68	55	13
C69	EYE AND ADNEXA	2	2	-
C70-C72	MENINGES, BRAIN, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	104	63	41
C71	Brain	103	62	41
C70, C72	Other parts of central nervous system	1	1	-
C73-C75	THYROID AND OTHER ENDOCRINE GLANDS	13	8	5
C76-C80, C97	OTHER MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	146	70	76
C81-C96	LYMPHOID, HEMATOPOIETIC, AND RELATED TISSUE	290	172	118
C81	Hodgkin's disease	3	1	2
C82-C85	Non-Hodgkin's lymphoma	118	70	48
C88	Malignant immunoproliferative diseases	1	1	-
C90	Multiple myeloma and malignant plasma cell neoplasms	50	28	22
C91	Lymphoid leukemia	31	19	12
C92	Myeloid leukemia	58	38	20
C93	Monocytic leukemia	1	-	1
C94-C95	Other and unspecified leukemia	28	15	13
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	-	-	-

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2014

RESIDENCE	TOTAL DEATHS	Malignant neoplasms	Diseases of heart	Chronic lower respiratory diseases	Accidents	Accidents (Unintentional Injuries)			Cerebro-vascular diseases
						Non-Transport Accidents	Motor Vehicle Accidents	Other Transport Accidents	
IDAHO	12,610	2,790	2,684	830	748	514	213	21	638
Rates	771.5	170.7	164.2	50.8	45.8	31.4	13.0	1.3	39.0
District 1	2,172	553	399	143	120	92	23	5	126
Rates	981.0	249.8	180.2	64.6	54.2	41.6	10.4	2.3	56.9
District 2	1,054	256	216	72	56	26	29	1	60
Rates	984.7	239.2	201.8	67.3	52.3	24.3	27.1	0.9	56.1
District 3	1,977	434	452	143	97	58	37	2	113
Rates	737.5	161.9	168.6	53.3	36.2	21.6	13.8	0.7	42.2
District 4	3,017	688	667	193	164	120	40	4	148
Rates	643.3	146.7	142.2	41.2	35.0	25.6	8.5	0.9	31.6
District 5	1,582	350	333	97	112	79	30	3	66
Rates	830.5	183.7	174.8	50.9	58.8	41.5	15.7	1.6	34.6
District 6	1,444	255	319	86	117	83	33	1	70
Rates	855.2	151.0	188.9	50.9	69.3	49.2	19.5	0.6	41.5
District 7	1,364	254	298	96	82	56	21	5	55
Rates	650.7	121.2	142.2	45.8	39.1	26.7	10.0	2.4	26.2
Ada	2,736	621	612	176	144	105	36	3	136
Adams	37	7	10	5	2	1	-	1	1
Bannock	707	117	139	38	53	36	16	1	37
Bear Lake	74	13	18	5	6	6	-	-	1
Benewah	130	31	18	15	11	10	1	-	4
Bingham	345	62	80	27	31	24	7	-	16
Blaine	120	31	17	5	8	7	1	-	8
Boise	45	12	11	6	1	-	-	1	2
Bonner	418	115	92	24	22	15	7	-	29
Bonneville	792	138	158	57	55	37	14	4	33
Boundary	121	26	21	7	10	7	3	-	6
Butte	31	7	8	4	3	2	1	-	-
Camas	5	3	2	-	-	-	-	-	-
Canyon	1,325	275	294	99	74	41	32	1	68
Caribou	57	11	12	2	1	1	-	-	6
Cassia	191	44	36	16	21	16	4	1	5
Clark	10	3	4	1	1	-	-	1	-
Clearwater	96	20	14	10	7	2	5	-	5
Custer	46	11	15	4	1	1	-	-	-
Elmore	172	38	32	10	13	10	3	-	7
Franklin	104	20	22	3	12	6	6	-	4
Fremont	96	20	23	7	3	2	1	-	4
Gem	212	46	38	16	11	9	2	-	16
Gooding	147	36	35	7	14	10	3	1	5
Idaho	205	50	46	21	12	8	4	-	6
Jefferson	138	25	27	9	6	2	4	-	4
Jerome	186	44	42	16	9	5	4	-	10
Kootenai	1,315	339	229	85	61	47	9	5	71
Latah	227	57	54	10	17	7	10	-	16
Lemhi	117	23	23	13	8	7	1	-	8
Lewis	42	13	15	2	1	-	1	-	2
Lincoln	29	6	1	1	5	2	3	-	1
Madison	126	25	39	4	6	6	-	-	3
Minidoka	160	30	33	7	12	9	3	-	7
Nez Perce	484	116	87	29	19	9	9	1	31
Oneida	49	9	18	1	7	6	1	-	3
Owyhee	84	21	20	5	3	2	1	-	5
Payette	204	52	56	14	3	2	1	-	13
Power	77	16	22	6	4	2	2	-	3
Shoshone	188	42	39	12	16	13	3	-	16
Teton	39	9	9	1	2	1	1	-	3
Twin Falls	744	156	167	45	43	30	12	1	30
Valley	64	17	12	1	6	5	1	-	3
Washington	115	33	34	4	4	3	1	-	10

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2014 (continued)

RESIDENCE	Diabetes mellitus	Alzheimer's disease	Intentional self-harm (suicide)	Influenza and pneumonia	Chronic liver disease and cirrhosis	Parkinson's disease	Essential hypertension and hypertensive renal disease	Assault (homicide)	Human immuno-deficiency virus (HIV) infection
IDAHO	408	376	320	203	196	154	142	37	11
Rates	25.0	23.0	19.6	12.4	12.0	9.4	8.7	2.3	0.7
District 1	96	55	53	36	26	20	31	6	2
Rates	43.4	24.8	23.9	16.3	11.7	9.0	14.0	2.7	0.9
District 2	25	22	33	24	16	12	18	4	-
Rates	23.4	20.6	30.8	22.4	14.9	11.2	16.8	3.7	-
District 3	57	66	35	21	31	28	17	9	3
Rates	21.3	24.6	13.1	7.8	11.6	10.4	6.3	3.4	1.1
District 4	69	110	85	33	50	48	29	5	2
Rates	14.7	23.5	18.1	7.0	10.7	10.2	6.2	1.1	0.4
District 5	31	51	42	38	21	18	14	8	1
Rates	16.3	26.8	22.0	19.9	11.0	9.4	7.3	4.2	0.5
District 6	67	38	36	31	27	14	11	4	2
Rates	39.7	22.5	21.3	18.4	16.0	8.3	6.5	2.4	1.2
District 7	63	34	36	20	25	14	22	1	1
Rates	30.1	16.2	17.2	9.5	11.9	6.7	10.5	0.5	0.5
Ada	58	103	77	27	44	47	25	3	2
Adams	-	2	1	1	1	-	-	-	-
Bannock	28	22	22	13	17	7	3	1	1
Bear Lake	7	2	1	5	1	-	2	-	1
Benewah	6	1	3	2	3	-	-	1	-
Bingham	17	8	6	4	8	5	3	2	-
Blaine	2	2	7	3	3	2	1	2	-
Boise	2	2	3	-	-	1	-	-	-
Bonner	18	14	7	6	8	2	9	-	1
Bonneville	41	18	18	10	19	10	17	-	1
Boundary	3	6	3	3	2	1	3	-	1
Butte	3	-	-	1	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	40	49	30	14	27	21	11	6	3
Caribou	2	-	2	1	-	-	1	-	-
Cassia	2	8	4	4	4	-	4	1	-
Clark	-	-	-	-	-	-	-	-	-
Clearwater	3	-	4	1	4	-	3	-	-
Custer	1	-	4	1	-	-	-	1	-
Elmore	6	4	5	2	5	-	3	2	-
Franklin	5	3	4	4	1	1	-	1	-
Fremont	8	7	1	-	2	-	3	-	-
Gem	9	5	-	-	2	3	3	-	-
Gooding	1	1	3	5	1	2	1	1	1
Idaho	4	4	5	6	1	2	3	-	-
Jefferson	2	4	6	4	2	1	2	-	-
Jerome	4	10	6	3	3	1	1	-	-
Kootenai	62	29	33	23	11	17	18	5	-
Latah	4	6	7	4	3	1	2	-	-
Lemhi	2	3	2	2	2	1	-	-	-
Lewis	2	-	-	1	-	-	-	1	-
Lincoln	-	1	-	-	-	-	-	-	-
Madison	8	2	3	3	-	2	-	-	-
Minidoka	11	2	2	6	2	1	5	-	-
Nez Perce	12	12	17	12	8	9	10	3	-
Oneida	1	-	-	1	-	1	1	-	-
Owyhee	3	5	-	2	-	2	2	-	-
Payette	2	5	4	2	-	2	1	3	-
Power	4	3	1	2	-	-	1	-	-
Shoshone	7	5	7	2	2	-	1	-	-
Teton	1	-	2	-	-	-	-	-	-
Twin Falls	11	27	20	17	8	12	2	4	-
Valley	3	1	-	4	1	-	1	-	-
Washington	3	-	-	2	1	-	-	-	-

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
TOTAL, ALL CAUSES	A01-Y99	T	12,610	126	20	19	32	52	100	231	346	714	1,544	2,319	3,093	4,012	2
		F	6,117	59	9	12	9	21	28	80	129	293	607	993	1,471	2,405	1
		M	6,493	67	11	7	23	31	72	151	217	421	937	1,326	1,622	1,607	1
# Salmonella infections	A01-A02	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Shigellosis and amebiasis	A03, A06	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections	A04, A07-A09	T	41	1	-	-	-	-	-	-	-	2	4	5	13	16	-
		F	27	1	-	-	-	-	-	-	-	-	2	2	8	14	-
		M	14	-	-	-	-	-	-	-	-	2	2	3	5	2	-
# Enterocolitis due to *Clostridium difficile*	A04.7	T	23	-	-	-	-	-	-	-	-	1	2	5	6	9	-
		F	16	-	-	-	-	-	-	-	-	-	2	2	4	8	-
		M	7	-	-	-	-	-	-	-	-	1	-	3	2	1	-
# Tuberculosis	A16-A19	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	A16	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis	A17-A19	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Whooping cough	A37	T	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Scarlet fever and erysipelas	A38, A46	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Meningococcal infection	A39	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Septicemia	A40-A41	T	88	-	-	-	-	-	1	-	3	7	14	19	18	26	-
		F	42	-	-	-	-	-	1	-	1	3	6	8	10	13	-
		M	46	-	-	-	-	-	-	-	2	4	8	11	8	13	-
# Syphilis	A50-A53	T	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Acute poliomyelitis	A80	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Arthropod-borne viral encephalitis	A83-A84, A85.2	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Measles	B05	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Viral hepatitis	B15-B19	T	48	-	-	-	-	-	-	-	3	6	33	2	3	1	-
			F	15	-	-	-	-	-	-	-	1	2	10	1	1	-	-
			M	33	-	-	-	-	-	-	-	2	4	23	1	2	1	-
#	Human immunodeficiency virus (HIV) disease	B20-B24	T	11	-	-	-	-	-	-	-	2	2	7	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	11	-	-	-	-	-	-	-	2	2	7	-	-	-	-
#	Malaria	B50-B54	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other and unspecified infectious and parasitic diseases and their sequelae	See footnote 1	T	23	-	2	-	-	-	-	-	-	-	4	5	4	8	-
			F	13	-	1	-	-	-	-	-	-	-	1	2	4	5	-
			M	10	-	1	-	-	-	-	-	-	-	3	3	-	3	-
	West Nile Fever	A92.3	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Malignant neoplasms (cancer)	C00-C97	T	2,790	1	-	2	4	2	5	27	42	183	481	816	747	479	1
			F	1,272	1	-	1	1	-	1	11	31	98	218	347	338	224	1
			M	1,518	-	-	1	3	2	4	16	11	85	263	469	409	255	-
	Lip, oral cavity and pharynx	C00-C14	T	42	-	-	-	-	-	-	-	-	5	8	12	12	5	-
			F	13	-	-	-	-	-	-	-	-	-	1	3	5	4	-
			M	29	-	-	-	-	-	-	-	-	5	7	9	7	1	-
	Esophagus	C15	T	84	-	-	-	-	-	-	-	-	9	14	31	20	10	-
			F	15	-	-	-	-	-	-	-	-	1	1	4	6	3	-
			M	69	-	-	-	-	-	-	-	-	8	13	27	14	7	-
	Stomach	C16	T	46	-	-	-	-	-	-	1	1	9	7	10	12	6	-
			F	18	-	-	-	-	-	-	1	1	5	2	3	4	2	-
			M	28	-	-	-	-	-	-	-	-	4	5	7	8	4	-
	Colon, rectum and anus	C18-C21	T	230	-	-	-	-	-	-	1	6	21	50	64	52	36	-
			F	108	-	-	-	-	-	-	-	3	11	20	28	29	17	-
			M	122	-	-	-	-	-	-	1	3	10	30	36	23	19	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. Other and unspecified infectious and parasitic diseases and their sequelae: A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
Liver and intrahepatic bile ducts	C22	T	103	-	-	-	-	-	-	-	-	3	38	30	24	8	-
		F	38	-	-	-	-	-	-	-	-	2	7	15	9	5	-
		M	65	-	-	-	-	-	-	-	-	1	31	15	15	3	-
Pancreas	C25	T	206	-	-	-	-	-	-	1	5	15	39	66	55	25	-
		F	106	-	-	-	-	-	-	-	4	8	13	31	32	18	-
		M	100	-	-	-	-	-	-	1	1	7	26	35	23	7	-
Larynx	C32	T	14	-	-	-	-	-	-	-	-	1	5	3	3	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	13	-	-	-	-	-	-	-	-	1	5	2	3	2	-
Trachea, bronchus and lung	C33-C34	T	658	-	-	-	-	-	-	1	4	34	114	237	188	80	-
		F	304	-	-	-	-	-	-	-	3	18	56	108	80	39	-
		M	354	-	-	-	-	-	-	1	1	16	58	129	108	41	-
Malignant melanoma of skin	C43	T	61	-	-	-	-	-	-	3	1	2	15	19	13	8	-
		F	19	-	-	-	-	-	-	-	1	1	4	4	7	2	-
		M	42	-	-	-	-	-	-	3	-	1	11	15	6	6	-
Breast	C50	T	195	-	-	-	-	-	-	2	8	25	40	38	42	39	1
		F	192	-	-	-	-	-	-	2	8	25	39	38	42	37	1
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Cervix uteri	C53	T	17	-	-	-	-	-	-	1	3	3	6	2	2	-	-
		F	17	-	-	-	-	-	-	1	3	3	6	2	2	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Corpus uteri and uterus, part unspecified	C54-C55	T	41	-	-	-	-	-	-	1	2	2	10	16	5	5	-
		F	41	-	-	-	-	-	-	1	2	2	10	16	5	5	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovary	C56	T	62	-	-	-	-	-	-	-	-	3	13	23	13	10	-
		F	62	-	-	-	-	-	-	-	-	3	13	23	13	10	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prostate	C61	T	191	-	-	-	-	-	-	-	-	2	12	55	53	69	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	191	-	-	-	-	-	-	-	-	2	12	55	53	69	-
Kidney and renal pelvis	C64-C65	T	80	-	-	-	1	1	-	-	-	7	15	24	20	12	-
		F	20	-	-	-	1	-	-	-	-	1	5	5	6	2	-
		M	60	-	-	-	-	1	-	-	-	6	10	19	14	10	-
Bladder	C67	T	68	-	-	-	-	-	-	-	-	1	7	12	20	28	-
		F	13	-	-	-	-	-	-	-	-	1	1	2	1	8	-
		M	55	-	-	-	-	-	-	-	-	-	6	10	19	20	-
Meninges, brain and other parts of central nervous system	C70-C72	T	104	-	-	1	2	-	-	5	4	11	26	26	19	10	-
		F	41	-	-	1	-	-	-	1	1	5	13	9	7	4	-
		M	63	-	-	-	2	-	-	4	3	6	13	17	12	6	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
Lymphoid, hematopoietic and related tissue	C81-C96	T	290	-	-	1	-	-	3	2	3	11	29	79	95	67	-
		F	118	-	-	-	-	-	-	1	1	4	12	26	42	32	-
		M	172	-	-	1	-	-	3	1	2	7	17	53	53	35	-
Hodgkin's disease	C81	T	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Non-Hodgkin's lymphoma	C82-C85	T	118	-	-	-	-	-	1	-	1	1	6	38	38	33	-
		F	48	-	-	-	-	-	-	-	-	-	3	13	17	15	-
		M	70	-	-	-	-	-	1	-	1	1	3	25	21	18	-
Leukemia	C91-C95	T	118	-	-	1	-	-	2	2	2	6	14	32	34	25	-
		F	46	-	-	-	-	-	-	1	1	2	5	8	16	13	-
		M	72	-	-	1	-	-	2	1	1	4	9	24	18	12	-
Multiple myeloma and immunoproliferative neoplasms	C88, C90	T	51	-	-	-	-	-	-	-	-	4	9	8	21	9	-
		F	22	-	-	-	-	-	-	-	-	2	4	4	8	4	-
		M	29	-	-	-	-	-	-	-	-	2	5	4	13	5	-
Other and unspecified malignant neoplasms of lymphoid, hematopoietic & related tissue	C96	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other & unspecified malignant neoplasms	See footnote 1	T	298	1	-	-	1	1	2	9	5	19	33	69	99	59	-
		F	146	1	-	-	-	-	1	4	4	8	15	29	48	36	-
		M	152	-	-	-	1	1	1	5	1	11	18	40	51	23	-
# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	T	50	-	-	-	-	-	1	-	-	1	3	6	17	22	-
		F	25	-	-	-	-	-	1	-	-	1	1	2	5	15	-
		M	25	-	-	-	-	-	-	-	-	-	2	4	12	7	-
# Anemias	D50-D64	T	16	-	-	-	-	-	-	-	-	1	-	2	4	9	-
		F	14	-	-	-	-	-	-	-	-	1	-	2	3	8	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
# Diabetes mellitus	E10-E14	T	408	-	-	-	-	1	1	4	11	23	66	116	110	76	-
		F	195	-	-	-	-	1	-	3	4	10	23	55	58	41	-
		M	213	-	-	-	-	-	1	1	7	13	43	61	52	35	-
# Nutritional deficiencies	E40-E64	T	24	-	-	-	-	-	-	1	1	-	-	2	5	15	-
		F	16	-	-	-	-	-	-	-	-	-	-	2	2	12	-
		M	8	-	-	-	-	-	-	1	1	-	-	-	3	3	-
Malnutrition	E40-E46	T	24	-	-	-	-	-	-	1	1	-	-	2	5	15	-
		F	16	-	-	-	-	-	-	-	-	-	-	2	2	12	-
		M	8	-	-	-	-	-	-	1	1	-	-	-	3	3	-
Other nutritional deficiencies	E50-E64	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. All other and unspecified malignant neoplasms: C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
# Meningitis	G00, G03	T	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
# Parkinson's disease	G20-G21	T	154	-	-	-	-	-	-	-	-	1	4	17	83	49	-
		F	69	-	-	-	-	-	-	-	-	-	2	6	38	23	-
		M	85	-	-	-	-	-	-	-	-	1	2	11	45	26	-
# Alzheimer's disease	G30	T	376	-	-	-	-	-	-	-	-	-	7	22	137	210	-
		F	264	-	-	-	-	-	-	-	-	-	5	13	89	157	-
		M	112	-	-	-	-	-	-	-	-	-	2	9	48	53	-
Major cardiovascular diseases	I00-I78	T	3,570	-	-	-	2	1	5	19	56	154	373	567	887	1,506	-
		F	1,696	-	-	-	1	1	2	5	15	54	117	210	394	897	-
		M	1,874	-	-	-	1	-	3	14	41	100	256	357	493	609	-
# Diseases of heart	I00-I09, I11, I13, I20-I51	T	2,684	-	-	-	2	1	3	17	43	123	306	428	659	1,102	-
		F	1,208	-	-	-	1	1	-	5	12	41	86	149	280	633	-
		M	1,476	-	-	-	1	-	3	12	31	82	220	279	379	469	-
Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09	T	32	-	-	-	-	-	-	-	-	1	2	7	9	13	-
		F	23	-	-	-	-	-	-	-	-	1	1	5	6	10	-
		M	9	-	-	-	-	-	-	-	-	-	1	2	3	3	-
Hypertensive heart disease	I11	T	143	-	-	-	-	-	-	1	5	14	12	16	25	70	-
		F	88	-	-	-	-	-	-	-	2	4	4	6	18	54	-
		M	55	-	-	-	-	-	-	1	3	10	8	10	7	16	-
Hypertensive heart and renal disease	I13	T	25	-	-	-	-	-	-	1	1	-	3	3	5	12	-
		F	15	-	-	-	-	-	-	-	1	-	-	3	3	8	-
		M	10	-	-	-	-	-	-	1	-	-	3	-	2	4	-
Ischemic heart diseases	I20-I25	T	1,454	-	-	-	-	-	2	4	18	74	209	276	386	485	-
		F	532	-	-	-	-	-	-	1	4	23	50	78	126	250	-
		M	922	-	-	-	-	-	2	3	14	51	159	198	260	235	-
Acute myocardial infarction	I21-I22	T	675	-	-	-	-	-	-	-	13	40	146	164	149	163	-
		F	236	-	-	-	-	-	-	-	2	16	38	47	46	87	-
		M	439	-	-	-	-	-	-	-	11	24	108	117	103	76	-
Other acute ischemic heart diseases	I24	T	14	-	-	-	-	-	-	-	-	1	3	2	5	3	-
		F	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-
		M	10	-	-	-	-	-	-	-	-	1	3	-	5	1	-
Other forms of chronic ischemic heart disease	I20, I25	T	765	-	-	-	-	-	2	4	5	33	60	110	232	319	-
		F	292	-	-	-	-	-	-	1	2	7	12	29	80	161	-
		M	473	-	-	-	-	-	2	3	3	26	48	81	152	158	-
Atherosclerotic cardiovascular disease, so described	I25.0	T	81	-	-	-	-	-	-	2	-	5	9	12	21	32	-
		F	30	-	-	-	-	-	-	-	-	1	2	3	7	17	-
		M	51	-	-	-	-	-	-	2	-	4	7	9	14	15	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
All other forms of chronic ischemic heart disease	I20, I25.1-I25.9	T	684	-	-	-	-	-	2	2	5	28	51	98	211	287	-
		F	262	-	-	-	-	-	-	1	2	6	10	26	73	144	-
		M	422	-	-	-	-	-	2	1	3	22	41	72	138	143	-
Other heart diseases	I26-I51	T	1,030	-	-	-	2	1	1	11	19	34	80	126	234	522	-
		F	550	-	-	-	1	1	-	4	5	13	31	57	127	311	-
		M	480	-	-	-	1	-	1	7	14	21	49	69	107	211	-
Acute and subacute endocarditis	I33	T	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of pericardium and acute myocarditis	I30-I31, I40	T	4	-	-	-	-	-	1	-	-	-	2	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Heart failure	I50	T	302	-	-	-	-	-	-	1	1	1	13	27	62	197	-
		F	173	-	-	-	-	-	-	-	1	1	9	11	29	122	-
		M	129	-	-	-	-	-	-	1	-	-	4	16	33	75	-
All other forms of heart disease	I26-I28, I34-I38, I42-I49, I51	T	722	-	-	-	2	1	-	10	17	33	64	98	172	325	-
		F	376	-	-	-	1	1	-	4	4	12	22	45	98	189	-
		M	346	-	-	-	1	-	-	6	13	21	42	53	74	136	-
# Essential hypertension and hypertensive renal disease	I10, I12, I15	T	142	-	-	-	-	-	-	-	1	4	9	15	31	82	-
		F	86	-	-	-	-	-	-	-	-	3	4	9	17	53	-
		M	56	-	-	-	-	-	-	-	1	1	5	6	14	29	-
# Cerebrovascular diseases	I60-I69	T	638	-	-	-	-	-	2	-	9	26	46	105	165	285	-
		F	356	-	-	-	-	-	2	-	3	10	23	44	81	193	-
		M	282	-	-	-	-	-	-	-	6	16	23	61	84	92	-
# Atherosclerosis	I70	T	11	-	-	-	-	-	-	-	-	1	-	1	5	4	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	2	2	-
Other diseases of circulatory system	I71-I78	T	95	-	-	-	-	-	-	2	3	-	12	18	27	33	-
		F	40	-	-	-	-	-	-	-	-	-	4	7	13	16	-
		M	55	-	-	-	-	-	-	2	3	-	8	11	14	17	-
# Aortic aneurysm and dissection	I71	T	54	-	-	-	-	-	-	2	3	-	5	9	14	21	-
		F	17	-	-	-	-	-	-	-	-	-	2	2	6	7	-
		M	37	-	-	-	-	-	-	2	3	-	3	7	8	14	-
Other diseases of arteries, arterioles and capillaries	I72-I78	T	41	-	-	-	-	-	-	-	-	-	7	9	13	12	-
		F	23	-	-	-	-	-	-	-	-	-	2	5	7	9	-
		M	18	-	-	-	-	-	-	-	-	-	5	4	6	3	-
Other disorders of circulatory system	I80-I99	T	19	-	-	-	-	1	-	2	4	2	2	2	-	6	-
		F	8	-	-	-	-	1	-	-	1	1	2	-	-	3	-
		M	11	-	-	-	-	-	-	2	3	1	-	2	-	3	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Influenza and pneumonia	J09-J18	T	203	-	1	1	-	-	1	3	5	7	20	31	34	100	-
			F	103	-	-	1	-	-	-	2	1	1	10	19	14	55	-
			M	100	-	1	-	-	-	1	1	4	6	10	12	20	45	-
	Influenza	J09-J11	T	18	-	-	-	-	-	-	1	-	3	8	3	3	-	-
			F	12	-	-	-	-	-	-	1	-	1	4	3	3	-	-
			M	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-
	Pneumonia	J12-J18	T	185	-	1	1	-	-	1	2	5	4	12	28	31	100	-
			F	91	-	-	1	-	-	-	1	1	-	6	16	11	55	-
			M	94	-	1	-	-	-	1	1	4	4	6	12	20	45	-
	Other acute lower respiratory infections	J20-J22, U04	T	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
#	Acute bronchitis and bronchiolitis	J20-J21	T	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	Other and unspecified acute lower respiratory infections	J22, U04	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Chronic lower respiratory diseases	J40-J47	T	830	-	-	-	1	-	-	2	-	22	110	234	266	195	-
			F	413	-	-	-	-	-	-	1	-	13	49	115	128	107	-
			M	417	-	-	-	1	-	-	1	-	9	61	119	138	88	-
	Bronchitis, chronic and unspecified	J40-J42	T	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-
	Emphysema	J43	T	62	-	-	-	-	-	-	-	-	1	6	22	19	14	-
			F	26	-	-	-	-	-	-	-	-	1	1	10	6	8	-
			M	36	-	-	-	-	-	-	-	-	-	5	12	13	6	-
	Asthma	J45-J46	T	23	-	-	-	1	-	-	2	-	3	2	4	6	5	-
			F	12	-	-	-	-	-	-	1	-	1	-	2	5	3	-
			M	11	-	-	-	1	-	-	1	-	2	2	2	1	2	-
	Other chronic lower respiratory diseases	J44, J47	T	742	-	-	-	-	-	-	-	-	18	101	207	241	175	-
			F	375	-	-	-	-	-	-	-	-	11	48	103	117	96	-
			M	367	-	-	-	-	-	-	-	-	7	53	104	124	79	-
#	Pneumoconioses and chemical effects	J60-J66, J68	T	5	-	-	-	-	-	-	-	-	-	1	-	4	-	-
			F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			M	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-
#	Pneumonitis due to solids and liquids	J69	T	101	-	-	-	-	-	-	1	-	2	6	17	25	50	-
			F	47	-	-	-	-	-	-	-	-	1	3	11	16	16	-
			M	54	-	-	-	-	-	-	1	-	1	3	6	9	34	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
Other diseases of respiratory system	J00-J06, J30-J39, J67, J70-J98	T	178	2	-	-	-	-	-	2	4	5	14	33	65	53	-
		F	74	1	-	-	-	-	-	-	3	1	7	9	25	28	-
		M	104	1	-	-	-	-	-	2	1	4	7	24	40	25	-
# Peptic ulcer	K25-K28	T	24	-	-	-	-	-	-	1	-	1	3	4	8	7	-
		F	12	-	-	-	-	-	-	-	-	-	2	3	3	4	-
		M	12	-	-	-	-	-	-	1	-	1	1	1	5	3	-
# Diseases of appendix	K35-K38	T	4	-	-	-	-	-	-	-	1	-	-	2	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-
# Hernia	K40-K46	T	13	-	-	-	-	-	-	-	-	1	1	-	2	9	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	2	6	-
		M	5	-	-	-	-	-	-	-	-	1	1	-	-	3	-
# Chronic liver disease and cirrhosis	K70, K73-K74	T	196	-	-	-	-	-	-	5	12	50	62	40	16	10	1
		F	64	-	-	-	-	-	-	2	2	14	19	14	9	4	-
		M	132	-	-	-	-	-	-	3	10	36	43	26	7	6	1
Alcoholic liver disease	K70	T	152	-	-	-	-	-	-	5	11	43	56	30	5	1	1
		F	37	-	-	-	-	-	-	2	2	11	16	5	1	-	-
		M	115	-	-	-	-	-	-	3	9	32	40	25	4	1	1
Other chronic liver disease and cirrhosis	K73-K74	T	44	-	-	-	-	-	-	-	1	7	6	10	11	9	-
		F	27	-	-	-	-	-	-	-	-	3	3	9	8	4	-
		M	17	-	-	-	-	-	-	-	1	4	3	1	3	5	-
# Cholelithiasis and other disorders of gallbladder	K80-K82	T	18	-	-	-	-	-	-	-	1	-	1	2	5	9	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	1	6	-
		M	10	-	-	-	-	-	-	-	1	-	1	1	4	3	-
# Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	T	137	-	-	-	-	-	-	-	2	2	8	17	42	66	-
		F	66	-	-	-	-	-	-	-	2	-	2	8	19	35	-
		M	71	-	-	-	-	-	-	-	-	2	6	9	23	31	-
Acute and rapidly progressive nephritic and nephrotic syndrome	N00-N01, N04	T	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified	N02-N03, N05-N07, N26	T	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Renal failure	N17-N19	T	131	-	-	-	-	-	-	-	2	2	8	17	39	63	-
		F	65	-	-	-	-	-	-	-	2	-	2	8	19	34	-
		M	66	-	-	-	-	-	-	-	-	2	6	9	20	29	-
Other disorders of kidney	N25, N27	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Infections of kidney	N10-N12, N13.6, N15.1	T	5	-	-	-	-	-	-	1	-	-	1	2	-	1	-
			F	5	-	-	-	-	-	-	1	-	-	1	2	-	1	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Hyperplasia of prostate	N40	T	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
#	Inflammatory diseases of female pelvic organs	N70-N76	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Pregnancy, childbirth and the puerperium	O00-O99	T	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-
			F	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pregnancy with abortive outcome	O00-O07	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other complications of pregnancy, childbirth and the puerperium	O10-O95, O98-O99	T	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
			F	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Maternal causes more than 42 days after delivery or termination of pregnancy	O96-O97	T	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
			F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Certain conditions originating in the perinatal period	P00-P96	T	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	T	61	31	-	4	1	1	1	6	1	-	6	2	3	5	-
			F	30	15	-	3	1	1	1	4	-	-	3	-	-	2	-
			M	31	16	-	1	-	-	-	2	1	-	3	2	3	3	-
	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99	T	193	21	1	-	1	1	3	4	1	4	-	5	23	129	-
			F	112	6	1	-	-	1	-	-	-	2	-	1	9	92	-
			M	81	15	-	-	1	-	3	4	1	2	-	4	14	37	-
	Sudden infant death syndrome	R95	T	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99	T	179	7	1	-	1	1	3	4	1	4	-	5	23	129	-
			F	107	1	1	-	-	1	-	-	-	2	-	1	9	92	-
			M	72	6	-	-	1	-	3	4	1	2	-	4	14	37	-
	All other diseases (residual)	All other A00-N99	T	1,790	3	1	2	1	4	4	11	39	70	163	249	443	800	-
			F	1,064	2	1	1	1	2	2	5	19	29	73	119	251	559	-
			M	726	1	-	1	-	2	2	6	20	41	90	130	192	241	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
# Accidents (unintentional injuries)	V01-X59, Y85-Y86	T	748	6	13	8	12	22	39	81	77	94	87	73	105	131	-
		F	300	3	5	4	4	8	12	28	24	38	33	30	36	75	-
		M	448	3	8	4	8	14	27	53	53	56	54	43	69	56	-
Transport accidents	V01-V99, Y85	T	234	-	9	5	8	12	21	34	29	32	29	23	25	7	-
		F	74	-	3	2	4	7	6	7	7	12	7	10	6	3	-
		M	160	-	6	3	4	5	15	27	22	20	22	13	19	4	-
Motor vehicle accidents	See footnote 1	T	213	-	9	5	8	12	18	33	23	27	27	21	23	7	-
		F	70	-	3	2	4	7	6	7	7	11	6	9	5	3	-
		M	143	-	6	3	4	5	12	26	16	16	21	12	18	4	-
Other land transport accidents	See footnote 2	T	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Water, air and space, other and unspecified transport accidents and their sequelae	V90-V99, Y85	T	19	-	-	-	-	-	3	1	5	5	1	2	2	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-
		M	16	-	-	-	-	-	3	1	5	4	1	1	1	-	-
Nontransport accidents	W00-X59, Y86	T	514	6	4	3	4	10	18	47	48	62	58	50	80	124	-
		F	226	3	2	2	-	1	6	21	17	26	26	20	30	72	-
		M	288	3	2	1	4	9	12	26	31	36	32	30	50	52	-
Falls	W00-W19	T	229	-	-	-	-	1	-	2	3	8	14	29	67	105	-
		F	114	-	-	-	-	-	-	1	1	2	6	13	28	63	-
		M	115	-	-	-	-	1	-	1	2	6	8	16	39	42	-
Accidental discharge of firearms	W32-W34	T	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Accidental drowning and submersion	W65-W74	T	27	-	1	2	-	1	1	4	3	3	6	3	3	-	-
		F	4	-	1	1	-	-	-	1	-	-	-	1	-	-	-
		M	23	-	-	1	-	1	1	3	3	3	6	2	3	-	-
Accidental exposure to smoke, fire and flames	X00-X09	T	10	-	2	-	-	-	-	2	1	1	2	2	-	-	-
		F	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
		M	6	-	2	-	-	-	-	-	1	-	1	2	-	-	-
Accidental poisoning and exposure to noxious substances	X40-X49	T	163	-	-	-	1	6	13	35	36	40	25	5	2	-	-
		F	81	-	-	-	-	1	6	16	15	22	17	3	1	-	-
		M	82	-	-	-	1	5	7	19	21	18	8	2	1	-	-
Other and unspecified nontransport accidents and their sequelae	See footnote 3	T	82	6	1	1	3	2	3	3	5	9	11	11	8	19	-
		F	22	3	1	1	-	-	-	-	1	1	2	3	1	9	-
		M	60	3	-	-	3	2	3	3	4	8	9	8	7	10	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. Motor vehicle ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
2. Other land transport accidents ICD-10 codes: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.
3. Other and unspecified nontransport accidents and their sequelae ICD-10 codes: W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Intentional self-harm (suicide)	U03, X60-X84, Y87.0	T	320	-	-	-	9	16	28	47	60	58	55	19	15	13	-
			F	80	-	-	-	1	4	4	13	16	19	15	6	2	-	-
			M	240	-	-	-	8	12	24	34	44	39	40	13	13	13	-
	Discharge of firearms	X72-X74	T	182	-	-	-	7	6	16	24	24	31	34	13	14	13	-
			F	29	-	-	-	-	1	2	5	3	6	9	2	1	-	-
			M	153	-	-	-	7	5	14	19	21	25	25	11	13	13	-
	Other and unspecified means and their sequelae	U03, X60-X71, X75-X84, Y87.0	T	138	-	-	-	2	10	12	23	36	27	21	6	1	-	-
			F	51	-	-	-	1	3	2	8	13	13	6	4	1	-	-
			M	87	-	-	-	1	7	10	15	23	14	15	2	-	-	-
#	Assault (homicide)	U01-U02, X85-Y09, Y87.1	T	37	1	2	2	1	1	7	6	9	4	2	1	1	-	-
			F	14	-	1	2	-	1	2	2	2	-	2	1	1	-	-
			M	23	1	1	-	1	-	5	4	7	4	-	-	-	-	-
	Discharge of firearms	U01.4, X93-X95	T	20	-	-	1	1	1	3	6	5	2	-	-	1	-	-
			F	6	-	-	1	-	1	-	2	1	-	-	-	1	-	-
			M	14	-	-	-	1	-	3	4	4	2	-	-	-	-	-
	Other and unspecified means and their sequelae	See footnote 1	T	17	1	2	1	-	-	4	-	4	2	2	1	-	-	-
			F	8	-	1	1	-	-	2	-	1	-	2	1	-	-	-
			M	9	1	1	-	-	-	2	-	3	2	-	-	-	-	-
#	Legal intervention	Y35, Y89.0	T	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
			F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			M	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	Events of undetermined intent	Y10-Y34, Y87.2, Y89.9	T	33	1	-	-	-	2	3	3	7	9	3	5	-	-	-
			F	11	-	-	-	-	1	1	1	2	3	1	2	-	-	-
			M	22	1	-	-	-	1	2	2	5	6	2	3	-	-	-
	Discharge of firearms	Y22-Y24	T	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
			F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Other and unspecified events of undetermined intent and their sequelae	Y10-Y21, Y25-Y34, Y87.2 Y89.9	T	30	1	-	-	-	2	3	3	6	8	3	4	-	-	-
			F	10	-	-	-	-	1	1	1	2	2	1	2	-	-	-
			M	20	1	-	-	-	1	2	2	4	6	2	2	-	-	-
	Poisoning and exposure to noxious substances	Y10-Y19	T	23	-	-	-	-	2	2	1	6	6	3	3	-	-	-
			F	9	-	-	-	-	1	-	1	2	2	1	2	-	-	-
			M	14	-	-	-	-	1	2	-	4	4	2	1	-	-	-
#	Operations of war and their sequelae[2]	Y36, Y89.1	T	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
#	Complications of medical and surgical care	Y40-Y84, Y88	T	17	-	-	-	-	-	-	-	2	2	2	2	6	3	-
			F	9	-	-	-	-	-	-	-	2	1	-	1	3	2	-
			M	8	-	-	-	-	-	-	-	-	1	2	1	3	1	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. Assault (homicide) by other and unspecified means and their sequelae ICD-10 codes: U01.1-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1.
2. Operations of war and their sequelae includes deaths due to late effects of injury of war; this category does not include Idaho resident deaths occurring overseas during military activities.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Total Accidents (unintentional injuries)	V01-X59, Y85-Y86	T	748	6	13	8	12	22	39	81	77	94	87	73	105	131
		F	300	3	5	4	4	8	12	28	24	38	33	30	36	75
		M	448	3	8	4	8	14	27	53	53	56	54	43	69	56
Total Transport accidents	V01-V99, Y85	T	234	-	9	5	8	12	21	34	29	32	29	23	25	7
		F	74	-	3	2	4	7	6	7	7	12	7	10	6	3
		M	160	-	6	3	4	5	15	27	22	20	22	13	19	4
Total motor vehicle accidents	See footnote 1	T	213	-	9	5	8	12	18	33	23	27	27	21	23	7
		F	70	-	3	2	4	7	6	7	7	11	6	9	5	3
		M	143	-	6	3	4	5	12	26	16	16	21	12	18	4
Pedestrian involved in collision with motor vehicle	V02-V04	T	21	-	4	-	1	-	2	-	3	-	2	4	4	1
		F	5	-	1	-	-	-	-	-	1	-	-	1	1	1
		M	16	-	3	-	1	-	2	-	2	-	2	3	3	-
Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6	T	2	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V29	T	23	-	-	-	1	-	1	3	3	6	6	1	2	-
		F	3	-	-	-	-	-	1	-	-	1	1	-	-	-
		M	20	-	-	-	1	-	-	3	3	5	5	1	2	-
Motorcyclist involved in collision with railway train	V25	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle, except collision with railway train	V30-V34, V36-V39	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle involved in collision with railway train	V35	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with railway train	See footnote 2	T	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with fixed object	See footnote 3	T	16	-	-	-	-	-	-	3	2	1	1	3	3	3
		F	4	-	-	-	-	-	-	-	1	-	1	1	-	1
		M	12	-	-	-	-	-	-	3	1	1	-	2	3	2
Occupant of motor vehicle involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59	T	46	-	3	3	1	3	2	4	5	6	5	9	4	1
		F	22	-	1	1	1	1	1	2	3	4	2	4	2	-
		M	24	-	2	2	-	2	1	2	2	2	3	5	2	1
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78	T	59	-	2	1	1	5	8	17	5	6	8	1	4	1
		F	20	-	1	1	1	5	1	4	2	3	1	1	-	-
		M	39	-	1	-	-	-	7	13	3	3	7	-	4	1

1. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
2. Motor vehicle accident involving collision with railway train: V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6.
3. Occupant of motor vehicle involved in collision with other object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object): V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Occupant of special vehicle mainly used on industrial premises	V83	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special vehicle mainly used in agriculture	V84	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special construction vehicle	V85	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant or rider of special all-terrain or motor vehicle designed for off-road use[1]	V86	T	21	-	-	1	2	-	1	3	3	3	2	1	4	1
		F	4	-	-	-	-	-	-	1	-	1	-	-	1	1
		M	17	-	-	1	2	-	1	2	3	2	2	1	3	-
ATV or 4-wheeled vehicle	V86	T	16	-	-	1	1	-	1	2	-	3	2	1	4	1
		F	4	-	-	-	-	-	-	1	-	1	-	-	1	1
		M	12	-	-	1	1	-	1	1	-	2	2	1	3	-
Snowmobile or snow machine (not including avalanche)	V86	T	3	-	-	-	1	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	2	-	-	-	-	-
Unspecified all-terrain vehicle	V86	T	2	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Other and unspecified motor vehicle accident	See footnote 2	T	24	-	-	-	1	3	4	3	2	4	3	2	2	-
		F	11	-	-	-	1	1	3	-	-	2	1	2	1	-
		M	13	-	-	-	-	2	1	3	2	2	2	-	1	-
Pedestrian injury with other or unspecified motor vehicle accident	V09.0, V09.2	T	3	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Animal rider or occupant of animal-drawn vehicle in collision with motor vehicle or other or unspecified motor vehicle	V80.3-V80.5	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified motor vehicle accident	Residual See footnote 2	T	21	-	-	-	1	3	4	2	1	3	3	2	2	-
		F	10	-	-	-	1	1	3	-	-	1	1	2	1	-
		M	11	-	-	-	-	2	1	2	1	2	2	-	1	-
Total Other land transport accidents	See footnote 3	T	2	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Railway accidents (not with motor vehicle)	V05, V15, V80.6, V81.2-V81.9	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pedestrian with train	V05	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-

1. Death records with ICD-10 code V86 are reviewed for literal cause of injury and death and are sub-categorized as ATV or 4-wheeled vehicle, snowmobile or snow machine, or unspecified.
2. Other and unspecified motor vehicle accidents: V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2.
3. Other and unspecified land transport accidents: V01, V05, V06, V09.1, V09.3, V09.9, V10-V11, V15, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6, V80.7-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Pedal cyclist with train	V15	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other railway accident (not with motor vehicle, pedestrian, or pedal cyclist)	V80.6, V81.2-V81.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streetcar accident (not with motor vehicle)	V82.2-V82.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (not with motor vehicle or train)	V01, V06, V09.1, V09.3, V09.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist (not with motor vehicle or train)	V10-V11, V16-V18, V19.3, V19.8-V19.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rider of animal or occupant of animal-drawn vehicle (not with motor vehicle or train)	V80-V80.2, V80.7-V80.9	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in other specified transport accidents	V87.9, V88.3	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified nonmotor-vehicle accident	V89.1, V89.3	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident	V89.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	T	19	-	-	-	-	-	3	1	5	5	1	2	2	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-
		M	16	-	-	-	-	-	3	1	5	4	1	1	1	-
Water transport accidents	V90-V94	T	5	-	-	-	-	-	3	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	3	-	2	-	-	-	-	-
Air and space transport accidents	V95-V97	T	5	-	-	-	-	-	-	1	1	1	1	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	1	1	1	-	1	-
Other and unspecified transport accidents and their sequelae	V98-V99, Y85	T	9	-	-	-	-	-	-	-	2	4	-	2	1	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-
		M	6	-	-	-	-	-	-	-	2	3	-	1	-	-
Total Non-Transport accidents	W00-X59, Y86	T	514	6	4	3	4	10	18	47	48	62	58	50	80	124
		F	226	3	2	2	-	1	6	21	17	26	26	20	30	72
		M	288	3	2	1	4	9	12	26	31	36	32	30	50	52
Accidental falls	W00-W19	T	229	-	-	-	-	1	-	2	3	8	14	29	67	105
		F	114	-	-	-	-	-	-	1	1	2	6	13	28	63
		M	115	-	-	-	-	1	-	1	2	6	8	16	39	42

Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Accidental discharge of firearms	W32-W34	T	3	-	-	-	-	-	1	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Accidental explosion	W39-W40	T	2	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Accidental drowning and submersion	W65-W74	T	27	-	1	2	-	1	1	4	3	3	6	3	3	-
		F	4	-	1	1	-	-	-	1	-	-	-	1	-	-
		M	23	-	-	1	-	1	1	3	3	3	6	2	3	-
Accidental inhalation and ingestion of food or other object	W78-W80	T	25	1	1	-	1	1	-	-	1	2	1	3	4	10
		F	10	-	1	-	-	-	-	-	1	1	1	1	1	4
		M	15	1	-	-	1	1	-	-	-	1	-	2	3	6
Other accidental and unspecified threats to breathing	W75-W77, W81-W84	T	12	5	-	-	-	-	1	-	1	1	1	1	1	1
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	-	-	-	-	1	-	1	1	1	1	1	1
Accidental exposure to electric current	W85-W87	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to radiation	W88-W91	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to smoke, fire, flames	X00-X09	T	10	-	2	-	-	-	-	2	1	1	2	2	-	-
		F	4	-	-	-	-	-	-	2	-	1	1	-	-	-
		M	6	-	2	-	-	-	-	-	1	-	1	2	-	-
Accidental contact with heat and hot substances	X10-X19	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lightning	X33	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Earthquake	X34	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Volcanic eruption	X35	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avalanche, landslide, other earth movements	X36	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Cataclysmic storm and flood	X37-X38	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning and exposure to noxious substances	X40-X49	T	163	-	-	-	1	6	13	35	36	40	25	5	2	-
		F	81	-	-	-	-	1	6	16	15	22	17	3	1	-
		M	82	-	-	-	1	5	7	19	21	18	8	2	1	-

Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Accidental poisoning by drugs and other biological substances	X40-X44	T	145	-	-	-	-	6	13	31	31	35	22	5	2	-
		F	78	-	-	-	-	1	6	15	15	20	17	3	1	-
		M	67	-	-	-	-	5	7	16	16	15	5	2	1	-
Accidental poisoning by other and unspecified solid or liquid substances	X45-X46, X48-X49	T	11	-	-	-	-	-	-	2	4	2	3	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	9	-	-	-	-	-	-	1	4	1	3	-	-	-
Accidental poisoning by and exposure to other gases and vapors	X47	T	7	-	-	-	1	-	-	2	1	3	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	6	-	-	-	1	-	-	2	1	2	-	-	-	-
All other and unspecified accidents and their sequelae[1]	See footnote 1	T	42	-	-	1	2	1	2	2	3	5	8	7	3	8
		F	9	-	-	1	-	-	-	-	-	-	1	2	-	5
		M	33	-	-	-	2	1	2	2	3	5	7	5	3	3
Struck by thrown, projected, or falling object	W20	T	6	-	-	-	-	-	-	-	1	2	1	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	5	-	-	-	-	-	-	-	1	2	1	1	-	-
Caught, crushed, jammed, or pinched in or between objects	W23	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Contact with lifting and transmission devices, not elsewhere classified	W24	T	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Contact with agricultural machinery	W30	T	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Contact with other and unspecified machinery	W31	T	2	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Foreign body entering into or through eye or natural orifice	W44	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Bitten or struck by animal other than rat or dog	W55	T	2	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Exposure to excessive natural heat	X30	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Exposure to excessive natural cold	X31	T	12	-	-	-	-	1	1	-	1	-	3	3	2	1
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-
		M	10	-	-	-	-	1	1	-	1	-	2	2	2	1
Exposure to unspecified factor	X59	T	8	-	-	-	-	-	-	1	-	1	-	-	-	6
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	5
		M	3	-	-	-	-	-	-	1	-	1	-	-	-	1
Sequelae of other accidents	Y86	T	7	-	-	-	1	-	-	-	-	1	3	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	-	-	-	-	1	3	1	-	1

1. All other and unspecified accidents and their sequelae: W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86. Other accidents and their sequelae with at least one death are shown by cause of death. Causes with no deaths during the year are not shown; therefore, causes of death reported in this table will vary each year. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths in Descending Order by Place of Injury
2013-2014

TYPE OF ACCIDENTAL (UNINTENTIONAL INJURY) DEATH	2014 TOTAL	PLACE OF INJURY[1]					2013 TOTAL
		Home	Residential or public institution	Street or Highway	Other Public Place	Place of Injury Not Stated	
Total Accidental (Unintentional Injury) Deaths	748	343	66	177	130	32	777
Falls	229	152	57	3	16	1	194
Motor Vehicle Accident	213	9	-	164	37	3	258
Motor vehicle, noncollision	59	-	-	49	10	-	79
Motor vehicle with collision with another vehicle, heavy transport, or bus	46	-	-	39	7	-	57
Other and unspecified motor vehicle accident	23	-	-	20	2	1	20
Injury to occupant of special-use motor vehicle[2]	21	5	-	11	4	1	19
Motor vehicle with collision with fixed object	21	4	-	4	13	-	25
Injury to motorcyclist, except with railway train	21	-	-	19	1	1	28
Injury to pedestrian with motor vehicle	16	-	-	16	-	-	21
Injury to pedal cyclist with motor vehicle	3	-	-	3	-	-	3
Motor vehicle with collision with train	2	-	-	2	-	-	3
Injury to pedestrian with unspecified motor vehicle	1	-	-	1	-	-	3
Injury to occupant of three-wheeled motor vehicle	-	-	-	-	-	-	-
Injury to motorcyclist with collision with train	-	-	-	-	-	-	-
Injury to rider or occupant of animal-drawn vehicle with motor vehicle	-	-	-	-	-	-	-
All Poisoning	163	135	5	1	18	4	155
Poisoning by drugs	145	121	5	1	14	4	142
Poisoning by other and unspecified substance	11	8	-	-	3	-	9
Poisoning by gases and vapors	7	6	-	-	1	-	4
Drowning and submersion	27	4	1	-	22	-	20
Suffocation, food or object	25	6	2	-	1	16	37
Suffocation, mechanical	12	8	-	-	4	-	17
Exposure to excessive natural cold	12	7	-	-	5	-	8
Fire	10	10	-	-	-	-	16
Other and unspecified land transport accident	9	-	-	7	2	-	9
Water transportation accident	5	-	-	-	5	-	4
Air and space transportation accident	5	-	-	-	5	-	6
Firearm	3	2	-	-	1	-	8
Railroad not with motor vehicle	1	-	-	-	1	-	-
Rider of animal or occupant of animal-drawn vehicle not with motor vehicle or train	1	-	-	1	-	-	1
Exposure to excessive natural heat	1	-	-	-	-	1	1
Lightning, avalanche, earthquake, volcano, storm, flood	1	-	-	-	1	-	2
Pedal cyclist not with motor vehicle or train	-	-	-	-	-	-	2
Pedestrian not with motor vehicle or train	-	-	-	-	-	-	-
Person injured in other and unspecified land transport accident (includes streetcar)	-	-	-	-	-	-	-
Exposure to electric current	-	-	-	-	-	-	2
Other accidents and late effects (not ranked)	31	10	1	1	12	7	37

1. Place of injury for residential or public institution includes hospitals, schools, and nursing homes. Place of injury for other public place includes sport and athletics areas, trade and service areas, industrial, construction, farm, ranch and other public areas.
2. Special-use motor vehicle includes all-terrain, snowmobiles, and motor vehicles for industrial, construction, and agriculture use.

WORK INJURY DEATHS OCCURRING IN IDAHO[1]
Manner of Death by Sex and Age
2014

MANNER OF DEATH	TOTAL IN IDAHO	SEX		AGE GROUP					
		Male	Female	<15	15-24	25-44	45-64	65-74	75+
Total Work Injury Deaths	39	38	1	-	4	9	17	6	3
Unintentional injury (accidental)	35	34	1	-	4	7	16	6	2
Intentional self-harm (suicide)	2	2	-	-	-	1	1	-	-
Intentional assault (homicide)	1	1	-	-	-	1	-	-	-
Operations of war and their sequelae[2]	1	1	-	-	-	-	-	-	1
Undetermined intent	-	-	-	-	-	-	-	-	-

1. Work injury deaths occurring in Idaho: Death occurred in Idaho; however, the injury may have occurred in Idaho or out of state.
2. The category "Operations of war and their sequelae" includes deaths due to late effects of injuries from war.

ACCIDENTAL WORK INJURY DEATHS OCCURRING IN IDAHO
Industry by Place of Injury
2014

INDUSTRY	TOTAL IN IDAHO	PLACE OF INJURY							
		Home, residential institution, or nursing home	School, hospital, or other public institution	Sports and athletic area	Street or highway	Trade and service area	Industrial or construction area	Farm or ranch	Other or unspecified area
Total Accidental Work Injury Deaths	35	1	1	-	13	-	7	6	7
Agriculture, forestry, fishing, and hunting	10	-	-	-	3	-	2	4	1
Mining	1	-	-	-	-	-	1	-	-
Construction	7	-	1	-	-	-	2	-	4
Manufacturing	3	-	-	-	-	-	2	1	-
Retail trade	1	1	-	-	-	-	-	-	-
Transportation and warehousing	6	-	-	-	6	-	-	-	-
Health care and social assistance	1	-	-	-	1	-	-	-	-
Other service except public administration	1	-	-	-	1	-	-	-	-
Public administration	3	-	-	-	1	-	-	-	2
Non paid workers	2	-	-	-	1	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-

Note: Information regarding injury at work are not available for all Idaho resident deaths occurring in other states. Therefore, data on these charts are for deaths occurring in Idaho, regardless of decedent's state of residence. Other unintentional and intentional injury data in this publication are for Idaho residents, regardless of where the death occurred. Therefore, these totals will differ from totals found in other charts.

IDAHO RESIDENT DEATHS
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
By Health District of Residence, Age Group, Sex, and Manner
2014

	CAUSE OF DEATH					
	Firearm-Injury		Alcohol-Induced		Drug-Induced	
	Number	Rate	Number	Rate	Number	Rate
U.S. (2014)		10.5		9.6		15.6
IDAHO	212	13.0	233	14.3	228	13.9
HEALTH DISTRICT						
District 1	41	18.5	39	17.6	19	8.6
District 2	23	21.5	15	14.0	9	8.4
District 3	26	9.7	32	11.9	38	14.2
District 4	44	9.4	60	12.8	74	15.8
District 5	30	15.7	24	12.6	13	6.8
District 6	23	13.6	26	15.4	42	24.9
District 7	25	11.9	37	17.7	33	15.7
AGE GROUP[1]						
< 15	9	2.5	-	-	-	-
15-19	7	6.1	-	-	9	7.8
20-24	20	17.8	-	-	15	13.4
25-34	34	15.8	9	4.2	39	18.1
35-44	31	15.5	23	11.5	54	27.0
45-54	35	17.6	58	29.1	52	26.1
55-64	34	17.0	80	40.1	39	19.5
65-74	14	10.1	46	33.2	12	8.7
75-84	15	22.3	12	17.8	6	8.9
85 +	13	47.5	4	14.6	2	7.3
SEX						
Female	38	4.7	65	8.0	122	15.0
Male	174	21.3	168	20.5	106	13.0
MANNER* (percentage)						
Natural	-	0.0%	220	94.4%	17	7.5%
Unintentional	3	1.4%	11	4.7%	145	63.6%
Intentional self-harm	182	85.8%	1	0.4%	44	19.3%
Assault	20	9.4%	-	0.0%	-	0.0%
Legal intervention	4	1.9%	-	0.0%	-	0.0%
Undetermined	3	1.4%	1	0.4%	22	9.6%

Rate: Number of deaths per 100,000 population in corresponding group.

*Manner of death as determined by the information reported in the cause of death section on the death certificate; manner of death checked on the death certificate may differ from manner determined by cause of death. There is not a check box for Legal intervention for manner of death on the Idaho death certificate.

[1] One alcohol-induced death did not report age at death.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
2014

	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
CAUSE OF DEATH	Number of Deaths	Percentage of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate*
Firearm-Injury	184	3.3%	33.1	6,091.0	395.6
Alcohol-Induced	216	3.9	18.8	4,067.0	264.1
Drug-Induced	220	4.0	31.3	6,896.0	447.9

* YPLL Rate: Total number of years of potential life lost per 100,000 aged less than 75 years.

Firearm injury, alcohol-induced, and drug-induced deaths are subsets of select causes of death; these death categories are not ranked for leading causes of death. For definitions and information on YPLL, see Technical Notes.

IDAHO RESIDENT DEATHS
Disposition Method
2014

RESIDENCE	TOTAL DEATHS	DISPOSITION METHOD								
		Burial and Entombment		Cremation		Donation		Removal From Idaho		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO*	12,610	4,079	32.5%	7,435	59.2%	8	0.1%	1,044	8.3%	43
District 1	2,172	317	14.7	1,590	73.5	1	0.0	254	11.7	9
District 2	1,054	240	22.8	622	59.1	1	0.1	189	18.0	2
District 3	1,977	652	33.1	1,175	59.6	-	-	144	7.3	6
District 4	3,017	801	26.6	2,075	69.0	3	0.1	129	4.3	9
District 5	1,582	595	37.8	906	57.6	1	0.1	72	4.6	8
District 6	1,444	759	52.7	594	41.3	2	0.1	84	5.8	5
District 7	1,364	715	52.6	473	34.8	-	-	172	12.6	4
Ada	2,736	742	27.2	1,865	68.3	3	0.1	120	4.4	6
Adams	37	9	24.3	27	73.0	-	-	1	2.7	-
Bannock	707	304	43.1	376	53.3	1	0.1	24	3.4	2
Bear Lake	74	55	74.3	3	4.1	-	-	16	21.6	-
Benewah	130	40	30.8	76	58.5	-	-	13	10.0	-
Bingham	345	199	57.8	127	36.9	-	-	18	5.2	1
Blaine	120	21	17.5	95	79.2	-	-	4	3.3	-
Boise	45	8	17.8	37	82.2	-	-	-	-	-
Bonner	418	71	17.1	264	63.8	-	-	79	19.1	4
Bonneville	792	390	49.4	344	43.6	-	-	55	7.0	3
Boundary	121	20	16.5	95	78.5	-	-	6	5.0	-
Butte	31	14	45.2	16	51.6	-	-	1	3.2	-
Camas	5	-	-	5	100.0	-	-	-	-	-
Canyon	1,325	447	33.9	806	61.1	-	-	67	5.1	5
Caribou	57	39	70.9	12	21.8	-	-	4	7.3	2
Cassia	191	110	58.2	74	39.2	-	-	5	2.6	2
Clark	10	4	40.0	4	40.0	-	-	2	20.0	-
Clearwater	96	16	16.8	76	80.0	-	-	3	3.2	1
Custer	46	17	37.0	14	30.4	-	-	15	32.6	-
Elmore	172	41	24.1	120	70.6	-	-	9	5.3	2
Franklin	104	68	65.4	22	21.2	1	1.0	13	12.5	-
Fremont	96	63	65.6	29	30.2	-	-	4	4.2	-
Gem	212	78	37.0	127	60.2	-	-	6	2.8	1
Gooding	147	48	32.9	95	65.1	-	-	3	2.1	1
Idaho	205	73	35.8	121	59.3	1	0.5	9	4.4	1
Jefferson	138	97	70.3	35	25.4	-	-	6	4.3	-
Jerome	186	61	33.0	114	61.6	-	-	10	5.4	1
Kootenai	1,315	164	12.5	999	76.3	1	0.1	146	11.1	5
Latah	227	35	15.4	48	21.1	-	-	144	63.4	-
Lemhi	117	33	28.2	21	17.9	-	-	63	53.8	-
Lewis	42	11	26.2	30	71.4	-	-	1	2.4	-
Lincoln	29	9	31.0	18	62.1	-	-	2	6.9	-
Madison	126	96	76.2	21	16.7	-	-	9	7.1	-
Minidoka	160	96	60.8	54	34.2	-	-	8	5.1	2
Nez Perce	484	105	21.7	347	71.7	-	-	32	6.6	-
Oneida	49	37	75.5	6	12.2	-	-	6	12.2	-
Owyhee	84	37	44.0	43	51.2	-	-	4	4.8	-
Payette	204	49	24.0	102	50.0	-	-	53	26.0	-
Power	77	43	55.8	32	41.6	-	-	2	2.6	-
Shoshone	188	22	11.7	156	83.0	-	-	10	5.3	-
Teton	39	15	39.5	5	13.2	-	-	18	47.4	1
Twin Falls	744	250	33.7	451	60.8	1	0.1	40	5.4	2
Valley	64	10	15.9	53	84.1	-	-	-	-	1
Washington	115	32	27.8	70	60.9	-	-	13	11.3	-

Disposition may or may not be reported for out-of-state death records.

*Total includes 1 death in Benewah County (District 1) with other method of disposition not shown in table.

INFANT, FETAL, AND MATERNAL MORTALITY

U.S.

The 2014 U.S. infant mortality rate decreased from 6.0 deaths per 1,000 live births in 2013 to 5.8 in 2014. The leading cause of infant death in 2014 in the U.S. was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (119.0 deaths per 100,000 live births), followed by Disorders related to short gestation and unspecified low birth weight (104.6 deaths per 100,000 live births). In 2014, there were 23,215 infant deaths in the U.S., compared with 23,440 in 2013[1].

Idaho

Idaho's infant mortality rate in 2014 was 5.5 per 1,000 live births, a 1.8 percent decrease from 5.6 per 1,000 live births in 2013. The number of infant deaths in 2013 was the same as in 2012 with 126 infant deaths. An infant death is the death of an infant under one year old.

The neonatal mortality rate (infant deaths less than 28 days) was 3.8 per 1,000 live births, a 2.7 percent increase from 3.7 per 1,000 live births in 2013. The postneonatal rate (infant deaths from 28 days through 11 months) increased slightly from 1.6 in 2013 to 1.7 in 2014. The U.S. neonatal mortality rate was 4.0 and the postneonatal rate was 1.9 in 2013.

District 2 experienced the highest infant mortality rate in 2014 at 8.5 per 1,000 live births followed by District 1 (6.5). District 6 had the lowest rate in 2013 (4.3). Neonatal mortality ranged from a low of 1.9 deaths per 1,000 births in District 6 to a high of 5.4 deaths per 1,000 births in District 1. Postneonatal mortality ranged from a low of 0.7 deaths per 1,000 live births in District 4 to a high of 5.9 in District 2.

Because Idaho infant deaths provide a small data base that tends to fluctuate or produce abnormally high rates in small counties, moving three-year rates have been calculated. See page 126 for three-year infant mortality rates by district and county, from 2003-2005 through 2012-2014; the overall trend is more readily apparent.

Leading Causes of Infant Death

In 2014, there were 58 Idaho resident infant deaths for the general infant death category, "Certain conditions originating in the perinatal period" compared with 63 deaths in 2013. This category includes such conditions as short gestation and low birthweight, respiratory distress of newborn and neonatal hemorrhage. In ranking the leading causes of infant deaths, however, the conditions within this general category are used to determine leading causes of death, rather than the general category. The leading cause of Idaho infant deaths was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (31 deaths; 135.4 deaths per 100,000 births). Disorders related to short gestation and unspecified low birth weight was the second leading cause of infant death (18 deaths; 78.6 deaths per 100,000 births), followed by Sudden infant death syndrome (SIDS) and Newborn affected by maternal complications of pregnancy (14 deaths each; 61.2 per 100,000 births each).

Stillbirths

Idaho reportable stillbirth deliveries are defined as a spontaneous fetal death of twenty (20) completed weeks gestation or more, based on a clinical estimate of gestation, or a weight of three hundred fifty (350) grams (12.35 ounces) or more. In 2014, there were 114 stillbirths to Idaho residents; the ratio of stillbirths to live births was 5.0 stillbirths per 1,000 live births. In the past ten years, the stillbirth ratio ranged from a low of 4.5 per 1,000 live births in 2006 to a high of 6.1 per 1,000 live births in 2011.

Perinatal Deaths

Perinatal death is defined as the number of stillbirths plus the number of deaths to infants within the first six days of life per 1,000 live births. The perinatal ratio is often used to compare U.S. data with other countries because of differences in the definitions of live birth, stillbirth and infant death among countries. In 2014, there were 191 perinatal deaths to Idaho residents. The Idaho perinatal death ratio was the same in 2013 and 2014 (8.3 perinatal deaths per 1,000 live births).

Maternal Deaths

Maternal causes of death include pregnancies with an abortive or live outcome and include direct and indirect obstetric causes and complications. The World Health Organization defines maternal death as "the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes."[2]

In 2003, the Idaho death certificate was revised to include a separate question regarding pregnancy status of females aged 10 to 54. Data are reported if female was pregnant at time of death, within 42 days of death, or 43 days to one year prior to death. Data from the response to this question are used in conjunction with cause-of-death information reported in Part I and Part II on the death certificate to determine the underlying cause of death. This separate pregnancy status question on the death certificate resulted in the identification of more maternal deaths in states with the revised death certificate[2]. Idaho maternal death data in 2003 and later are not comparable with Idaho data prior to 2003, the U.S., or states not using the revised death certificate.

The ICD-10 codes used for determining the number of maternal deaths are A34 (Obstetric embolism), O00-O95 (Direct obstetric causes), and O98-O99 (Indirect causes). In addition, there are ICD-10 codes used for deaths due to pregnancy, childbirth, and the puerperium occurring 43 days to one year after delivery or termination of pregnancy (ICD-10 codes O96-O97); however, these deaths are not included in the count or the rate for maternal deaths. In 2014, there were three maternal deaths to Idaho residents (death rate of 13.1 deaths per 100,000 live births). There were two deaths due to pregnancy, childbirth, and the puerperium occurring 43 days to one year after delivery or termination of pregnancy. Overall from 2005 to 2014, there have been 43 maternal deaths among Idaho women.

Comparable U.S. maternal mortality data were not included in the latest U.S final data report on deaths. The 2003 revision of the U.S. Standard Certificate of Death introduced a checkbox question format with categories to take advantage of additional codes available in ICD–10 for deaths with a connection to pregnancy, childbirth, and the puerperium. As states revise their certificates, most are adopting the checkbox format, resulting in wider adoption of a pregnancy status question nationwide and greater standardization of the particular question used. As of 2010, 41 states and the District of Columbia have a separate question related to pregnancy status of female decedents around the time of their death, and one state has a prompt encouraging medical certifiers to report recent pregnancies on the death certificate. However, at least five different questions were used in the 41 states and the District of Columbia, reflecting the mix of 36 states and the District of Columbia using the 2003 standard format and five states with pre-existing questions.

1. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015
2. "Deaths: Final Data for 2011," National Vital Statistics Reports, National Center for Health Statistics, Vol. 63, No. 3. July 27, 2015.

U.S., IDAHO INFANT DEATH RATES
2004-2014



IDAHO, DISTRICT INFANT DEATH RATES
Neonatal and Postneonatal
2014



IDAHO RESIDENT INFANT DEATHS
Number of Infant Deaths and Rates[1]
2010-2014

RESIDENCE	2014		2013		2012		2011		2010	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rate		5.8		6.0		6.0		6.1		6.2
IDAHO	126	5.5	126	5.6	121	5.3	112	5.0	112	4.8
District 1	17	6.5	11	4.4	12	4.8	12	5.1	9	3.6
District 2	10	8.5	9	7.8	6	4.8	10	8.7	10	8.6
District 3	24	6.0	29	7.5	26	6.7	21	5.6	14	3.6
District 4	27	4.7	23	4.1	25	4.4	28	4.9	26	4.6
District 5	17	6.1	19	6.7	21	7.3	12	4.4	21	7.0
District 6	11	4.3	17	6.6	8	3.0	14	5.4	14	4.9
District 7	20	5.0	18	4.7	23	5.7	15	3.8	18	4.4
Ada	23	4.5	20	4.0	23	4.5	24	4.7	23	4.6
Adams	-	-	1	35.7	-	-	-	-	-	-
Bannock	7	5.3	6	4.8	5	3.8	7	5.3	8	5.6
Bear Lake	-	-	2	25.3	-	-	1	15.9	1	11.0
Benewah	2	18.7	2	18.9	-	-	1	9.3	-	-
Bingham	1	1.5	6	8.1	2	2.6	4	5.5	3	3.8
Blaine	-	-	-	-	1	4.3	-	-	2	8.2
Boise	-	-	-	-	-	-	1	25.0	-	-
Bonner	5	11.6	1	2.5	2	5.1	1	2.6	2	5.1
Bonneville	14	7.5	10	5.4	9	4.5	8	4.3	9	4.5
Boundary	1	7.6	1	7.8	1	8.3	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	20	6.2	23	7.5	18	5.8	20	6.6	12	3.8
Caribou	1	12.0	-	-	-	-	1	11.9	1	9.1
Cassia	4	10.7	3	7.8	2	5.3	1	2.5	3	7.4
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	1	14.1	1	16.1	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	4	8.1	3	6.2	2	4.6	3	6.2	3	6.1
Franklin	-	-	1	4.9	1	4.9	1	5.4	-	-
Fremont	1	5.1	-	-	2	10.2	2	9.4	-	-
Gem	3	15.6	2	10.1	-	-	-	-	-	-
Gooding	1	5.0	2	9.6	2	10.2	1	5.3	4	16.3
Idaho	2	12.7	2	14.8	1	5.7	-	-	2	12.5
Jefferson	-	-	3	6.2	4	8.1	2	3.9	2	3.9
Jerome	7	18.2	8	19.6	3	7.4	-	-	3	7.1
Kootenai	8	4.5	7	4.1	9	5.2	10	6.1	5	2.9
Latah	4	8.9	3	6.9	1	2.2	5	11.2	6	13.5
Lemhi	2	30.8	-	-	-	-	1	13.5	1	12.2
Lewis	-	-	-	-	-	-	-	-	1	23.8
Lincoln	-	-	-	-	3	38.5	-	-	-	-
Madison	2	1.7	2	1.8	7	6.4	2	1.9	5	4.9
Minidoka	2	6.1	1	3.0	6	17.3	2	6.2	-	-
Nez Perce	4	8.3	4	8.5	3	5.8	4	9.0	1	2.2
Oneida	-	-	1	21.3	-	-	-	-	-	-
Owyhee	-	-	1	8.1	2	13.0	-	-	-	-
Payette	1	3.2	2	6.6	6	19.5	1	3.1	2	6.1
Power	2	13.4	1	7.8	-	-	-	-	1	7.4
Shoshone	1	6.7	-	-	-	-	-	-	2	14.7
Teton	1	7.3	3	20.8	1	6.0	-	-	1	6.1
Twin Falls	3	2.5	5	4.1	4	3.2	8	6.9	9	7.1
Valley	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-

[1] Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Sex and Race/Ethnicity of Infant
2014

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC*
		Male	Female	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race /Multiple Race	Not Stated	
IDAHO	126	67	59	122	1	2	-	1	-	22
District 1	17	9	8	16	-	1	-	-	-	-
District 2	10	4	6	9	-	1	-	-	-	-
District 3	24	10	14	23	1	-	-	-	-	13
District 4	27	14	13	27	-	-	-	-	-	2
District 5	17	13	4	16	-	-	-	1	-	4
District 6	11	4	7	11	-	-	-	-	-	-
District 7	20	13	7	20	-	-	-	-	-	3
Ada	23	12	11	23	-	-	-	-	-	1
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	7	2	5	7	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-
Benewah	2	2	-	1	-	1	-	-	-	-
Bingham	1	1	-	1	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-
Bonner	5	1	4	5	-	-	-	-	-	-
Bonneville	14	11	3	14	-	-	-	-	-	3
Boundary	1	1	-	1	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	20	7	13	19	1	-	-	-	-	11
Caribou	1	-	1	1	-	-	-	-	-	-
Cassia	4	4	-	3	-	-	-	1	-	1
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	4	2	2	4	-	-	-	-	-	1
Franklin	-	-	-	-	-	-	-	-	-	-
Fremont	1	-	1	1	-	-	-	-	-	-
Gem	3	3	-	3	-	-	-	-	-	2
Gooding	1	1	-	1	-	-	-	-	-	-
Idaho	2	1	1	2	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-
Jerome	7	5	2	7	-	-	-	-	-	3
Kootenai	8	5	3	8	-	-	-	-	-	-
Latah	4	1	3	4	-	-	-	-	-	-
Lemhi	2	1	1	2	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-
Madison	2	1	1	2	-	-	-	-	-	-
Minidoka	2	2	-	2	-	-	-	-	-	-
Nez Perce	4	2	2	3	-	1	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-
Payette	1	-	1	1	-	-	-	-	-	-
Power	2	1	1	2	-	-	-	-	-	-
Shoshone	1	-	1	1	-	-	-	-	-	-
Teton	1	-	1	1	-	-	-	-	-	-
Twin Falls	3	1	2	3	-	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-

* Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT INFANT DEATHS
Cause of Death by Neonatal and Postneonatal Periods
2014

CAUSE OF DEATH AND ICD-10 CODE(S)	IDAHO						U.S.
	Total		Neonatal		Postneonatal		2014
	Number	Rate	Number	Rate	Number	Rate	
ALL CAUSES	126	550.5	88	384.5	38	166.0	582.1
Influenza and pneumonia (J09-J18)	-	-	-	-	-	-	4.7
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	31	135.4	23	100.5	8	35.0	119.0
Total, Certain conditions originating in the perinatal period (P00-P96)*	58	253.4	57	249.0	1	4.4	295.7
Newborn affected by maternal complications of pregnancy (P01)	14	61.2	14	61.2	-	-	39.5
Newborn affected by complications of placenta, cord and membranes (P02)	4	17.5	4	17.5	-	-	24.2
Disorders related to short gestation and unspecified low birthweight (P07)	18	78.6	18	78.6	-	-	104.6
Intrauterine hypoxia and birth asphyxia (P20-P21)	1	4.4	1	4.4	-	-	8.1
Respiratory distress of newborn (P22)	-	-	-	-	-	-	11.5
Bacterial sepsis of newborn (P36)	1	4.4	1	4.4	-	-	13.6
Neonatal hemorrhage (P50-P52, P54)	1	4.4	1	4.4	-	-	11.1
Other conditions originating in the perinatal period (residual of P00-P96)	19	83.0	18	78.6	1	4.4	NA
Sudden infant death syndrome (SIDS)(R95)	14	61.2	2	8.7	12	52.4	38.7
Other symptoms, signs & abnormal clinical and laboratory findings, not elsewhere classified (R00-R53, R55-R94, R96-R99)**	7	30.6	2	8.7	5	21.8	28.9
Accidents (unintentional injuries) (V01-X59)	6	26.2	-	-	6	26.2	29.1
Assault (homicide) (X85-Y09.9, Y87.1)	1	4.4	-	-	1	4.4	6.2
All other causes (residual)	9	39.3	4	17.5	5	21.8	NA

Rate per 100,000 live births.

* The category P00-P96 is not used to rank leading cause of death; subsets of P00-P96 are used to rank leading cause for infants.

** SIDS, a ranked cause, is a subset of R00-R99, "Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified". Categories R00-R53, R55-R94, R96-R99 are not used to rank leading cause of death, but are subsets of R00-R99.

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal Deaths by Age of Mother
2014

AGE OF MOTHER (At time of infant's birth)	TOTAL		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
TOTAL	126	5.5	88	3.8	38	1.7
<15	-	-	-	-	-	-
15-19	9	6.9	6	4.6	3	2.3
15-17	2	6.4	1	3.2	1	3.2
18-19	7	7.1	5	5.0	2	2.0
20-34	99	5.3	69	3.7	30	1.6
35+	17	6.2	12	4.4	5	1.8
Unknown	1	NA	1	NA	-	NA

Rates in this chart are per 1,000 live births in corresponding mother's age group.
NA: Not applicable.

IDAHO RESIDENT INFANT DEATHS
Causes of Infant Deaths
Three-Year Aggregate, 2012-2014

RESIDENCE	THREE-YEAR TOTAL INFANT DEATHS		CAUSE OF INFANT DEATH						
	Number	Rate[1]	Congenital malform-ations[2]	Short Gestation / Unspecified Low Birth Weight	Respiratory Distress of Newborn	All Other Conditions Originating in Perinatal Period	Sudden Infant Death Syndrome (SIDS)	External Causes[3]	All Other Causes
IDAHO	373	5.5	93	58	-	117	39	18	48
District 1	40	5.3	9	4	-	16	5	1	5
District 2	25	7.0	5	3	-	3	7	3	4
District 3	79	6.7	19	13	-	25	4	3	15
District 4	75	4.4	17	15	-	25	10	1	7
District 5	57	6.7	21	8	-	16	4	2	6
District 6	36	4.6	9	4	-	8	7	4	4
District 7	61	5.1	13	11	-	24	2	4	7
Ada	66	4.3	14	15	-	22	9	1	5
Adams	1	11.4	-	-	-	-	1	-	-
Bannock	18	4.6	6	1	-	3	5	2	1
Bear Lake	2	7.7	1	-	-	-	-	1	-
Benewah	4	11.9	1	-	-	2	1	-	-
Bingham	9	4.1	2	2	-	1	1	1	2
Blaine	1	1.5	1	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-
Bonner	8	6.6	-	2	-	3	1	-	2
Bonneville	33	5.8	6	5	-	16	-	2	4
Boundary	3	7.9	1	-	-	-	-	-	2
Butte	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	61	6.5	14	13	-	19	-	3	12
Caribou	1	3.7	-	-	-	1	-	-	-
Cassia	9	7.9	2	-	-	5	1	-	1
Clark	-	-	-	-	-	-	-	-	-
Clearwater	1	4.9	1	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-
Elmore	9	6.3	3	-	-	3	1	-	2
Franklin	2	3.4	-	1	-	1	-	-	-
Fremont	3	5.2	-	2	-	-	1	-	-
Gem	5	8.3	1	-	-	2	2	-	-
Gooding	5	8.3	1	1	-	-	1	-	2
Idaho	5	10.7	1	2	-	-	1	-	1
Jefferson	7	4.9	1	-	-	5	-	1	-
Jerome	18	15.0	5	4	-	6	-	1	2
Kootenai	24	4.6	7	2	-	10	3	1	1
Latah	8	6.0	2	-	-	1	3	1	1
Lemhi	2	10.8	-	-	-	2	-	-	-
Lewis	-	-	-	-	-	-	-	-	-
Lincoln	3	14.0	1	-	-	1	1	-	-
Madison	11	3.3	3	4	-	1	1	-	2
Minidoka	9	9.0	5	1	-	2	-	1	-
Nez Perce	11	7.5	1	1	-	2	3	2	2
Oneida	1	7.1	-	-	-	1	-	-	-
Owyhee	3	7.2	-	-	-	1	1	-	1
Payette	9	9.8	4	-	-	3	-	-	2
Power	3	7.1	-	-	-	1	1	-	1
Shoshone	1	2.5	-	-	-	1	-	-	-
Teton	5	11.1	3	-	-	-	-	1	1
Twin Falls	12	3.3	6	2	-	2	1	-	1
Valley	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-

1. Infant death rate: Number of deaths to infants under one year of age per 1,000 live births.
2. Shortened ICD-10 title for Congenital malformations, deformations and chromosomal abnormalities (birth defects).
3. External causes include unintentional injury, homicide, and undetermined injury for infants under one year of age.

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal
2014

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS					
		Total		Neonatal		Postneonatal	
		Number	Rate	Number	Rate	Number	Rate
U.S. 2014 Final	3,988,076	23,215	5.8	15,720	3.9	7,495	1.9
IDAHO	22,888	126	5.5	88	3.8	38	1.7
District 1	2,615	17	6.5	14	5.4	3	1.1
District 2	1,180	10	8.5	3	2.5	7	5.9
District 3	4,005	24	6.0	17	4.2	7	1.7
District 4	5,751	27	4.7	23	4.0	4	0.7
District 5	2,789	17	6.1	11	3.9	6	2.2
District 6	2,579	11	4.3	5	1.9	6	2.3
District 7	3,969	20	5.0	15	3.8	5	1.3
Ada	5,128	23	4.5	20	3.9	3	0.6
Adams	31	-	-	-	-	-	-
Bannock	1,324	7	5.3	3	2.3	4	3.0
Bear Lake	90	-	-	-	-	-	-
Benewah	107	2	18.7	2	18.7	-	-
Bingham	687	1	1.5	-	-	1	1.5
Blaine	222	-	-	-	-	-	-
Boise	39	-	-	-	-	-	-
Bonner	431	5	11.6	4	9.3	1	2.3
Bonneville	1,875	14	7.5	12	6.4	2	1.1
Boundary	132	1	7.6	1	7.6	-	-
Butte	26	-	-	-	-	-	-
Camas	5	-	-	-	-	-	-
Canyon	3,227	20	6.2	14	4.3	6	1.9
Caribou	83	1	12.0	1	12.0	-	-
Cassia	374	4	10.7	2	5.3	2	5.3
Clark	10	-	-	-	-	-	-
Clearwater	58	-	-	-	-	-	-
Custer	42	-	-	-	-	-	-
Elmore	495	4	8.1	3	6.1	1	2.0
Franklin	176	-	-	-	-	-	-
Fremont	198	1	5.1	-	-	1	5.1
Gem	192	3	15.6	3	15.6	-	-
Gooding	202	1	5.0	1	5.0	-	-
Idaho	158	2	12.7	1	6.3	1	6.3
Jefferson	445	-	-	-	-	-	-
Jerome	384	7	18.2	5	13.0	2	5.2
Kootenai	1,795	8	4.5	6	3.3	2	1.1
Latah	448	4	8.9	1	2.2	3	6.7
Lemhi	65	2	30.8	2	30.8	-	-
Lewis	35	-	-	-	-	-	-
Lincoln	62	-	-	-	-	-	-
Madison	1,197	2	1.7	1	0.8	1	0.8
Minidoka	326	2	6.1	-	-	2	6.1
Nez Perce	481	4	8.3	1	2.1	3	6.2
Oneida	44	-	-	-	-	-	-
Owyhee	142	-	-	-	-	-	-
Payette	310	1	3.2	-	-	1	3.2
Power	149	2	13.4	1	6.7	1	6.7
Shoshone	150	1	6.7	1	6.7	-	-
Teton	137	1	7.3	-	-	1	7.3
Twin Falls	1,214	3	2.5	3	2.5	-	-
Valley	89	-	-	-	-	-	-
Washington	103	-	-	-	-	-	-

Total infant death rate: Number of deaths of infants under one year of age per 1,000 live births.
Neonatal infant death rate: Number of deaths of infants within the first 27 days of life per 1,000 live births.
Postneonatal infant death rate: Number of deaths to infants aged 28 days to under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Three-Year Rates
2003-2005 Through 2012-2014

RESIDENCE	2012-14	2011-13	2010-12	2009-11	2008-10	2007-09	2006-08	2005-07	2004-06	2003-05
IDAHO	5.5	5.3	5.0	5.1	5.3	6.0	6.4	6.6	6.4	6.2
District 1	5.3	4.8	4.5	3.4	3.5	4.9	6.0	6.7	6.1	5.9
District 2	7.0	7.0	7.3	7.1	6.1	5.2	5.9	6.7	7.7	7.4
District 3	6.7	6.6	5.2	5.1	5.5	6.6	7.8	8.0	8.1	7.2
District 4	4.4	4.5	4.6	4.9	5.1	5.8	6.2	6.7	6.7	6.8
District 5	6.7	6.1	6.2	6.2	7.1	7.5	7.3	6.8	5.8	5.9
District 6	4.6	5.0	4.4	4.9	5.1	5.8	6.1	6.0	5.5	5.8
District 7	5.1	4.7	4.7	4.8	5.2	5.5	5.3	5.0	4.8	4.6
Ada	4.3	4.4	4.6	4.8	5.1	5.7	6.2	6.4	6.6	6.7
Adams	11.4	11.6	-	-	-	8.0	7.6	8.1	-	-
Bannock	4.6	4.6	4.9	4.8	4.5	5.2	6.1	6.6	5.9	6.8
Bear Lake	7.7	12.9	8.2	12.3	7.9	4.2	9.0	8.6	8.4	8.1
Benewah	11.9	8.9	2.9	6.0	3.0	11.8	8.5	11.0	8.4	11.6
Bingham	4.1	5.3	3.9	4.7	6.5	7.5	7.2	6.5	6.2	5.9
Blaine	1.5	1.5	4.3	6.8	6.0	4.6	3.3	7.7	7.9	11.9
Boise	-	8.4	8.5	6.9	-	-	-	6.9	6.3	5.8
Bonner	6.6	3.4	4.3	2.5	3.2	5.4	8.5	9.7	8.3	7.7
Bonneville	5.8	4.7	4.4	4.1	5.0	5.2	6.5	5.6	5.8	4.7
Boundary	7.9	5.3	2.8	-	2.6	2.5	2.4	2.5	10.1	10.5
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	6.5	6.6	5.4	5.5	5.7	6.5	8.1	7.7	8.1	6.6
Caribou	3.7	3.7	7.1	13.8	9.6	9.9	9.8	9.9	13.7	9.7
Cassia	7.9	5.2	5.1	4.1	3.2	4.8	7.4	8.4	5.0	4.2
Clark	-	-	-	-	-	-	-	-	16.4	16.4
Clearwater	4.9	9.6	10.5	5.1	-	-	-	4.5	10.2	10.2
Custer	-	-	-	-	-	-	-	8.4	8.8	10.1
Elmore	6.3	5.7	5.6	6.5	6.4	8.1	8.0	9.8	8.1	8.1
Franklin	3.4	5.1	3.3	3.3	4.5	4.5	3.0	-	-	-
Fremont	5.2	6.8	6.4	3.1	-	-	1.5	4.4	5.9	8.8
Gem	8.3	3.4	-	1.8	3.4	3.1	1.4	4.1	4.4	7.9
Gooding	8.3	8.4	11.1	7.1	6.6	6.5	8.2	8.2	4.1	4.0
Idaho	10.7	6.5	6.2	6.3	8.0	4.0	2.1	2.2	6.5	6.7
Jefferson	4.9	6.1	5.3	7.0	7.3	8.0	4.5	3.5	4.4	7.2
Jerome	15.0	9.1	4.9	8.7	12.3	13.0	7.9	5.8	3.5	5.6
Kootenai	4.6	5.1	4.7	3.5	3.4	4.3	5.1	5.6	5.1	4.7
Latah	6.0	6.7	8.9	9.5	7.9	4.3	3.0	0.8	0.8	4.1
Lemhi	10.8	5.2	9.3	13.3	8.7	4.3	-	-	-	-
Lewis	-	-	8.1	8.5	15.9	7.6	7.8	-	-	-
Lincoln	14.0	13.3	12.4	-	-	-	-	-	-	-
Madison	3.3	3.4	4.4	5.2	5.7	6.6	5.4	5.4	3.0	2.1
Minidoka	9.0	9.0	8.0	2.1	1.0	4.0	6.0	5.0	5.1	4.0
Nez Perce	7.5	7.7	5.6	5.2	3.6	7.4	10.9	14.8	14.5	11.0
Oneida	7.1	6.8	-	-	-	-	-	-	-	-
Owyhee	7.2	7.2	4.7	4.7	9.0	12.6	12.1	12.0	9.5	9.5
Payette	9.8	9.7	9.4	5.1	6.0	8.6	8.6	12.7	9.4	9.5
Power	7.1	2.5	2.5	2.6	2.4	4.8	4.8	5.1	2.6	2.6
Shoshone	2.5	-	5.6	5.3	7.6	8.0	10.7	10.9	5.5	5.5
Teton	11.1	8.4	4.0	3.7	5.2	4.8	3.6	2.0	2.4	2.4
Twin Falls	3.3	4.7	5.8	7.4	9.1	8.8	8.9	7.0	7.3	6.7
Valley	-	-	-	3.6	2.9	2.6	-	3.2	3.8	4.0
Washington	-	-	-	-	-	-	2.6	7.4	12.4	13.1

Three-year infant death rate: Number of deaths to infants under one year in three-year period per 1,000 live births in corresponding three-year period.

IDAHO RESIDENT STILLBIRTHS
Number of Stillbirths and Ratios
2010-2014

	2014		2013		2012		2011		2010	
RESIDENCE	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	114	5.0	109	4.9	115	5.0	137	6.1	123	5.3
District 1	12	4.6	11	4.4	20	8.0	18	7.6	13	5.2
District 2	7	5.9	10	8.6	6	4.8	7	6.1	13	11.1
District 3	23	5.7	19	4.9	25	6.4	24	6.4	26	6.6
District 4	20	3.5	16	2.9	17	3.0	27	4.7	27	4.8
District 5	21	7.5	10	3.5	17	5.9	15	5.4	16	5.3
District 6	12	4.7	23	8.9	10	3.7	17	6.6	13	4.5
District 7	19	4.8	20	5.2	20	4.9	29	7.4	15	3.7
Ada	20	3.9	13	2.6	16	3.2	25	4.9	25	5.0
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	8	6.0	9	7.2	5	3.8	8	6.1	3	2.1
Bear Lake	-	-	1	12.7	1	11.1	1	15.9	-	-
Benewah	1	9.3	-	-	2	16.3	1	9.3	1	9.0
Bingham	3	4.4	7	9.4	3	3.9	3	4.1	8	10.2
Blaine	1	4.5	1	4.7	-	-	-	-	2	8.2
Boise	-	-	-	-	-	-	-	-	1	23.8
Bonner	3	7.0	2	5.1	3	7.7	4	10.5	2	5.1
Bonneville	13	6.9	11	6.0	8	4.0	13	6.9	6	3.0
Boundary	1	7.6	1	7.8	1	8.3	-	-	-	-
Butte	-	-	1	33.3	-	-	-	-	-	-
Camas	-	-	1	100.0	-	-	-	-	-	-
Canyon	18	5.6	17	5.5	23	7.4	20	6.6	25	7.9
Caribou	-	-	-	-	-	-	1	11.9	-	-
Cassia	3	8.0	3	7.8	3	8.0	-	-	1	2.5
Clark	-	-	-	-	1	111.1	-	-	-	-
Clearwater	1	17.2	-	-	-	-	1	16.1	-	-
Custer	1	23.8	1	23.8	1	32.3	-	-	-	-
Elmore	-	-	2	4.1	1	2.3	2	4.1	-	-
Franklin	1	5.7	5	24.6	-	-	1	5.4	-	-
Fremont	-	-	1	5.6	-	-	1	4.7	1	4.7
Gem	1	5.2	-	-	2	9.5	-	-	-	-
Gooding	1	5.0	1	4.8	-	-	1	5.3	1	4.1
Idaho	2	12.7	2	14.8	3	17.1	-	-	4	25.0
Jefferson	1	2.2	3	6.2	2	4.0	3	5.9	-	-
Jerome	3	7.8	-	-	1	2.5	2	5.1	2	4.7
Kootenai	7	3.9	8	4.7	13	7.4	12	7.3	8	4.6
Latah	1	2.2	4	9.2	2	4.4	5	11.2	7	15.8
Lemhi	1	15.4	-	-	1	17.2	-	-	-	-
Lewis	2	57.1	-	-	-	-	-	-	-	-
Lincoln	1	16.1	-	-	-	-	-	-	1	11.0
Madison	3	2.5	4	3.7	7	6.4	10	9.7	7	6.8
Minidoka	4	12.3	1	3.0	2	5.8	4	12.4	1	3.1
Nez Perce	1	2.1	4	8.5	1	1.9	1	2.3	2	4.3
Oneida	-	-	-	-	-	-	-	-	1	15.4
Owyhee	1	7.0	1	8.1	-	-	-	-	1	7.6
Payette	2	6.5	-	-	-	-	4	12.5	-	-
Power	-	-	-	-	1	6.8	3	23.8	1	7.4
Shoshone	-	-	-	-	1	8.5	1	9.5	2	14.7
Teton	-	-	-	-	-	-	2	12.3	1	6.1
Twin Falls	8	6.6	3	2.5	11	8.9	8	6.9	8	6.3
Valley	-	-	1	11.8	-	-	-	-	1	12.0
Washington	1	9.7	1	8.6	-	-	-	-	-	-

Stillbirth ratio: Number of stillbirths per 1,000 live births.

IDAHO RESIDENT PERINATAL DEATHS
Number of Perinatal Deaths and Ratios
2010-2014

	2014		2013		2012		2011		2010	
RESIDENCE	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	191	8.3	186	8.3	191	8.3	193	8.7	174	7.5
District 1	26	9.9	18	7.3	27	10.8	24	10.1	17	6.9
District 2	10	8.5	14	12.1	8	6.4	10	8.7	18	15.4
District 3	37	9.2	36	9.4	45	11.5	32	8.5	34	8.6
District 4	39	6.8	33	5.9	29	5.1	44	7.6	38	6.7
District 5	32	11.5	21	7.4	33	11.5	22	8.0	23	7.6
District 6	16	6.2	32	12.4	15	5.5	22	8.5	18	6.3
District 7	31	7.8	32	8.3	34	8.4	39	10.0	26	6.4
Ada	38	7.4	28	5.6	28	5.5	41	8.0	36	7.1
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	10	7.6	12	9.6	8	6.0	9	6.8	6	4.2
Bear Lake	-	-	1	12.7	1	11.1	1	15.9	-	-
Benewah	3	28.0	1	9.4	2	16.3	2	18.5	1	9.0
Bingham	3	4.4	11	14.8	4	5.2	7	9.5	9	11.4
Blaine	1	4.5	1	4.7	1	4.3	-	-	2	8.2
Boise	-	-	-	-	-	-	-	-	1	23.8
Bonner	7	16.2	3	7.6	4	10.2	4	10.5	4	10.1
Bonneville	22	11.7	17	9.2	13	6.5	19	10.1	10	5.0
Boundary	2	15.2	1	7.8	2	16.7	-	-	-	-
Butte	-	-	1	33.3	-	-	-	-	-	-
Camas	-	-	1	100.0	-	-	-	-	-	-
Canyon	30	9.3	32	10.4	36	11.6	28	9.3	32	10.1
Caribou	1	12.0	-	-	-	-	1	11.9	-	-
Cassia	5	13.4	5	13.1	5	13.3	1	2.5	1	2.5
Clark	-	-	-	-	1	111.1	-	-	-	-
Clearwater	1	17.2	-	-	1	14.1	2	32.3	-	-
Custer	1	23.8	1	23.8	1	32.3	-	-	-	-
Elmore	1	2.0	4	8.2	1	2.3	3	6.2	-	-
Franklin	1	5.7	6	29.6	1	4.9	1	5.4	-	-
Fremont	-	-	1	5.6	2	10.2	2	9.4	1	4.7
Gem	3	15.6	-	-	2	9.5	-	-	-	-
Gooding	2	9.9	1	4.8	2	10.2	2	10.5	3	12.2
Idaho	3	19.0	4	29.6	3	17.1	-	-	6	37.5
Jefferson	1	2.2	6	12.4	5	10.1	4	7.9	2	3.9
Jerome	8	20.8	7	17.1	4	9.9	2	5.1	3	7.1
Kootenai	13	7.2	13	7.6	18	10.3	17	10.3	9	5.2
Latah	2	4.5	4	9.2	2	4.4	7	15.7	10	22.5
Lemhi	3	46.2	-	-	1	17.2	-	-	1	12.2
Lewis	2	57.1	-	-	-	-	-	-	-	-
Lincoln	1	16.1	-	-	1	12.8	-	-	1	11.0
Madison	4	3.3	6	5.5	11	10.0	12	11.7	11	10.7
Minidoka	4	12.3	2	6.0	6	17.3	5	15.5	1	3.1
Nez Perce	2	4.2	6	12.8	2	3.9	1	2.3	2	4.3
Oneida	-	-	1	21.3	-	-	-	-	1	15.4
Owyhee	1	7.0	1	8.1	1	6.5	-	-	1	7.6
Payette	2	6.5	2	6.6	6	19.5	4	12.5	1	3.0
Power	1	6.7	-	-	1	6.8	3	23.8	2	14.8
Shoshone	1	6.7	-	-	1	8.5	1	9.5	3	22.1
Teton	-	-	1	6.9	-	-	2	12.3	1	6.1
Twin Falls	11	9.1	4	3.3	14	11.4	12	10.4	12	9.5
Valley	-	-	1	11.8	-	-	-	-	1	12.0
Washington	1	9.7	1	8.6	-	-	-	-	-	-

Perinatal death ratio: Number of stillbirths plus deaths of infants under 7 days of age per 1,000 live births.

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016

Induced Abortion

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

INDUCED ABORTION

U.S.

In 2012, the latest year available, 49 out of 52 reporting areas (50 states, District of Columbia, and New York City) provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the United States. A total of 699,202 legal abortions were reported to the CDC by the 49 reporting areas in 2012. In 2012, the U.S. abortion ratio was 210 abortions per 1,000 live births in the reporting area. The number of abortions in 2012 decreased 31,120 (-4.3 percent) from 2011, for which 730,322 abortions were reported from the same 49 reporting areas[1].

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S 2012[1]	699,202	210	13.2
Idaho 2014 (Occurrence)	1,353	60.2	NA
Idaho 2014 (Residence)	1,751	76.5	5.6

Abortion in Idaho

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2014 was 1,353, a 1.6 percent decrease from the 1,375 reported in 2013. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,353 procedures performed in Idaho, 1,283 (94.8 percent) were to residents of Idaho and 70 (5.2 percent) were to non-residents.

Idaho Resident Abortion

Abortions to Idaho residents decreased 2.4 percent from 1,794 in 2013 to 1,751 in 2014. Abortions to Idaho residents may occur in Idaho or out of state. In 2014, 1,283 abortions to Idaho residents occurred in Idaho, and 468 were performed out of state. Of the 468 abortions obtained by Idaho residents out of state, 356 occurred in Washington, 79 in Utah, 18 in Montana, 14 in Oregon, and one another state.

IDAHO INDUCED ABORTIONS
Idaho Residents and Abortions in Idaho
2004-2014



1. "Abortion Surveillance – United States, 2012", Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol. 64/No. SS 10, November 27, 2015.

INDUCED ABORTIONS OCCURRING IN IDAHO
Induced Abortions Occurring to Idaho Residents
2014

	ABORTIONS OCCURRING IN IDAHO			ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Abortion in Idaho, Place of Occurrence, Total	Place of Occurrence, Resident of Idaho	Place of Occurrence, Resident of Other State	Place of Residence, Total	Place of Residence, Abortion in Idaho	Place of Residence, Abortion in Other State
IDAHO	1,353	1,283	70	1,751	1,283	468
District 1	-	-	-	242	1	241
District 2	-	-	-	109	5	104
District 3	-	-	-	276	268	8
District 4	1,090	1,041	49	692	673	19
District 5	263	242	21	254	242	12
District 6	-	-	-	98	50	48
District 7	-	-	-	80	44	36
Ada	1,089	1,040	49	649	633	16
Adams	-	-	-	2	2	-
Bannock	-	-	-	63	30	33
Bear Lake	-	-	-	-	-	-
Benewah	-	-	-	4	-	4
Bingham	-	-	-	22	13	9
Blaine	-	-	-	56	51	5
Boise	-	-	-	8	5	3
Bonner	-	-	-	29	-	29
Bonneville	-	-	-	59	34	25
Boundary	-	-	-	5	-	5
Butte	-	-	-	3	2	1
Camas	-	-	-	-	-	-
Canyon	-	-	-	234	228	6
Caribou	-	-	-	1	-	1
Cassia	-	-	-	23	20	3
Clark	-	-	-	-	-	-
Clearwater	-	-	-	5	1	4
Custer	-	-	-	2	2	-
Elmore	-	-	-	25	25	-
Franklin	-	-	-	3	1	2
Fremont	-	-	-	4	1	3
Gem	-	-	-	9	8	1
Gooding	-	-	-	12	12	-
Idaho	-	-	-	5	1	4
Jefferson	-	-	-	7	4	3
Jerome	-	-	-	28	27	1
Kootenai	-	-	-	184	-	184
Latah	-	-	-	54	2	52
Lemhi	-	-	-	3	-	3
Lewis	-	-	-	2	-	2
Lincoln	-	-	-	4	4	-
Madison	-	-	-	2	1	1
Minidoka	-	-	-	15	14	1
Nez Perce	-	-	-	43	1	42
Oneida	-	-	-	1	1	-
Owyhee	-	-	-	8	7	1
Payette	-	-	-	20	20	-
Power	-	-	-	5	3	2
Shoshone	-	-	-	20	1	19
Teton	-	-	-	3	2	1
Twin Falls	263	242	21	116	114	2
Valley	1	1	-	10	10	-
Washington	-	-	-	3	3	-

Data for abortions occurring in Idaho and for abortions to Idaho residents are not mutually exclusive.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Ratios by District and County of Residence
Race/Ethnicity of Patient
2014

RESIDENCE	TOTAL ABORTIONS		RACE						HISPANIC[2]
	Number	Ratio[1]	White	Black	American Indian	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	1,751	78.4	1,511	24	23	54	55	84	214
District 1	242	97.9	227	2	2	7	-	4	1
District 2	109	94.2	95	1	5	3	-	5	3
District 3	276	71.8	218	1	4	2	20	31	81
District 4	692	123.7	581	17	3	36	22	33	57
District 5	254	89.3	231	1	1	5	8	8	56
District 6	98	38.0	82	1	8	-	5	2	9
District 7	80	20.8	77	1	-	1	-	1	7
Ada	649	130.3	553	12	2	34	21	27	50
Adams	2	71.4	2	-	-	-	-	-	1
Bannock	63	50.4	53	1	4	-	3	2	5
Bear Lake	-	-	-	-	-	-	-	-	-
Benewah	4	37.7	3	-	1	-	-	-	-
Bingham	22	29.5	17	-	4	-	1	-	2
Blaine	56	265.4	51	-	-	-	1	4	13
Boise	8	186.0	5	-	1	-	-	2	1
Bonner	29	73.6	29	-	-	-	-	-	-
Bonneville	59	31.9	56	1	-	1	-	1	6
Boundary	5	38.8	5	-	-	-	-	-	-
Butte	3	100.0	3	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	234	76.0	185	1	4	2	17	25	69
Caribou	1	10.0	-	-	-	-	1	-	1
Cassia	23	60.1	20	-	-	1	1	1	7
Clark	-	-	-	-	-	-	-	-	-
Clearwater	5	66.7	5	-	-	-	-	-	-
Custer	2	47.6	2	-	-	-	-	-	-
Elmore	25	51.4	15	5	-	2	1	2	4
Franklin	3	14.8	3	-	-	-	-	-	-
Fremont	4	22.3	4	-	-	-	-	-	-
Gem	9	45.2	9	-	-	-	-	-	-
Gooding	12	57.7	12	-	-	-	-	-	2
Idaho	5	37.0	4	-	-	-	-	1	-
Jefferson	7	14.5	7	-	-	-	-	-	1
Jerome	28	68.5	24	-	-	-	3	1	14
Kootenai	184	107.7	170	2	1	7	-	4	1
Latah	54	124.4	48	1	-	2	-	3	3
Lemhi	3	48.4	3	-	-	-	-	-	-
Lewis	2	46.5	1	-	1	-	-	-	-
Lincoln	4	53.3	3	-	-	-	1	-	1
Madison	2	1.8	2	-	-	-	-	-	-
Minidoka	15	45.3	15	-	-	-	-	-	4
Nez Perce	43	91.5	37	-	4	1	-	1	-
Oneida	1	21.3	1	-	-	-	-	-	-
Owyhee	8	65.0	6	-	-	-	-	2	4
Payette	20	66.4	13	-	-	-	3	4	5
Power	5	39.1	5	-	-	-	-	-	1
Shoshone	20	147.1	20	-	-	-	-	-	-
Teton	3	20.8	3	-	-	-	-	-	-
Twin Falls	116	95.2	106	1	1	4	2	2	15
Valley	10	117.6	8	-	-	-	-	2	2
Washington	3	25.9	3	-	-	-	-	-	2

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.
2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals. In 2014, there were 41 records with ethnicity not stated.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Rates by District and County of Residence
Age of Resident
2014

RESIDENCE	TOTAL ABORTIONS		AGE OF RESIDENT									
				15-19								
	Number	Rate[1]	<15	Total	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1,751*	5.6	7	233	56	177	572	439	270	159	62	7
District 1	242*	6.4	1	34	8	26	64	56	44	24	13	5
District 2	109*	5.4	-	21	8	13	29	31	13	10	4	-
District 3	276	5.3	1	44	10	34	103	63	36	22	7	-
District 4	692	7.4	1	79	16	63	224	188	109	69	21	1
District 5	254	7.2	3	33	10	23	82	60	41	25	10	-
District 6	98	3.0	1	15	3	12	41	20	12	6	2	1
District 7	80	1.8	-	7	1	6	29	21	15	3	5	-
Ada	649	7.6	1	72	15	57	213	174	103	65	20	1
Adams	2	4.1	-	-	-	-	1	-	-	-	1	-
Bannock	63	3.6	1	8	1	7	27	15	8	2	1	1
Bear Lake	-	-	-	-	-	-	-	-	-	-	-	-
Benewah	4	3.0	-	2	1	1	1	-	1	-	-	-
Bingham	22	2.6	-	4	-	4	11	3	2	2	-	-
Blaine	56	15.5	1	5	3	2	13	14	11	9	3	-
Boise	8	8.8	-	-	-	-	1	4	1	1	1	-
Bonner	29	4.6	-	5	2	3	4	6	5	5	4	-
Bonneville	59	2.8	-	5	1	4	17	18	12	3	4	-
Boundary	5	2.9	-	-	-	-	1	1	2	1	-	-
Butte	3	7.4	-	1	-	1	1	-	-	1	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	234	5.7	-	36	7	29	81	59	33	19	6	-
Caribou	1	0.9	-	-	-	-	-	1	-	-	-	-
Cassia	23	5.4	-	1	-	1	7	12	1	2	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	5	5.1	-	-	-	-	-	2	2	1	-	-
Custer	2	3.4	-	-	-	-	-	1	-	-	1	-
Elmore	25	4.8	-	7	1	6	10	7	1	-	-	-
Franklin	3	1.3	-	-	-	-	2	-	-	-	1	-
Fremont	4	1.8	-	1	-	1	3	-	-	-	-	-
Gem	9	3.5	1	1	1	-	5	1	1	-	-	-
Gooding	12	4.6	1	1	-	1	2	1	5	2	-	-
Idaho	5	2.4	-	1	1	-	-	1	1	2	-	-
Jefferson	7	1.4	-	1	-	1	5	1	-	-	-	-
Jerome	28	6.6	-	5	1	4	8	9	3	2	1	-
Kootenai	184*	6.9	1	23	5	18	53	45	32	15	9	5
Latah	54*	5.8	-	13	3	10	16	13	5	2	4	-
Lemhi	3	3.0	-	-	-	-	1	-	2	-	-	-
Lewis	2	3.9	-	-	-	-	1	-	1	-	-	-
Lincoln	4	4.0	-	1	-	1	1	-	1	-	1	-
Madison	2	0.2	-	-	-	-	2	-	-	-	-	-
Minidoka	15	4.2	-	5	3	2	4	3	2	1	-	-
Nez Perce	43	5.9	-	7	4	3	12	15	4	5	-	-
Oneida	1	1.5	-	1	1	-	-	-	-	-	-	-
Owyhee	8	4.1	-	2	-	2	3	2	-	1	-	-
Payette	20	5.0	-	5	2	3	10	1	2	2	-	-
Power	5	3.8	-	1	1	-	-	1	2	1	-	-
Shoshone	20	10.6	-	4	-	4	5	4	4	3	-	-
Teton	3	1.5	-	-	-	-	1	1	1	-	-	-
Twin Falls	116	7.4	1	15	3	12	47	21	18	9	5	-
Valley	10	7.1	-	-	-	-	-	3	4	3	-	-
Washington	3	1.9	-	-	-	-	3	-	-	-	-	-

* Total includes two records with age not stated: Kootenai County (District 1), and Latah County (District 2).

1. Abortion rate: Number of induced abortions per 1,000 women 15-44 years of age.

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure[1] by Length of Gestation[2]
2014

TERMINATION PROCEDURE[1]	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,353	923	238	115	67	6	1	-	3
Suction curettage	778	399	215	107	53	1	-	-	3
Sharp curettage	1	-	-	1	-	-	-	-	-
Dilation and evacuation (D&E)	24	1	1	6	14	2	-	-	-
Intra-uterine saline/ prostaglandin instillation	2	-	-	-	-	2	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	547	523	22	1	-	-	1	-	-
Other	1	-	-	-	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination. Data also differ from the estimated postfertilization age.

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure by Reported Complications
2014

TERMINATION PROCEDURE[1]	TOTAL IN IDAHO	REPORTED COMPLICATIONS[2]						
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other
TOTAL IN IDAHO	1,353	1,352	-	-	-	-	1	-
Suction curettage	778	778	-	-	-	-	-	-
Sharp curettage	1	1	-	-	-	-	-	-
Dilation and evacuation (D&E)	24	24	-	-	-	-	-	-
Intra-uterine saline / prostaglandin instillation	2	1	-	-	-	-	1	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-
Medical (non-surgical)	547	547	-	-	-	-	-	-
Other	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. One or more complications may be reported per termination procedure; therefore, the number of reported complications plus no complications may sum to more than total number of procedures.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Marital Status
2014

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,353	223	1,103	27
<15	7	-	7	-
15-19	175	6	168	1
15-17	39	-	39	-
18-19	136	6	129	1
20-24	462	30	422	10
25-29	339	61	270	8
30-34	201	61	136	4
35-39	124	47	74	3
40-44	42	16	25	1
45+	3	2	1	-
Not stated	-	-	-	-

INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Induced Abortions and Living Children
Percentage of Abortions
By Number of Previous Induced Abortions or Living Children
2014

	PREVIOUS INDUCED ABORTIONS		LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,353	100.0%	1,353	100.0%
None	937	69.3%	641	47.4%
1	292	21.6	307	22.7
2	87	6.4	224	16.6
3+	36	2.7	180	13.3
Not stated	1	NA	1	NA

Percentages are based on records with stated number of previous induced abortions or number of living children.

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Marriage and Divorce

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

MARRIAGE

Idaho

The number of marriages occurring in Idaho increased 3.7 percent from 13,207 in 2013 to 13,699 in 2014. The marriage rate increased from 8.2 marriages per 1,000 population to 8.4 per 1,000 population. Marriages occur at a higher frequency in Idaho than in the U.S. as a whole; the 2014 U.S. provisional marriage rate was 6.9 per 1,000. Much of the difference between Idaho and U.S. rates can be accounted for by the high number of nonresidents who marry in northern Idaho.

On October 15, 2014, same-sex marriage became legal in Idaho, and a question for each person's title (groom, bride, or partner) was added to the Idaho Marriage License. Marriage licenses vary by county; some counties also have a question for sex, and some counties do not include a question for sex. Of the 13,699 marriages in Idaho in 2014, 11,239 occurred prior to October 15, and were between a groom and a bride. A total of 2,050 marriages occurred on or after October 15 and the titles were listed as groom and bride. There were a total of 13,289 marriages between a bride and groom in Idaho in 2014. A total of 410 marriages were same-sex or between a partner and a partner, and occurred on or after October 15, 2014.

Opposite-sex, Same-sex, and Partner and Partner Marriages

To utilize the data collected on title of spouses, data on age and race are displayed in three separate tables. The first table called "Total Marriages" is based on 13,699 marriages occurring in Idaho, regardless of the title of spouse. The first spouse may be a groom, a bride, or a partner; the second spouse may be a groom, a bride, or a partner. The second table called "Opposite-sex Marriages" is based on 13,289 marriages in Idaho between a groom and a bride. The third table called "Same-Sex Or Marriages Between Partner and Partner" is based on 410 marriages between a groom and a groom, a bride and a bride, or a partner and a partner.

Fast Facts

Oldest Groom:	93	
Oldest Bride:	91	
Youngest Groom	16	
Youngest Bride:	15	
Groom and Bride Marriages:	13,289	
Groom and Groom Marriages:	9	
Bride and Bride Marriages:	18	
Partner and Partner Marriages:	383	
Day Most Marriages Occurred:	June 21	(280 marriages)
Days Fewest Marriages Occurred:	January 20	(2 marriages)

Marriages by Month

MARRIAGES OCCURRING IN IDAHO
Number of Marriages by Month in 2014



MARRIAGES OCCURRING IN IDAHO
District and County of Marriage
2005-2014

OCCURRENCE	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
IDAHO	13,699	13,207	13,114	13,696	13,757	13,771	14,641	14,973	14,855	14,933
District 1	3,093	3,232	3,302	3,456	3,511	3,639	3,903	4,114	4,236	4,332
District 2	711	638	683	712	686	709	730	743	750	750
District 3	1,742	1,590	1,591	1,740	1,761	1,698	1,828	1,884	1,809	1,731
District 4	3,702	3,520	3,158	3,309	3,449	3,357	3,545	3,670	3,600	3,577
District 5	1,461	1,432	1,465	1,492	1,432	1,416	1,472	1,378	1,352	1,357
District 6	1,057	949	1,003	1,027	1,104	1,069	1,059	1,104	1,098	1,083
District 7	1,933	1,846	1,912	1,960	1,814	1,883	2,104	2,080	2,010	2,103
Ada	3,166	3,006	2,664	2,847	2,959	2,890	3,023	3,139	3,042	3,057
Adams	35	38	30	39	30	19	37	37	31	37
Bannock	552	491	519	522	553	544	553	534	511	591
Bear Lake	42	54	54	45	59	53	41	57	56	36
Benewah	61	60	48	43	48	50	58	73	58	56
Bingham	272	225	274	261	300	269	270	295	288	251
Blaine	168	182	150	167	172	174	208	193	207	191
Boise	62	69	58	72	58	66	60	69	73	62
Bonner	362	344	332	364	305	339	359	337	354	362
Bonneville	1,169	1,083	1,104	1,139	1,079	1,089	1,185	1,505	1,444	1,549
Boundary	72	68	71	57	83	68	96	74	64	74
Butte	15	10	6	10	12	21	4	19	18	9
Camas	14	18	13	9	13	8	8	5	11	12
Canyon	1,233	1,130	1,117	1,241	1,256	1,230	1,350	1,367	1,313	1,256
Caribou	53	28	32	40	34	44	44	38	56	57
Cassia	191	187	196	197	169	178	180	163	150	152
Clark	4	6	5	2	5	9	6	8	5	3
Clearwater	66	79	84	68	54	70	95	86	83	74
Custer	71	77	71	76	70	72	73	94	91	79
Elmore	229	227	215	204	263	236	268	257	265	281
Franklin	67	83	53	75	61	74	71	68	85	69
Fremont	85	85	72	101	85	92	112	100	101	120
Gem	142	130	143	146	131	134	121	111	116	118
Gooding	80	81	75	72	70	88	101	110	96	95
Idaho	95	107	101	106	107	98	105	123	118	120
Jefferson	167	152	163	144	110	114	120	142	124	129
Jerome	157	141	143	135	104	129	153	144	142	161
Kootenai	2,479	2,651	2,759	2,912	2,980	3,089	3,307	3,550	3,677	3,750
Latah	231	182	200	215	179	205	196	205	206	194
Lemhi	59	56	52	64	57	62	65	76	71	88
Lewis	17	15	18	15	27	12	25	31	20	23
Lincoln	12	26	16	17	17	12	20	19	13	27
Madison	295	309	384	375	347	388	482	95	105	85
Minidoka	153	127	134	125	132	126	133	112	143	131
Nez Perce	302	255	280	308	319	324	309	298	323	339
Oneida	19	22	22	21	22	23	23	33	35	27
Owyhee	70	70	65	61	58	44	48	50	50	72
Payette	190	163	177	188	211	201	185	243	213	186
Power	37	36	43	53	63	41	53	60	49	43
Shoshone	119	109	92	80	95	93	83	80	83	90
Teton	83	78	61	59	61	57	61	60	69	50
Twin Falls	686	670	738	770	755	701	669	632	590	588
Valley	245	218	221	186	169	165	194	205	220	177
Washington	72	59	59	65	75	70	87	76	86	62

MARRIAGES OCCURRING IN IDAHO
District and County of Marriage By Title of Spouses
2014

OCCURRENCE	TOTAL MARRIAGES	OPPOSITE-SEX MARRIAGES (GROOM AND BRIDE)	SAME-SEX AND PARTNER AND PARTNER MARRIAGES
IDAHO	13,699	13,289	410
District 1	3,093	2,915	178
District 2	711	701	10
District 3	1,742	1,707	35
District 4	3,702	3,585	117
District 5	1,461	1,437	24
District 6	1,057	1,030	27
District 7	1,933	1,914	19
Ada	3,166	3,051	115
Adams	35	35	-
Bannock	552	529	23
Bear Lake	42	42	-
Benewah	61	61	-
Bingham	272	269	3
Blaine	168	166	2
Boise	62	62	-
Bonner	362	355	7
Bonneville	1,169	1,150	19
Boundary	72	71	1
Butte	15	15	-
Camas	14	14	-
Canyon	1,233	1,204	29
Caribou	53	53	-
Cassia	191	188	3
Clark	4	4	-
Clearwater	66	66	-
Custer	71	71	-
Elmore	229	227	2
Franklin	67	67	-
Fremont	85	85	-
Gem	142	138	4
Gooding	80	78	2
Idaho	95	95	-
Jefferson	167	167	-
Jerome	157	154	3
Kootenai	2,479	2,309	170
Latah	231	223	8
Lemhi	59	59	-
Lewis	17	17	-
Lincoln	12	12	-
Madison	295	295	-
Minidoka	153	153	-
Nez Perce	302	300	2
Oneida	19	19	-
Owyhee	70	70	-
Payette	190	189	1
Power	37	36	1
Shoshone	119	119	-
Teton	83	83	-
Twin Falls	686	672	14
Valley	245	245	-
Washington	72	71	1

Same-sex marriage became legal in Idaho on October 15, 2014, and a new question regarding title of spouse was added to the Idaho marriage license, in which the spouse may list groom, bride, or partner. Total marriages in Idaho include marriage between groom and bride, groom and groom, bride and bride, or partner and partner.

MARRIAGES OCCURRING IN IDAHO
Total Marriages by Age
2014

AGE OF FIRST SPOUSE	TOTAL	AGE OF SECOND SPOUSE											
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65-74	75+	Not stated
TOTAL	13,699	-	1,034	3,669	2,798	1,782	1,267	861	1,412	592	226	58	-
<15	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	443	-	345	93	2	2	1	-	-	-	-	-	-
20-24	3,004	-	562	2,100	273	43	19	4	3	-	-	-	-
25-29	2,882	-	102	1,086	1,309	294	65	18	7	1	-	-	-
30-34	2,125	-	13	281	812	735	222	50	11	1	-	-	-
35-39	1,339	-	9	74	274	411	403	122	41	4	1	-	-
40-44	1,057	-	2	23	88	178	297	286	174	9	-	-	-
45-54	1,531	-	1	10	34	104	219	308	752	99	4	-	-
55-64	863	-	-	2	5	14	36	63	370	324	49	-	-
65-74	329	-	-	-	1	1	5	10	49	134	119	10	-
75+	126	-	-	-	-	-	-	-	5	20	53	48	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-

MARRIAGES OCCURRING IN IDAHO
Total Marriages by Race
2014

RACE OF FIRST SPOUSE	TOTAL	RACE OF SECOND SPOUSE					
		White	Black	American Indian Alaskan Native	Asian or Pacific Islander	Other Race	Not stated
TOTAL	13,699	11,610	76	193	302	1,174	344
White	11,640	11,177	47	132	211	64	9
Black	141	109	26	2	2	2	-
American Indian or Alaskan Native	173	113	1	53	1	4	1
Asian/Pacific Islander	217	127	2	3	84	1	-
Other race	1,170	60	-	3	4	1,103	-
Not stated	358	24	-	-	-	-	334

Note: Ethnicity is not reported on the marriage certificate. Prior to 2014, if race of spouse was reported as Spanish, ethnicity was designated as Hispanic, and race was categorized as White. Prior to 2014, over 90 percent of brides and grooms were White, and less than one percent were reported as "other race". In 2014, 85 percent of both spouses were reported as White, and nine percent were reported as "other race". Because persons of other race may be Hispanic, the use of Spanish race to designate Hispanic origin is no longer being used beginning in 2014.

Same-sex marriage became legal in Idaho on October 15, 2014, and a new question regarding title of spouse was added to the Idaho marriage license, in which the spouse may list groom, bride, or partner. Total marriages in Idaho include marriage between groom and bride, groom and groom, bride and bride, or partner and partner, in which sexes of partners may or may not be listed.

MARRIAGES OCCURRING IN IDAHO
Opposite-Sex Marriages Between Groom And Bride
Age of Groom by Age of Bride
2014

AGE OF GROOM	TOTAL	AGE OF BRIDE											
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65-74	75+	Not Stated
TOTAL	13,289	-	1,028	3,620	2,741	1,728	1,222	814	1,326	547	206	57	-
<15	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	437	-	340	92	2	2	1	-	-	-	-	-	-
20-24	2,969	-	561	2,075	269	41	17	4	2	-	-	-	-
25-29	2,828	-	102	1,071	1,283	287	61	17	6	1	-	-	-
30-34	2,067	-	13	274	798	713	214	45	10	-	-	-	-
35-39	1,300	-	9	73	268	401	387	117	40	4	1	-	-
40-44	1,012	-	2	23	84	172	290	275	157	9	-	-	-
45-54	1,444	-	1	10	31	98	212	288	710	90	4	-	-
55-64	800	-	-	2	5	13	35	58	348	301	38	-	-
65-74	309	-	-	-	1	1	5	10	48	123	112	9	-
75+	123	-	-	-	-	-	-	-	5	19	51	48	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-

MARRIAGES OCCURRING IN IDAHO
Same-Sex Or Marriages Between Partner and Partner
Age of First Partner by Age of Second Partner
2014

AGE OF FIRST PARTNER	TOTAL	AGE OF SECOND PARTNER											
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65-74	75+	Not Stated
TOTAL	410	-	6	49	57	54	45	47	86	45	20	1	-
<15	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	6	-	5	1	-	-	-	-	-	-	-	-	-
20-24	35	-	1	25	4	2	2	-	1	-	-	-	-
25-29	54	-	-	15	26	7	4	1	1	-	-	-	-
30-34	58	-	-	7	14	22	8	5	1	1	-	-	-
35-39	39	-	-	1	6	10	16	5	1	-	-	-	-
40-44	45	-	-	-	4	6	7	11	17	-	-	-	-
45-54	87	-	-	-	3	6	7	20	42	9	-	-	-
55-64	63	-	-	-	-	1	1	5	22	23	11	-	-
65-74	20	-	-	-	-	-	-	-	1	11	7	1	-
75+	3	-	-	-	-	-	-	-	-	1	2	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-

Same-sex marriage became legal in Idaho on October 15, 2014, and a new question regarding title of spouse was added to the Idaho marriage license, in which the spouse may list groom, bride, or partner. Total marriages in Idaho include marriage between groom and bride, groom and groom, bride and bride, or partner and partner, in which sexes of partners may or may not be listed.

MARRIAGES OCCURRING IN IDAHO
Opposite-Sex Marriages Between Groom and Bride by Race
2014

RACE OF GROOM	TOTAL	RACE OF BRIDE					
		White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated
TOTAL	13,289	11,244	72	186	294	1,151	342
White	11,269	10,828	43	126	204	59	9
Black	138	106	26	2	2	2	-
American Indian or Alaska Native	166	107	1	52	1	4	1
Asian or Pacific Islander	213	124	2	3	83	1	-
Other race	1,147	55	-	3	4	1,085	-
Not stated	356	24	-	-	-	-	332

MARRIAGES OCCURRING IN IDAHO
Same-Sex Or Marriages Between Partner and Partner by Race
2014

RACE OF FIRST PARTNER	TOTAL	RACE OF SECOND PARTNER					
		White	Black	American Indian or Alaska Native	Asian or Pacific Islander	Other Race	Not Stated
TOTAL	410	366	4	7	8	23	2
White	371	349	4	6	7	5	-
Black	3	3	-	-	-	-	-
American Indian or Alaska Native	7	6	-	1	-	-	-
Asian or Pacific Islander	4	3	-	-	1	-	-
Other race	23	5	-	-	-	18	-
Not stated	2	-	-	-	-	-	2

Note: Ethnicity is not reported on the marriage certificate. Prior to 2014, if race of spouse was reported as Spanish, ethnicity was designated as Hispanic, and race was categorized as White. Prior to 2014, over 90 percent of brides and grooms were White, and less than one percent were reported as "other race". In 2014, 85 percent of both spouses were White, and nine percent were reported as "other race". Because persons of other race may be Hispanic, the use of Spanish race to designate Hispanic origin is no longer used beginning in 2014.

Same-sex marriage became legal in Idaho on October 15, 2014, and a new question regarding title of spouse was added to the Idaho marriage license, in which the spouse may list groom, bride, or partner. Total marriages in Idaho include marriage between groom and bride, groom and groom, bride and bride, or partner and partner, in which sexes of partners may or may not be listed.

MARRIAGES OCCURRING IN IDAHO
Number of Marriages and Spouses by Type of Marriage and Title
2014

MARRIAGES AND SPOUSES	NUMBER
Total Marriages	13,699
Opposite-sex (groom and bride) marriages	13,289
Same-sex and Partner and Partner marriages	410
Total Spouses	27,398
Groom	13,307
Bride	13,325
Partner	766

MARRIAGES OCCURRING IN IDAHO
Number of Spouses and Median Age by Title and Pervious Marital Status
2014

TITLE	PREVIOUS MARITAL STATUS				
	Total	Single	Divorced	Widowed	Not Stated
Number of Spouses					
Total	27,398	16,414	10,222	760	2
Groom	13,307	8,061	4,882	363	1
Bride	13,325	7,893	5,059	372	1
Partner	766	460	281	25	-
Median Age					
Groom	29.8	25.3	41.7	64.1	NA
Bride	27.5	23.3	37.9	57.5	NA
Partner	39.6	32.4	46.6	59.5	NA

Same-sex marriage became legal in Idaho on October 15, 2014, and a new question regarding title of spouse was added to the Idaho marriage license, in which the spouse may list groom, bride, or partner. Total marriages in Idaho include marriage between groom and bride, groom and groom, bride and bride, or partner and partner.

NA: not applicable.

MARRIAGES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2014

OCCURRENCE	TOTAL MARRIAGES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	13,699	10,579	821	2,299	-
District 1	3,093	1,395	171	1,527	-
District 2	711	524	61	126	-
District 3	1,742	1,573	87	82	-
District 4	3,702	3,275	198	229	-
District 5	1,461	1,302	64	95	-
District 6	1,057	914	74	69	-
District 7	1,933	1,596	166	171	-
Ada	3,166	2,822	169	175	-
Adams	35	31	2	2	-
Bannock	552	501	28	23	-
Bear Lake	42	31	-	11	-
Benewah	61	48	4	9	-
Bingham	272	239	19	14	-
Blaine	168	112	4	52	-
Boise	62	55	4	3	-
Bonner	362	227	14	121	-
Bonneville	1,169	990	110	69	-
Boundary	72	57	5	10	-
Butte	15	10	4	1	-
Camas	14	12	1	1	-
Canyon	1,233	1,140	51	42	-
Caribou	53	45	2	6	-
Cassia	191	178	8	5	-
Clark	4	3	-	1	-
Clearwater	66	56	4	6	-
Custer	71	54	2	15	-
Elmore	229	198	16	15	-
Franklin	67	45	14	8	-
Fremont	85	61	5	19	-
Gem	142	134	5	3	-
Gooding	80	76	-	4	-
Idaho	95	69	11	15	-
Jefferson	167	140	14	13	-
Jerome	157	147	7	3	-
Kootenai	2,479	963	144	1,372	-
Latah	231	175	20	36	-
Lemhi	59	51	2	6	-
Lewis	17	15	1	1	-
Lincoln	12	12	-	-	-
Madison	295	238	29	28	-
Minidoka	153	142	6	5	-
Nez Perce	302	209	25	68	-
Oneida	19	10	6	3	-
Owyhee	70	63	5	2	-
Payette	190	147	15	28	-
Power	37	33	1	3	-
Shoshone	119	100	4	15	-
Teton	83	59	4	20	-
Twin Falls	686	623	38	25	-
Valley	245	200	9	36	-
Washington	72	58	9	5	-

DIVORCE

Idaho

The number of divorces occurring in Idaho decreased 4.2 percent from 7,248 in 2013 to 6,943 in 2014. In the past ten years, the divorce rate declined 16.0 percent from 5.0 per 1,000 population in 2005 to 4.2 in 2014. Like marriages, divorces occur more frequently in Idaho than in the remainder of the nation; the 2014 U.S. provisional divorce rate was 3.2 per 1,000 population.

Fast Facts

Oldest Male Divorcee: 93

Oldest Female Divorcee: 95

Youngest Male Divorcee: 18

Youngest Female Divorcee: 17

Day Most Divorces Finalized: December 17, 2014 (53 divorces)

Greatest Number of Previous Marriages for Male Divorcees: 8

Greatest Number of Previous Marriages for Female Divorcees: 8

Marriage of Longest Duration Ending in a Divorce: 72 years

Marriage of Shortest Duration Ending in a Divorce: 13 days

Divorces by Month

DIVORCES OCCURRING IN IDAHO
Month of Divorce
2014



DIVORCES GRANTED IN IDAHO
District and County of Divorce
2005-2014

OCCURRENCE	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005*
IDAHO	6,943	7,248	7,598	7,773	8,136	7,729	7,424	7,344	7,392	7,118
District 1	1,010	1,069	1,118	1,124	1,192	1,112	1,110	1,072	1,100	1,082
District 2	368	481	436	493	432	438	408	410	465	450
District 3	1,130	1,148	1,285	1,276	1,402	1,297	1,247	1,294	1,228	1,376
District 4	2,157	2,138	2,311	2,329	2,404	2,346	2,227	2,170	2,121	1,862
District 5	847	858	957	916	976	915	872	889	903	806
District 6	567	653	644	690	788	711	692	638	683	678
District 7	864	901	847	945	942	910	868	871	892	864
Ada	1,959	1,944	2,072	2,068	2,138	2,065	1,947	1,910	1,853	1,635
Adams	10	11	17	11	18	18	14	18	17	10
Bannock	293	336	346	328	399	357	364	337	348	349
Bear Lake	21	27	12	21	29	28	24	20	30	28
Benewah	31	39	41	39	60	40	45	53	53	37
Bingham	131	166	160	175	199	181	177	169	143	168
Blaine	85	63	69	72	100	102	78	100	80	76
Boise	11	3	7	15	27	26	22	18	18	18
Bonner	180	167	166	179	221	214	216	218	199	225
Bonneville	576	631	588	634	641	634	597	607	627	608
Boundary	30	27	37	37	40	52	42	37	43	29
Butte	8	8	6	11	7	5	4	13	5	14
Camas	1	5	9	8	7	6	1	9	4	1
Canyon	861	872	957	954	1,051	982	954	957	927	1,077
Caribou	19	32	22	21	38	26	29	29	33	17
Cassia	103	113	160	140	135	116	124	127	134	108
Clark	1	1	1	1	2	1	3	2	1	1
Clearwater	23	33	18	43	38	43	21	38	57	43
Custer	9	10	9	13	11	13	29	15	15	13
Elmore	153	150	197	204	203	196	214	196	201	172
Franklin	48	34	44	57	42	53	38	33	45	43
Fremont	37	47	30	45	40	37	42	45	50	33
Gem	89	90	89	99	102	84	70	88	73	84
Gooding	41	44	46	50	45	53	46	47	50	49
Idaho	52	61	57	58	53	48	58	32	54	51
Jefferson	95	75	70	99	99	77	51	69	67	68
Jerome	96	97	98	94	119	87	77	88	111	95
Kootenai	701	763	811	788	794	753	749	717	726	718
Latah	109	167	123	145	108	104	108	111	113	107
Lemhi	29	27	22	30	35	43	36	32	38	40
Lewis	5	12	7	13	9	11	7	9	12	6
Lincoln	20	25	28	21	16	16	18	19	10	8
Madison	93	73	90	88	76	62	70	72	62	74
Minidoka	73	66	68	64	52	62	52	53	64	44
Nez Perce	179	204	222	229	213	228	208	211	219	228
Oneida	18	15	11	13	23	18	12	10	20	10
Owyhee	19	27	13	25	25	29	19	27	21	18
Payette	115	107	168	139	152	144	145	149	134	134
Power	17	26	18	33	29	15	19	14	27	30
Shoshone	59	69	56	72	73	49	57	41	69	64
Teton	24	37	37	35	38	43	40	29	32	27
Twin Falls	428	445	479	467	502	473	476	446	450	425
Valley	34	41	35	42	36	59	44	46	49	37
Washington	36	41	41	48	54	40	45	55	56	53
Tribal Courts:										
Coeur d'Alene	9	4	7	9	4	4	1	6	10	9
Kootenai	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	4	9	5	11	4	6	9	10	15
Shoshone-Bannock	12	9	25	31	22	28	25	13	32	19

Tribal court data are included in District totals.
* In 2006, the 2005 Idaho divorce data base was revised; data in this table are revised for 2005.

DIVORCES OCCURRING IN IDAHO
District and County of Occurrence by Idaho Residence
2014

OCCURRENCE	TOTAL DIVORCES	RESIDENCE			
		Both Residents of Idaho	One Resident and One Non-Resident of Idaho	Both Non-Residents of Idaho	One or Both With State of Residence Not Stated
IDAHO	6,943	5,518	1,327	34	64
District 1	1,010	735	266	6	3
District 2	368	263	94	2	9
District 3	1,130	921	197	4	8
District 4	2,157	1,765	365	11	16
District 5	847	675	155	3	14
District 6	567	471	86	3	7
District 7	864	688	164	5	7
Ada	1,959	1,631	308	9	11
Adams	10	8	2	-	-
Bannock	293	240	48	2	3
Bear Lake	21	17	3	-	1
Benewah	31	27	4	-	-
Bingham	131	118	12	-	1
Blaine	85	68	16	1	-
Boise	11	9	2	-	-
Bonner	180	129	50	1	-
Bonneville	576	466	107	2	1
Boundary	30	20	9	-	1
Butte	8	5	3	-	-
Camas	1	1	-	-	-
Canyon	861	715	135	4	7
Caribou	19	17	2	-	-
Cassia	103	81	19	-	3
Clark	1	-	1	-	-
Clearwater	23	17	6	-	-
Custer	9	5	4	-	-
Elmore	153	96	51	2	4
Franklin	48	36	11	-	1
Fremont	37	29	8	-	-
Gem	89	76	13	-	-
Gooding	41	36	3	-	2
Idaho	52	37	12	-	3
Jefferson	95	82	11	-	2
Jerome	96	75	19	1	1
Kootenai	701	505	190	5	1
Latah	109	86	20	1	2
Lemhi	29	21	7	-	1
Lewis	5	2	1	1	1
Lincoln	20	17	2	-	1
Madison	93	68	21	2	2
Minidoka	73	58	14	-	1
Nez Perce	179	121	55	-	3
Oneida	18	13	4	-	1
Owyhee	19	12	7	-	-
Payette	115	81	33	-	1
Power	17	14	2	1	-
Shoshone	59	49	10	-	-
Teton	24	17	5	1	1
Twin Falls	428	339	82	1	6
Valley	34	29	4	-	1
Washington	36	29	7	-	-
Tribal Courts:					
Coeur d'Alene	9	5	3	-	1
Kootenai	-	-	-	-	-
Nez Perce	-	-	-	-	-
Shoshone-Bannock	12	11	1	-	-

DIVORCES GRANTED IN IDAHO
Number This Marriage: Husband, Wife
2014

NUMBER THIS MARRIAGE	HUSBAND	WIFE
TOTAL DIVORCES	6,943	6,943
Number this marriage:		
First	1,925	1,850
Second	690	706
Third	215	248
Fourth	76	83
Fifth	24	23
Sixth	4	4
Seventh +	3	5
Not stated	4,006	4,024

DIVORCES GRANTED IN IDAHO
Duration of Marriage
2012-2014

DURATION OF MARRIAGE	2014		2013	2012
	Number	Percent	Percent	Percent
TOTAL	6,943	100.0%	(7,248)	(7,598)
0-4 years	2,403	35.0%	35.7%	36.3%
<1 year	367	5.3	5.2	5.7
1-4 years	2,036	29.6	30.6	30.6
5-9 years	1,676	24.4	25.4	23.8
10-14 years	1,012	14.7	14.6	15.1
15-19 years	713	10.4	9.4	9.9
20-24 years	503	7.3	6.9	7.1
25-29 years	255	3.7	3.9	3.8
30-34 years	174	2.5	2.1	2.3
35-39 years	62	0.9	1.0	0.9
40+ years	71	1.0	0.9	0.8
Not stated	74	NA	(57)	(59)
Median years duration	6.7		6.3	6.3

Percentages based on records with stated duration of marriage.

Total numbers of divorces and numbers of divorces with duration of marriage not stated in 2012 and 2013 are shown in parentheses.

DIVORCES GRANTED IN IDAHO
Number of Children <18 Years of Age in Household
2014

NUMBER OF CHILDREN <18 YEARS OF AGE IN HOUSEHOLD	TOTAL DIVORCES	TOTAL CHILDREN
TOTAL	6,943	6,862
No children	3,409	-
1 child	1,333	1,333
2 children	1,276	2,552
3 children	568	1,704
4 children	198	792
5 children	64	320
6 children	13	78
7 children	9	63
8 children	-	-
9 children	1	9
10+ children	1	11
Not stated	71	NA

DIVORCES GRANTED IN IDAHO
Legal Grounds
2014

LEGAL GROUNDS	TOTAL	DIVORCES	ANNULMENTS
TOTAL	6,943	6,876	67
Adultery	21	21	-
Bigamy	7	-	7
Conviction of a felony	-	-	-
Habitual intemperance	2	2	-
Extreme cruelty	12	12	-
Five-year continuous separation without cohabitation	1	1	-
Fraud, misrepresentation	32	-	32
Incapacity	10	-	10
Irreconcilable differences	6,829	6,828	1
Permanent insanity	-	-	-
Underage	1	-	1
Willful desertion	2	2	-
Willful neglect or nonsupport	1	1	-
Other	13	-	13
Not stated	12	9	3

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



District and County Profile

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Power	Teton

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	IDAHO		DISTRICT 1		DISTRICT 2		DISTRICT 3		DISTRICT 4		DISTRICT 5		DISTRICT 6		DISTRICT 7	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]																
Total	1,634,464		221,398		107,033		268,080		468,980		190,496		168,854		209,623	
Females Aged 15-44	314,852		38,084		20,195		51,963		93,454		35,132		32,582		43,442	
LIVE BIRTHS	22,888	14.0	2,615	11.8	1,180	11.0	4,005	14.9	5,751	12.3	2,789	14.6	2,579	15.3	3,969	18.9
Fertility rate		72.7		68.7		58.4		77.1		61.5		79.4		79.2		91.4
Out-of-wedlock births[2]	6,354	27.8%	884	33.8%	387	32.8%	1,389	34.7%	1,402	24.4%	922	33.1%	707	27.4%	663	16.7%
Low birthweight[2]	1,478	6.5%	137	5.2%	48	4.1%	282	7.0%	373	6.5%	193	6.9%	174	6.7%	271	6.8%
INFANT DEATHS	126	5.5	17	6.5	10	8.5	24	6.0	27	4.7	17	6.1	11	4.3	20	5.0
Neonatal deaths	88	3.8	14	5.4	3	2.5	17	4.2	23	4.0	11	3.9	5	1.9	15	3.8
Postneonatal deaths	38	1.7	3	1.1	7	5.9	7	1.7	4	0.7	6	2.2	6	2.3	5	1.3
PERINATAL DEATHS	191	8.3	26	9.9	10	8.5	37	9.2	39	6.8	32	11.5	16	6.2	31	7.8
Stillbirths	114	5.0	12	4.6	7	5.9	23	5.7	20	3.5	21	7.5	12	4.7	19	4.8
INDUCED ABORTIONS (resident)	1,751	5.6	242	6.4	109	5.4	276	5.3	692	7.4	254	7.2	98	3.0	80	1.8
(ratio)		76.5		92.5		92.4		68.9		120.3		91.1		38.0		20.2
DEATHS[3]	12,610	771.5	2,172	981.0	1,054	984.7	1,977	737.5	3,017	643.3	1,582	830.5	1,444	855.2	1,364	650.7
Malignant neoplasms (cancer)	2,790	170.7	553	249.8	256	239.2	434	161.9	688	146.7	350	183.7	255	151.0	254	121.2
Diseases of heart	2,684	164.2	399	180.2	216	201.8	452	168.6	667	142.2	333	174.8	319	188.9	298	142.2
Chronic lower respiratory diseases	830	50.8	143	64.6	72	67.3	143	53.3	193	41.2	97	50.9	86	50.9	96	45.8
Accidents (unintentional injury)	748	45.8	120	54.2	56	52.3	97	36.2	164	35.0	112	58.8	117	69.3	82	39.1
Cerebrovascular diseases	638	39.0	126	56.9	60	56.1	113	42.2	148	31.6	66	34.6	70	41.5	55	26.2
Diabetes mellitus	408	25.0	96	43.4	25	23.4	57	21.3	69	14.7	31	16.3	67	39.7	63	30.1
Alzheimer's disease	376	23.0	55	24.8	22	20.6	66	24.6	110	23.5	51	26.8	38	22.5	34	16.2
Intentional self-harm (suicide)	320	19.6	53	23.9	33	30.8	35	13.1	85	18.1	42	22.0	36	21.3	36	17.2
Influenza and pneumonia	203	12.4	36	16.3	24	22.4	21	7.8	33	7.0	38	19.9	31	18.4	20	9.5
Chronic liver disease and cirrhosis	196	12.0	26	11.7	16	14.9	31	11.6	50	10.7	21	11.0	27	16.0	25	11.9
All other causes	3,417	NA	565	NA	274	NA	528	NA	810	NA	441	NA	398	NA	401	NA
MARRIAGES (occurring)	13,699	8.4	3,093	14.0	711	6.6	1,742	6.5	3,702	7.9	1,461	7.7	1,057	6.3	1,933	9.2
DIVORCES[4] (occurring)	6,943	4.2	1,010	4.6	368	3.4	1,130	4.2	2,157	4.6	847	4.4	567	3.4	864	4.1

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	ADA		ADAMS		BANNOCK		BEAR LAKE		BENEWAH		BINGHAM		BLAINE		BOISE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]																
Total	426,236		3,861		83,347		5,957		9,118		45,269		21,482		6,824	
Females Aged 15-44	85,954		490		17,394		992		1,344		8,326		3,610		914	
LIVE BIRTHS	5,128	12.0	31	8.0	1,324	15.9	90	15.1	107	11.7	687	15.2	222	10.3	39	5.7
Fertility rate		59.7		63.3		76.1		90.7		79.6		82.5		61.5		42.7
Out-of-wedlock births[2]	1,223	23.8%	11	35.5%	362	27.3%	20	22.2%	48	44.9%	208	30.3%	72	32.4%	18	46.2%
Low birthweight[2]	330	6.4%	2	6.5%	81	6.1%	10	11.1%	5	4.7%	49	7.1%	13	5.9%	4	10.3%
INFANT DEATHS	23	4.5	-	-	7	5.3	-	-	2	18.7	1	1.5	-	-	-	-
Neonatal deaths	20	3.9	-	-	3	2.3	-	-	2	18.7	-	-	-	-	-	-
Postneonatal deaths	3	0.6	-	-	4	3.0	-	-	-	-	1	1.5	-	-	-	-
PERINATAL DEATHS	38	7.4	-	-	10	7.6	-	-	3	28.0	3	4.4	1	4.5	-	-
Stillbirths	20	3.9	-	-	8	6.0	-	-	1	9.3	3	4.4	1	4.5	-	-
INDUCED ABORTIONS (resident)	649	7.6	2	4.1	63	3.6	-	-	4	3.0	22	2.6	56	15.5	8	8.8
(ratio)		126.6		64.5		47.6		-		37.4		32.0		252.3		205.1
DEATHS[3]	2,736	641.9	37	958.3	707	848.3	74	1,242.2	130	1,425.8	345	762.1	120	558.6	45	659.4
Malignant neoplasms (cancer)	621	145.7	7	181.3	117	140.4	13	218.2	31	340.0	62	137.0	31	144.3	12	175.8
Diseases of heart	612	143.6	10	259.0	139	166.8	18	302.2	18	197.4	80	176.7	17	79.1	11	161.2
Chronic lower respiratory diseases	176	41.3	5	129.5	38	45.6	5	83.9	15	164.5	27	59.6	5	23.3	6	87.9
Accidents (unintentional injury)	144	33.8	2	51.8	53	63.6	6	100.7	11	120.6	31	68.5	8	37.2	1	14.7
Cerebrovascular diseases	136	31.9	1	25.9	37	44.4	1	16.8	4	43.9	16	35.3	8	37.2	2	29.3
Diabetes mellitus	58	13.6	-	-	28	33.6	7	117.5	6	65.8	17	37.6	2	9.3	2	29.3
Alzheimer's disease	103	24.2	2	51.8	22	26.4	2	33.6	1	11.0	8	17.7	2	9.3	2	29.3
Intentional self-harm (suicide)	77	18.1	1	25.9	22	26.4	1	16.8	3	32.9	6	13.3	7	32.6	3	44.0
Influenza and pneumonia	27	6.3	1	25.9	13	15.6	5	83.9	2	21.9	4	8.8	3	14.0	-	-
Chronic liver disease and cirrhosis	44	10.3	1	25.9	17	20.4	1	16.8	3	32.9	8	17.7	3	14.0	-	-
All other causes	738	NA	7	NA	221	NA	15	NA	36	NA	86	NA	34	NA	6	NA
MARRIAGES (occurring)	3,166	7.4	35	9.1	552	6.6	42	7.1	61	6.7	272	6.0	168	7.8	62	9.1
DIVORCES[4] (occurring)	1,959	4.6	10	2.6	293	3.5	21	3.5	31	3.4	131	2.9	85	4.0	11	1.6

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	BONNER		BONNEVILLE		BOUNDARY		BUTTE		CAMAS		CANYON		CARIBOU		CASSIA	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]																
Total	41,585		108,623		10,979		2,622		1,039		203,143		6,837		23,540	
Females Aged 15-44	6,358		21,243		1,700		404		171		41,352		1,132		4,257	
LIVE BIRTHS	431	10.4	1,875	17.3	132	12.0	26	9.9	5	4.8	3,227	15.9	83	12.1	374	15.9
Fertility rate		67.8		88.3		77.6		64.4		29.2		78.0		73.3		87.9
Out-of-wedlock births[2]	139	32.3%	472	25.2%	32	24.2%	4	15.4%	1	20.0%	1,106	34.3%	13	15.7%	114	30.5%
Low birthweight[2]	25	5.8%	148	7.9%	6	4.5%	3	11.5%	-	-	211	6.5%	7	8.4%	25	6.7%
INFANT DEATHS	5	11.6	14	7.5	1	7.6	-	-	-	-	20	6.2	1	12.0	4	10.7
Neonatal deaths	4	9.3	12	6.4	1	7.6	-	-	-	-	14	4.3	1	12.0	2	5.3
Postneonatal deaths	1	2.3	2	1.1	-	-	-	-	-	-	6	1.9	-	-	2	5.3
PERINATAL DEATHS	7	16.2	22	11.7	2	15.2	-	-	-	-	30	9.3	1	12.0	5	13.4
Stillbirths	3	7.0	13	6.9	1	7.6	-	-	-	-	18	5.6	-	-	3	8.0
INDUCED ABORTIONS (resident)	29	4.6	59	2.8	5	2.9	3	7.4	-	-	234	5.7	1	0.9	23	5.4
(ratio)		67.3		31.5		37.9		115.4		-		72.5		12.0		61.5
DEATHS[3]	418	1,005.2	792	729.1	121	1,102.1	31	1,182.3	5	481.2	1,325	652.2	57	833.7	191	811.4
Malignant neoplasms (cancer)	115	276.5	138	127.0	26	236.8	7	267.0	3	288.7	275	135.4	11	160.9	44	186.9
Diseases of heart	92	221.2	158	145.5	21	191.3	8	305.1	2	192.5	294	144.7	12	175.5	36	152.9
Chronic lower respiratory diseases	24	57.7	57	52.5	7	63.8	4	152.6	-	-	99	48.7	2	29.3	16	68.0
Accidents (unintentional injury)	22	52.9	55	50.6	10	91.1	3	114.4	-	-	74	36.4	1	14.6	21	89.2
Cerebrovascular diseases	29	69.7	33	30.4	6	54.6	-	-	-	-	68	33.5	6	87.8	5	21.2
Diabetes mellitus	18	43.3	41	37.7	3	27.3	3	114.4	-	-	40	19.7	2	29.3	2	8.5
Alzheimer's disease	14	33.7	18	16.6	6	54.6	-	-	-	-	49	24.1	-	-	8	34.0
Intentional self-harm (suicide)	7	16.8	18	16.6	3	27.3	-	-	-	-	30	14.8	2	29.3	4	17.0
Influenza and pneumonia	6	14.4	10	9.2	3	27.3	1	38.1	-	-	14	6.9	1	14.6	4	17.0
Chronic liver disease and cirrhosis	8	19.2	19	17.5	2	18.2	-	-	-	-	27	13.3	-	-	4	17.0
All other causes	83	NA	245	NA	34	NA	5	NA	-	NA	355	NA	20	NA	47	NA
MARRIAGES (occurring)	362	8.7	1,169	10.8	72	6.6	15	5.7	14	13.5	1,233	6.1	53	7.8	191	8.1
DIVORCES[4] (occurring)	180	4.3	576	5.3	30	2.7	8	3.1	1	1.0	861	4.2	19	2.8	103	4.4

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	CLARK		CLEARWATER		CUSTER		ELMORE		FRANKLIN		FREMONT		GEM		GOODING	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]																
Total	867		8,562		4,140		26,094		13,021		12,867		16,866		15,064	
Females Aged 15-44	151		990		589		5,178		2,372		2,208		2,591		2,583	
LIVE BIRTHS	10	11.5	58	6.8	42	10.1	495	19.0	176	13.5	198	15.4	192	11.4	202	13.4
Fertility rate		66.2		58.6		71.3		95.6		74.2		89.7		74.1		78.2
Out-of-wedlock births[2]	-	-	25	43.1%	9	21.4%	128	25.9%	29	16.5%	40	20.2%	73	38.0%	71	35.1%
Low birthweight[2]	1	10.0%	4	6.9%	2	4.8%	37	7.5%	15	8.5%	14	7.1%	17	8.9%	18	8.9%
INFANT DEATHS	-	-	-	-	-	-	4	8.1	-	-	1	5.1	3	15.6	1	5.0
Neonatal deaths	-	-	-	-	-	-	3	6.1	-	-	-	-	3	15.6	1	5.0
Postneonatal deaths	-	-	-	-	-	-	1	2.0	-	-	1	5.1	-	-	-	-
PERINATAL DEATHS	-	-	1	17.2	1	23.8	1	2.0	1	5.7	-	-	3	15.6	2	9.9
Stillbirths	-	-	1	17.2	1	23.8	-	-	1	5.7	-	-	1	5.2	1	5.0
INDUCED ABORTIONS (resident)	-	-	5	5.1	2	3.4	25	4.8	3	1.3	4	1.8	9	3.5	12	4.6
(ratio)		-		86.2		47.6		50.5		17.0		20.2		46.9		59.4
DEATHS[3]	10	1,153.4	96	1,121.2	46	1,111.1	172	659.2	104	798.7	96	746.1	212	1,257.0	147	975.8
Malignant neoplasms (cancer)	3	346.0	20	233.6	11	265.7	38	145.6	20	153.6	20	155.4	46	272.7	36	239.0
Diseases of heart	4	461.4	14	163.5	15	362.3	32	122.6	22	169.0	23	178.8	38	225.3	35	232.3
Chronic lower respiratory diseases	1	115.3	10	116.8	4	96.6	10	38.3	3	23.0	7	54.4	16	94.9	7	46.5
Accidents (unintentional injury)	1	115.3	7	81.8	1	24.2	13	49.8	12	92.2	3	23.3	11	65.2	14	92.9
Cerebrovascular diseases	-	-	5	58.4	-	-	7	26.8	4	30.7	4	31.1	16	94.9	5	33.2
Diabetes mellitus	-	-	3	35.0	1	24.2	6	23.0	5	38.4	8	62.2	9	53.4	1	6.6
Alzheimer's disease	-	-	-	-	-	-	4	15.3	3	23.0	7	54.4	5	29.6	1	6.6
Intentional self-harm (suicide)	-	-	4	46.7	4	96.6	5	19.2	4	30.7	1	7.8	-	-	3	19.9
Influenza and pneumonia	-	-	1	11.7	1	24.2	2	7.7	4	30.7	-	-	-	-	5	33.2
Chronic liver disease and cirrhosis	-	-	4	46.7	-	-	5	19.2	1	7.7	2	15.5	2	11.9	1	6.6
All other causes	1	NA	28	NA	9	NA	50	NA	26	NA	21	NA	69	NA	39	NA
MARRIAGES (occurring)	4	4.6	66	7.7	71	17.1	229	8.8	67	5.1	85	6.6	142	8.4	80	5.3
DIVORCES[4] (occurring)	1	1.2	23	2.7	9	2.2	153	5.9	48	3.7	37	2.9	89	5.3	41	2.7

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	IDAHO		JEFFERSON		JEROME		KOOTENAI		LATAH		LEMHI		LEWIS		LINCOLN	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]																
Total	16,215		27,021		22,818		147,326		38,411		7,726		3,838		5,316	
Females Aged 15-44	2,107		5,108		4,214		26,804		9,338		999		514		1,001	
LIVE BIRTHS	158	9.7	445	16.5	384	16.8	1,795	12.2	448	11.7	65	8.4	35	9.1	62	11.7
Fertility rate		75.0		87.1		91.1		67.0		48.0		65.1		68.1		61.9
Out-of-wedlock births[2]	40	25.3%	63	14.2%	148	38.5%	589	32.8%	99	22.1%	21	32.3%	17	48.6%	24	38.7%
Low birthweight[2]	3	1.9%	21	4.7%	37	9.7%	89	5.0%	20	4.5%	8	12.3%	1	2.9%	1	1.6%
INFANT DEATHS	2	12.7	-	-	7	18.2	8	4.5	4	8.9	2	30.8	-	-	-	-
Neonatal deaths	1	6.3	-	-	5	13.0	6	3.3	1	2.2	2	30.8	-	-	-	-
Postneonatal deaths	1	6.3	-	-	2	5.2	2	1.1	3	6.7	-	-	-	-	-	-
PERINATAL DEATHS	3	19.0	1	2.2	8	20.8	13	7.2	2	4.5	3	46.2	2	57.1	1	16.1
Stillbirths	2	12.7	1	2.2	3	7.8	7	3.9	1	2.2	1	15.4	2	57.1	1	16.1
INDUCED ABORTIONS (resident)	5	2.4	7	1.4	28	6.6	184	6.9	54	5.8	3	3.0	2	3.9	4	4.0
(ratio)		31.6		15.7		72.9		102.5		120.5		46.2		57.1		64.5
DEATHS[3]	205	1,264.3	138	510.7	186	815.1	1,315	892.6	227	591.0	117	1,514.4	42	1,094.3	29	545.5
Malignant neoplasms (cancer)	50	308.4	25	92.5	44	192.8	339	230.1	57	148.4	23	297.7	13	338.7	6	112.9
Diseases of heart	46	283.7	27	99.9	42	184.1	229	155.4	54	140.6	23	297.7	15	390.8	1	18.8
Chronic lower respiratory diseases	21	129.5	9	33.3	16	70.1	85	57.7	10	26.0	13	168.3	2	52.1	1	18.8
Accidents (unintentional injury)	12	74.0	6	22.2	9	39.4	61	41.4	17	44.3	8	103.5	1	26.1	5	94.1
Cerebrovascular diseases	6	37.0	4	14.8	10	43.8	71	48.2	16	41.7	8	103.5	2	52.1	1	18.8
Diabetes mellitus	4	24.7	2	7.4	4	17.5	62	42.1	4	10.4	2	25.9	2	52.1	-	-
Alzheimer's disease	4	24.7	4	14.8	10	43.8	29	19.7	6	15.6	3	38.8	-	-	1	18.8
Intentional self-harm (suicide)	5	30.8	6	22.2	6	26.3	33	22.4	7	18.2	2	25.9	-	-	-	-
Influenza and pneumonia	6	37.0	4	14.8	3	13.1	23	15.6	4	10.4	2	25.9	1	26.1	-	-
Chronic liver disease and cirrhosis	1	6.2	2	7.4	3	13.1	11	7.5	3	7.8	2	25.9	-	-	-	-
All other causes	50	NA	49	NA	39	NA	372	NA	49	NA	31	NA	6	NA	14	NA
MARRIAGES (occurring)	95	5.9	167	6.2	157	6.9	2,479	16.8	231	6.0	59	7.6	17	4.4	12	2.3
DIVORCES[4] (occurring)	52	3.2	95	3.5	96	4.2	701	4.8	109	2.8	29	3.8	5	1.3	20	3.8

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	MADISON		MINIDOKA		NEZ PERCE		ONEIDA		OWYHEE		PAYETTE		POWER		SHOSHONE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]																
Total	38,038		20,323		40,007		4,184		11,353		22,836		7,617		12,390	
Females Aged 15-44	11,090		3,577		7,246		654		1,961		4,019		1,308		1,878	
LIVE BIRTHS	1,197	31.5	326	16.0	481	12.0	44	10.5	142	12.5	310	13.6	149	19.6	150	12.1
Fertility rate		107.9		91.1		66.4		67.3		72.4		77.1		113.9		79.9
Out-of-wedlock births[2]	32	2.7%	121	37.1%	206	42.8%	7	15.9%	47	33.1%	110	35.5%	64	43.0%	76	50.7%
Low birthweight[2]	65	5.4%	21	6.4%	20	4.2%	1	2.3%	15	10.6%	30	9.7%	8	5.4%	12	8.0%
INFANT DEATHS	2	1.7	2	6.1	4	8.3	-	-	-	-	1	3.2	2	13.4	1	6.7
Neonatal deaths	1	0.8	-	-	1	2.1	-	-	-	-	-	-	1	6.7	1	6.7
Postneonatal deaths	1	0.8	2	6.1	3	6.2	-	-	-	-	1	3.2	1	6.7	-	-
PERINATAL DEATHS	4	3.3	4	12.3	2	4.2	-	-	1	7.0	2	6.5	1	6.7	1	6.7
Stillbirths	3	2.5	4	12.3	1	2.1	-	-	1	7.0	2	6.5	-	-	-	-
INDUCED ABORTIONS (resident)	2	0.2	15	4.2	43	5.9	1	1.5	8	4.1	20	5.0	5	3.8	20	10.6
(ratio)		1.7		46.0		89.4		22.7		56.3		64.5		33.6		133.3
DEATHS[3]	126	331.2	160	787.3	484	1,209.8	49	1,171.1	84	739.9	204	893.3	77	1,010.9	188	1,517.4
Malignant neoplasms (cancer)	25	65.7	30	147.6	116	289.9	9	215.1	21	185.0	52	227.7	16	210.1	42	339.0
Diseases of heart	39	102.5	33	162.4	87	217.5	18	430.2	20	176.2	56	245.2	22	288.8	39	314.8
Chronic lower respiratory diseases	4	10.5	7	34.4	29	72.5	1	23.9	5	44.0	14	61.3	6	78.8	12	96.9
Accidents (unintentional injury)	6	15.8	12	59.0	19	47.5	7	167.3	3	26.4	3	13.1	4	52.5	16	129.1
Cerebrovascular diseases	3	7.9	7	34.4	31	77.5	3	71.7	5	44.0	13	56.9	3	39.4	16	129.1
Diabetes mellitus	8	21.0	11	54.1	12	30.0	1	23.9	3	26.4	2	8.8	4	52.5	7	56.5
Alzheimer's disease	2	5.3	2	9.8	12	30.0	-	-	5	44.0	5	21.9	3	39.4	5	40.4
Intentional self-harm (suicide)	3	7.9	2	9.8	17	42.5	-	-	-	-	4	17.5	1	13.1	7	56.5
Influenza and pneumonia	3	7.9	6	29.5	12	30.0	1	23.9	2	17.6	2	8.8	2	26.3	2	16.1
Chronic liver disease and cirrhosis	-	-	2	9.8	8	20.0	-	-	-	-	-	-	-	-	2	16.1
All other causes	33	NA	48	NA	141	NA	9	NA	20	NA	53	NA	16	NA	40	NA
MARRIAGES (occurring)	295	7.8	153	7.5	302	7.5	19	4.5	70	6.2	190	8.3	37	4.9	119	9.6
DIVORCES[4] (occurring)	93	2.4	73	3.6	179	4.5	18	4.3	19	1.7	115	5.0	17	2.2	59	4.8

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases.

DISTRICT AND COUNTY PROFILE
Population, Births, Deaths, Abortions, Marriages, and Divorces
2014

	TETON		TWIN FALLS		VALLEY		WASHINGTON	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/2014[1]								
Total	10,341		80,914		9,826		10,021	
Females Aged 15-44	2,054		15,719		1,408		1,550	
LIVE BIRTHS	137	13.2	1,214	15.0	89	9.1	103	10.3
Fertility rate		66.7		77.2		63.2		66.5
Out-of-wedlock births[2]	26	19.0%	371	30.6%	33	37.1%	42	40.8%
Low birthweight[2]	12	8.8%	78	6.4%	2	2.2%	7	6.8%
INFANT DEATHS	1	7.3	3	2.5	-	-	-	-
Neonatal deaths	-	-	3	2.5	-	-	-	-
Postneonatal deaths	1	7.3	-	-	-	-	-	-
PERINATAL DEATHS	-	-	11	9.1	-	-	1	9.7
Stillbirths	-	-	8	6.6	-	-	1	9.7
INDUCED ABORTIONS (resident)	3	1.5	116	7.4	10	7.1	3	1.9
(ratio)		21.9		95.6		112.4		29.1
DEATHS[3]	39	377.1	744	919.5	64	651.3	115	1,147.6
Malignant neoplasms (cancer)	9	87.0	156	192.8	17	173.0	33	329.3
Diseases of heart	9	87.0	167	206.4	12	122.1	34	339.3
Chronic lower respiratory diseases	1	9.7	45	55.6	1	10.2	4	39.9
Accidents (unintentional injury)	2	19.3	43	53.1	6	61.1	4	39.9
Cerebrovascular diseases	3	29.0	30	37.1	3	30.5	10	99.8
Diabetes mellitus	1	9.7	11	13.6	3	30.5	3	29.9
Alzheimer's disease	-	-	27	33.4	1	10.2	-	-
Intentional self-harm (suicide)	2	19.3	20	24.7	-	-	-	-
Influenza and pneumonia	-	-	17	21.0	4	40.7	2	20.0
Chronic liver disease and cirrhosis	-	-	8	9.9	1	10.2	1	10.0
All other causes	12	NA	220	NA	16	NA	24	NA
MARRIAGES (occurring)	83	8.0	686	8.5	245	24.9	72	7.2
DIVORCES[4] (occurring)	24	2.3	428	5.3	34	3.5	36	3.6

1. Source: U.S. Bureau of the Census, Internet release June 30, 2015.
2. Percent out-of-wedlock live births and percent low birthweight live births are based on records with known data for marital status and birthweight, respectively.
3. The rates by cause of death are expressed as the number of deaths per 100,000 population. NA: not applicable.
4. Divorces by county will not total because tribal court divorces are not included in county totals.

See definitions and formulas for definitions of events.

The reader is cautioned that many of the rates depicted in this publication are based on small numbers (< 20 events); caution must be exercised when attempting to draw conclusions from small data bases. Three-year numbers and rates are available upon request.

IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Technical Notes

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

TECHNICAL NOTES

Natality

Height and Weight of Mother

The 2004 certificate collected data on the mother's height, prepregnancy weight, and weight at delivery for the first time. Height and weight information are needed to calculate maternal body mass index (BMI). BMI is calculated using mother's height and prepregnancy weight:

$$BMI \quad \frac{mass(lb) \times 703}{(height(in))^2}$$

The body mass index is classified into four categories: *Underweight* (<18.5), *Normal weight* (18.5-24.9), *Overweight* (25.0-29.9), and *Obese* (includes all classes) (>29.9)[1].

Underweight is defined as BMI below 18.5 prior to pregnancy. The lower a woman's weight-for-height or BMI the more likely she is to be undernourished. Women who are underweight prior to pregnancy are at a higher risk for having low birthweight infant, fetal growth problems, perinatal mortality and other pregnancy complications[1].

Normal weight is defined as a BMI between 18.5 and 24.9[1].

Overweight is defined as a BMI greater than between 25.0 and 29.9. Being overweight prior to pregnancy is a risk factor for postpartum weight retention of prenatal weight gain[1].

Obese is defined as a BMI greater than or equal to 30.0. Obese women are at greater risk of delivering a macrosomic infant and experiencing shoulder dystocia and other complications. Obese women are also more likely to develop gestational diabetes[1].

Prenatal Care

In 2004, the prenatal care item was revised from collecting the month prenatal care began to collecting the date of the first prenatal care visit. With the revision, the calculation of the trimester prenatal care began is based on the date of the first prenatal care visit and the date of the last menstrual period (LMP). If the LMP date is not stated, the date of first prenatal care visit, the clinical length of gestation in weeks, and the baby's birth date are used to estimate the onset of prenatal care. If the day of the first prenatal visit is missing, the day is imputed for statistical purposes based on the previous birth record with the same month of first prenatal care visit. If either the month or year of prenatal care is missing or implausible, the date of visit is coded to unknown.

According to the National Center for Health Statistics (NCHS), the change in data collection yields more accurate data because the timing for care is based on a date in the mother's medical record rather than on the mother's recollection of the month of first visit[2]. Because of the changes in sources for these data, prenatal care based on date of first visit is not comparable to prenatal care based on month prenatal care began.

Did Mother Get WIC food for Herself During this Pregnancy?

WIC is the Idaho Health and Welfare program for women, infants, and children that provides nutritional education, monetary checks for food, and health referrals. Data on WIC from the birth certificate may differ from data from the WIC Program.

Is Infant Being Breastfed?

The NCHS recommended adding this item to the birth certificate because the information is important for the Maternal and Child Health program to track breast feeding levels. Data are based on the infant being breastfed at the time of birth through the time the birth certificate is completed.

Is Infant Living at Time of Report?

If the infant is not living at time of report, there is follow-up at the Bureau of Vital Records and Health Statistics to obtain a matching infant death certificate from the state of death.

Mother's and Father's Race

Beginning in 2004, parents may choose multiple races on the Idaho birth certificate. In 2014, there were 529 in-state births and 25 out-of-state births in which the mother reported more than one race. For statistical analysis, Idaho birth records with more than one race were provided to the National Centers for Health Statistics (NCHS) for NCHS to re-code and provide the bridged-race codes back to Idaho for in-state births. However, bridged-race codes are not provided to Idaho for all out-of-state births. Idaho resident birth data by race of mother are based on single-race and bridged-race categories for births in Idaho and single-race categories for births out of state. The 25 out-of-state births with multiple race of mother are included in "other race" category in 2014.

	Mother's Race Births in Idaho			Mother's Race Births Out of State		
Year	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2012	21,878	20,849	434	1,063	1,051	12
2013	21,318	20,887	431	1,030	1,015	15
2014	21,849	20,320	529	1,039	1,014	25

Prior to 2004, mother's and father's races were written on the birth certificate. For statistical analysis, races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or "other race". In 2004, the birth certificate was revised to allow parents to select one or more race. At the same time, the race category structure was revised. Prior to use of check boxes, write-ins of "Hispanic" or "Mexican" for race were coded to white. Beginning with 2004 births, check boxes of "other race" with write-ins of "Hispanic" or "Mexican" were coded to "other race". Therefore, race data in and after 2004 are not comparable with race data for births prior to 2004.

Births by Race of Mother				
Race of Mother	2011	2012	2013	2014
White	19,983	20,522	20,029	20,455
Black	203	196	199	233
American Indian/ Alaska Native	373	438	380	380
Asian or Pacific Islander	423	446	460	473
Other race	1,260	1,245	1,197	1,227
Race not stated	69	94	83	120

Other Race

Because of the bridged-race code rules implemented in 2004, there has been a large increase in the number of Idaho resident mothers with race coded to "other race". In 2014, 97.8 percent of the records of mothers with race coded to "other race" were of Hispanic ethnicity; prior to the rule change, these would have been coded to white race. Data for white, non-Hispanic mothers are available upon request; these data are comparable for years prior to 2004 and to the present.

Mother's and Father's Ethnicity

The 2004 Idaho certificate includes check boxes for Hispanic origin and allows the mother and father to choose more than one Hispanic origin. Origin is then categorized as Hispanic or non-Hispanic. Race and Hispanic origin are reported separately on the birth certificate. Data shown for Hispanic mothers may be of any race.

Mother's and Father's Education

The 2004 birth certificate was revised to report the highest degree or level of school completed at delivery. Prior to 2004, education was reported as years of school completed. Because of this change, data in 2004 and after are not comparable with data prior to 2004. For birth occurring out of state in states with unrevised birth certificates, years of schooling were entered as close as possible to the highest level of school completed.

Number of Years Schooling Conversion to Highest Degree or Level of School Completed	
Number of Years Schooling	Highest Level of School Completed
0-8 years	8th grade of less (includes none)
9-11 years	9th – 12th grade, but no diploma
12 years	High school graduate or GED completed
13-15 years	Some college credit, but no degree, includes associate's degree
16 years	Bachelor's degree
17 or more years	Master's, doctorate or professional degree

Cigarette Smoking Before and During Pregnancy

Prior to 2004, tobacco use during pregnancy (yes or no) and average number of cigarettes per day were reported on the birth certificate. Beginning in 2004, the Idaho birth certificate includes four data items for cigarette smoking before and during pregnancy. The revised certificate collects data on the average number of cigarettes smoked per day during the three months before pregnancy, the first three months of pregnancy, the second three months of pregnancy, and the third three months of pregnancy. For births occurring out of state in states with unrevised certificates, if the mother used tobacco during pregnancy, the birth record was coded to reflect that the mother smoked cigarettes during all three trimesters of pregnancy. Data for cigarette smoking prior to pregnancy were not collected on the unrevised certificate and were coded to "not stated" for data analysis.

Data based on mother's cigarette smoking status during the three trimesters of pregnancy were used to generate a data item for mother smoking during pregnancy. Mothers who smoked during the first three months of pregnancy, the second three months of pregnancy, or the third three months of pregnancy were coded to reflect that the mother smoked cigarettes during pregnancy for data analysis.

Medical and Health Section

The medical and health section for the mother includes risk factors in this pregnancy, infections present and/or treated during this pregnancy, obstetric procedures that applied to this pregnancy, onset of labor, characteristics of labor and delivery, method of delivery, and maternal morbidity (complications of labor and delivery). The medical and health section for the infant includes abnormal conditions of the newborn and congenital anomalies of the newborn. There were extensive changes for each of these items on the revised certificate. Every effort was made to code information for out-of-state births in states with unrevised certificates to the appropriate data item in the Idaho database.

Risk Factors in this Pregnancy

Definitions of risk factors in this pregnancy are provided by the Centers for Disease Control and Prevention (CDC), NCHS[3].

Prepregnancy diabetes – Glucose intolerance requiring treatment diagnosed prior to the onset of this pregnancy.

Gestational diabetes - Glucose intolerance requiring treatment diagnosed during this pregnancy.

Prepregnancy hypertension – Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed prior to the onset of this pregnancy.

Gestational hypertension - Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed during this pregnancy.

Previous preterm birth – History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation.

Other previous poor pregnancy outcome – History of pregnancy(ies) with fetal and neonatal death, small for gestational age, and/or intrauterine growth restricted birth.

Risk Factors in this Pregnancy

Vaginal bleeding during pregnancy – Any reported or observed bleeding per vaginum at any time in the pregnancy presenting prior to the onset of labor.

Infertility treatment - Any assisted reproduction technique, whether artificial insemination, drugs, or any technical procedures (in-vitro fertilization) used to initiate the pregnancy.

Previous cesarean delivery - Previous operative delivery in which the fetus was extracted through an incision in the maternal abdominal and uterine walls.

Infections Present and/or Treated During this Pregnancy

The revised U.S. birth certificate includes six infections which are known to cause concomitant fetal and/or subsequent neonatal infection. The infections listed on the U.S. revised certificate are Gonorrhea, Syphilis, Herpes Simplex Virus (HSV), Chlamydia, Hepatitis B, and Hepatitis C. In addition to the infections listed on the revised U.S. certificate, the Idaho birth certificate includes HIV, Listeria, Group B Streptococcus, Cytomegalovirus, Parvovirus, and Toxoplasmosis. The CDC provides more information on these infections at http://www.cdc.gov/.

Gonorrhea - Infection due to Neisseria gonorrhoeae transmitted sexually (an STD) in most cases, but also by contact with infected exudates in neonatal infants at birth.

Syphilis - A subacute to chronic infectious disease caused by the spirochete Treponema pallidum, which is usually transmitted sexually or acquired in utero.

HIV (Human immunodeficiency virus) – The virus that causes AIDS (acquired immune deficiency syndrome). HIV may be transmitted sexually or through infected blood or contact with an infected person's broken skin or mucous membranes. In addition, infected pregnant women can pass HIV to their babies during pregnancy or delivery, as well as through breast-feeding.

Herpes Simplex Virus (HSV) – A sexually-transmitted infection of the skin on the genital area by herpes simplex virus.

Chlamydia - A sexually-transmitted disease that is caused by the bacterium Chlamydia trachomatis.

Listeria - A genus of bacteria of uncertain affiliation, closely resembling those of the family Corynebacteriacese, made up of small, coccoid gram-positive rods that have a tendency to form chains and palisades; they are found in the feces of humans and other animals, on vegetation, and in silage.

Group B Streptococcus (GBS) – A type of bacteria that can cause serious illness and death in newborns. Group B streptococcus is the most common cause of sepsis (blood infection) and meningitis (infection of the fluid and lining around the brain) in newborns. It is not spread by the consumption of water or food or transmitted sexually.

Infections Present and/or Treated During this Pregnancy

Cytomegalovirus (CMV) – A common virus of the subfamily Betaherpesvirinae that can be present in the body without causing infection. It is spread from person to person by contact with urine, saliva, breast milk, blood, semen, and possibly other body fluids. The virus can be spread from an infected mother to her fetus or newborn baby.

Parvovirus - A virus that commonly infects humans; about 50 percent of all adults have been infected sometime during childhood or adolescence. Parvovirus B19 infects only humans. There are also animal parvoviruses, but they do not infect humans. Therefore, a person cannot catch parvovirus B19 from a dog or cat.

Toxoplasmosis - A disease caused by a single-cell parasite called *Toxoplasma gondii*. The Toxoplasma infection can cause serious health problems in pregnant women. Toxoplasma infection occurs from contaminated food or drinking water and cat feces from a Toxoplasma-infected cat. Most infants are infected while still in the womb. They have no symptoms at birth, but they may develop symptoms later in life.

Hepatitis B (HBV) - A serious disease caused by a virus that attacks the liver. This virus can cause lifelong infection, cirrhosis (scarring) of the liver, liver cancer, and death. The Hepatitis virus may be transmitted sexually, through contaminated blood, or from infected mothers to their infants at birth.

Hepatitis C - A disease caused by the Hepatitis C virus which results in infection of the liver. The Hepatitis C virus is spread by contact with contaminated blood or plasma. The role of person-to-person contact and sexual transmission is unclear, but it may be transmitted from an infected mother to her baby during birth.

Characteristics of Labor and Delivery

Characteristic of labor and delivery include information about the course of the delivery. Definitions of characteristics of labor are provided by the CDC, NCHS[3].

Induction of labor - Initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor.

Augmentation of labor - Stimulation of uterine contractions by drug or manipulative technique with the intent to reduce the time to delivery.

Non-vertex presentation - Includes any non-vertex fetal presentation, e.g., breech, shoulder, brow, face presentations, and transverse lie in the active phase of labor or at delivery other than vertex.

Steroids (glucocorticoids) for fetal lung maturation - Steroids received by the mother prior to delivery including betamethasone, dexamethasone, or hydrocortisone specifically given to accelerate fetal lung maturation in anticipation of preterm delivery. Excludes steroid medication given to the mother as an anti-inflammatory treatment.

Antibiotics during labor - Includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery.

Chorioamnionitis or Maternal temp. >100.4 degrees F - A clinical diagnosis of chorioamnionitis during labor made by the delivery attendant. Usually includes more than one of the following: fever, uterine tenderness and/or irritability, leukocytosis, and fetal tachycardia.

Moderate/heavy meconium staining of amniotic fluid - Staining of the amniotic fluid caused by passage of fetal bowel contents during labor and/or delivery which is more than enough to cause a greenish color change of the fluid.

Fetal intolerance of labor - In-utero resuscitation measure (maternal position change, oxygen administration to the mother, IV fluid, amnioinfusion, support of maternal blood pressure, uterine relaxing agents), further fetal assessment (scalp pH, scalp stimulation, acoustic stimulation), operative delivery/intervention to shorten time to deliver the fetus.

Epidural or spinal anesthesia during labor - Administration of a regional anesthetic to the mother for control of the pain of labor, i.e., delivery of an agent into a limited space with the distribution of the analgesic effect limited to the lower body.

Maternal Morbidity (Complications of Labor and Delivery)

Maternal morbidity includes serious complications experienced by the mother associated with the labor and delivery. Definitions of maternal morbidity are provided by the CDC, NCHS[3].

Maternal transfusion - Includes infusion of whole blood or packed red blood cells within the period specified.

Third or fourth degree perineal laceration - Third degree laceration extends completely through the perineal skin, vaginal mucosa, perineal body, and anal sphincter. Fourth degree laceration is all of the above with extension through the rectal mucosa.

Ruptured uterus - Tearing of the uterine wall.

Unplanned hysterectomy – Surgical removal of the uterus that was not planned prior to admission for delivery. Includes an anticipated or possible but not definitively planned procedure.

ICU admission - Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care (ICU).

Unplanned operating room procedure following delivery - Any transfer of the mother back to a surgical area for an operative procedure that was not planned prior to the admission for delivery. This complication excludes postpartum tubal ligations.

Abnormal Conditions of the Newborn

Abnormal conditions of the newborn include disorders or significant morbidity experienced by the newborn infant. Definitions of abnormal conditions are provided by the CDC, NCHS[3].

Assisted ventilation required immediately following delivery - Infant given manual breaths with bag and mask or bag and endotracheal tube within the first several minutes of birth for any duration.

Abnormal Conditions of the Newborn

Assisted ventilation required for more than six hours – Infant given mechanical ventilation (breathing assistance) by any method for more than six hours.

Seizure or serious neurologic dysfunction - Seizure defined as any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction defined as severe alteration of alertness such as obtundation, stupor, or coma.

Significant birth injury (injury present immediately following delivery or manifesting following delivery) - Any bone fracture or weakness or loss of sensation. This condition excludes fractured clavicles and transient facial nerve palsy.

NICU admission – NICU (neonatal intensive care unit) is defined as a facility or unit staffed and equipped to provide continuous mechanical ventilatory support for the newborn. The infant may require additional or medical support in an NICU other than continuous mechanical ventilatory support.

Newborn given surfactant replacement therapy - Treatment of surfactant deficiency either due to preterm birth or pulmonary injury resulting in decreased lung compliance.

Antibiotics received by the newborn for suspected neonatal sepsis - Any antibacterial drug given systemically.

Failed newborn hearing test - Failure of the newborn hearing screening test in one or both ears. Data are based on infants given the test in which test results were available prior to the birth certificate being filed with the state. Newborn hearing screening tests may vary by birth facility.

Congenital Anomalies of the Newborn

Anomalies which are diagnosable within the first 24 hours following birth using widely available conventional diagnostic techniques. Definitions are provided by the CDC, NCHS[3].

Anencephaly - Absence of the cerebral hemispheres.

Meningomyelocele/spina bifida - Developmental anomaly characterized by defective closure of the bony encasement of the spinal cord, through which the cord and meninges may or may not protrude.

Cyanotic congenital heart disease - Congenital heart defects which cause cyanosis. Includes, but is not limited to, transposition of the great arteries, teratology of Fallot, pulmonary or pulmonic valvular atresia, tricuspid atresia, truncus arteriousus, and total or partial anomalous pulmonary venous return with or without obstruction.

Congenital diaphragmatic hernia - Defects in the formation of the diaphragm allowing herniation of abdominal organs into the thoracic cavity.

Omphalocele - Protrusion of variable amounts of abdominal viscera from a midline defect at the base of the umbilicus.

Congenital Anomalies of the Newborn

Gastroschisis - The abdominal viscera protrude through an abdominal wall defect, usually on the right side of the umbilical cord insertion.

Limb reduction defect - Complete or partial absence of a portion of an extremity secondary to failure to develop. Congenital amputation and dwarfing syndromes are excluded.

Cleft lip with or without cleft palate - Refers to incomplete closure of the lip. Cleft lip may be unilateral, bilateral, or median.

Cleft palate alone - Refers to incomplete fusion of the palatal shelves. This may be limited to the soft palate or may also extend into the hard palate.

Down syndrome (karyotype confirmed and karyotype pending - The most common chromosomal defect, with most cases resulting from an extra chromosome (Trisomy 21).

Suspected other chromosomal disorder (karyotype confirmed and karyotype pending) - Includes any constellation of congenital malformations resulting from or compatible with known syndromes caused by detectable defects in chromosome structure.

Hypospadias – Congenital malformations of genital organs.

Method of Delivery

In 2004, the Idaho birth certificate was revised to collect additional data for cesarean births. The revised certificate asks for the number of previous cesarean deliveries, and is calculated from the response to a question under "risk factors in this pregnancy" which asks if the mother had a previous cesarean delivery and if so, the number of previous cesarean deliveries. As a result, data on vaginal birth after previous cesarean (VBAC), primary, and repeat cesarean deliveries are not directly comparable between revisions[4].

The formulas for calculating rates by method of delivery are based on mother's delivery history. For mothers with no previous deliveries or with a previous vaginal delivery, the method of delivery for this birth will either be vaginal or primary cesarean. For women with a previous cesarean delivery, the method of delivery will either be VBAC or repeat cesarean.

Vaginal, non-VBAC rate: Number of vaginal, non-VBAC deliveries per 100 births. Rate is based on records with known data for method of delivery.

Formula: [(vaginal, non-VBAC births)/(total births-births with unknown method)] x 100

Vaginal birth after previous cesarean (VBAC) rate: Number of vaginal deliveries per 100 births to women with a previous cesarean.

Formula: [(VBAC births) / (VBAC births + repeat cesarean births)] x 100

Total cesarean rate: Number of cesarean deliveries per 100 births with known data for method.

Formula: [(total cesarean births) / (total births - births with unknown method of delivery)] x 100

Method of Delivery

Primary cesarean rate: Number of cesarean deliveries per 100 births to women who had no previous cesareans. Rate is based on records with known data for method of delivery.

Formula: [(primary cesarean births) / (total births - VBAC's - repeat cesareans - unknown method)] x 100

Repeat cesarean rate: Number of cesarean deliveries per 100 births to women with a previous cesarean.

Formula: [(repeat cesarean births) / (repeat cesarean births + VBAC births)] x 100

Principal Source of payment for Delivery

In 2004, the Idaho birth certificate included eight check boxes for the principle source of payment for this delivery: private insurance, Medicaid, self-pay, Indian Health Services, CHAMPUS/TRICARE, other government, other, and none. For data analysis, records with Indian Health Services, CHAMPUS/TRICARE, or other government selected were categorized as "other government". Principal source for payment was added to the Idaho certificate in 1996. The categories listed from 1996 to 2003 were HMO, self-pay, other health insurance, Medicaid, and other government. Data from 1996 to 2003 are not comparable with data in 2004 and after. Data for Medicaid-paid births from the birth certificate may not match data from the Medicaid Program. The principal source for payment may change after the certificate is filed with the state.

Mortality

Race of Decedent

Beginning in 2003, Idaho Vital Statistics transmitted Idaho death records to NCHS, NCHS re-coded multiple-race categories to single-race codes; NCHS returned the records back to Idaho for analysis. The data used for analysis was the "bridged-multiple race" code on each death certificate. The bridging procedure is similar to the procedure used to bridge multiracial population estimates. For Idaho death certificates, multiracial decedents are imputed to a single race using a coding algorithm according to their combination of races, Hispanic origin, sex, and age indicated on the death certificate. The categories for the bridged race codes are the four main categories used by NCHS – White, Black, American Indian or Alaska Native, Asian or Pacific Islander. In addition, there is a fifth category in Idaho for "other race of decedent".

The imputation of multiple-race to single-race procedure is described at the CDC's website at: http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm. Idaho was one of the first states to adopt a new death certificate in 2003; however, not all states adopted multiple-race options in 2003. In 2003, all records received by Idaho Vital Statistics for Idahoans who died out of state reported single-race. There were three out-of-state death certificates with multiple races of decedent reported in 2014. Bridged-race codes are not provided to Idaho for out-of-state records; therefore not all Idaho resident records have bridged-race codes to be used for data analysis.

Idaho resident death data by race are based on single-race and bridged-race categories for deaths in Idaho and single-race categories for deaths out of state.

Race of Decedent

	Idaho Resident Deaths in Idaho			Idaho Resident Deaths Out of State		
Year	Total	Single Race	Multiple Race	Total	Single Race	Multiple Race
2012	11,412	11,368	44	581	579	2
2013	11,859	11,816	43	567	561	6
2014	12,020	11,968	52	590	587	3

Other Race

Prior to 2003, decedent's race was a write-in response on the death certificate. Races listed on the certificate were collapsed into five race categories: White, Black, American Indian or Alaskan Native, Asian or Pacific Islander, or "other race". With the change to check boxes on the certificates and the ability to select one or more race, the race category structure was revised. Prior to use of check boxes, if the term "Hispanic" or "Mexican" was written on the certificate as race, then race was coded to white. Beginning in 2003, if the check box "other race" was checked and the write-in for other race was specified as "Hispanic" or "Mexican", then race was coded to "other race". Therefore, race data for deaths in 2003 and after are not comparable with race data prior to 2003. Data for white, non-Hispanic persons are available upon request; these data are comparable for years prior to 2003 to present.

Prior to 2003, the number of deaths categorized as "other race" was historically low. For example, in 2002, there were four residents deaths reported as "other race". Due to the change in the methodology, the number of records with "other race" of decedent was 57 in 2012, 65 in 2013, and 76 in 2014.

Cause-of-Death

Mortality statistics are compiled in accordance with the World Health Organization (WHO) regulations, which specify that member nations, including the United States, classify and code causes of death in accordance with the International Statistical Classification of Diseases and Related Health Problems. The tenth revision of the International Classification of Diseases (ICD-10) was implemented in the United States beginning with deaths occurring in 1999 and replaces the ninth revision of the ICD (ICD-9), which was used from 1979 through 1998. Some changes from ICD-9 to ICD-10 include:

1. ICD-10 is far more detailed, with about 8,000 categories compared with 4,000 categories in ICD-9.
2. ICD-10 uses 4-digit alphanumeric codes, compared to 4-digit numeric codes in ICD-9.
3. Some cause-of-death titles have been changed, and conditions have been regrouped.
4. Some cause-of-death coding rules have been changed.

Mortality Rates Age Adjusted to the Year 2000 U.S. Standard

Age adjustment is a statistical technique used to standardize rates. The technique is employed when comparing two or more populations with different age distributions. Age-adjusted rates are artificial measures for comparison purposes only and should not be used to measure the absolute magnitude of a health issue. To allow for comparison, the same standard population must be used. If different standard populations are used to compute the age-adjusted rates (1940 and 2000, for example), then the age-adjusted rates are NOT comparable. Statistically, it is a weighted average of the age-specific death rates, where the weights represent the fixed population proportions by age.

There are two methods for age-adjusting rates: direct and indirect. In this report, Idaho age-adjusted rates were developed using the following steps for the direct method:

Mortality Rates Age Adjusted to the Year 2000 U.S. Standard

1) Calculate **age-specific rates** for the 11 age groups used in the 2000 standard million: less than 1, 1-4, 5-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, and 85 and older.
(Annual number of deaths in age group)
(Population of age group for corresponding year)

2) Calculate **expected number of deaths** for each age group.
(2000 U.S. standard million population of age group)*(Age-specific rate)

3) Calculate **total expected number of deaths**.
(Sum of expected deaths for all age groups)

4) Calculate **age-adjusted rate per 100,000 persons.**
(Total expected deaths)
(Standard million) *100,000

YEAR 2000 U.S. STANDARD POPULATION			
All ages	1,000,000	35-44 years	162,613
Under 1 year	13,818	45-54 years	134,834
1-4 years	55,317	55-64 years	87,247
5-14 years	145,565	65-74 years	66,037
15-24 years	138,646	75-84 years	44,842
25-34 years	135,573	85+ years	15,508

Life Expectancy

Data used to calculate Idaho life expectancy are based on July 1, 2005, population estimates from the U.S. Bureau of the Census, age-specific population estimates computed by the Bureau of Vital Records and Health Statistics, and 2005 Idaho resident mortality rates. Average number of years of life remaining (${}^{0}e_x$) is the expectation of life for those who survived to age x.

$${}^{0}e_x = T_x / l_x$$

T_x is the total time lived beyond age x by all individuals of the life table proportion alive at age x; l_x is the number of persons who survive to the exact age marking the beginning of each age interval. The number alive at age 0 (l_0) is taken arbitrarily as 100,000.

Years of Potential Life Lost (YPLL)

Years of potential life lost (YPLL) is a statistic used to measure the number of years of life lost in a population when persons in that population die prematurely. YPLL provides valuable information regarding the causes of death that contribute most significantly to premature mortality. For example, in 2014 Accidents was the fourth-leading cause of death of Idahoans and accounted for 5.9 percent of all resident deaths. However, Accidents was the second-leading cause of premature death under age 75 and accounted for 9.3 percent of all deaths to persons under the age of 75 in 2014. In order to calculate YPLL, a standard must be chosen (e.g., age 75) as a reference point for years of life lost. The number of years of life lost is then calculated for each person dying before the standard age. Assume a standard of 75 years of age is chosen. For calculation purposes, all people are considered half way through the year of their age at death. For example, an infant who dies under one year of age is considered .5 years of age at death, and a child who dies at age one - between its first and second birthday - is considered 1.5 years of age, and so forth. Therefore, a person dying at 39 has lost 35.5 years of life relative to the standard (i.e., 75 years – 39.5 years = 35.5 years). To obtain YPLL, the number of years of life lost for each person in the population dying before the standard age is summed.

Years of Potential Life Lost (YPLL)

Persons dying at 75 years of age or older would be excluded from the analysis, because they have not lost years of life relative to the standard. For this report, a standard of 75 years of age was chosen to calculate YPLL.

Firearm Injury, Drug-Induced, and Alcohol-Induced Deaths

Deaths attributed to firearm injury, alcohol-induced, and drug-induced causes are sub-sets of mortality categories used to rank leading causes of death such as accidents, intentional self-harm (suicide), and assault (homicide). Firearm injury, alcohol-induced, and drug-induced deaths are not used to rank leading cause of death.

Alcohol-Induced

The list of ICD-10 codes included in alcohol-induced causes was expanded in 2003 to include the ICD-10 codes of E24.4, G72.1, and K86.0 with the codes used prior to 2003: F10, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45, X65, and Y15. In 2006, the list was expanded again to include ICD-10 code K85.2. Alcohol-induced deaths include mental and behavioral disorders due to alcohol use; degeneration of nervous system due to alcohol; alcoholic polyneuropathy; alcoholic cardiomyopathy; alcoholic gastritis; alcoholic liver disease; alcohol-induced chronic pancreatitis; alcohol-induced acute pancreatitis; findings of alcohol in blood; accidental poisoning by and exposure to alcohol; intentional self-poisoning (suicide) by exposure to alcohol; poisoning by exposure to alcohol; and poisoning by exposure to alcohol, undetermined intent. Alcohol-induced deaths do not include homicides, accidents such as falls and motor vehicle crashes, and other causes indirectly related to alcohol use. This category also excludes newborn deaths associated with maternal alcohol use.

Drug-Induced

In 2003 and 2006, NCHS expanded the list of ICD-10 codes for drug-induced causes to be more comprehensive. Drug-induced ICD-10 codes include: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0- F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0, L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1- R78.5, X40-X44, X60-X64, X85, and Y10-Y14. Drug-induced deaths include deaths due to drug psychosis; drug dependence; nondependent use of drugs not including alcohol and tobacco; drug-induced pancreatitis; drug-induced fever; accidental poisoning by drugs, medicaments, and biologicals; suicide by drugs, medicaments, and biologicals; assault from poisoning by drugs and medicaments; and poisoning by drugs, medicaments, and biologicals, undetermined whether accidental or purposely inflicted. Drug-induced deaths do not include accidents, homicides, and other causes indirectly related to drug use. Also excluded are newborn deaths associated with maternal drug use. Types of drugs listed on the death certificate include prescriptions, over-the-counter drugs, and narcotics.

Population

The Office of Management and Budget announced revisions to the standards for classification of federal data on race and ethnicity on October 30, 1997. These standards require that agencies offer individuals the opportunity to select one or more races when reporting information on race in federal data collections. The Census in 2000 was the first nationwide implementation of the revised standards.

The files released from the U.S. Census Bureau for April 1, 2010 Census contain data for single race categories (including "other race" category) and multiple race categories. This presents problems for vital rates from two standpoints. First, the file contains counts of persons with more than one race and therefore is not compatible with states' vital statistics numerators based on single race categories; second, the file contains the "other race" category that is not used to calculate national vital statistics rates. For U.S. vital statistics, "other race" is allocated to the four main race categories.

Standard Race Categories on April 1, 2010 Census for Idaho		
Race	Number	Percent
Total	1,567,582	100.0%
White	1,396,487	89.1%
Black	9,810	0.6%
American Indian/Alaskan Native	21,441	1.4%
Asian	19,069	1.2%
Native Hawaiian/Pacific Islander	2,317	0.1%
Some other race	79,523	5.1%
Two or more races	38,935	2.5%

NCHS contracted with the Census Bureau to produce a bridged data set in which all multiple race persons are allocated to a single race, to reproduce what these people would have reported had they not had the option to report more than one race. On June 30, 2015, NCHS released state and county population totals for July 1, 2014. These totals are for the four race groups (White, Black, American Indian or Alaska Native, Asian or Pacific Islander) by single year of age, sex, and Hispanic origin[5].

Race	April 1, 2010		July 1, 2013		July 1, 2014	
	Number	Percent	Number	Percent	Number	Percent
Total	1,567,582	100.0%	1,612,136	100.0%	1,634,464	100.0%
White	1,496,784	95.5%	1,533,351	95.1%	1,532,607	95.0%
Black	15,104	1.0%	18,002	1.1%	18,928	1.2%
American Indian/Alaskan Native	29,801	1.9%	31,792	2.0%	32,662	2.0%
Asian/Pacific Islander	25,893	1.7%	28,991	1.8%	30,267	1.9%

1. "PNSS Health Indicators," CDC Pediatric and Pregnancy Nutrition Surveillance System. December 2010. www.cdc.gov/pednss/what_is/pnss_health_indicators.htm.

2. "Report of the Panel to Evaluate the U.S. Standard Certificates," National Center for Health Statistics, Division of Vital Statistics, April 2000, Addenda, November 2001.

3. "Birth Edit Specifications for the 2003 Revision of the U.S. Standard Certificate of Birth" National Center for Health Statistics, Division of Vital Statistics, April 2004, Updated March 18, 2005.

4. "Births: Final Data for 2005," National Vital Statistics Reports, National Center for Health Statistics, Vol. 56/No.6, December 5, 2007.

5. The bridged-race population estimates were produced by the Population Estimates Program of the U.S. Census Bureau in collaboration with the National Center for Health Statistics (NCHS). These estimates were released on June 30, 2015. Available at: http://www.cdc.gov/nchs/nvss/bridged_race/data_documentation.htm

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 May 2016