

Results from Public Health District Sponsored Questions 1999-2005



Analysis from the Behavioral Risk Factor Surveillance System



IDAHO DEPARTMENT OF

HEALTH & WELFARE

BUREAU OF HEALTH POLICY AND VITAL STATISTICS

Results from Public Health District Sponsored Questions 1999-2005

***Bureau of Health Policy and Vital Statistics
Division of Health
Idaho Department of Health and Welfare***

This project was funded in part by and in partnership with Idaho's seven public health districts.

Additional funds were provided by a grant from the Centers for Disease Control and Prevention, number U58/CCU022801 and administered via a cooperative agreement within the Idaho Bureau of Health Policy and Vital Statistics. The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

For more details on this project or any of the survey results, please contact the Bureau of Health Policy and Vital Statistics at (208) 334-5977.


Suggested Citation

Results from Public Health District Sponsored Questions, 1999-2005. Boise: Idaho Department of Health and Welfare, Division of Health, Bureau of Health Policy and Vital Statistics, 2007.

Table of Contents

Map of Idaho Public Health Districts	2
Introduction and Methodology	3
Reporting and Data Limitations	4
Sample Size and Demographics	6
Source of Water Supply	8
Source of Water Supply Trend Charts.....	9
Tested Well Water.....	10
Tested Well Water Trend Charts	11
Sex Education	12
Children’s Physical Activity.....	14
Appendix A: Data Tables.....	17
Understanding the Data Tables.....	17
Source of Water Supply data table.....	18
Tested Well Water data table	20
Sex Education (Recommending No Sex Education) data table	22
Sex Education (Recommending in 7 th Grade or Later) data table	24
Child Physical Activity (No Vigorous Activity, Previous Week) data table	26
Child Physical Activity (Fewer than Three Days, Previous Week) data table	28
Risk Factor Trends data table	31
Appendix B: Public Health District Sponsored Questions, 2005.....	33

Idaho Public Health Districts



2004 Estimated Population Adults Age 18 and Over

Overall:	1,020,580
District 1:	146,568
District 2:	79,613
District 3:	156,772
District 4:	280,220
District 5:	123,050
District 6:	111,283
District 7:	123,074

Note: Population estimates are obtained from the Centers for Disease Control and Prevention and are used in weighting BRFSS data (see page 3). These population estimates may differ from U.S. Census Bureau population figures.

District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

Introduction

The Behavioral Risk Factor Surveillance System (BRFSS), an ongoing surveillance program developed and partially funded by the Centers for Disease Control and Prevention, is designed to estimate the prevalence of risk factors for the major causes of death and disability in the United States. Idaho began participating in the BRFSS in 1984. Since then, the program has grown to encompass 50 states and several U.S. territories. Idaho's sample has grown significantly since its first year of participation. In 1984, the sample size was 612, and it has grown to over 5,700 interviews completed in 2005.

Beginning in 1997, Idaho's seven public health districts entered into a partnership with the Department of Health and Welfare to develop health district level estimates from the BRFSS. With the districts' participation, the Department was able to increase the sample size and produce district-level health behavior estimates. In addition, the Department provided the health districts with the opportunity to add five questions to the BRFSS that address their specific data needs. This report summarizes the 2005 BRFSS results for the five district-sponsored questions as well as offers a look at the trends since 1999, for years data are available.

Methodology

The BRFSS has been conducted as a random telephone survey of the non-institutionalized adult population since 1984. The survey was administered in every month of the calendar year. After annual data collection was completed, individual responses were weighted to be representative of the state's adult population and analysis was performed on the weighted data.

Additional information regarding BRFSS methodology is available online at <http://www.cdc.gov/brfss>.

Sampling: Idaho used disproportionate stratified sampling for the 2005 BRFSS. The sample was stratified by Idaho's seven public health districts. Approximately 700 Idahoans were interviewed in each health district, resulting in a total sample size of 5,734. Interviews were conducted by telephone using computer-assisted telephone interviewing (CATI) software to record responses.

Weighting: The data were weighted to the respondent's probability of selection as well as age and sex based on population estimates. For example, some households have more than one telephone line and are more likely to be called. The weighting corrects for this difference in probability of selection as well as differences between the population and the sample.

Analysis: SUDAAN® software was used for statistical testing and calculation of confidence limits. This software takes into account the complex sampling design methodology of BRFSS. Idaho used SAS® software for data manipulation and risk factor creation. All "don't know," "not sure," and "refused" responses have been excluded from the analysis.

Reporting

Prevalence estimates are presented as the weighted percent of responses to a specific question. Prevalence estimates based on denominators with fewer than 50 respondents have been suppressed and are indicated in the data tables with an asterisk (*). The BRFSS has adopted this standard to maintain a high degree of reliability. Differences between estimates are reported throughout the document. Any difference determined to be significantly different through statistical testing was designated as such and will be preceded by the words “significantly” or “statistically.”

Data Limitations

Errors in estimation are a result of BRFSS data being self-reported and certain behaviors possibly being underreported.¹ Another source of error is based on sampling. Each sample drawn will deviate somewhat from the population. Additional possible errors may occur due to the population from which the sample is drawn. Ideally, all adults aged 18 and older would be potential respondents for the survey. However, in order to be cost effective, the sample is limited to adults aged 18 and older who are non-institutionalized, live in a household with a land-line telephone, and can communicate in English or Spanish. This excludes people in prisons and dormitories, non-English or non-Spanish speakers, those without telephones or with only cellular phones and others who cannot communicate by telephone. An estimated 96.2 percent of occupied households in Idaho have some telephone service (2005 American Community Survey). Data on telephone coverage in U.S. households are available at <http://factfinder.census.gov>

¹Centers for Disease Control and Prevention. *Public Health Surveillance for Behavioral Risk Factors in a Changing Environment: Recommendations from the Behavioral Risk Factor Surveillance Team*. *MMWR* 2003;52 (No. RR-9).

Summary Results

Sample Size and Demographics

In 2005, Idaho completed 5,734 BRFSS interviews. Approximately 700 interviews were completed in each of the seven public health districts. The final sample size and the distribution between health districts are shown in the following table.

2004 Sample Size								
	Statewide	<i>Public Health District</i>						
		District 1	District 2	District 3	District 4	District 5	District 6	District 7
TOTAL	5,734	903	791	786	786	925	758	785

The table on the following page contains weighted demographic information from the 2005 BRFSS (weighting explanation can be found in the Methodology section). The sample demographics describe the eligible survey population by public health district and selected demographic categories. Statewide, the adult age category representing the largest percentage was the 35 to 54 category. Nearly two-out-of-three adults were employed for wages and more than one-third had an annual household income of \$50,000 or greater. Adults without a high school level education made up 9.6 percent of the Idaho adult population while 27.7 percent had a four-year college degree or higher level of education.

2005 Weighted Sample Demographics								
	Statewide	Public Health District						
		District 1	District 2	District 3	District 4	District 5	District 6	District 7
TOTAL	100.0	14.4	7.8	15.4	27.5	12.1	10.9	12.1
SEX								
Male	49.7	49.1	50.8	49.3	50.7	49.7	49.0	48.9
Female	50.3	50.9	49.3	50.7	49.3	50.3	51.0	51.2
AGE								
18-24	15.2	12.5	16.5	14.9	13.5	14.3	16.5	21.4
25-34	18.2	14.9	17.0	19.8	20.5	16.3	18.3	17.4
35-44	18.6	17.7	15.5	18.8	21.5	17.9	17.2	16.9
45-54	18.5	20.6	17.6	16.8	18.7	19.1	18.5	17.4
55-64	13.6	16.0	14.3	13.0	12.7	14.1	13.2	12.7
65+	16.0	18.4	19.0	16.7	13.1	18.3	16.2	14.3
18-34	33.4	27.3	33.5	34.7	34.0	30.6	34.9	38.7
35-54	37.1	38.3	33.2	35.7	40.2	37.0	35.7	34.3
55+	29.6	34.4	33.4	29.7	25.8	32.4	29.4	27.0
SEX and AGE								
Male								
18-34	34.6	28.2	35.5	35.9	35.6	32.2	35.6	38.8
35-54	37.6	38.3	33.3	36.6	40.6	37.4	36.2	35.0
55+	27.9	33.5	31.2	27.5	23.7	30.4	28.2	26.2
Female								
18-34	32.1	26.4	31.4	33.5	32.3	29.1	34.1	38.7
35-54	36.6	38.4	33.1	34.8	39.8	36.5	35.3	33.6
55+	31.2	35.2	35.6	31.7	28.0	34.4	30.6	27.7
INCOME								
Less than \$15,000	10.8	8.5	15.3	12.0	8.6	11.7	10.7	13.9
\$15,000 - \$24,999	18.9	21.7	23.0	18.9	13.6	23.6	19.1	20.0
\$25,000 - \$34,999	15.5	14.5	14.8	19.8	14.4	15.9	14.0	15.1
\$35,000 - \$49,999	19.7	20.5	17.5	22.7	18.2	18.7	21.7	18.9
\$50,000+	35.1	34.8	29.3	26.6	45.2	30.2	34.6	32.1
EMPLOYMENT								
Employed	62.9	61.3	57.5	63.3	67.5	63.9	61.4	57.8
Unemployed	3.9	4.7	5.3	5.7	2.7	3.2	3.5	3.9
Other*	33.2	34.0	37.2	31.0	29.9	33.0	35.2	38.2
EDUCATION								
K-11th Grade	9.6	8.8	13.3	14.7	6.2	15.8	6.9	5.8
12th Grade or GED	31.7	33.8	31.1	37.5	27.2	34.1	32.6	29.0
Some College	31.1	34.2	29.0	28.1	27.6	28.0	35.2	39.7
College Graduate+	27.7	23.2	26.6	19.7	39.0	22.1	25.4	25.5

*Other includes students, homemakers, retirees, and persons unable to work


Source of Water Supply

Question: “What is the main source of your home water supply?”

In 2005, 28.0 percent of Idaho adults lived in households in which the water was supplied by a well. At 39.3 percent, District 3 had the highest percentage of households with well water. Compared with all other districts, District 4 had a significantly lower percentage of households with well water (16.9 percent).


Idahoans aged 55 to 64 reported having well supplied water twice as often as those aged 18 to 24 (37.1 percent compared with 18.5 percent). Adults with incomes above \$35,000 were significantly more likely to live in a household supplied by well water than adults with incomes under \$15,000 (29.7 percent compared with 19.9 percent).

From 1999 to 2005, there was no significant change in any district in the percentage of Idaho adults living in households with water supplied by a well.




Source of Water Supply


Percent of Idaho adults with well water, 1999 - 2005




Percent of District 4 adults with well water, 1999 - 2005




Percent of District 1 adults with well water, 1999 - 2005




Percent of District 5 adults with well water, 1999 - 2005




Percent of District 2 adults with well water, 1999 - 2005




Percent of District 6 adults with well water, 1999 - 2005



Percent of District 3 adults with well water, 1999 - 2005



Percent of District 7 adults with well water, 1999 - 2005




Tested Well Water

Question (If water source is a well): “Has your well water been tested in the past 12 months?”

In 2005, 66.6 percent of Idaho adults in households with water supplied by a well had not had their well tested in the previous 12 months. District 1 had the lowest percentage (57.6 percent) of households with untested well water while District 4 had the highest percentage (74.6 percent). However, differences between health districts were not statistically significant. About 6.8 percent of adults in households with water supplied by a well did not know whether or not the well had been tested within the previous 12 months.


Females 35 and older were more likely to report household well water was not tested in the previous year than females 18 to 34 (67.7 percent compared with 47.0 percent). There were no significant differences between income and education categories related to likelihood of well water testing.

Since 1999, no health district has shown significant changes in well testing among adults who have well water.




Tested Well Water


Percent of Idaho adults with well water not tested in previous 12 months, 1999 - 2005




Percent of District 4 adults with well water not tested in previous 12 months, 1999 - 2005




Percent of District 1 adults with well water not tested in previous 12 months, 1999 - 2005




Percent of District 5 adults with well water not tested in previous 12 months, 1999 - 2005




Percent of District 2 adults with well water not tested in previous 12 months, 1999 - 2005




Percent of District 6 adults with well water not tested in previous 12 months, 1999 - 2005



Percent of District 3 adults with well water not tested in previous 12 months, 1999 - 2005



Percent of District 7 adults with well water not tested in previous 12 months, 1999 - 2005




Sex Education

Question: “At what grade level do you think children should begin to receive comprehensive sex education in school? Comprehensive sex education includes not only discussions about reproductive systems and associated biological functions, but also sexual behavior; outcomes of sexual behavior including STD/AIDS education and prevention; talking with parents about sex; birth control methods, availability, and usage; and may include discussion on personal sexuality choices.”

In 2005, 5.8 percent of Idaho adults reported they thought there should be no sex education in school. District 7 had the greatest percentage of adults stating there should not be sex education in schools (6.9 percent) while District 2 (3.6 percent) had the lowest percentage. Differences between districts were not statistically significant.


Adults 35 and older were significantly more likely to recommend that there be no sex education in schools compared with adults 18 to 34 (7.3 percent compared with 3.0 percent). Adults with incomes greater than \$15,000 were nearly three times as likely to say that sex education should not be taught in school as those with incomes under \$15,000 (6.2 percent compared with 2.3 percent). Among adults with college degrees, 7.8 percent thought there should be no sex education in schools. This was more than twice the rate as for adults with less than a high school education at 3.0 percent.



Sex Education

Among Idaho adults who did have a grade recommendation for starting sex education in schools, 40.5 percent recommended starting in seventh grade or later. There were no statistically different rates between districts for recommending sex education in seventh grade or later among adults who recommended any sex education.

Males were significantly more likely (48.0 percent) than females (33.0) to recommend starting sex education after the sixth grade. Adults aged 18 to 34 were statistically more likely (44.4 percent) to recommend starting sex education after the sixth grade than those aged 55 and older (35.2 percent). Adults in households with annual incomes of \$35,000 or greater were significantly more likely (43.6 percent) to recommend starting sex education after the sixth grade than those with incomes less than \$35,000 (37.0 percent).




Children's Physical Activity

Question: (Asked of those with any children in household aged 6 years or older): "During the past week, on how many days did the child exercise or participate in physical activity for at least 20 minutes that made [him/her] sweat and breathe hard, such as running, fast bicycling, basketball, soccer, swimming, fast dancing, or similar aerobic activities?"

In 2005, 6.3 percent of Idaho children aged 6 and older had not engaged in vigorous physical activity in the previous week. District 6 had the lowest rate (3.2 percent) of children with no vigorous activity in the previous week while District 7 had the highest rate (9.3 percent). Differences between the health districts were not statistically significant.


Older children were more likely to have no vigorous activity reported. Among children aged 13 to 17, 9.8 percent were reported as having no vigorous physical activity compared with 3.8 percent of those aged 6 to 12. The disparity was greater among males. Males aged 13 to 17 were reported with no vigorous activity at four times the rate of 6 to 12 year-olds (11.0 percent compared with 2.7 percent).



Children's Physical Activity

Among Idaho children aged 6 and older, nearly one-in-five (18.7 percent) were reported to perform vigorous physical activity less often than the recommended three days per week. The percentage of children who reported between zero and two days of vigorous activity ranged from a high of 22.7 percent in District 7 to 12.4 percent in District 2. No significant differences were reported between districts.

Children aged 13 to 17 were significantly more likely to have fewer than three days of vigorous activity compared with those aged 6 to 12 (26.0 percent compared with 13.3 percent).



Appendix A: Data Tables

Understanding the Data Tables

The data tables on the following pages provide both state and health district data for various demographic subcategories. An understanding of the tables is important to interpreting the data correctly.

- A. This title refers to the risk factor.
- B. The labels across the top of the table (i.e., state and district) refer to the geographic region of residence.
- C. The labels on the left side of the table refer to the particular group the numbers represent. For example, the row labeled "Female" will contain data for women in the geographic region indicated at the top of the table.
- D. The shaded columns contain the prevalence (percent) of the risk factor.
- E. The two numbers in the column labeled "95% CI" are the lower and upper limits of the confidence interval. This interval can be interpreted to mean that there is a 95% certainty that the true prevalence of the risk factor falls within the confidence interval.
- F. "n" refers to the number of people sampled who responded to the question within the demographic group and geographic region indicated. It does NOT represent the number of people who have the risk factor in the population. An asterisk indicates that fewer than 50 people in the group responded (see Methodology, page 3).

A																
Source of Water Supply																
Percent of Idaho adults with well water, 2005																
C	B				Public Health District											
	Idaho				District 1			District 2			District 3					
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	28.0	26.5	29.6	5,313	26.4	22.9	30.4	848	25.2	21.7	29.1	736	39.3	35.0	43.7	728
SEX																
Male	28.6	26.2	31.2	2,042	27.5	22.0	33.8	332	23.8	18.8	29.6	295	39.1	32.4	46.2	255
Female	27.4	25.7	29.3	3,271	25.4	21.0	30.3	516	26.7	22.0	32.0	441	39.5	34.3	44.8	473

D **E** **F**

Appendix A: Data Tables

Source of Water Supply																
Percent of Idaho Adults With Well Water, 2005																
	Idaho				Public Health District											
					District 1				District 2				District 3			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	28.0	26.5	29.6	5,313	26.4	22.9	30.4	848	25.2	21.7	29.1	736	39.3	35.0	43.7	728
SEX																
Male	28.6	26.2	31.2	2,042	27.5	22.0	33.8	332	23.8	18.8	29.6	295	39.1	32.4	46.2	255
Female	27.4	25.7	29.3	3,271	25.4	21.0	30.3	516	26.7	22.0	32.0	441	39.5	34.3	44.8	473
AGE																
18-24	18.5	13.1	25.4	283	*	*	*	*	*	*	*	*	*	*	*	*
25-34	23.9	20.6	27.5	790	24.3	15.5	35.9	90	20.9	13.1	31.6	96	27.9	19.8	37.7	116
35-44	29.7	26.3	33.3	904	24.3	16.9	33.6	119	29.3	21.4	38.6	125	43.4	34.1	53.0	121
45-54	29.1	26.0	32.3	1,103	30.8	24.4	38.1	204	22.8	16.5	30.7	156	45.8	36.5	55.5	135
55-64	37.1	33.6	40.8	956	31.4	24.5	39.2	175	28.8	21.3	37.7	141	51.7	42.5	60.9	144
65+	30.1	27.2	33.2	1,247	25.4	19.5	32.5	228	28.6	21.4	37.1	164	42.0	34.0	50.5	176
18-34	21.5	18.4	25.0	1,073	22.4	14.2	33.5	119	20.4	13.7	29.2	144	26.2	18.4	35.9	148
35-54	29.4	27.1	31.8	2,007	27.9	22.9	33.6	323	25.8	20.7	31.8	281	44.5	37.8	51.4	256
55+	33.3	31.0	35.7	2,203	28.2	23.6	33.4	403	28.7	23.3	34.7	305	46.3	40.2	52.6	320
SEX and AGE																
Male																
18-34	22.7	17.8	28.5	405	*	*	*	*	15.5	7.8	28.3	69	28.7	16.7	44.7	54
35-54	29.4	25.8	33.2	807	28.4	21.1	37.2	134	24.5	17.0	33.8	113	43.7	33.4	54.5	99
55+	34.6	31.0	38.4	821	32.4	25.1	40.8	158	31.3	23.1	40.8	112	44.4	34.4	54.9	101
Female																
18-34	20.2	16.8	24.1	668	24.0	13.9	38.3	80	26.6	16.5	40.0	75	23.6	15.5	34.3	94
35-54	29.4	26.6	32.4	1,200	27.4	21.0	35.0	189	27.2	20.6	35.0	168	45.4	37.2	53.8	157
55+	32.2	29.3	35.1	1,382	24.4	19.0	30.9	245	26.3	19.7	34.1	193	48.0	40.7	55.3	219
INCOME																
Less than \$15,000	19.9	15.7	24.9	568	26.3	14.8	42.3	82	21.7	12.0	36.1	94	22.5	13.8	34.6	91
\$15,000 - \$24,999	27.1	23.6	30.8	967	24.6	17.2	33.9	166	17.4	11.8	24.8	153	32.1	23.3	42.3	131
\$25,000 - \$34,999	27.8	23.9	32.1	750	28.2	20.2	37.9	125	26.9	18.2	37.8	100	33.6	24.0	44.8	117
\$35,000 - \$49,999	31.8	27.8	36.2	935	25.2	17.7	34.5	156	35.6	27.0	45.2	122	42.0	32.2	52.5	135
\$50,000+	28.5	26.0	31.2	1,580	25.5	20.0	31.9	246	24.9	18.7	32.3	200	49.9	41.6	58.2	179
EMPLOYMENT																
Employed	28.1	26.1	30.2	3,019	26.0	21.2	31.6	456	26.5	21.8	31.8	412	38.5	33.1	44.2	406
Unemployed	21.9	15.5	30.1	173	*	*	*	*	*	*	*	*	*	*	*	*
Other**	28.8	26.4	31.2	2,108	28.1	23.2	33.6	362	24.6	19.2	30.9	293	43.0	36.3	50.0	294
EDUCATION																
K-11th Grade	28.4	22.6	34.9	436	34.5	21.6	50.2	69	31.4	18.9	47.3	73	28.2	17.5	42.2	76
12th Grade or GED	30.3	27.3	33.4	1,658	22.2	16.6	29.1	256	26.9	20.6	34.3	221	39.0	32.0	46.5	265
Some College	28.1	25.6	30.7	1,734	27.2	21.1	34.2	312	23.1	17.7	29.7	223	39.1	32.3	46.4	227
College Graduate+	25.4	22.9	28.2	1,478	28.4	22.1	35.7	210	22.7	17.2	29.4	218	47.1	37.7	56.6	159

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Appendix A: Data Tables

Source of Water Supply Percent of Idaho Adults With Well Water, 2005																
	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	16.9	13.7	20.6	717	39.1	35.3	43.1	858	25.3	21.6	29.3	711	34.3	30.3	38.5	715
SEX																
Male	18.7	13.7	25.1	274	41.6	35.3	48.1	335	23.0	17.5	29.6	264	35.6	29.6	42.2	287
Female	15.0	11.5	19.1	443	36.8	32.2	41.5	523	27.4	22.9	32.5	447	32.9	28.0	38.2	428
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	12.7	6.8	22.6	68
25-34	10.4	5.7	18.1	127	40.3	30.5	50.8	111	18.8	12.4	27.5	127	44.7	34.5	55.4	123
35-44	19.8	13.6	28.0	142	42.1	34.0	50.6	154	23.4	16.3	32.5	115	38.3	29.5	47.8	128
45-54	12.7	7.7	20.1	159	45.9	38.0	54.1	176	27.8	20.6	36.3	149	34.2	25.4	44.2	124
55-64	27.8	19.8	37.6	113	47.2	38.6	55.9	152	30.6	22.3	40.3	117	47.7	37.8	57.9	114
65+	21.6	14.9	30.3	138	33.4	27.0	40.5	222	30.9	23.8	39.1	165	33.4	25.6	42.3	154
18-34	11.5	5.8	21.3	158	33.0	24.4	42.9	151	19.9	13.0	29.1	162	27.8	21.2	35.5	191
35-54	16.4	12.2	21.8	301	44.1	38.4	50.0	330	25.7	20.5	31.8	264	36.2	29.8	43.0	252
55+	24.6	19.2	31.0	251	39.5	34.2	45.0	374	30.8	25.2	36.9	282	40.3	33.8	47.1	268
SEX and AGE																
Male																
18-34	12.9	4.8	30.5	59	38.4	24.9	54.1	60	19.1	9.4	35.2	52	32.5	22.1	44.9	72
35-54	19.7	13.1	28.7	117	44.1	35.5	53.0	141	22.8	15.4	32.5	100	32.2	23.1	42.8	103
55+	25.8	17.7	35.9	95	42.3	33.6	51.4	133	28.0	20.0	37.6	112	43.6	33.6	54.2	110
Female																
18-34	9.6	4.4	19.9	99	27.0	17.9	38.6	91	20.6	12.7	31.8	110	22.7	15.5	32.0	119
35-54	12.8	8.5	18.9	184	44.1	36.7	51.9	189	28.5	21.7	36.5	164	40.3	32.0	49.2	149
55+	23.6	16.8	32.1	156	37.1	30.8	43.9	241	33.2	26.0	41.4	170	37.1	29.1	45.8	158
INCOME																
Less than \$15,000	12.2	5.0	26.7	59	28.1	16.4	43.7	89	21.4	10.8	37.9	70	14.6	8.2	24.7	83
\$15,000 - \$24,999	24.9	15.9	36.8	95	30.8	23.4	39.3	174	21.6	14.9	30.1	127	35.7	25.9	46.7	121
\$25,000 - \$34,999	10.8	5.9	19.0	90	44.1	32.7	56.1	115	24.2	15.4	35.8	101	42.1	31.8	53.0	102
\$35,000 - \$49,999	22.2	12.1	37.0	114	44.1	35.2	53.3	146	27.2	19.1	37.2	132	37.2	28.5	46.9	130
\$50,000+	16.5	12.4	21.4	286	44.6	37.9	51.5	245	25.3	18.8	33.1	214	38.8	31.7	46.4	210
EMPLOYMENT																
Employed	15.6	11.7	20.5	442	41.9	36.8	47.2	501	24.6	19.9	29.9	398	38.4	33.1	44.0	404
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	19.8	14.7	26.2	254	34.9	29.1	41.1	334	27.0	21.1	33.8	290	29.0	23.4	35.3	281
EDUCATION																
K-11th Grade	*	*	*	*	36.5	25.8	48.7	103	*	*	*	*	*	*	*	*
12th Grade or GED	21.3	13.8	31.4	183	37.0	30.0	44.6	277	26.6	20.6	33.5	239	44.3	36.7	52.2	217
Some College	17.6	12.5	24.2	218	40.3	33.7	47.3	260	26.2	20.0	33.7	236	30.6	24.4	37.6	258
College Graduate+	13.6	9.9	18.5	284	42.5	35.2	50.1	215	21.0	15.3	28.3	191	31.6	24.8	39.1	201

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Appendix A: Data Tables

Tested Well Water																
Percent of Idaho Adults With Well Water Not Tested in Previous 12 Months, 2005***																
	Idaho				Public Health District											
					District 1			District 2			District 3					
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	66.6	63.5	69.5	1,517	57.6	49.6	65.2	216	64.8	56.2	72.5	178	66.3	59.4	72.5	285
SEX																
Male	69.1	64.3	73.5	611	58.8	47.2	69.5	96	69.1	55.9	79.9	73	65.6	54.0	75.6	99
Female	63.9	60.1	67.5	906	56.3	45.3	66.7	120	60.8	49.3	71.2	105	67.0	59.2	73.9	186
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	60.0	51.3	68.2	186	*	*	*	*	*	*	*	*	*	*	*	*
35-44	69.5	62.7	75.6	277	*	*	*	*	*	*	*	*	62.4	47.1	75.5	51
45-54	67.9	61.3	73.8	319	60.8	47.3	72.8	61	*	*	*	*	61.5	44.9	75.8	52
55-64	67.4	61.7	72.7	345	69.3	55.3	80.5	53	*	*	*	*	69.4	56.8	79.6	74
65+	70.6	64.9	75.6	350	69.3	53.2	81.7	53	*	*	*	*	69.6	56.7	80.0	68
18-34	57.9	49.0	66.4	221	*	*	*	*	*	*	*	*	*	*	*	*
35-54	68.7	64.1	73.0	596	58.7	47.3	69.3	89	76.1	63.8	85.2	72	62.0	50.8	72.0	103
55+	69.0	65.0	72.7	695	69.3	58.9	78.1	106	60.7	48.6	71.6	83	69.5	60.6	77.1	142
SEX and AGE																
Male																
18-34	65.7	52.6	76.8	89	*	*	*	*	*	*	*	*	*	*	*	*
35-54	67.8	60.3	74.5	239	*	*	*	*	*	*	*	*	*	*	*	*
55+	72.4	66.3	77.7	280	*	*	*	*	*	*	*	*	*	*	*	*
Female																
18-34	47.0	37.2	57.0	132	*	*	*	*	*	*	*	*	*	*	*	*
35-54	69.6	64.0	74.7	357	54.7	39.4	69.2	50	*	*	*	*	75.0	62.7	84.3	63
55+	65.8	60.4	70.8	415	72.4	58.5	83.0	57	*	*	*	*	64.8	53.8	74.5	96
INCOME																
Less than \$15,000	58.4	45.5	70.3	111	*	*	*	*	*	*	*	*	*	*	*	*
\$15,000 - \$24,999	64.6	57.0	71.5	252	*	*	*	*	*	*	*	*	*	*	*	*
\$25,000 - \$34,999	72.1	64.7	78.5	211	*	*	*	*	*	*	*	*	*	*	*	*
\$35,000 - \$49,999	68.3	60.7	75.1	293	*	*	*	*	*	*	*	*	58.5	41.6	73.6	56
\$50,000+	68.4	63.4	73.0	505	47.9	35.6	60.4	70	72.3	56.8	83.8	50	64.0	52.2	74.4	93
EMPLOYMENT																
Employed	66.7	62.6	70.5	874	54.7	43.4	65.4	109	69.6	58.4	78.9	107	64.4	55.1	72.7	157
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	66.6	61.8	71.0	601	60.5	49.2	70.8	98	58.8	45.0	71.4	69	69.8	59.5	78.5	118
EDUCATION																
K-11th Grade	57.4	45.8	68.2	115	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	67.6	61.8	72.8	501	62.5	45.8	76.7	59	77.0	63.3	86.6	57	66.1	54.1	76.3	107
Some College	67.1	62.1	71.7	500	54.9	42.8	66.4	77	65.8	50.6	78.3	51	67.0	55.3	76.9	91
College Graduate+	67.8	62.0	73.2	399	63.5	48.4	76.3	57	63.3	48.0	76.3	50	67.3	52.7	79.2	69

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

***Beginning in 2004, Idaho reports prevalence of no water testing. Previous Idaho BRFSS publications reported prevalence of water testing.

Appendix A: Data Tables

Tested Well Water																
Percent of Idaho Adults With Well Water Not Tested in Previous 12 Months, 2005***																
	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	74.6	64.6	82.5	117	66.6	60.1	72.6	313	62.5	53.3	70.9	177	69.8	62.8	76.0	231
SEX																
Male	80.9	66.2	90.2	53	67.4	57.2	76.1	134	61.5	46.3	74.8	63	75.0	63.9	83.5	93
Female	65.5	52.1	76.8	64	65.8	57.7	73.0	179	63.3	52.1	73.2	114	64.6	55.4	72.9	138
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-44	*	*	*	*	68.0	54.6	78.9	64	*	*	*	*	*	*	*	*
45-54	*	*	*	*	76.7	65.9	84.9	72	*	*	*	*	*	*	*	*
55-64	*	*	*	*	55.6	42.2	68.2	64	*	*	*	*	67.9	51.8	80.7	50
65+	*	*	*	*	76.9	64.5	85.9	67	*	*	*	*	*	*	*	*
18-34	*	*	*	*	*	*	*	*	*	*	*	*	70.0	55.0	81.7	54
35-54	*	*	*	*	72.7	64.3	79.8	136	76.0	63.1	85.4	69	69.0	56.9	78.9	82
55+	80.2	68.1	88.5	58	65.9	56.5	74.2	131	57.9	46.2	68.7	81	69.9	58.6	79.1	94
SEX and AGE																
Male																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-54	*	*	*	*	78.3	65.6	87.2	58	*	*	*	*	*	*	*	*
55+	*	*	*	*	62.3	47.2	75.4	51	*	*	*	*	*	*	*	*
Female																
18-34	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35-54	*	*	*	*	66.8	55.2	76.6	78	*	*	*	*	66.6	51.7	78.7	53
55+	*	*	*	*	69.2	57.8	78.7	80	53.1	38.5	67.2	50	69.5	55.2	80.9	53
INCOME																
Less than \$15,000	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$15,000 - \$24,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$25,000 - \$34,999	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
\$35,000 - \$49,999	*	*	*	*	64.7	50.4	76.8	62	*	*	*	*	*	*	*	*
\$50,000+	80.5	66.6	89.5	50	69.7	59.5	78.2	107	75.4	58.7	86.8	57	68.4	55.6	79.0	78
EMPLOYMENT																
Employed	73.6	59.7	84.0	64	66.8	58.7	74.0	196	66.8	55.5	76.4	107	70.2	60.9	78.2	134
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	76.0	61.6	86.2	50	66.6	54.7	76.7	110	56.1	40.6	70.6	65	68.7	57.6	78.0	91
EDUCATION																
K-11th Grade	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12th Grade or GED	*	*	*	*	64.6	50.9	76.2	91	62.3	48.0	74.7	68	66.3	54.5	76.4	86
Some College	*	*	*	*	75.9	66.7	83.2	107	58.5	42.2	73.1	61	70.5	57.9	80.6	77
College Graduate+	*	*	*	*	65.0	52.7	75.6	85	*	*	*	*	70.0	55.2	81.5	61

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

***Beginning in 2004, Idaho reports prevalence of no water testing. Previous Idaho BRFSS publications reported prevalence of water testing.

Appendix A: Data Tables

Sex Education																
Percent of Idaho Adults Recommending No Sex Education, 2005																
	Idaho			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	5.8	5.1	6.7	4,822	5.9	4.4	7.9	773	3.6	2.3	5.6	667	6.8	5.0	9.2	651
SEX																
Male	5.5	4.5	6.8	1,841	5.4	3.4	8.5	290	3.7	2.1	6.5	263	6.4	4.0	10.1	232
Female	6.1	5.2	7.2	2,981	6.4	4.3	9.3	483	3.6	1.8	7.0	404	7.2	4.8	10.6	419
AGE																
18-24	1.1	0.4	2.7	293	*	*	*	*	*	*	*	*	*	*	*	*
25-34	4.6	3.2	6.7	777	5.3	2.5	11.1	93	0.8	0.1	5.6	98	7.3	3.7	13.8	111
35-44	6.4	4.7	8.6	869	11.8	6.8	19.7	115	2.3	0.6	8.7	115	6.7	3.2	13.4	117
45-54	6.8	5.1	9.1	1,014	5.3	2.7	10.2	189	8.0	4.3	14.7	142	8.4	4.2	16.2	123
55-64	8.8	6.8	11.4	872	6.5	3.5	11.9	166	4.9	2.1	10.9	128	6.3	2.9	13.0	132
65+	7.6	5.8	9.8	975	5.5	2.9	10.5	178	2.1	0.8	5.2	134	10.1	5.7	17.3	132
18-34	3.0	2.1	4.2	1,070	2.8	1.3	6.1	122	1.9	0.4	8.6	143	5.0	2.6	9.4	144
35-54	6.6	5.4	8.1	1,883	8.2	5.4	12.4	304	5.3	3.0	9.3	257	7.5	4.5	12.2	240
55+	8.2	6.8	9.8	1,847	6.0	3.8	9.4	344	3.4	1.8	6.3	262	8.2	5.2	12.7	264
SEX and AGE																
Male																
18-34	2.7	1.6	4.8	399	*	*	*	*	0.0	0.0	0.0	66	3.9	1.2	11.5	53
35-54	5.6	3.9	7.9	754	6.4	3.1	12.7	123	7.9	3.9	15.2	103	6.3	2.8	13.7	95
55+	9.1	6.9	11.9	682	7.1	3.7	13.3	128	3.8	1.5	9.3	93	10.0	5.3	18.1	84
Female																
18-34	3.3	2.1	5.0	671	3.0	1.1	8.0	84	4.1	0.9	17.5	77	6.2	2.8	13.2	91
35-54	7.6	5.9	9.8	1,129	9.9	5.8	16.4	181	2.8	1.0	7.3	154	8.7	4.7	15.8	145
55+	7.4	5.7	9.4	1,165	5.2	2.8	9.6	216	3.0	1.2	6.9	169	6.6	3.4	12.5	180
INCOME																
Less than \$15,000	2.3	1.4	3.7	523	4.5	1.7	11.1	77	1.3	0.3	5.2	84	1.3	0.2	8.6	82
\$15,000 - \$24,999	5.4	3.8	7.5	849	7.3	3.8	13.4	144	1.9	0.7	5.3	142	3.5	1.5	8.1	110
\$25,000 - \$34,999	6.2	4.3	8.7	689	8.0	3.9	15.7	113	3.2	1.1	9.0	90	8.2	3.9	16.4	111
\$35,000 - \$49,999	5.3	3.9	7.3	860	5.5	2.9	10.5	148	5.1	2.1	12.1	109	5.2	2.3	11.7	124
\$50,000+	7.0	5.6	8.7	1,481	5.8	3.3	9.9	231	3.5	1.6	7.4	186	9.8	6.0	15.5	163
EMPLOYMENT																
Employed	5.2	4.3	6.2	2,841	5.2	3.5	7.8	434	4.4	2.5	7.7	382	6.2	4.1	9.2	383
Unemployed	3.7	1.6	8.3	170	*	*	*	*	*	*	*	*	*	*	*	*
Other**	7.5	6.2	9.1	1,798	6.9	4.4	10.7	308	2.8	1.5	5.2	258	9.5	6.0	14.7	240
EDUCATION																
K-11th Grade	3.0	1.7	5.2	389	6.2	2.2	16.4	60	0.0	0.0	0.0	66	3.6	1.1	11.6	66
12th Grade or GED	4.4	3.3	5.7	1,454	2.8	1.3	6.0	224	4.1	2.1	7.8	192	5.6	3.2	9.6	234
Some College	6.2	5.0	7.7	1,609	8.1	5.2	12.3	291	3.1	1.4	6.7	206	8.9	5.4	14.3	209
College Graduate+	7.8	6.3	9.8	1,363	7.0	4.2	11.6	197	5.4	2.4	11.5	201	8.0	4.2	14.5	141

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Appendix A: Data Tables

Sex Education																
Percent of Idaho Adults Recommending No Sex Education, 2005																
	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	5.3	3.7	7.5	671	6.6	4.9	8.8	763	5.3	3.8	7.4	639	6.9	5.1	9.3	658
SEX																
Male	5.3	3.1	8.8	254	6.7	4.1	10.6	298	5.4	3.3	8.9	244	5.5	3.3	9.2	260
Female	5.4	3.4	8.4	417	6.5	4.6	9.2	465	5.2	3.4	7.9	395	8.3	5.8	11.8	398
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	1.6	0.4	6.1	69
25-34	3.6	1.1	10.8	120	5.7	2.5	12.5	108	3.6	1.3	9.5	124	5.3	2.4	11.3	123
35-44	5.4	2.4	11.5	140	6.8	3.4	13.0	147	3.0	1.1	8.0	112	7.4	4.0	13.2	123
45-54	5.8	2.6	12.6	146	7.7	4.2	13.7	162	6.8	3.5	12.7	135	8.1	3.5	17.9	117
55-64	10.0	5.4	18.0	105	10.3	6.1	17.0	133	11.2	5.8	20.6	106	12.2	6.7	21.2	102
65+	8.3	4.1	16.0	118	5.7	2.9	10.8	167	9.8	5.5	16.7	125	10.2	6.1	16.7	121
18-34	2.1	0.6	6.4	158	4.3	1.9	9.7	151	2.0	0.7	5.3	160	3.2	1.6	6.4	192
35-54	5.6	3.1	9.6	286	7.2	4.6	11.2	309	4.9	2.9	8.4	247	7.8	4.6	12.9	240
55+	9.2	5.8	14.3	223	7.9	5.2	11.8	300	10.5	6.8	15.9	231	11.2	7.5	16.4	223
SEX and AGE																
Male																
18-34	1.7	0.2	11.4	59	6.1	2.1	16.4	59	2.3	0.6	8.9	53	2.9	0.9	8.8	71
35-54	4.8	1.8	11.8	109	7.0	3.4	13.7	132	3.4	1.1	10.1	93	5.2	1.9	13.7	99
55+	11.2	5.9	20.3	84	6.1	2.8	12.6	106	12.5	6.9	21.5	98	10.5	5.4	19.6	89
Female																
18-34	2.5	0.6	9.3	99	2.3	0.8	7.1	92	1.6	0.4	6.4	107	3.6	1.5	8.1	121
35-54	6.4	3.2	12.4	177	7.5	4.2	13.0	177	6.5	3.6	11.4	154	10.5	5.7	18.5	141
55+	7.4	3.8	14.1	139	9.5	5.9	15.1	194	8.5	4.4	15.7	133	11.8	7.3	18.7	134
INCOME																
Less than \$15,000	0.7	0.1	5.2	57	1.7	0.5	5.3	82	1.0	0.1	6.8	62	6.0	2.8	12.5	79
\$15,000 - \$24,999	10.3	4.7	21.1	82	4.7	2.4	9.0	151	3.0	1.2	7.5	114	3.5	1.4	8.5	106
\$25,000 - \$34,999	4.5	1.7	11.5	87	10.7	4.8	22.1	98	4.2	1.5	11.0	93	3.6	1.4	9.1	97
\$35,000 - \$49,999	4.2	1.6	10.5	105	3.4	1.4	8.1	132	6.3	2.9	13.0	118	8.6	4.7	15.3	124
\$50,000+	6.0	3.5	9.9	279	7.7	4.6	12.6	228	7.1	4.3	11.6	198	10.8	6.7	17.1	196
EMPLOYMENT																
Employed	4.2	2.5	7.0	421	6.4	4.3	9.5	467	5.0	3.1	7.8	374	5.7	3.5	9.1	380
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	8.2	5.1	12.9	228	7.8	5.0	11.9	272	6.6	4.1	10.3	242	8.7	6.0	12.6	250
EDUCATION																
K-11th Grade	*	*	*	*	5.0	1.9	12.8	90	*	*	*	*	*	*	*	*
12th Grade or GED	3.5	1.4	8.4	167	4.0	2.3	7.0	239	4.5	2.4	8.1	205	7.0	3.9	12.3	193
Some College	5.3	2.8	9.7	208	8.3	4.8	13.7	234	3.8	2.0	6.9	217	5.5	3.2	9.3	244
College Graduate+	7.2	4.5	11.6	265	8.7	5.1	14.4	198	9.5	5.6	15.6	176	10.1	6.4	15.7	185

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Appendix A: Data Tables

Sex Education																
Percent of Idaho Adults Recommending Sex Education in 7th Grade or Later, 2005																
	Idaho			Public Health District												
				District 1			District 2			District 3						
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	40.5	38.5	42.5	4,510	43.8	38.9	48.9	722	37.4	32.7	42.3	640	37.3	32.7	42.2	605
SEX																
Male	48.0	44.7	51.3	1,719	56.1	48.1	63.9	270	43.2	35.8	50.8	250	43.0	35.6	50.8	213
Female	33.0	30.8	35.3	2,791	32.6	27.5	38.2	452	31.5	26.1	37.4	390	31.6	26.3	37.4	392
AGE																
18-24	42.9	35.4	50.6	288	*	*	*	*	*	*	*	*	*	*	*	*
25-34	45.8	41.5	50.2	740	45.5	33.7	58.0	86	35.4	24.9	47.5	97	45.1	34.3	56.4	102
35-44	39.3	35.3	43.4	813	47.8	37.3	58.6	101	46.1	36.2	56.2	113	29.9	21.4	40.0	109
45-54	40.4	36.6	44.3	950	36.4	29.2	44.3	179	37.8	29.1	47.4	132	40.8	31.2	51.2	114
55-64	33.6	29.8	37.6	802	36.0	28.1	44.8	156	25.9	18.0	35.8	122	36.8	27.5	47.1	125
65+	38.8	35.1	42.7	900	40.5	32.2	49.3	168	28.5	20.5	38.2	129	45.5	35.8	55.6	120
18-34	44.4	40.2	48.7	1,028	52.7	40.6	64.5	115	42.8	32.9	53.2	141	37.1	27.8	47.4	134
35-54	39.8	37.0	42.7	1,763	41.4	35.1	48.0	280	41.8	35.2	48.8	245	34.8	28.2	42.0	223
55+	36.2	33.6	39.0	1,702	38.2	32.4	44.4	324	27.3	21.5	34.1	251	41.0	34.2	48.2	245
SEX and AGE																
Male																
18-34	51.1	44.2	58.0	383	*	*	*	*	44.7	30.5	59.7	66	43.7	29.4	59.1	50
35-54	48.5	44.1	52.9	711	54.0	43.9	63.7	115	51.4	40.5	62.1	95	38.3	28.2	49.5	89
55+	42.3	37.9	46.8	621	40.7	31.5	50.5	119	33.2	23.4	44.7	88	49.3	37.5	61.2	74
Female																
18-34	37.0	32.4	41.9	645	31.9	20.6	45.8	80	40.4	28.1	54.0	75	29.7	19.4	42.5	84
35-54	30.8	27.7	34.2	1,052	29.5	22.5	37.7	165	32.7	25.3	41.0	150	31.0	23.2	40.1	134
55+	31.1	27.9	34.5	1,081	36.3	29.1	44.2	205	22.0	15.9	29.7	163	34.2	26.8	42.4	171
INCOME																
Less than \$15,000	31.6	25.8	38.0	501	39.8	25.6	55.9	72	42.3	25.4	61.3	82	29.8	19.1	43.2	81
\$15,000 - \$24,999	40.9	36.0	45.9	799	40.8	27.5	55.5	133	44.1	34.6	54.1	138	37.9	27.5	49.5	104
\$25,000 - \$34,999	36.5	31.5	41.8	646	40.2	30.3	51.0	105	27.5	18.4	39.0	86	38.7	27.1	51.7	103
\$35,000 - \$49,999	43.9	39.2	48.7	811	49.1	39.3	58.9	138	34.9	25.5	45.5	104	40.2	29.9	51.5	118
\$50,000+	43.4	40.1	46.8	1,372	47.0	38.8	55.3	216	35.8	28.4	43.9	179	35.9	27.9	44.9	146
EMPLOYMENT																
Employed	42.2	39.6	44.8	2,683	48.0	41.5	54.5	407	38.7	32.3	45.4	366	39.8	33.8	46.0	358
Unemployed	30.8	22.4	40.8	164	*	*	*	*	*	*	*	*	*	*	*	*
Other**	38.4	35.3	41.5	1,650	37.7	31.3	44.5	287	33.6	26.9	41.0	247	36.7	29.6	44.5	219
EDUCATION																
K-11th Grade	41.1	33.2	49.5	374	52.1	35.0	68.7	56	50.1	33.3	66.9	66	34.4	21.8	49.7	63
12th Grade or GED	39.3	35.5	43.2	1,374	38.4	28.9	48.9	216	37.9	29.9	46.6	183	39.0	31.1	47.5	220
Some College	40.5	37.3	43.8	1,499	46.1	38.6	53.7	267	32.9	25.7	41.0	198	33.7	26.4	41.9	191
College Graduate+	41.7	38.2	45.2	1,257	45.7	37.5	54.1	182	35.5	28.3	43.4	191	40.3	30.8	50.6	130

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Appendix A: Data Tables

Sex Education																
Percent of Idaho Adults Recommending Sex Education in 7th Grade or Later, 2005																
	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	39.1	34.4	44.1	633	35.3	31.2	39.7	709	45.8	40.8	50.9	599	45.9	41.1	50.8	602
SEX																
Male	46.0	38.1	54.1	237	40.1	33.4	47.2	278	55.5	47.4	63.3	228	53.3	45.9	60.5	243
Female	32.0	27.0	37.5	396	30.7	25.9	35.9	431	35.9	30.5	41.8	371	38.3	32.3	44.8	359
AGE																
18-24	*	*	*	*	*	*	*	*	*	*	*	*	52.7	38.9	66.0	67
25-34	48.3	38.7	58.0	117	40.4	30.5	51.1	102	48.7	38.7	58.8	120	49.8	39.0	60.7	116
35-44	38.9	30.3	48.3	133	29.7	22.3	38.3	137	45.8	35.8	56.2	108	43.3	33.8	53.4	112
45-54	43.6	34.5	53.2	139	37.7	29.5	46.8	151	44.5	35.3	54.2	125	38.2	28.9	48.4	110
55-64	28.0	19.4	38.6	94	34.2	25.4	44.3	118	35.3	25.8	46.1	97	41.9	31.2	53.5	90
65+	32.9	23.9	43.4	109	44.4	36.0	53.1	157	38.3	29.3	48.2	112	43.8	33.7	54.5	105
18-34	42.6	32.6	53.2	155	33.4	25.1	42.9	144	52.0	41.9	61.9	156	51.4	42.3	60.5	183
35-54	41.1	34.7	47.8	272	33.9	28.1	40.1	288	45.2	38.3	52.2	233	40.7	34.0	47.9	222
55+	30.5	24.0	37.8	203	39.6	33.4	46.2	275	36.8	30.1	44.1	209	42.9	35.4	50.7	195
SEX and AGE																
Male																
18-34	43.9	28.3	60.9	58	35.1	22.5	50.3	55	63.2	46.7	77.1	51	61.1	47.3	73.3	68
35-54	52.6	42.5	62.6	104	40.8	31.8	50.3	124	53.4	42.3	64.2	90	45.2	35.0	55.9	94
55+	35.2	24.8	47.3	74	45.6	35.4	56.2	99	46.3	35.6	57.3	87	50.8	39.0	62.5	80
Female																
18-34	41.1	30.6	52.5	97	31.6	21.8	43.2	89	40.2	29.6	51.7	105	41.6	30.2	54.0	115
35-54	28.5	21.7	36.4	168	27.2	20.5	35.1	164	36.9	28.9	45.6	143	35.7	27.5	44.8	128
55+	26.5	18.9	35.9	129	34.2	27.1	42.2	176	27.7	20.1	36.9	122	35.8	26.8	46.0	115
INCOME																
Less than \$15,000	16.0	8.0	29.3	56	23.7	14.1	37.0	79	42.3	26.3	60.1	61	42.8	27.4	59.8	70
\$15,000 - \$24,999	38.9	24.1	56.1	74	37.9	28.5	48.3	141	40.3	29.9	51.8	109	48.4	36.0	61.0	100
\$25,000 - \$34,999	28.7	18.2	42.2	82	35.4	24.4	48.2	89	42.3	31.1	54.4	89	48.2	37.2	59.4	92
\$35,000 - \$49,999	46.2	33.6	59.2	100	38.0	29.0	47.9	127	53.5	41.9	64.8	111	38.0	28.6	48.5	113
\$50,000+	46.4	39.8	53.1	263	34.5	27.8	41.8	212	45.3	36.2	54.8	181	47.1	39.2	55.2	175
EMPLOYMENT																
Employed	41.7	35.6	48.0	404	32.9	28.0	38.2	435	51.6	45.1	58.0	354	42.5	36.8	48.4	359
Unemployed	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other**	34.7	27.6	42.6	208	39.7	32.5	47.5	250	37.0	29.6	45.0	222	50.8	41.8	59.7	217
EDUCATION																
K-11th Grade	*	*	*	*	34.0	23.4	46.4	85	*	*	*	*	*	*	*	*
12th Grade or GED	40.9	30.9	51.8	161	31.1	24.2	38.9	225	47.2	38.3	56.2	193	39.9	31.8	48.6	176
Some College	32.9	26.0	40.7	197	40.6	33.2	48.5	215	45.6	36.9	54.6	205	51.8	43.4	60.1	226
College Graduate+	42.2	35.4	49.3	245	36.1	28.5	44.4	183	44.3	35.9	53.1	161	43.7	35.6	52.1	165

*Figure not reliable by BRFSS standards (n<50)

**Other includes students, homemakers, retirees, and persons unable to work

Appendix A: Data Tables

Child Physical Activity Percent of Idaho Children Aged 6 and Older With No Days of Vigorous Activity in Previous Week, 2005													
	Idaho			Public Health District									
				District 1			District 2			District 3			
	%	95% CI	n	%	95% CI	n	%	95% CI	n	%	95% CI	n	
TOTAL	6.3	4.8 8.4	1,126	7.9	4.0 14.9	175	7.5	3.8 14.3	141	7.2	3.9 12.7	140	
SEX													
Male	6.3	4.3 9.3	603	8.9	3.3 21.9	80	5.9	2.0 16.4	68	7.1	3.2 14.8	80	
Female	6.4	4.2 9.5	523	6.8	3.0 14.7	95	9.0	3.7 20.2	73	7.3	2.8 17.4	60	
AGE													
6-8	2.9	1.2 6.7	248	*	* *	*	*	* *	*	*	* *	*	
9-11	4.8	2.2 10.2	260	*	* *	*	*	* *	*	*	* *	*	
12-14	5.5	3.2 9.3	289	6.6	2.4 17.1	55	*	* *	*	*	* *	*	
15-17	12.0	8.1 17.3	329	*	* *	*	*	* *	*	*	* *	*	
6-12	3.8	2.2 6.3	593	3.8	1.2 11.5	89	2.2	0.5 9.7	78	5.0	1.7 13.5	77	
13-17	9.8	7.0 13.5	533	12.5	5.6 25.8	86	15.3	7.3 29.3	63	10.0	4.8 19.7	63	
SEX and AGE													
Male													
6-12	2.7	1.1 6.8	316	*	* *	*	*	* *	*	*	* *	*	
13-17	11.0	7.2 16.4	287	*	* *	*	*	* *	*	*	* *	*	
Female													
6-12	4.9	2.6 9.0	277	*	* *	*	*	* *	*	*	* *	*	
13-17	8.4	4.9 14.0	246	8.3	3.2 19.8	54	*	* *	*	*	* *	*	

*Figure not reliable by BRFSS standards (n<50)

Appendix A: Data Tables

Child Physical Activity																
Percent of Idaho Children Aged 6 and Older With No Days of Vigorous Activity in Previous Week, 2005																
	Public Health District															
	District 4				District 5				District 6				District 7			
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	6.1	3.0	12.2	149	3.7	1.5	8.8	195	3.2	1.4	7.3	156	9.3	5.1	16.6	170
SEX																
Male	6.4	2.5	15.4	81	1.5	0.2	9.8	110	4.6	1.7	12.2	80	9.0	3.7	20.1	104
Female	5.9	1.9	16.6	68	6.0	2.2	15.3	85	1.7	0.4	6.7	76	9.7	4.1	21.3	66
AGE																
6-8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
9-11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12-14	*	*	*	*	4.4	1.1	16.1	53	*	*	*	*	*	*	*	*
15-17	*	*	*	*	1.9	0.3	12.2	75	*	*	*	*	20.2	9.6	37.9	53
6-12	4.2	1.2	13.4	88	3.3	0.8	12.5	84	1.8	0.3	11.4	85	4.5	1.4	13.6	92
13-17	8.8	3.6	20.1	61	4.1	1.3	12.1	111	5.3	2.3	11.8	71	16.6	8.2	30.7	78
SEX and AGE																
Male																
6-12	*	*	*	*	*	*	*	*	*	*	*	*	6.4	1.6	22.4	58
13-17	*	*	*	*	3.5	0.5	20.6	66	*	*	*	*	*	*	*	*
Female																
6-12	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13-17	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

Appendix A: Data Tables

Child Physical Activity																
Percent of Idaho Children Aged 6 and Older With Fewer Than Three Days of Vigorous Activity in Previous Week, 2005 **																
	Idaho				Public Health District											
					District 1			District 2			District 3					
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	18.7	16.0	21.8	1,126	19.9	13.4	28.4	175	12.4	7.5	19.7	141	21.6	15.0	30.0	140
SEX																
Male	17.8	14.3	21.9	603	17.3	8.7	31.4	80	10.2	4.6	21.4	68	18.6	11.3	29.1	80
Female	19.8	15.8	24.5	523	22.8	14.5	33.9	95	14.6	7.7	25.9	73	25.1	14.8	39.2	60
AGE																
6-8	12.1	8.3	17.2	248	*	*	*	*	*	*	*	*	*	*	*	*
9-11	15.0	9.7	22.4	260	*	*	*	*	*	*	*	*	*	*	*	*
12-14	18.9	14.0	25.1	289	21.8	12.2	35.9	55	*	*	*	*	*	*	*	*
15-17	28.4	22.6	35.1	329	*	*	*	*	*	*	*	*	*	*	*	*
6-12	13.3	10.2	17.2	593	13.2	7.2	23.0	89	3.4	1.1	10.0	78	14.4	8.0	24.6	77
13-17	26.0	21.5	31.1	533	27.3	16.2	42.0	86	25.7	15.2	40.0	63	31.1	19.6	45.6	63
SEX and AGE																
Male																
6-12	12.2	8.3	17.4	316	*	*	*	*	*	*	*	*	*	*	*	*
13-17	25.0	19.2	31.9	287	*	*	*	*	*	*	*	*	*	*	*	*
Female																
6-12	14.5	10.1	20.6	277	*	*	*	*	*	*	*	*	*	*	*	*
13-17	27.1	20.5	35.0	246	28.2	16.3	44.2	54	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Includes children with no vigorous physical activity in previous week.

Appendix A: Data Tables

Child Physical Activity Percent of Idaho Children Aged 6 and Older With Fewer Than Three Days of Vigorous Activity in Previous Week, 2005 **																
	Public Health District															
	District 4				District 5			District 6			District 7					
	%	95% CI		n	%	95% CI		n	%	95% CI		n	%	95% CI		n
TOTAL	17.1	11.3	25.1	149	16.8	10.9	25.0	195	17.3	11.7	24.8	156	22.7	16.3	30.8	170
SEX																
Male	14.7	8.3	24.7	81	16.8	8.5	30.3	110	20.5	12.1	32.5	80	23.6	15.2	34.8	104
Female	19.5	10.7	33.0	68	16.8	9.7	27.6	85	13.9	7.7	23.7	76	21.7	12.9	34.2	66
AGE																
6-8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
9-11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12-14	*	*	*	*	7.8	3.1	18.0	53	*	*	*	*	*	*	*	*
15-17	*	*	*	*	24.6	13.8	39.9	75	*	*	*	*	36.8	23.0	53.1	53
6-12	13.2	6.7	24.3	88	15.0	7.3	28.3	84	13.3	7.1	23.4	85	14.8	8.2	25.0	92
13-17	22.7	13.3	36.0	61	19.0	11.4	29.9	111	22.9	13.7	35.7	71	34.8	23.5	48.2	78
SEX and AGE																
Male																
6-12	*	*	*	*	*	*	*	*	*	*	*	*	16.6	7.8	31.6	58
13-17	*	*	*	*	21.0	10.4	37.9	66	*	*	*	*	*	*	*	*
Female																
6-12	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13-17	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

*Figure not reliable by BRFSS standards (n<50)

**Includes children with no vigorous physical activity in previous week.

Appendix B: Public Health District Sponsored Questions, 2005

Q1. What is the main source of your home water supply?
(n=5,313)

- 1 A city, county, or town water system (66.9%)
- 2 A small water system operated by a home association (3.7%)
- 3 A private well serving your home (28.0%)
- 4 Other source (1.4%)

- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q2. [If Q1=1] Has your well water been tested in the past 12 months?
(n=1,517)

- 1 Yes (33.4%)
- 2 No (66.6%)

- 7 DON'T KNOW/NOT SURE
- 9 REFUSED

Q3. At what grade level do you think children should begin to receive comprehensive sex education in school? Comprehensive sex education includes not only discussions about reproductive systems and associated biological functions, but also sexual behavior; outcomes of sexual behavior including STD/AIDS education and prevention; talking with parents about sex; birth control methods, availability, and usage; and may include discussion on personal sexuality choices.

(n=4,822)

- 1 1st (1.2%)
- 2 2nd (1.0%)
- 3 3rd (3.0%)
- 4 4th (7.8%)
- 5 5th (16.8%)
- 6 6th (24.7%)
- 7 7th (18.0%)
- 8 8th (9.7%)
- 9 9th (4.7%)
- 10 10th (2.8%)
- 11 11th (1.2%)
- 12 12th (1.8%)
- 55 Kindergarten (1.6%)
- 88 NEVER (5.8%)

- 77 DON'T KNOW/NOT SURE
- 99 REFUSED

Appendix B: Public Health District Sponsored Questions, 2005
(continued)

Q4. [IF ANY CHILDREN IN HOUSEHOLD RANDOMLY SELECT ONE OF THE CHILDREN] What is the birth month and year of the [SELECTED] child?

Data suppressed due to number of responses
Used to approximate child age at time of interview

Q5. [IF ANY CHILDREN IN HOUSEHOLD AND CHILD AGE>5 YEARS] During the past week, on how many days did the child exercise or participate in physical activity for at least 20 minutes that made [him/her] sweat and breathe hard, such as running, fast bicycling, basketball, soccer, swimming, fast dancing, or similar aerobic activities?

(n=1,152)

1	1 Day (3.2%)
2	2 Days (9.5%)
3	3 Days (14.9%)
4	4 Days (9.2%)
5	5 Days (25.3%)
6	6 Days (8.4%)
7	7 Days (23.3%)
88	NONE (6.3%)
77	DON'T KNOW/NOT SURE
99	REFUSED