

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

1995-2005

**Bureau of Health Policy and Vital Statistics
Division of Health
Idaho Department of Health and Welfare**

February 2007

TABLE OF CONTENTS

	<u>Page</u>
Purpose.....	1
<u>Induced Abortions Occurring in Idaho</u>	
Definition, limitations, and summary.....	2
District and county of occurrence, 1995-2005 (Table 1).....	4
Selected demographic characteristics, 1995-2005 (Table 2A).....	5
Selected demographic characteristics (percent), 1995-2005 (Table 2B).....	6
Idaho residence status, 1995-2005 (Graph 1).....	7
Marital status, 1995-2005 (Graph 2).....	7
Age, 1995-2005 (Graph 3).....	8
Number of previous abortions, 1995-2005 (Graph 4).....	8
Procedure characteristics, 1995-2005 (Table 3A).....	9
Procedure characteristics (percent), 1995-2005 (Table 3B).....	10
Termination procedure by length of gestation, three-year total, 2003-2005 (Table 4).....	11
Length of gestation, three-year total, 2003-2005 (Graph 5).....	11
Age by length of gestation, three-year total, 2003-2005 (Table 5).....	12
Age by length of gestation, three-year total, 2003-2005 (Graph 6).....	12
Age by marital status, three-year total, 2003-2005 (Table 6).....	13
Age by marital status, three-year total, 2003-2005 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2003-2005 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2003-2005 (Graph 8).....	14
Patient educational materials provided, 1995-2005 (Table 8).....	15
<u>Induced Abortions to Idaho Residents</u>	
Definition, limitations, and summary.....	16
District and county of residence, 1995-2005 (Table 9).....	18
State of occurrence, 1995-2005 (Table 10).....	19
Occurring in Idaho and out of state, 1995-2005 (Graph 9).....	19
Age, abortion rate, and abortion ratio, 1995-2005 (Table 11).....	20
Termination procedure by length of gestation, three-year total, 2003-2005 (Table 12).....	21
Length of gestation, three-year total, 2003-2005 (Graph 10).....	21
<u>Appendix</u>	
Counties comprising Idaho public health districts.....	22

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Health Policy and Vital Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1995 - 2005.

INDUCED ABORTIONS OCCURRING IN IDAHO 1995-2005

Definition

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1995 to 2005, the number of induced abortions occurring in Idaho increased 13.3 percent from 970 in 1995 to 1,099 in 2005. In 2005, 92.6 percent of abortions occurred in Ada County; 5.7 percent occurred in Bannock County and 1.6 percent occurred in Blaine County.

The number of abortions occurring to Idaho residents in Idaho increased 17.8 percent from 904 in 1995 to 1,065 in 2005. At the same time, the number of abortions occurring to out-of-state residents in Idaho decreased 48.5 percent. Of the 970 abortions occurring in Idaho in 1995, 66 (6.8 percent) were to out-of-state residents compared with 34 out of 1,099 (3.1 percent) in 2005.

INDUCED ABORTIONS OCCURRING IN IDAHO 2005

The number of induced abortions occurring in Idaho increased 14.1 percent in 2005, from 963 in 2004 to 1,099 in 2005. The number of abortions occurring in Ada County increased 16.6 percent in 2005, from 873 in 2004 to 1,018 in 2005.

Age:

From 2004 to 2005, the number of abortions increased in each age group, except for the 30-34 year old age group, which had an 8.6 percent decrease. The number of abortions in the 25-29 year old age group increased 39.8 percent (76 abortions). The number of abortions to women in the age group 20 to 24 accounted for 30.0 percent of all abortions in 2005.

Residency Status:

The number of abortions occurring to Idaho residents increased 14.7 percent in 2005, from 928 in 2004 to 1,065 in 2005. The number of abortions occurring to non-Idaho residents decreased 2.9 percent in 2005, from 35 in 2004 to 34 in 2005.

Marital Status:

The number of abortions occurring to married women increased 19.0 percent in 2005, from 184 in 2004 to 219 in 2005. The number of abortions occurring to unmarried women increased 12.9 percent in 2005, from 778 in 2004 to 878 in 2005.

Race:

The number of abortions occurring to whites increased 13.9 percent in 2005, from 894 in 2004 to 1,018 in 2005. The number of abortions occurring to Native Americans increased 72.7 percent in 2005, from 11 in 2004 to 19 in 2005.

Ethnicity:

The number of abortions occurring to Hispanics increased 15.7 percent in 2005, from 115 in 2004 to 133 in 2005. The number of abortions occurring to non-Hispanics increased 14.4 percent in 2005, from 838 in 2004 to 959 in 2005.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
1995-2005

PLACE OF OCCURRENCE	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IN IDAHO	970	1,022	878	888	867	801	738	829	911	963	1,099
District 1	-	1	-	-	1	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	1	-	-	-	-	-	-	-
District 4	910	943	787	822	798	699	652	756	838	873	1,018
District 5	4	31	35	24	24	30	32	10	24	25	18
District 6	54	47	56	40	43	72	53	63	49	65	63
District 7	2	-	-	1	1	-	1	-	-	-	-
Ada	910	943	787	822	798	699	652	756	838	873	1,018
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	54	47	56	40	43	72	53	63	49	65	63
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	3	30	34	24	24	30	32	10	24	25	18
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	1	-	-	-	-	-	-	-	-	-
Bonneville	2	-	-	1	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	1	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	1	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	1	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	1	-	-	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	1	1	1	-	-	-	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
1995-2005

DEMOGRAPHIC CHARACTERISTICS	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IN IDAHO	970	1,022	878	888	867	801	738	829	911	963	1,099
Age:											
10-14	8	15	10	8	3	7	4	4	3	2	6
15-19	244	265	226	221	229	159	168	176	178	189	208
15-17	88	99	91	69	72	53	54	66	47	68	73
18-19	156	166	135	152	157	106	114	110	131	121	135
20-24	278	284	277	272	246	270	220	259	304	302	330
25-29	173	194	157	159	164	160	145	171	171	191	267
30-34	142	135	90	114	117	92	95	110	137	151	138
35-39	105	95	92	87	73	78	71	73	74	95	107
40-44	17	33	24	26	32	33	29	35	43	32	41
45+	3	1	2	-	3	2	5	1	1	1	2
Not stated	-	-	-	1	-	-	1	-	-	-	-
Idaho residence status:											
Resident	904	962	840	862	839	779	712	800	871	928	1,065
Non-resident	66	60	38	26	28	22	26	29	40	35	34
Marital status:											
Married	215	212	167	174	218	168	168	178	238	184	219
Not married	755	808	711	712	649	632	569	650	671	778	878
Not stated	-	2	-	2	-	1	1	1	2	1	2
Previous induced abortions:											
None	718	744	658	657	672	637	597	627	691	725	856
1	195	202	155	173	137	117	96	149	159	182	177
2	35	53	45	40	34	33	29	39	38	39	46
3+	20	17	19	17	24	13	14	12	16	13	15
Not stated	2	6	1	1	-	1	2	2	7	4	5
Race											
White	920	971	819	834	813	751	679	769	845	894	1,018
Black	5	9	10	7	10	8	13	15	11	17	16
Native American	19	15	14	13	10	10	17	7	10	11	19
Asian/Pacific Islander	25	24	31	31	32	23	24	32	32	32	35
Other	1	-	2	-	-	-	1	2	-	3	1
Race not stated	-	3	2	3	2	9	4	4	13	6	10
Ethnicity*											
Hispanic	50	96	91	102	82	87	92	90	110	115	133
Non-Hispanic	920	918	783	783	785	709	641	736	785	838	959
Ethnicity not stated	-	8	4	3	0	5	5	3	16	10	7

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals. Dash (-) represents zero.
 Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
1995-2005

DEMOGRAPHIC CHARACTERISTICS	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IN IDAHO	970	1,022	878	888	867	801	738	829	911	963	1,099
Age:											
10-14	0.8%	1.5%	1.1%	0.9%	0.3%	0.9%	0.5%	0.5%	0.3%	0.2%	0.5%
15-19	25.2	25.9	25.7	24.9	26.4	19.9	22.8	21.2	19.5	19.6	18.9
15-17	9.1	9.7	10.4	7.8	8.3	6.6	7.3	8.0	5.2	7.1	6.6
18-19	16.1	16.2	15.4	17.1	18.1	13.2	15.5	13.3	14.4	12.6	12.3
20-24	28.7	27.8	31.5	30.7	28.4	33.7	29.9	31.2	33.4	31.4	30.0
25-29	17.8	19.0	17.9	17.9	18.9	20.0	19.7	20.6	18.8	19.8	24.3
30-34	14.6	13.2	10.3	12.9	13.5	11.5	12.9	13.3	15.0	15.7	12.6
35-39	10.8	9.3	10.5	9.8	8.4	9.7	9.6	8.8	8.1	9.9	9.7
40-44	1.8	3.2	2.7	2.9	3.7	4.1	3.9	4.2	4.7	3.3	3.7
45+	0.3	0.1	0.2	-	0.3	0.2	0.7	0.1	0.1	0.1	0.2
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	93.2%	94.1%	95.7%	97.1%	96.8%	97.3%	96.5%	96.5%	95.6%	96.4%	96.9%
Non-resident	6.8	5.9	4.3	2.9	3.2	2.7	3.5	3.5	4.4	3.6	3.1
Marital status:											
Married	22.2%	20.8%	19.0%	19.6%	25.1%	21.0%	22.8%	21.5%	26.2%	19.1%	20.0%
Not married	77.8	79.2	81.0	80.4	74.9	79.0	77.2	78.5	73.8	80.9	80.0
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	74.2%	73.2%	75.0%	74.1%	77.5%	79.6%	81.1%	75.8%	76.4%	75.6%	78.2%
1	20.1	19.9	17.7	19.5	15.8	14.6	13.0	18.0	17.6	19.0	16.2
2	3.6	5.2	5.1	4.5	3.9	4.1	3.9	4.7	4.2	4.1	4.2
3+	2.1	1.7	2.2	1.9	2.8	1.6	1.9	1.5	1.8	1.4	1.4
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race											
White	94.8%	95.3%	93.5%	94.2%	94.0%	94.8%	92.5%	93.2%	94.1%	93.4%	93.5%
Black	0.5	0.9	1.1	0.8	1.2	1.0	1.8	1.8	1.2	1.8	1.5
Native American	2.0	1.5	1.6	1.5	1.2	1.3	2.3	0.8	1.1	1.1	1.7
Asian/Pacific Islander	2.6	2.4	3.5	3.5	3.7	2.9	3.3	3.9	3.6	3.3	3.2
Other	0.1	-	0.2	-	-	-	0.1	0.2	-	0.3	0.1
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethnicity*											
Hispanic	5.2	9.4	10.4	11.5	9.5	11.0	12.5	10.9	12.2	12.0	12.2
Non-Hispanic	94.8	90.1	89.4	88.5	90.8	89.5	87.3	89.2	87.4	87.6	88.1
Ethnicity not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals

Dash (-) represents zero or a percent that rounds to less than 0.1%.


NA - not applicable.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1995-2005




Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1995-2005



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

**Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
1995-2005**



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

**Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
1995-2005**



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
1995-2005

PROCEDURE CHARACTERISTICS	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IN IDAHO	970	1,022	878	888	867	801	738	829	911	963	1,099
Weeks of gestation:											
<9	487	523	466	446	488	476	488	501	540	585	645
9-10	322	312	251	297	236	217	153	211	236	238	303
11-12	111	135	121	104	106	74	74	87	103	111	118
13-15	33	35	26	25	20	14	12	18	13	18	15
16-20	12	10	9	10	8	12	6	8	12	6	13
21-24	5	4	2	5	7	4	1	2	3	5	4
25+	-	1	2	-	-	1	2	1	1	-	1
Not stated	-	2	1	1	2	3	2	1	3	-	-
Termination procedure: ¹											
Suction curettage	960	1,002	855	872	853	784	724	823	895	952	967
Medical (nonsurgical) ²	NA	NA	NA	NA	3	8	7	2	10	3	117
Dilation and evacuation (D&E)	2	3	4	1	1	3	1	1	3	1	3
Intra-uterine instillation (saline / prostaglandin)	8	4	4	2	4	4	2	2	1	4	4
Sharp curettage (D&C)	-	2	-	4	1	1	3	-	-	2	4
Hysterotomy / Hysterectomy	-	1	1	-	1	1	-	1	-	-	-
Other	-	10	14	9	4	-	-	-	1	1	4
Not stated	-	-	-	-	-	-	1	-	1	-	-

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
1995-2005

PROCEDURE CHARACTERISTICS	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IN IDAHO	970	1,022	878	888	867	801	738	829	911	963	1,099
Weeks of gestation:											
<9	50.2%	51.3%	53.1%	50.3%	56.4%	59.6%	66.3%	60.5%	59.5%	60.7%	58.7%
9-10	33.2	30.6	28.6	33.5	27.3	27.2	20.8	25.5	26.0	24.7	27.6
11-12	11.4	13.2	13.8	11.7	12.3	9.3	10.1	10.5	11.3	11.5	10.7
13-15	3.4	3.4	3.0	2.8	2.3	1.8	1.6	2.2	1.4	1.9	1.4
16-20	1.2	1.0	1.0	1.1	0.9	1.5	0.8	1.0	1.3	0.6	1.2
21-24	0.5	0.4	0.2	0.6	0.8	0.5	0.1	0.2	0.3	0.5	0.4
25+	-	0.1	0.2	-	-	0.1	0.3	0.1	0.1	-	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure: ¹											
Suction curettage	99.0%	98.0%	97.4%	98.2%	98.4%	97.9%	98.2%	99.3%	98.4%	98.9%	88.0%
Medical (nonsurgical) ²	NA	NA	NA	NA	0.3	1.0	0.9	0.2	1.1	0.3	10.6
Dilation and evacuation (D&E)	0.2	0.3	0.5	0.1	0.1	0.4	0.1	0.1	0.3	0.1	0.3
Intra-uterine instillation (saline / prostaglandin)	0.8	0.4	0.5	0.2	0.5	0.5	0.3	0.2	0.1	0.4	0.4
Sharp curettage (D&C)	-	0.2	-	0.5	0.1	0.1	0.4	-	-	0.2	0.4
Hysterotomy / Hysterectomy	-	0.1	0.1	-	0.1	0.1	-	0.1	-	-	-
Other	-	1.0	1.6	1.0	0.5	-	-	-	0.1	0.1	0.4
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2003-2005


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	2,973	1,770	777	332	46	31	12	2	3
Suction curettage	2,814	1,656	772	328	45	9	1	1	2
Medical (nonsurgical)	130	111	3	2	-	10	3	1	-
Dilation and evacuation (D&E)	7	-	-	1	1	4	1	-	-
Intra-uterine instillation (saline / prostaglandin)	9	-	-	-	-	4	5	-	-
Sharp curettage (D&C)	6	3	2	1	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	6	-	-	-	-	4	2	-	-
Not stated	1	-	-	-	-	-	-	-	1

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2003-2005



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100 percent due to rounding.

**Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2003-2005**

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	2,973	1,770	777	332	46	31	12	2	3
10-14	11	6	3	2	-	-	-	-	-
15-19	575	298	177	82	13	2	2	1	-
15-17	188	106	52	26	4	-	-	-	-
18-19	387	192	125	56	9	2	2	1	-
20-24	936	541	252	123	11	7	2	-	-
25-29	629	386	158	70	10	1	3	-	1
30-34	426	286	96	26	6	8	3	-	1
35-39	276	172	64	24	4	9	2	1	-
40-44	116	79	26	5	2	3	-	-	1
45+	4	2	1	-	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

**Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2003-2005**




Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2003-2005

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	2,973	2,327	641	5
10-14	11	10	1	-
15-19	575	548	27	-
15-17	188	185	3	-
18-19	387	363	24	-
20-24	936	792	143	1
25-29	629	460	166	3
30-34	426	273	152	1
35-39	276	176	100	-
40-44	116	67	49	-
45+	4	1	3	-
Not stated	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2003-2005




Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2003-2005

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	2,973	2,272	518	123	44	16
10-14	11	11	-	-	-	-
15-19	575	530	40	3	1	1
15-17	188	183	5	-	-	-
18-19	387	347	35	3	1	1
20-24	936	759	138	27	7	5
25-29	629	430	146	39	10	4
30-34	426	279	103	32	8	4
35-39	276	179	68	13	15	1
40-44	116	81	22	9	3	1
45+	4	3	1	-	-	-
Not stated	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2003-2005




Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1995-2005

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1995	912	21	37	970
1996	957	33	32	1,022
1997	840	2	36	878
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099

INDUCED ABORTIONS TO IDAHO RESIDENTS 1995-2005

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Health Policy and Vital Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2005, there were six out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1995 to 2005, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 1,827 in 2005. Overall, the number of abortions to Idaho residents increased by 59 (3.3 percent) during this time period. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 1995 to 2005, most abortions to Idaho residents which occurred out of state occurred in Washington. Of the 762 abortions to Idaho residents which occurred out of state in 2005, 591 (77.6 percent) occurred in Washington.

The abortion rate per 1,000 females aged 15-44 decreased 11.6 percent from 6.9 in 1995 to 6.1 per 1,000 females in 2005. At the same time, the abortion ratio per 1,000 live births declined 19.3 percent from 98.2 per 1,000 live births in 1995 to 79.2 in 2005.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2005

The number of induced abortions occurring to Idaho residents increased 12.9 percent in 2005, from 1,618 in 2004 to 1,827 in 2005. From 2004 to 2005, the number of abortions increased to residents in each Health District, except for District 2, which had a 6.4 percent decrease.

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho increased 14.8 percent in 2005, from 928 in 2004 to 1,065 in 2005. The majority of this increase occurred to residents of Ada County. There were 120 (22.5 percent) additional abortions to Ada County residents in Idaho in 2005.

From 2004 to 2005, the number of abortions increased in each age group, except for the 15-17 year old age group, which remained the same, and the 30-34 year old age group, which had a 1.8 percent decrease. The number of abortions in the 25-29 year old age group increased 26.0 percent (85 abortions).

Out-of-State:

The number of induced abortions occurring to Idaho residents out-of-state increased 10.4 percent in 2005, from 690 in 2004 to 762 in 2005. The majority of this increase occurred to residents of Kootenai County. There were 53 (18.8 percent) additional abortions to Kootenai County residents out-of-state in 2005.

Table 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
District and County of Residence
1995-2005

RESIDENCE	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IDAHO RESIDENT	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827
District 1	418	407	390	395	377	465	428	391	395	357	423
District 2	216	230	204	193	182	166	174	158	187	172	161
District 3	169	180	150	198	161	153	149	157	191	183	192
District 4	635	660	603	617	619	536	505	558	603	625	744
District 5	113	142	112	95	84	99	91	91	124	147	150
District 6	114	106	78	89	76	62	61	70	62	83	91
District 7	103	81	86	49	62	72	65	68	58	51	66
Ada	591	615	558	579	571	505	471	526	571	586	703
Adams	4	2	-	2	3	1	3	2	3	1	2
Bannock	83	73	42	63	53	45	40	46	40	63	58
Bear Lake	3	1	2	1	1	1	2	1	2	1	-
Benewah	17	19	11	16	14	19	13	13	11	13	12
Bingham	19	17	17	12	10	10	11	11	10	12	21
Blaine	39	60	53	40	33	41	42	35	51	61	54
Boise	5	5	3	7	7	2	4	4	1	-	3
Bonner	59	77	63	61	66	82	82	68	57	55	62
Bonneville	55	49	52	27	35	40	38	45	38	33	40
Boundary	13	9	12	13	11	18	7	7	10	9	14
Butte	-	1	1	3	-	-	-	1	2	1	1
Camas	1	-	1	-	-	-	-	-	-	-	-
Canyon	133	140	125	162	135	129	127	131	160	150	161
Caribou	3	1	2	2	5	3	1	1	3	1	1
Cassia	6	8	8	6	4	6	7	-	6	7	9
Clark	1	-	-	-	-	1	-	1	-	-	1
Clearwater	8	16	9	10	10	9	8	10	7	7	8
Custer	6	5	3	4	6	4	4	4	4	3	3
Elmore	24	23	25	24	32	20	17	22	21	23	25
Franklin	1	6	5	4	7	-	4	-	3	3	5
Fremont	5	3	3	-	5	6	2	2	2	2	5
Gem	6	13	10	7	7	6	4	11	8	6	9
Gooding	4	10	5	2	8	8	2	7	7	7	5
Idaho	20	14	19	12	7	10	13	9	12	5	5
Jefferson	6	4	6	2	3	4	5	3	2	2	4
Jerome	10	13	7	7	6	6	7	8	9	13	14
Kootenai	305	268	280	276	263	315	308	281	295	260	313
Latah	97	109	89	84	85	76	73	83	100	73	79
Lemhi	15	12	10	10	11	12	10	6	10	6	6
Lewis	6	4	6	6	5	4	6	5	6	7	4
Lincoln	2	2	3	-	-	3	-	-	1	6	4
Madison	4	2	4	1	2	2	3	3	-	3	3
Minidoka	13	8	6	9	5	5	5	7	10	9	6
Nez Perce	85	87	81	81	75	67	74	51	62	80	65
Oneida	-	1	4	1	-	-	-	2	1	2	1
Owyhee	4	6	5	7	5	5	1	3	4	8	7
Payette	13	14	8	16	9	9	13	5	12	14	10
Power	5	6	5	3	-	3	3	8	1	-	4
Shoshone	24	34	24	29	23	31	18	22	22	20	22
Teton	11	6	8	5	-	3	3	4	2	2	4
Twin Falls	38	41	29	31	28	30	28	34	40	44	58
Valley	15	17	17	7	9	9	13	6	10	16	13
Washington	9	5	2	4	2	3	1	5	4	4	3

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1995-2005

STATE OF OCCURRENCE	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IDAHO RESIDENT	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827
Abortions in Idaho	904	962	840	862	839	779	712	800	871	928	1,065
Abortions out of state	864	844	783	774	722	774	761	693	749	690	762
Montana	62	66	68	60	46	43	43	16	25	19	20
Oregon	32	36	49	61	67	61	67	60	57	49	45
Utah	150	117	92	86	74	64	71	70	79	87	104
Washington	618	623	572	562	533	605	575	546	586	533	591
All others	2	2	2	5	2	1	5	1	2	2	2

Due to revisions in the database, data may differ from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1995-2005



Due to revisions in the database, data may differ from those previously published by the Bureau of Health Policy and Vital Statistics.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1995-2005

AGE	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
TOTAL IDAHO RESIDENT	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827
Age:											
10-14	16	21	16	13	7	12	10	9	12	6	9
15-19	435	465	406	384	394	346	362	326	336	323	356
15-17	183	168	166	139	125	129	128	131	105	127	127
18-19	252	297	240	245	269	217	234	195	231	196	229
20-24	508	504	480	524	471	502	453	485	553	530	579
25-29	355	347	325	324	289	312	258	286	303	327	412
30-34	229	252	184	201	205	179	192	187	221	223	219
35-39	170	163	161	144	138	147	129	139	133	141	177
40-44	46	52	47	40	50	51	55	57	58	63	68
45+	8	2	4	4	7	2	9	3	3	3	5
Not stated	1	-	-	2	-	2	5	1	1	2	2
Abortion rate per 1,000 females in age group:											
Total ¹	6.9	6.9	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1
Age:											
10-14	0.3	0.4	0.3	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.2
15-19	8.5	8.8	7.5	7.0	7.2	6.3	6.5	6.1	6.4	6.1	6.7
15-17	6.0	5.3	5.2	4.3	4.0	4.0	3.9	4.2	3.4	4.1	4.0
18-19	12.3	13.9	10.9	10.7	11.6	9.5	10.1	9.0	10.7	9.0	10.6
20-24	12.2	11.9	10.9	11.5	10.0	11.1	9.9	9.4	10.2	9.5	10.2
25-29	10.3	9.6	8.7	8.4	7.2	7.6	6.1	6.9	7.1	7.4	8.7
30-34	5.7	6.5	4.9	5.4	5.5	4.3	4.6	4.3	5.1	5.1	4.9
35-39	3.7	3.5	3.5	3.2	3.1	3.1	2.7	3.1	3.0	3.2	3.9
40-44	1.0	1.1	1.0	0.9	1.1	1.0	1.1	1.1	1.2	1.3	1.3
45+	0.2	0.0	0.1	0.1	0.2	0.0	0.2	0.1	0.1	0.1	0.1
Not stated	NA										
Abortion ratio per 1,000 live births in age group:											
Total ²	98.2	97.3	87.6	84.5	78.6	76.5	71.2	71.2	74.3	71.8	79.2
Age:											
10-14	381.0	807.7	444.4	464.3	225.8	750.0	625.0	562.5	631.6	428.6	473.7
15-19	174.8	186.9	174.1	156.7	164.4	147.9	154.8	156.9	161.8	156.9	176.3
15-17	223.7	201.7	222.5	177.3	157.4	192.8	191.3	225.1	192.7	241.9	238.7
18-19	150.8	179.5	151.3	147.1	167.9	129.9	140.1	130.3	150.9	127.9	154.0
20-24	93.6	88.7	86.1	86.1	76.0	79.2	71.5	72.2	79.8	73.7	80.6
25-29	71.2	65.7	61.4	58.1	50.1	53.8	44.5	47.2	46.8	48.5	57.7
30-34	68.1	74.7	52.9	59.0	56.8	46.9	50.3	46.0	52.4	51.5	49.9
35-39	120.8	115.4	107.2	97.8	91.3	90.6	79.5	84.3	77.8	79.3	94.1
40-44	172.3	190.5	152.6	128.2	152.0	144.9	156.3	159.7	168.6	165.4	167.1
45+	381.0	95.2	363.6	285.7	304.3	117.6	529.4	115.4	150.0	96.8	178.6
Not stated	NA										

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1995-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003, 2004, and 2005 are based on July 1, 2003, July 1, 2004, and July 1, 2005 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, and August 16, 2006, respectively.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Termination Procedure by Length of Gestation
Three-Year Total, 2003-2005


TERMINATION PROCEDURE*	TOTAL RESIDENTS OF IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	5,065	2,876	1,181	509	246	173	50	10	20
Suction curettage	4,442	2,518	1,172	500	193	40	8	1	10
Medical (nonsurgical)	373	347	4	2	4	10	4	1	1
Dilation and evacuation (D&E)	183	2	2	4	45	88	29	7	6
Intra-uterine instillation (saline / prostaglandin)	14	1	-	-	-	5	8	-	-
Sharp curettage (D&C)	21	3	2	2	1	11	-	-	2
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	8	2	-	-	-	4	1	1	-
Not stated	24	3	1	1	3	15	-	-	1

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Length of Gestation
Three-Year Total, 2003-2005



Percent distributions are based on records with known data for length of gestation.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton