

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

1999-2009

**Bureau of Vital Records and Health Statistics
Division of Health
Idaho Department of Health and Welfare**

March 2011

TABLE OF CONTENTS

	<u>Page</u>
Purpose.....	1
 <u>Induced Abortions Occurring in Idaho</u>	
Definition, limitations, and summary.....	2
District and county of occurrence, 1999-2009 (Table 1).....	4
Selected demographic characteristics, 1999-2009 (Table 2A).....	5
Selected demographic characteristics (percent), 1999-2009 (Table 2B).....	6
Idaho residence status, 1999-2009 (Graph 1).....	7
Marital status, 1999-2009 (Graph 2).....	7
Age, 1999-2009 (Graph 3).....	8
Number of previous abortions, 1999-2009 (Graph 4).....	8
Procedure characteristics, 1999-2009 (Table 3A).....	9
Procedure characteristics (percent), 1999-2009 (Table 3B).....	10
Termination procedure by length of gestation, three-year total, 2007-2009 (Table 4).....	11
Length of gestation, three-year total, 2007-2009 (Graph 5).....	11
Age by length of gestation, three-year total, 2007-2009 (Table 5).....	12
Age by length of gestation, three-year total, 2007-2009 (Graph 6).....	12
Age by marital status, three-year total, 2007-2009 (Table 6).....	13
Age by marital status, three-year total, 2007-2009 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2007-2009 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2007-2009 (Graph 8).....	14
Patient educational materials provided, 1998-2009 (Table 8).....	15
Informed consent, aged <18, 2009 (Table 9).....	15
 <u>Induced Abortions to Idaho Residents</u>	
Definition, limitations, and summary.....	16
District and county of residence, 1999-2009 (Table 10A).....	18
District and county of residence, (rates) 1999-2009 (Table 10B).....	19
State of occurrence, 1999-2009 (Table 11).....	20
Occurring in Idaho and out of state, 1999-2009 (Graph 9).....	20
Age, abortion rate, and abortion ratio, 1999-2009 (Table 12).....	21
Termination procedure by length of gestation, three-year total, 2007-2009 (Table 13).....	22
Length of gestation, three-year total, 2007-2009 (Graph 10).....	22
 <u>Appendix</u>	
Counties comprising Idaho public health districts.....	23

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1999 - 2009.

INDUCED ABORTIONS OCCURRING IN IDAHO 1999-2009

Definition

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non residents.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1999 to 2009, the number of induced abortions occurring in Idaho increased 90.3 percent from 867 in 1999 to 1,650 in 2009. During the eleven-year time period, there have been a total of 12,030 abortions in Idaho. The majority occurred in Ada County (11,338, 94.2 percent), followed by Bannock County (440, 3.7 percent), and Blaine County (163, 1.4 percent). However, in the past two years, no procedures occurred in Bannock County, and in the past four years, none occurred in Blaine County.

The number of abortions occurring to Idaho residents in Idaho increased 88.7 percent from 839 in 1999 to 1,583 in 2009. At the same time, the number of abortions occurring to out-of-state residents in Idaho more than doubled from 28 in 1999 to 67 in 2009. A total of 867 abortions occurred in Idaho in 1999, of those 28 (3.2 percent) were to out-of-state residents compared with 67 out of 1,650 (4.1 percent) in 2009.

INDUCED ABORTIONS OCCURRING IN IDAHO 2009

Induced abortions occurring in Idaho increased by 11.4 percent in 2009, from 1,481 in 2008 to 1,650 in 2009. In 2009, two abortions occurred in Madison County, 76 occurred in Twin Falls County, and the rest (1,572) occurred in Ada County. Ada County reported an increase of abortions; up 6.7 percent from 1,473 in 2008 to 1,572 in 2009. The number in Twin Falls County increased from 8 in 2008 to 76 in 2009.

Age:

From 2008 to 2009, the number of abortions increased in all age groups. The number of abortions in the 10-19 age group increased 4.3 percent from 2008 to 2009 and accounted for 17.5 percent of the abortions in 2009. The age group with the highest percent change was the 40 and older age group (57.4 percent increase); however, this age group made up the smallest overall proportion of abortions (4.5 percent) in 2009. The number of abortions to women aged 20 to 24 accounted for 34.1 percent of abortions in 2009.

Residency Status:

The number of abortions occurring in Idaho to Idaho residents increased 10.0 percent in 2009, from 1,439 in 2008 to 1,583 in 2009. The number of abortions occurring to non-Idaho residents increased nearly 60 percent to 67 in 2009 from 42 in 2008.

Marital Status:

The number of abortions occurring to married women increased 18.2 percent in 2009, from 269 in 2008 to 318 in 2009. The number of abortions occurring to unmarried women increased 10.0 percent in 2009, from 1,210 in 2008 to 1,331 in 2009.

Race:

The number of abortions occurring to whites increased 10.5 percent in 2009, from 1,358 in 2008 to 1,500 in 2009. The number of abortions occurring to blacks increased by 57.1 percent, the number for American Indians increased by 11.1 percent, and the number for Asians and Pacific Islanders increased by 4.2 percent from 2008 to 2009. The number of abortions among females of other race increased 14.7 percent from 2008 to 2009.

Ethnicity:

The number of abortions occurring to Hispanics increased 53.0 percent in 2009, from 151 in 2008 to 231 in 2009. The number of abortions occurring to non-Hispanics increased 6.6 percent in 2009, from 1,319 in 2008 to 1,406 in 2009. The number of abortions to Hispanic women accounted for 10.2 percent of abortions in 2008 and 14.0 percent in 2009.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
1999-2009

PLACE OF OCCURRENCE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IN IDAHO	867	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650
District 1	1	-	-	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	798	699	652	756	838	873	1,018	1,218	1,441	1,473	1,572
District 5	24	30	32	10	24	25	18	-	-	8	76
District 6	43	72	53	63	49	65	63	31	1	-	-
District 7	1	-	1	-	-	-	-	-	-	-	2
Ada	798	699	652	756	838	873	1,018	1,218	1,441	1,473	1,572
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	43	72	53	63	49	65	63	31	1	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	24	30	32	10	24	25	18	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	1	-	-	-	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	1	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	1	-	-	-	-	-	-	-	2
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	-	-	-	-	-	-	8	76
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
1999-2009

DEMOGRAPHIC CHARACTERISTICS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IN IDAHO	867	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650
Age:											
10-14	3	7	4	4	3	2	6	8	5	3	6
15-19	229	159	168	176	178	189	208	257	290	274	283
15-17	72	53	54	66	47	68	73	113	99	80	85
18-19	157	106	114	110	131	121	135	144	191	194	198
20-24	246	270	220	259	304	302	330	398	475	511	562
25-29	164	160	145	171	171	191	267	268	318	317	353
30-34	117	92	95	110	137	151	138	162	178	211	229
35-39	73	78	71	73	74	95	107	112	122	118	143
40-44	32	33	29	35	43	32	41	42	51	42	72
45+	3	2	5	1	1	1	2	1	3	5	2
Not stated	-	-	1	-	-	-	-	1	-	-	-
Idaho residence status:											
Resident	839	779	712	800	871	928	1,065	1,215	1,390	1,439	1,583
Non-resident	28	22	26	29	40	35	34	34	52	42	67
Marital status:											
Married	218	168	168	178	238	184	219	256	309	269	318
Not married	649	632	569	650	671	778	878	993	1,132	1,210	1,331
Not stated	-	1	1	1	2	1	2	-	1	2	1
Previous induced abortions:											
None	672	637	597	627	691	725	856	976	1,104	1,078	1,174
1	137	117	96	149	159	182	177	199	272	311	347
2	34	33	29	39	38	39	46	48	47	64	89
3+	24	13	14	12	16	13	15	19	17	28	38
Not stated	-	1	2	2	7	4	5	7	2	-	2
Race											
White	813	751	679	769	845	894	1,018	1,133	1,288	1,358	1,500
Black	10	8	13	15	11	17	16	14	23	14	22
American Indian	10	10	17	7	10	11	19	25	17	18	20
Asian/Pacific Islander	32	23	24	32	32	32	35	38	41	48	50
Other	-	-	1	2	-	3	1	3	11	34	39
Race not stated	2	9	4	4	13	6	10	36	62	9	19
Ethnicity*											
Hispanic	82	87	92	90	110	115	133	136	140	151	231
Non-Hispanic	785	709	641	736	785	838	959	1,104	1,281	1,319	1,406
Ethnicity not stated	-	5	5	3	16	10	7	9	21	11	13

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.
Dash (-) represents zero.
Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
1999-2009**

DEMOGRAPHIC CHARACTERISTICS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IN IDAHO	867	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650
Age:											
10-14	0.3%	0.9%	0.5%	0.5%	0.3%	0.2%	0.5%	0.6%	0.3%	0.2%	0.4%
15-19	26.4	19.9	22.8	21.2	19.5	19.6	18.9	20.6	20.1	18.5	17.2
15-17	8.3	6.6	7.3	8.0	5.2	7.1	6.6	9.1	6.9	5.4	5.2
18-19	18.1	13.2	15.5	13.3	14.4	12.6	12.3	11.5	13.2	13.1	12.0
20-24	28.4	33.7	29.9	31.2	33.4	31.4	30.0	31.9	32.9	34.5	34.1
25-29	18.9	20.0	19.7	20.6	18.8	19.8	24.3	21.5	22.1	21.4	21.4
30-34	13.5	11.5	12.9	13.3	15.0	15.7	12.6	13.0	12.3	14.2	13.9
35-39	8.4	9.7	9.6	8.8	8.1	9.9	9.7	9.0	8.5	8.0	8.7
40-44	3.7	4.1	3.9	4.2	4.7	3.3	3.7	3.4	3.5	2.8	4.4
45+	0.3	0.2	0.7	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.1
Not stated	NA	NA	NA	NA	NA						
Idaho residence status:											
Resident	96.8%	97.3%	96.5%	96.5%	95.6%	96.4%	96.9%	97.3%	96.4%	97.2%	95.9%
Non-resident	3.2	2.7	3.5	3.5	4.4	3.6	3.1	2.7	3.6	2.8	4.1
Marital status:											
Married	25.1%	21.0%	22.8%	21.5%	26.2%	19.1%	20.0%	20.5%	21.4%	18.2%	19.3%
Not married	74.9	79.0	77.2	78.5	73.8	80.9	80.0	79.5	78.6	81.8	80.7
Not stated	NA	NA	NA	NA	NA						
Previous induced abortions:											
None	77.5%	79.6%	81.1%	75.8%	76.4%	75.6%	78.2%	78.6%	76.7%	72.8%	71.2%
1	15.8	14.6	13.0	18.0	17.6	19.0	16.2	16.0	18.9	21.0	21.1
2	3.9	4.1	3.9	4.7	4.2	4.1	4.2	3.9	3.3	4.3	5.4
3+	2.8	1.6	1.9	1.5	1.8	1.4	1.4	1.5	1.2	1.9	2.3
Not stated	NA	NA	NA	NA	NA						
Race											
White	94.0%	94.8%	92.5%	93.2%	94.1%	93.4%	93.5%	93.4%	93.3%	92.3%	92.0%
Black	1.2	1.0	1.8	1.8	1.2	1.8	1.5	1.2	1.7	1.0	1.3
American Indian	1.2	1.3	2.3	0.8	1.1	1.1	1.7	2.1	1.2	1.2	1.2
Asian/Pacific Islander	3.7	2.9	3.3	3.9	3.6	3.3	3.2	3.1	3.0	3.3	3.1
Other	-	-	0.1	0.2	-	0.3	0.1	0.2	0.8	2.3	2.4
Race not stated	NA	NA	NA	NA	NA						
Ethnicity*											
Hispanic	9.5	10.9	12.6	10.9	12.3	12.1	12.2	11.0	9.9	10.3	14.1
Non-Hispanic	90.5	89.1	87.4	89.1	87.7	87.9	87.8	89.0	90.1	89.7	85.9
Ethnicity not stated	NA	NA	NA	NA	NA						

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero or a percent that rounds to less than 0.1%.


NA - not applicable.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1999-2009**




**Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1999-2009**



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
1999-2009



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
1999-2009



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
1999-2009**

PROCEDURE CHARACTERISTICS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IN IDAHO	867	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650
Weeks of gestation:											
<9	488	476	488	501	540	585	645	804	926	997	1,056
9-10	236	217	153	211	236	238	303	258	256	275	309
11-12	106	74	74	87	103	111	118	135	187	135	199
13-15	20	14	12	18	13	18	15	37	53	62	65
16-20	8	12	6	8	12	6	13	8	11	8	14
21-24	7	4	1	2	3	5	4	3	5	3	5
25+	-	1	2	1	1	-	1	2	-	-	1
Not stated	2	3	2	1	3	-	-	2	4	1	1
Termination procedure: ¹											
Suction curettage	853	784	724	823	895	952	967	1,035	1,129	1,043	1,068
Medical (nonsurgical) ²	3	8	7	2	10	3	117	198	293	423	556
Dilation and evacuation (D&E)	1	3	1	1	3	1	3	7	12	7	13
Intra-uterine instillation (saline / prostaglandin)	4	4	2	2	1	4	4	3	2	1	1
Sharp curettage (D&C)	1	1	3	-	-	2	4	3	2	4	5
Hysterotomy / Hysterectomy	1	1	-	1	-	-	-	-	-	-	1
Other	4	-	-	-	1	1	4	3	4	3	6
Not stated	-	-	1	-	1	-	-	-	-	-	-

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
1999-2009

PROCEDURE CHARACTERISTICS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IN IDAHO	867	801	738	829	911	963	1,099	1,249	1,442	1,481	1,650
Weeks of gestation:											
<9	56.4%	59.6%	66.3%	60.5%	59.5%	60.7%	58.7%	64.5%	64.4%	67.4%	64.0%
9-10	27.3	27.2	20.8	25.5	26.0	24.7	27.6	20.7	17.8	18.6	18.7
11-12	12.3	9.3	10.1	10.5	11.3	11.5	10.7	10.8	13.0	9.1	12.1
13-15	2.3	1.8	1.6	2.2	1.4	1.9	1.4	3.0	3.7	4.2	3.9
16-20	0.9	1.5	0.8	1.0	1.3	0.6	1.2	0.6	0.8	0.5	0.8
21-24	0.8	0.5	0.1	0.2	0.3	0.5	0.4	0.2	0.3	0.2	0.3
25+	-	0.1	0.3	0.1	0.1	-	0.1	0.2	-	-	0.1
Not stated	NA	NA	NA	NA	NA						
Termination procedure: ¹											
Suction curettage	98.4%	97.9%	98.2%	99.3%	98.4%	98.9%	88.0%	82.9%	78.3%	70.4%	64.7%
Medical (nonsurgical) ²	0.3	1.0	0.9	0.2	1.1	0.3	10.6	15.9	20.3	28.6	33.7
Dilation and evacuation (D&E)	0.1	0.4	0.1	0.1	0.3	0.1	0.3	0.6	0.8	0.5	0.8
Intra-uterine instillation (saline / prostaglandin)	0.5	0.5	0.3	0.2	0.1	0.4	0.4	0.2	0.1	0.1	0.1
Sharp curettage (D&C)	0.1	0.1	0.4	-	-	0.2	0.4	0.2	0.1	0.3	0.3
Hysterotomy / Hysterectomy	0.1	0.1	-	0.1	-	-	-	-	-	-	0.1
Other	0.5	-	-	-	0.1	0.1	0.4	0.2	0.3	0.2	0.4
Not stated	NA	NA	NA	NA	NA						

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2007-2009


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,573	2,979	840	521	180	33	13	1	6
Suction curettage	3,240	1,742	815	514	161	2	-	-	6
Medical (nonsurgical)	1,272	1,235	24	3	-	7	3	-	-
Dilation and evacuation (D&E)	32	-	-	1	15	16	-	-	-
Intra-uterine instillation (saline / prostaglandin)	4	-	-	-	-	3	1	-	-
Sharp curettage (D&C)	11	2	1	3	4	1	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	-	-	1	-
Other	13	-	-	-	-	4	9	-	-
Not stated	-	-	-	-	-	-	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2007-2009



Percentages are based on records with known data for length of gestation. Percentages do not sum to 100 percent due to rounding.

Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2007-2009

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,573	2,979	840	521	180	33	13	1	6
10-14	14	4	4	6	-	-	-	-	-
15-19	847	494	179	127	42	3	2	-	-
15-17	264	139	52	51	21	1	-	-	-
18-19	583	355	127	76	21	2	2	-	-
20-24	1,548	994	293	178	66	9	5	-	3
25-29	988	664	175	112	29	3	4	-	1
30-34	618	436	100	49	22	8	1	1	1
35-39	383	251	67	39	17	7	1	-	1
40-44	165	128	20	10	4	3	-	-	-
45+	10	8	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2007-2009




Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2007-2009

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	4,573	3,673	896	4
10-14	14	14	-	-
15-19	847	816	30	1
15-17	264	257	7	-
18-19	583	559	23	1
20-24	1,548	1,341	206	1
25-29	988	776	212	-
30-34	618	402	216	-
35-39	383	225	156	2
40-44	165	94	71	-
45+	10	5	5	-
Not stated	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2007-2009




Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2007-2009

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	4,573	3,356	930	200	83	4
10-14	14	14	-	-	-	-
15-19	847	769	69	9	-	-
15-17	264	256	7	1	-	-
18-19	583	513	62	8	-	-
20-24	1,548	1,182	298	49	17	2
25-29	988	648	263	55	21	1
30-34	618	403	144	44	26	1
35-39	383	240	97	31	15	-
40-44	165	95	55	11	4	-
45+	10	5	4	1	-	-
Not stated	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2007-2009




Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1998-2009

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent*, Aged Under 18
2009

Total Abortions Aged <18	91
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	84
Written informed consent of emancipated minor for herself	2
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	5
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Medical emergency	-
Unknown	-

* Data on Informed Consent for females under age 18 was required by legislation to be collected beginning March 27, 2007.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

INDUCED ABORTIONS TO IDAHO RESIDENTS 1999-2009

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2009, there was one out-of-state record allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1999 to 2009, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 2,348 in 2009. There were a total of 19,704 abortions to Idaho residents from 1999 to 2009, for an average of 1,791 abortions per year. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 1999 to 2009, 11,621 abortions to residents occurred in Idaho (59.0 percent). Of the 8,083 abortions to Idaho residents which occurred out of state, most occurred in Washington (5,978 abortions or 74.0 percent).

Overall, the number of abortions to Idaho residents increased by 787 (50.4 percent) from 1999 to 2009. The abortion rate per 1,000 females aged 15-44 increased 32.8 percent from 5.8 in 1999 to 7.7 per 1,000 females in 2009. The abortion ratio per 1,000 live births increased 26.0 percent from 78.6 per 1,000 live births in 1999 to 99.0 in 2009.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2009

From 2008 to 2009, the Idaho resident abortion rate increased 8.5 percent from 7.1 per 1,000 females aged 15-44 to 7.7. Overall, the number of abortions to Idaho residents increased by 216 (10.1 percent) from 2,132 in 2008 to 2,348 in 2009. The abortion ratio per 1,000 live births increased 16.7 percent from 84.8 abortions per 1,000 live births in 2008 to 99.0 abortions per 1,000 live births in 2009.

District of Residence:

From 2008 to 2009, the number of abortions increased for residents in Districts 2, 3, 5, 6, and 7 and decreased for Districts 1 and 4 residents. Districts 6 and 7 saw the highest increase in the number of abortions to residents (56.2 and 42.0 percent, respectively). District 2 had a 3.8 percent increase in the number of abortions among residents; however, with a higher growth rate in female population (females aged 15-44), the abortion rate decreased 2.4 percent in District 2 from 2008 to 2009. The abortion rate also decreased for District 1 and 4 residents; the rate increased among District 3, 5, 6 and 7 residents.

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho increased 10.0 percent in 2009, from 1,439 in 2008 to 1,583 in 2009.

Out-of-State:

The number of induced abortions occurring to Idaho residents in another state increased 10.4 percent, from 693 in 2008 to 765 in 2009. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington in 2009 (60.9 percent), although between 2008 and 2009 there was a 4.9 percent decrease in the number of abortions occurring in Washington (490 in 2008 compared with 466 in 2009).

Between 2008 and 2009, there was a 56.4 percent increase in the number of Idaho resident abortions occurring in Montana and a 50.7 percent increase in abortions in Utah. The number of abortions in Oregon to Idahoans was 35 in 2009, compared with 27 in 2008.

Age:

From 2008 to 2009, the number of abortions to Idaho residents increased for all age groups. The largest percent increase occurred in the 40 and older age group where the number increased 42.9 percent (30 abortions). In 2009, the abortion rate was highest for the 20-24 age group (14.6 abortions per 1,000 females aged 20-24) and the 20-24 age group accounted for 33.5 percent of the abortions.

Table 10A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
1999-2009

RESIDENCE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IDAHO RESIDENT	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348
District 1	377	465	428	391	395	357	423	371	364	365	346
District 2	182	166	174	158	187	172	161	158	170	133	138
District 3	161	153	149	157	191	183	192	265	294	324	408
District 4	619	536	505	558	603	625	744	840	909	921	894
District 5	84	99	91	91	124	147	150	142	200	196	273
District 6	76	62	61	70	62	83	91	78	132	105	164
District 7	62	72	65	68	58	51	66	65	91	88	125
Ada	571	505	471	526	571	586	703	775	840	862	837
Adams	3	1	3	2	3	1	2	5	1	4	7
Bannock	53	45	40	46	40	63	58	57	97	74	120
Bear Lake	1	1	2	1	2	1	-	3	-	1	1
Benewah	14	19	13	13	11	13	12	8	15	15	17
Bingham	10	10	11	11	10	12	21	10	23	18	30
Blaine	33	41	42	35	51	61	54	41	46	43	47
Boise	7	2	4	4	1	-	3	8	3	7	7
Bonner	66	82	82	68	57	55	62	59	64	59	35
Bonneville	35	40	38	45	38	33	40	38	62	59	88
Boundary	11	18	7	7	10	9	14	8	7	6	13
Butte	-	-	-	1	2	1	1	-	1	-	1
Camas	-	-	-	-	-	-	-	1	-	-	1
Canyon	135	129	127	131	160	150	161	214	248	267	336
Caribou	5	3	1	1	3	1	1	-	3	4	4
Cassia	4	6	7	-	6	7	9	9	11	14	17
Clark	-	1	-	1	-	-	1	-	1	-	-
Clearwater	10	9	8	10	7	7	8	2	5	7	7
Custer	6	4	4	4	4	3	3	1	2	4	6
Elmore	32	20	17	22	21	23	25	31	46	34	37
Franklin	7	-	4	-	3	3	5	3	2	3	3
Fremont	5	6	2	2	2	2	5	3	4	4	5
Gem	7	6	4	11	8	6	9	15	11	18	14
Gooding	8	8	2	7	7	7	5	10	18	19	31
Idaho	7	10	13	9	12	5	5	6	9	10	8
Jefferson	3	4	5	3	2	2	4	5	4	3	9
Jerome	6	6	7	8	9	13	14	14	18	21	27
Kootenai	263	315	308	281	295	260	313	277	265	266	262
Latah	85	76	73	83	100	73	79	66	76	59	56
Lemhi	11	12	10	6	10	6	6	11	9	9	5
Lewis	5	4	6	5	6	7	4	7	6	5	4
Lincoln	-	3	-	-	1	6	4	4	5	3	2
Madison	2	2	3	3	-	3	3	2	2	3	5
Minidoka	5	5	5	7	10	9	6	5	15	9	14
Nez Perce	75	67	74	51	62	80	65	77	74	52	63
Oneida	-	-	-	2	1	2	1	1	2	-	1
Owyhee	5	5	1	3	4	8	7	3	6	10	10
Payette	9	9	13	5	12	14	10	22	24	18	28
Power	-	3	3	8	1	-	4	4	4	5	4
Shoshone	23	31	18	22	22	20	22	19	13	19	19
Teton	-	3	3	4	2	2	4	5	7	6	7
Twin Falls	28	30	28	34	40	44	58	58	87	87	134
Valley	9	9	13	6	10	16	13	26	20	18	13
Washington	2	3	1	5	4	4	3	6	4	7	13

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 10B
INDUCED ABORTIONS TO IDAHO RESIDENTS
Rate by District and County of Residence
1999-2009

RESIDENCE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IDAHO RESIDENT	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1	7.7
District 1	10.5	13.1	12.0	10.9	10.8	9.4	10.8	9.4	9.3	9.2	9.0
District 2	8.6	7.8	8.3	7.7	9.2	8.4	7.8	8.1	8.5	6.9	6.7
District 3	4.2	3.9	3.6	3.6	4.3	4.0	4.0	5.3	5.9	6.5	8.3
District 4	8.1	6.8	6.3	6.9	7.5	7.7	8.9	9.9	10.5	10.6	9.9
District 5	2.6	3.0	2.8	2.8	3.8	4.4	4.5	4.3	6.2	6.1	8.4
District 6	2.3	1.8	1.8	2.1	1.9	2.5	2.7	2.4	4.0	3.2	4.9
District 7	1.8	2.0	1.8	1.8	1.5	1.3	1.7	1.7	2.3	2.1	2.9
Ada	8.4	7.3	6.6	7.3	8.0	8.1	9.4	10.2	10.8	11.0	10.3
Adams	4.3	1.8	5.4	3.6	5.3	1.7	3.3	8.8	1.7	7.2	13.8
Bannock	3.1	2.5	2.3	2.7	2.4	3.7	3.3	3.4	5.7	4.4	6.6
Bear Lake	0.9	0.8	1.7	0.9	1.7	0.9	-	2.8	-	1.0	1.1
Benewah	7.9	11.1	8.0	8.2	7.0	8.3	7.6	5.0	9.7	9.8	12.0
Bingham	1.2	1.2	1.3	1.3	1.1	1.3	2.3	1.1	2.7	2.1	3.7
Blaine	8.1	10.3	10.2	8.4	12.3	14.8	13.4	10.5	12.3	11.6	12.2
Boise	6.7	1.6	3.1	3.0	0.7	-	2.2	5.7	2.2	5.3	5.9
Bonner	9.3	11.9	11.9	9.6	7.9	7.5	8.3	7.9	8.9	8.2	5.2
Bonneville	2.1	2.3	2.2	2.5	2.1	1.8	2.1	2.0	3.2	3.0	4.4
Boundary	5.6	9.8	3.9	3.8	5.4	4.7	7.3	4.2	3.7	3.2	7.6
Butte	-	-	-	2.0	4.2	2.1	2.2	-	2.3	-	2.6
Camas	-	-	-	-	-	-	-	4.3	-	-	4.6
Canyon	5.0	4.6	4.2	4.1	4.8	4.3	4.4	5.6	6.5	6.9	8.8
Caribou	3.8	2.1	0.7	0.7	2.2	0.7	0.8	-	2.5	3.4	3.5
Cassia	1.0	1.4	1.7	-	1.5	1.7	2.2	2.3	2.9	3.7	4.6
Clark	-	5.1	-	5.3	-	-	5.6	-	5.8	-	-
Clearwater	6.0	6.1	5.8	7.6	5.5	5.6	6.6	1.7	4.4	6.5	7.4
Custer	7.5	5.4	5.4	5.6	5.8	4.3	4.5	1.5	3.1	6.2	9.9
Elmore	5.4	3.1	2.7	3.5	3.4	3.9	4.4	5.8	8.4	6.3	5.8
Franklin	3.4	-	1.7	-	1.3	1.2	2.0	1.2	0.9	1.3	1.3
Fremont	2.2	2.7	0.9	0.9	0.9	0.9	2.3	1.4	1.8	1.8	2.3
Gem	2.5	2.1	1.4	3.7	2.7	1.9	2.8	4.7	3.6	6.0	5.2
Gooding	3.3	3.0	0.8	2.7	2.7	2.7	2.0	4.1	7.4	7.8	13.3
Idaho	2.6	3.9	5.1	3.6	4.9	2.0	2.0	2.5	3.9	4.4	4.0
Jefferson	0.8	1.0	1.3	0.7	0.5	0.5	0.9	1.1	0.9	0.6	2.0
Jerome	1.7	1.6	1.9	2.2	2.5	3.5	3.7	3.7	4.9	5.7	7.1
Kootenai	11.7	13.9	13.4	12.1	12.3	10.4	12.0	10.5	10.0	9.9	9.9
Latah	9.9	8.5	8.2	9.4	11.5	8.5	8.9	8.0	8.8	7.0	5.8
Lemhi	7.7	9.0	7.7	4.5	7.5	4.4	4.4	8.2	7.1	7.0	4.5
Lewis	7.5	6.2	9.9	8.2	9.8	11.7	6.8	12.0	11.2	9.1	7.5
Lincoln	-	4.0	-	-	1.2	6.8	4.3	4.3	5.8	3.5	2.4
Madison	0.2	0.2	0.3	0.3	-	0.3	0.3	0.2	0.2	0.3	0.4
Minidoka	1.3	1.2	1.3	1.8	2.7	2.4	1.7	1.4	4.6	2.7	4.3
Nez Perce	10.0	8.8	9.9	6.9	8.4	10.8	8.7	10.9	10.2	7.3	8.4
Oneida	-	-	-	2.6	1.3	2.6	1.3	1.3	2.8	-	1.5
Owyhee	2.5	2.5	0.5	1.5	1.9	4.0	3.5	1.5	3.2	5.4	5.7
Payette	2.2	2.2	3.2	1.2	2.8	3.3	2.3	5.0	5.6	4.2	6.7
Power	-	2.0	2.0	5.3	0.7	-	2.5	2.5	2.7	3.4	2.7
Shoshone	8.9	12.5	7.7	9.8	10.3	9.4	10.2	8.8	6.3	9.4	9.8
Teton	-	2.3	2.1	2.7	1.3	1.3	2.7	3.2	4.2	3.4	3.5
Twin Falls	2.2	2.3	2.1	2.6	2.9	3.2	4.2	4.1	6.1	6.1	9.2
Valley	5.9	6.8	9.8	4.8	7.8	12.2	9.4	17.1	13.3	12.3	9.3
Washington	1.1	1.7	0.6	2.8	2.3	2.2	1.7	3.5	2.3	4.0	8.4

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1999-2009

STATE OF OCCURRENCE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IDAHO RESIDENT	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348
Abortions in Idaho	839	779	712	800	871	928	1,065	1,215	1,390	1,439	1583
Abortions out of state	722	774	761	693	749	690	762	704	770	693	765
Montana	46	43	43	16	25	19	20	19	30	39	61
Oregon	67	61	67	60	57	49	45	59	33	27	35
Utah	74	64	71	70	79	87	104	96	181	134	202
Washington	533	605	575	546	586	533	591	528	525	490	466
All others	2	1	5	1	2	2	2	2	1	3	1

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1999-2009



Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1999-2009

AGE	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL IDAHO RESIDENT	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132	2,348
Age:											
10-14	7	12	10	9	12	6	9	12	8	6	8
15-19	394	346	362	326	336	323	356	380	430	395	409
15-17	125	129	128	131	105	127	127	159	155	127	136
18-19	269	217	234	195	231	196	229	221	275	268	273
20-24	471	502	453	485	553	530	579	632	732	733	786
25-29	289	312	258	286	303	327	412	427	470	453	517
30-34	205	179	192	187	221	223	219	228	272	297	308
35-39	138	147	129	139	133	141	177	173	167	174	216
40-44	50	51	55	57	58	63	68	60	72	63	91
45+	7	2	9	3	3	3	5	2	6	7	9
Not stated	-	2	5	1	1	2	2	5	3	4	4
Abortion rate per 1,000 females in age group:											
Total ¹	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1	7.7
Age:*											
10-14	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1
15-19	7.2	6.3	6.5	6.1	6.4	6.1	6.7	7.0	7.9	7.2	7.2
15-17	4.0	4.0	3.9	4.2	3.4	4.1	4.0	4.8	4.7	3.9	4.2
18-19	11.6	9.5	10.1	9.0	10.7	9.0	10.6	10.3	12.7	12.1	11.3
20-24	10.0	11.1	9.9	9.4	10.2	9.5	10.2	12.7	15.1	15.1	14.6
25-29	7.2	7.6	6.1	6.9	7.1	7.4	8.7	8.0	8.7	8.2	9.5
30-34	5.5	4.3	4.6	4.3	5.1	5.1	4.9	5.0	5.8	6.2	6.4
35-39	3.1	3.1	2.7	3.1	3.0	3.2	3.9	3.7	3.5	3.6	4.6
40-44	1.1	1.0	1.1	1.1	1.2	1.3	1.3	1.2	1.5	1.3	2.0
45+	0.2	-	0.2	0.1	0.1	0.1	0.1	-	0.1	0.1	0.2
Not stated	NA										
Abortion ratio per 1,000 live births in age group:											
Total ²	78.6	76.5	71.2	71.2	74.3	71.8	79.2	79.3	86.3	84.8	99.0
Age:											
10-14	225.8	750.0	625.0	562.5	631.6	428.6	473.7	666.7	470.6	333.3	533.3
15-19	164.4	147.9	154.8	156.9	161.8	156.9	176.3	176.9	190.3	174.6	201.4
15-17	157.4	192.8	191.3	225.1	192.7	241.9	238.7	266.3	246.8	195.1	248.2
18-19	167.9	129.9	140.1	130.3	150.9	127.9	154.0	142.5	168.5	166.4	184.1
20-24	76.0	79.2	71.5	72.2	79.8	73.7	80.6	84.1	97.0	100.6	116.1
25-29	50.1	53.8	44.5	47.2	46.8	48.5	57.7	55.7	59.5	55.6	68.7
30-34	56.8	46.9	50.3	46.0	52.4	51.5	49.9	50.3	57.2	59.9	61.9
35-39	91.3	90.6	79.5	84.3	77.8	79.3	94.1	89.4	80.1	84.6	109.4
40-44	152.0	144.9	156.3	159.7	168.6	165.4	167.1	172.9	168.6	166.2	230.4
45+	304.3	117.6	529.4	115.4	150.0	96.8	178.6	100.0	272.7	166.7	272.7
Not stated	NA										

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003-2009 are based on July 1, 2003-July 1, 2009 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, August 16, 2007, September 5, 2008, September 2, 2009, and July 23, 2010, respectively.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

*Rate for 45+ age group is based on the population of women 45-49 years of age.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 13
INDUCED ABORTIONS TO IDAHO RESIDENTS
Termination Procedure by Length of Gestation
Three-Year Total, 2007-2009


TERMINATION PROCEDURE*	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	6,640	3,999	1,273	763	347	196	44	2	16
Suction curettage	4,769	2,537	1,234	747	232	8	1	-	10
Medical (nonsurgical)	1,494	1,444	28	4	2	9	4	-	3
Dilation and evacuation (D&E)	306	10	2	6	99	157	28	1	3
Intra-uterine instillation (saline / prostaglandin)	10	-	-	-	-	7	3	-	-
Sharp curettage (D&C)	30	4	5	3	11	7	-	-	-
Hysterotomy / Hysterectomy	1	-	-	-	-	-	-	1	-
Other	12	-	-	-	-	4	8	-	-
Not stated	18	4	4	3	3	4	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Length of Gestation
Three-Year Total, 2007-2009



Percent distributions are based on records with known data for length of gestation.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton