

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

1992-2002

**Bureau of Health Policy and Vital Statistics
Division of Health
Idaho Department of Health and Welfare**

March 2004

TABLE OF CONTENTS

	<u>Page</u>
Purpose	1
<u>Induced Abortions Occurring in Idaho</u>	
Definition, limitations, and summary.....	2
District and county of occurrence, 1992-2002 (Table 1).....	3
Selected demographic characteristics, 1992-2002 (Table 2A).....	4
Selected demographic characteristics, 1992-2002 (percent) (Table 2B)	5
Idaho residence status, 1992-2002 (Graph 1).....	6
Marital status, 1992-2002 (Graph 2).....	6
Age, 1992-2002 (Graph 3).....	7
Number of previous abortions, 1992-2002 (Graph 4).....	7
Procedure characteristics, 1992-2002 (Table 3A).....	8
Procedure characteristics, 1992-2002 (percent) (Table 3B).....	9
Termination procedure by length of gestation, three-year total, 2000-2002 (Table 4).....	10
Length of gestation, three-year total, 2000-2002 (Graph 5).....	10
Age by length of gestation, three-year total, 2000-2002 (Table 5)	11
Age by length of gestation, three-year total, 2000-2002 (Graph 6).....	11
Age by marital status, three-year total, 2000-2002 (Table 6).....	12
Age by marital status, three-year total, 2000-2002 (Graph 7).....	12
Age by number of previous induced abortions, three-year total, 2000-2002 (Table 7).....	13
Age by number of previous induced abortions, three-year total, 2000-2002 (Graph 8).....	13
<u>Induced Abortions to Idaho Residents</u>	
Definition, limitations, and summary.....	14
District and county of residence, 1992-2002 (Table 8).....	15
State of occurrence, 1992-2002 (Table 9).....	16
Occurring in Idaho and out of state, 1992-2002 (Graph 9).....	16
Age, abortion rate, and abortion ratio, 1992-2002 (Table 10).....	17
<u>Appendix</u>	
Appendix A: Counties comprising Idaho public health districts.....	18
Appendix B: Abortions occurring in Idaho, patient information materials delivered, 1992-2002	19

For more information contact:
 Bureau of Health Policy and
 Vital Statistics
 450 West State – 1st Floor
 PO Box 83720
 Boise, ID 83720-0036
 Telephone: (208) 334-5992

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Health Policy and Vital Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1992 - 2002.

INDUCED ABORTIONS OCCURRING IN IDAHO 1992-2002

Definition

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
1992-2002

PLACE OF OCCURRENCE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL IN IDAHO	1,378	1,352	1,047	970	1,022	878	888	867	801	738	829
District 1	119	-	-	-	1	-	-	1	-	-	-
District 2	180	126	23	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	1	-	-	-	-
District 4	860	1,039	935	910	943	787	822	798	699	652	756
District 5	141	124	1	4	31	35	24	24	30	32	10
District 6	78	63	88	54	47	56	40	43	72	53	63
District 7	-	-	-	2	-	-	1	1	-	1	-
Ada	860	1,039	935	910	943	787	822	798	699	652	756
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	78	63	88	54	47	56	40	43	72	53	63
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	3	30	34	24	24	30	32	10
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	1	-	-	-	-	-	-
Bonneville	-	-	-	2	-	-	1	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	1	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	119	-	-	-	-	-	-	1	-	-	-
Latah	180	126	23	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	1	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-	1	-
Minidoka	141	124	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	1	1	1	1	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
1992-2002

DEMOGRAPHIC CHARACTERISTICS	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL IN IDAHO	1,378	1,352	1,047	970	1,022	878	888	867	801	738	829
Age:											
10-14	6	12	4	8	15	10	8	3	7	4	4
15-19	345	290	256	244	265	226	221	229	159	168	176
15-17	111	106	97	88	99	91	69	72	53	54	66
18-19	234	184	159	156	166	135	152	157	106	114	110
20-24	410	464	327	278	284	277	272	246	270	220	259
25-29	279	243	208	173	194	157	159	164	160	145	171
30-34	178	191	138	142	135	90	114	117	92	95	110
35-39	126	123	82	105	95	92	87	73	78	71	73
40-44	33	28	29	17	33	24	26	32	33	29	35
45+	1	1	2	3	1	2	-	3	2	5	1
Not stated	-	-	1	-	-	-	1	-	-	1	-
Idaho residence status:											
Resident	1,250	1,243	972	904	962	840	862	839	779	712	800
Non-resident	128	109	75	66	60	38	26	28	22	26	29
Marital status:											
Married	342	342	259	215	212	167	174	218	168	168	178
Not married	1,032	1,006	785	755	808	711	712	649	632	569	650
Not stated	4	4	3	-	2	-	2	-	1	1	1
Previous induced abortions:											
None	964	976	763	718	744	658	657	672	637	597	627
1	291	260	200	195	202	155	173	137	117	96	149
2	87	77	53	35	53	45	40	34	33	29	39
3+	35	36	28	20	17	19	17	24	13	14	12
Not stated	1	3	3	2	6	1	1	-	1	2	2
Race/ethnicity:											
White	1,314	1,308	1,004	920	971	819	834	813	751	679	769
Black	11	5	7	5	9	10	7	10	8	13	15
Native American	14	17	9	19	15	14	13	10	10	17	7
Asian/Pacific Islander	36	18	21	25	24	31	31	32	23	24	32
Other	-	-	4	1	-	2	0	-	-	1	2
Race not stated	3	4	2	-	3	2	3	2	9	4	4
Hispanic*	88	75	75	50	96	91	102	82	87	92	90

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals. Dash (-) represents zero.
 Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.
 Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
1992-2002

DEMOGRAPHIC CHARACTERISTICS	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL IN IDAHO	1,378	1,352	1,047	970	1,022	878	888	867	801	738	829
Age:											
10-14	0.4%	0.9%	0.4%	0.8%	1.5%	1.1%	0.9%	0.3%	0.9%	0.5%	0.5%
15-19	25.0	21.4	24.5	25.2	25.9	25.7	24.9	26.4	19.9	22.8	21.2
15-17	8.1	7.8	9.3	9.1	9.7	10.4	7.8	8.3	6.6	7.3	8.0
18-19	17.0	13.6	15.2	16.1	16.2	15.4	17.1	18.1	13.2	15.5	13.3
20-24	29.8	34.3	31.3	28.7	27.8	31.5	30.7	28.4	33.7	29.9	31.2
25-29	20.2	18.0	19.9	17.8	19.0	17.9	17.9	18.9	20.0	19.7	20.6
30-34	12.9	14.1	13.2	14.6	13.2	10.3	12.9	13.5	11.5	12.9	13.3
35-39	9.1	9.1	7.8	10.8	9.3	10.5	9.8	8.4	9.7	9.6	8.8
40-44	2.4	2.1	2.8	1.8	3.2	2.7	2.9	3.7	4.1	3.9	4.2
45+	0.1	0.1	0.2	0.3	0.1	0.2	-	0.3	0.2	0.7	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	90.7%	91.9%	92.8%	93.2%	94.1%	95.7%	97.1%	96.8%	97.3%	96.5%	96.5%
Non-resident	9.3	8.1	7.2	6.8	5.9	4.3	2.9	3.2	2.7	3.5	3.5
Marital status:											
Married	24.9%	25.4%	24.8%	22.2%	20.8%	19.0%	19.6%	25.1%	21.0%	22.8%	21.5%
Not married	75.1	74.6	75.2	77.8	79.2	81.0	80.4	74.9	79.0	77.2	78.5
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	70.0%	72.3%	73.1%	74.2%	73.2%	75.0%	74.1%	77.5%	79.6%	81.1%	75.8%
1	21.1	19.3	19.2	20.1	19.9	17.7	19.5	15.8	14.6	13.0	18.0
2	6.3	5.7	5.1	3.6	5.2	5.1	4.5	3.9	4.1	3.9	4.7
3+	2.5	2.7	2.7	2.1	1.7	2.2	1.9	2.8	1.6	1.9	1.5
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race/ethnicity:											
White	95.6%	97.0%	96.1%	94.8%	95.3%	93.5%	94.2%	94.0%	94.8%	92.5%	93.2%
Black	0.8	0.4	0.7	0.5	0.9	1.1	0.8	1.2	1.0	1.8	1.8
Native American	1.0	1.3	0.9	2.0	1.5	1.6	1.5	1.2	1.3	2.3	0.8
Asian/Pacific Islander	2.6	1.3	2.0	2.6	2.4	3.5	3.5	3.7	2.9	3.3	3.9
Other	-	-	0.4	0.1	-	0.2	-	-	-	0.1	0.2
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hispanic*	6.4	5.6	7.2	5.2	9.4	10.4	11.5	9.5	11.0	12.5	10.9

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals
Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable.


Note: Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

**Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1992-2002**



**Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1992-2002**




Note: Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.


Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
 Age
 1992-2002



Note: Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
 Number of Previous Abortions
 1992-2002



Note: Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

**Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
1992-2002**

PROCEDURE CHARACTERISTICS	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL IN IDAHO	1,378	1,352	1,047	970	1,022	878	888	867	801	738	829
Weeks of gestation:											
<9	750	674	480	487	523	466	446	488	476	488	501
9-10	413	404	345	322	312	251	297	236	217	153	211
11-12	178	203	162	111	135	121	104	106	74	74	87
13-15	25	52	41	33	35	26	25	20	14	12	18
16-20	8	12	13	12	10	9	10	8	12	6	8
21-24	1	2	5	5	4	2	5	7	4	1	2
25+	1	1	1	-	1	2	-	-	1	2	1
Not stated	2	4	-	-	2	1	1	2	3	2	1
Termination procedure:											
Suction curettage	1,367	1,343	1,030	960	1,002	855	872	853	784	724	823
Medical (nonsurgical)*	-	-	-	-	-	-	-	3	8	7	2
Dilation and evacuation (D&E)	-	1	6	2	3	4	1	1	3	1	1
Intra-uterine instillation (saline / prostaglandin)	4	6	9	8	4	4	2	4	4	2	2
Sharp curettage (D&C)	4	1	1	-	2	-	4	1	1	3	-
Hysterotomy / Hysterectomy	2	-	-	-	1	1	-	1	1	-	1
Other	1	1	1	-	10	14	9	4	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	1	-

* The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

**Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
1992-2002**

PROCEDURE CHARACTERISTICS	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL IN IDAHO	1,378	1,352	1,047	970	1,022	878	888	867	801	738	829
Weeks of gestation:											
<9	54.5%	50.0%	45.8%	50.2%	51.3%	53.1%	50.3%	56.4%	59.6%	66.3%	60.5%
9-10	30.0	30.0	33.0	33.2	30.6	28.6	33.5	27.3	27.2	20.8	25.5
11-12	12.9	15.1	15.5	11.4	13.2	13.8	11.7	12.3	9.3	10.1	10.5
13-15	1.8	3.9	3.9	3.4	3.4	3.0	2.8	2.3	1.8	1.6	2.2
16-20	0.6	0.9	1.2	1.2	1.0	1.0	1.1	0.9	1.5	0.8	1.0
21-24	0.1	0.1	0.5	0.5	0.4	0.2	0.6	0.8	0.5	0.1	0.2
25+	0.1	0.1	0.1	-	0.1	0.2	-	-	0.1	0.3	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure:											
Suction curettage	99.2%	99.3%	98.4%	99.0%	98.0%	97.4%	98.2%	98.4%	97.9%	98.2%	99.3%
Medical (nonsurgical)*	-	-	-	-	-	-	-	0.3%	1.0	0.9	0.2
Dilation and evacuation (D&E)	-	0.1	0.6	0.2	0.3	0.5	0.1	0.1	0.4	0.1	0.1
Intra-uterine instillation (saline / prostaglandin)	0.3	0.4	0.9	0.8	0.4	0.5	0.2	0.5	0.5	0.3	0.2
Sharp curettage (D&C)	0.3	0.1	0.1	-	0.2	-	0.5	0.1	0.1	0.4	-
Hysterotomy / Hysterectomy	0.1	-	-	-	0.1	0.1	-	0.1	0.1	-	0.1
Other	0.1	0.1	0.1	-	1.0	1.6	1.0	0.5	-	-	-
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Note: Percent distributions are based on records with known data.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - Not Applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2000-2002

TERMINATION PROCEDURE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	2,368	1,465	581	235	44	26	7	4	6
Suction curettage	2,331	1,457	581	235	42	10	1	1	4
Medical (nonsurgical)	17	5	-	-	-	4	5	3	-
Dilation and evacuation (D&E)	5	1	-	-	-	4	-	-	-
Intra-uterine instillation (saline / prostaglandin)	8	-	-	-	-	6	1	-	1
Sharp curettage (D&C)	4	1	-	-	2	1	-	-	-
Hysterotomy / Hysterectomy	2	1	-	-	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	1

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2000-2002



Note: Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100 percent due to rounding.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2000-2002

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	2,368	1,465	581	235	44	26	7	4	6
10-14	15	9	4	2	-	-	-	-	-
15-19	503	270	131	77	16	6	1	1	1
15-17	173	89	39	33	8	4	-	-	-
18-19	330	181	92	44	8	2	1	1	1
20-24	749	458	186	77	16	8	1	-	3
25-29	476	309	119	34	6	3	3	1	1
30-34	297	198	71	21	4	3	-	-	-
35-39	222	145	52	16	1	3	2	2	1
40-44	97	70	17	7	1	2	-	-	-
45+	8	6	1	-	-	1	-	-	-
Not stated	1	-	-	1	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2000-2002



* Category includes one (1) age not stated.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


**Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2000-2002**

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	2,368	1,851	514	3
10-14	15	15	-	-
15-19	503	481	22	-
15-17	173	171	2	-
18-19	330	310	20	-
20-24	749	649	100	-
25-29	476	322	153	1
30-34	297	181	115	1
35-39	222	135	87	-
40-44	97	64	33	-
45+	8	4	4	-
Not stated	1	-	-	1

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

**Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
2000-2002**



* Category includes one (1) age not stated.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.


Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2000-2002

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	2,368	1,861	362	101	39	5
10-14	15	15	-	-	-	-
15-19	503	472	26	3	1	1
15-17	173	166	6	1	-	-
18-19	330	306	20	2	1	1
20-24	749	593	123	22	10	1
25-29	476	356	86	26	8	-
30-34	297	204	59	21	11	2
35-39	222	156	42	16	7	1
40-44	97	59	23	13	2	-
45+	8	6	2	-	-	-
Not stated	1	-	1	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2000-2002



* Category includes one (1) age not stated.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

INDUCED ABORTIONS TO IDAHO RESIDENTS 1992-2002

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Health Policy and Vital Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded yearly from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate. The footnotes reflect an attempt to identify appropriate cautions and limitations.

Table 8
INDUCED ABORTIONS TO IDAHO RESIDENTS
District and County of Residence
1992-2002

RESIDENCE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL RESIDENT ABORTIONS	1,925	1,973	1,756	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493
District 1	402	369	397	418	407	390	395	377	465	428	391
District 2	258	255	202	216	230	204	193	182	166	174	158
District 3	200	231	203	169	180	150	198	161	153	149	157
District 4	576	674	580	635	660	603	617	619	536	505	558
District 5	223	212	149	113	142	112	95	84	99	91	91
District 6	139	148	122	114	106	78	89	76	62	61	70
District 7	127	84	103	103	81	86	49	62	72	65	68
Ada	530	627	534	591	615	558	579	571	505	471	526
Adams	6	4	1	4	2	-	2	3	1	3	2
Bannock	97	104	90	83	73	42	63	53	45	40	46
Bear Lake	3	3	-	3	1	2	1	1	1	2	1
Benewah	15	10	17	17	19	11	16	14	19	13	13
Bingham	20	17	17	19	17	17	12	10	10	11	11
Blaine	50	55	49	39	60	53	40	33	41	42	35
Boise	7	10	10	5	5	3	7	7	2	4	4
Bonner	56	69	62	59	77	63	61	66	82	82	68
Bonneville	75	58	69	55	49	52	27	35	40	38	45
Boundary	8	18	16	13	9	12	13	11	18	7	7
Butte	2	5	-	-	1	1	3	-	-	-	1
Camas	1	1	-	1	-	1	-	-	-	-	-
Canyon	156	180	157	133	140	125	162	135	129	127	131
Caribou	2	2	5	3	1	2	2	5	3	1	1
Cassia	27	21	13	6	8	8	6	4	6	7	-
Clark	1	1	-	1	-	-	-	-	1	-	1
Clearwater	19	11	12	8	16	9	10	10	9	8	10
Custer	6	3	3	6	5	3	4	6	4	4	4
Elmore	28	27	22	24	23	25	24	32	20	17	22
Franklin	7	4	6	1	6	5	4	7	-	4	-
Fremont	8	5	7	5	3	3	-	5	6	2	2
Gem	16	18	19	6	13	10	7	7	6	4	11
Gooding	14	10	6	4	10	5	2	8	8	2	7
Idaho	17	15	16	20	14	19	12	7	10	13	9
Jefferson	10	5	3	6	4	6	2	3	4	5	3
Jerome	24	21	17	10	13	7	7	6	6	7	8
Kootenai	279	243	277	305	268	280	276	263	315	308	281
Latah	122	122	84	97	109	89	84	85	76	73	83
Lemhi	15	3	14	15	12	10	10	11	12	10	6
Lewis	5	9	9	6	4	6	6	5	4	6	5
Lincoln	2	3	4	2	2	3	-	-	3	-	-
Madison	8	8	6	4	2	4	1	2	2	3	3
Minidoka	24	21	10	13	8	6	9	5	5	5	7
Nez Perce	95	98	81	85	87	81	81	75	67	74	51
Oneida	-	1	1	-	1	4	1	-	-	-	2
Owyhee	5	5	5	4	6	5	7	5	5	1	3
Payette	13	18	16	13	14	8	16	9	9	13	5
Power	8	12	3	5	6	5	3	-	3	3	8
Shoshone	44	29	25	24	34	24	29	23	31	18	22
Teton	4	1	1	11	6	8	5	-	3	3	4
Twin Falls	81	80	50	38	41	29	31	28	30	28	34
Valley	11	10	14	15	17	17	7	9	9	13	6
Washington	4	6	5	9	5	2	4	2	3	1	5

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.


Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

**Table 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1992-2002**

STATE OF OCCURRENCE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL RESIDENT ABORTIONS	1,925	1,973	1,756	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493
Abortions in Idaho	1,250	1,243	972	904	962	840	862	839	779	712	800
Abortions out of state	675	730	784	864	844	783	774	722	774	761	693
Montana	39	18	40	62	66	68	60	46	43	43	16
Oregon	19	23	24	32	36	49	61	67	61	67	60
Utah	194	156	139	150	117	92	86	74	64	71	70
Washington	419	530	580	618	623	572	562	533	605	575	546
All others	4	3	1	2	2	2	5	2	1	5	1

Due to revisions in the database, data may differ from those previously published by the Bureau of Health Policy and Vital Statistics.

**Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1992-2002**



Due to revisions in the database, data may differ from those previously published by the Bureau of Health Policy and Vital Statistics.
Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

**Table 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
TOTAL RESIDENT ABORTIONS	1,925	1,973	1,756	1,768	1,806	1,623	1,636	1,561	1,553	1,473	1,493
Age:											
10-14	10	19	5	16	21	16	13	7	12	10	9
15-19	476	449	431	435	465	406	384	394	346	362	326
15-17	168	175	170	183	168	166	139	125	129	128	131
18-19	308	274	261	252	297	240	245	269	217	234	195
20-24	594	676	552	508	504	480	524	471	502	453	485
25-29	376	330	341	355	347	325	324	289	312	258	286
30-34	256	273	222	229	252	184	201	205	179	192	187
35-39	160	178	141	170	163	161	144	138	147	129	139
40-44	49	44	56	46	52	47	40	50	51	55	57
45+	1	1	2	8	2	4	4	7	2	9	3
Not stated	3	3	6	1	-	-	2	-	2	5	1
Abortion rate per 1,000 females in age group:											
Total ¹	8.2	8.1	7.0	6.9	6.9	6.1	6.1	5.8	5.6	5.2	5.3
Age:											
10-14	0.2	0.4	0.1	0.3	0.4	0.3	0.3	0.1	0.2	0.2	0.2
15-19	11.0	9.8	8.9	8.5	8.8	7.5	7.0	7.2	6.3	6.5	6.1
15-17	6.4	6.3	5.8	6.0	5.3	5.2	4.3	4.0	4.0	3.9	4.2
18-19	18.2	15.1	13.5	12.3	13.9	10.9	10.7	11.6	9.5	10.1	9.0
20-24	16.5	17.8	13.9	12.2	11.9	10.9	11.5	10.0	11.1	9.9	9.4
25-29	11.2	9.9	10.2	10.3	9.6	8.7	8.4	7.2	7.6	6.1	6.9
30-34	6.2	6.6	5.4	5.7	6.5	4.9	5.4	5.5	4.3	4.6	4.3
35-39	3.7	4.0	3.1	3.7	3.5	3.5	3.2	3.1	3.1	2.7	3.1
40-44	1.3	1.1	1.3	1.0	1.1	1.0	0.9	1.1	1.0	1.1	1.1
45+	-	-	0.1	0.2	-	0.1	0.1	0.2	-	0.2	0.1
Not stated	NA										
Abortion ratio per 1,000 live births in age group:											
Total ²	111.1	113.3	100.1	98.2	97.3	87.6	84.5	78.6	76.5	71.2	71.2
Age:											
10-14	322.6	760.0	122.0	381.0	807.7	444.4	464.3	225.8	750.0	625.0	562.5
15-19	213.0	194.0	186.7	174.8	186.9	174.1	156.7	164.4	147.9	154.8	156.9
15-17	223.7	216.3	206.3	223.7	201.7	222.5	177.3	157.4	192.8	191.3	225.1
18-19	207.5	182.1	175.8	150.8	179.5	151.3	147.1	167.9	129.9	140.1	130.3
20-24	111.3	126.8	103.0	93.6	88.7	86.1	86.1	76.0	79.2	71.5	72.2
25-29	76.0	68.9	71.0	71.2	65.7	61.4	58.1	50.1	53.8	44.5	47.2
30-34	77.5	79.6	65.2	68.1	74.7	52.9	59.0	56.8	46.9	50.3	46.0
35-39	129.1	138.4	104.2	120.8	115.4	107.2	97.8	91.3	90.6	79.5	84.3
40-44	233.3	195.6	223.1	172.3	190.5	152.6	128.2	152.0	144.9	156.3	159.7
45+	83.3	200.0	105.3	381.0	95.2	363.6	285.7	304.3	117.6	529.4	115.4
Not stated	NA										

1 Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1991-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2000-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003.

2 Total abortion ratio: Number of induced abortions per 1,000 live births.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.

APPENDIX A
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

Appendix B
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Information Materials Delivered
1992-2002

Were Patient Information Materials Delivered?

Year	Yes	No	Unknown	Total
1992	1,331	2	45	1,378
1993	1,181	2	169	1,352
1994	1,008	1	38	1,047
1995	912	21	37	970
1996	957	33	32	1,022
1997	840	2	36	878
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Health Policy and Vital Statistics.

Source: Bureau of Health Policy and Vital Statistics, Division of Health, Idaho Department of Health and Welfare.