

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

2003-2013

**Bureau of Vital Records and Health Statistics
Division of Public Health
Idaho Department of Health and Welfare**

January 2015

TABLE OF CONTENTS

	<u>Page</u>
Purpose and data sources.....	1
 <u>Induced Abortions Occurring in Idaho</u>	
Definition, limitations, and summary	2
District and county of occurrence, 2003-2013 (Table 1)	4
Selected demographic characteristics, 2003-2013 (Table 2A)	5
Selected demographic characteristics (percent), 2003-2013 (Table 2B).....	6
Idaho residence status, 2003-2013 (Graph 1).....	7
Marital status, 2003-2013 (Graph 2).....	7
Age, 2003-2013 (Graph 3).....	8
Number of previous abortions, 2003-2013 (Graph 4).....	8
Procedure characteristics, 2003-2013 (Table 3A).....	9
Procedure characteristics (percent), 2003-2013 (Table 3B)	10
Termination procedure by length of gestation, three-year total, 2011-2013 (Table 4).....	11
Length of gestation, three-year total, 2011-2013 (Graph 5).....	11
Age by length of gestation, three-year total, 2011-2013 (Table 5).....	12
Age by length of gestation, three-year total, 2011-2013 (Graph 6).....	12
Age by marital status, three-year total, 2011-2013 (Table 6).....	13
Age by marital status, three-year total, 2011-2013 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2011-2013 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2011-2013 (Graph 8).....	14
Patient educational materials provided, 1998-2013 (Table 8).....	15
Informed consent, aged <18, 2013 (Table 9)	15
 <u>Induced Abortions to Idaho Residents</u>	
Definition, limitations, and summary	16
District and county of residence, 2003-2013 (Table 10A)	18
District and county of residence, (rates) 2003-2013 (Table 10B).....	19
State of occurrence, 2003-2013 (Table 11).....	20
Occurring in Idaho and out of state, 2003-2013 (Graph 9).....	20
Age, abortion rate, and abortion ratio, 2003-2013 (Table 12)	21
Termination procedure by length of gestation, three-year total, 2011-2013 (Table 13).....	22
Length of gestation, three-year total, 2011-2013 (Graph 10).....	22
 <u>Appendix</u>	
Counties comprising Idaho public health districts.....	23

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho, regardless of residence, and data regarding abortions to Idaho residents, regardless of state of procedure, for the years 2003 – 2013.

Data Sources

Idaho data are from Idaho induced termination records and out-of-state abortion records for Idahoans who have a procedure out of state. Numbers of abortions, rates, and ratios are from the Idaho Bureau of Vital Records and Health Statistics, Division of Public Health, Idaho Department of Health and Welfare. For more information, please contact the bureau at (208) 334-6658.

INDUCED ABORTIONS OCCURRING IN IDAHO

Definition

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 2003 to 2013, the number of induced abortions occurring in Idaho increased 50.9 percent from 911 in 2003 to 1,375 in 2013. During the time period, there were a total of 14,578 abortions in Idaho. The majority occurred in Ada County (13,349, 91.6 percent) and Twin Falls County (948, 6.5 percent).

In the past year, induced abortions occurring in Idaho decreased 5.7 percent from 1,458 in 2012 to 1,375 in 2013. In 2013, induced abortion procedures occurred in Ada County (1,106), Twin Falls County (267), and one each in Kootenai and Madison County. Ada County reported a 7.8 percent decrease of abortions from 2012 to 2013. The number in Twin Falls County increased 3.5 percent from 258 in 2012 to 267 in 2013.

Age:

From 2012 to 2013, the number of abortions decreased in all age groups except for 20-24 year olds which increased 1.7 percent, and 35-39 year olds which increased 27.4 percent. Among teens, the number of abortions decreased 26.4 percent (teens aged 15-19); this age group accounted for 12.6 percent of the abortions in Idaho in 2013. The number of abortions to women aged 20-24 accounted for the highest percentage of abortions in 2013 (35.8 percent) with 492 abortions, followed by women aged 25-29 with 24.7 percent (340 abortions).

Residency Status:

Idaho residents accounted for 96.1 percent of abortions occurring in Idaho and non-residents accounted for 3.9 percent in 2013. The number of abortions occurring in Idaho to Idaho residents decreased 4.2 percent in 2013, from 1,379 in 2012 to 1,321 in 2013. The number of abortions occurring to non-Idaho residents decreased 31.6 percent from 79 in 2012 to 54 in 2013.

Marital Status:

The number of abortions occurring to married women increased 14.2 percent in 2013, from 197 in 2012 to 225 in 2013. The number of abortions occurring to unmarried women decreased 9.1 percent in 2013, from 1,257 in 2012 to 1,143 in 2013.

Race:

There was an increase in the number of abortions occurring to American Indians (83.3 percent) and females of other race, which includes more than one race (30.0 percent) from 2012 to 2013. The number decreased among whites (6.5 percent), Asians (15.6 percent), and Blacks (13.0 percent). White females made up the majority of the abortions occurring in Idaho (88.2 percent), followed by other race (5.8 percent), Asian (2.8 percent), American Indian (1.6 percent), and Black females (1.5 percent).

Ethnicity:

The number of abortions occurring to Hispanics decreased 9.0 percent in 2013, from 222 in 2012 to 202 in 2013. At the same time, the number of abortions occurring to non-Hispanics decreased 6.8 percent, from 1,218 in 2012 to 1,135 in 2013. The number of abortions to Hispanic women accounted for 13.7 percent of the abortions in Idaho in 2011, 15.4 percent in 2012, and 15.1 percent in 2013.

**Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
2003-2013**

PLACE OF OCCURRENCE	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IN IDAHO	911	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375
District 1	-	-	-	-	-	-	-	-	-	-	1
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	838	873	1,018	1,218	1,441	1,473	1,572	1,370	1,240	1,200	1,106
District 5	24	25	18	-	-	8	76	140	199	258	267
District 6	49	65	63	31	1	-	-	-	-	-	-
District 7	-	-	-	-	-	-	2	-	1	-	1
Ada	838	873	1,018	1,218	1,441	1,473	1,572	1,370	1,240	1,200	1,106
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	49	65	63	31	1	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	24	25	18	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	-	-	-	-	-	-	-	1
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	2	-	1	-	1
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	-	-	8	76	140	199	258	267
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
2003-2013**

DEMOGRAPHIC CHARACTERISTICS	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IN IDAHO	911	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375
Age:											
10-14	3	2	6	8	5	3	6	6	6	3	3
15-19	178	189	208	257	290	274	283	246	207	235	173
15-17	47	68	73	113	99	80	85	75	54	68	45
18-19	131	121	135	144	191	194	198	171	153	167	128
20-24	304	302	330	398	475	511	562	509	475	484	492
25-29	171	191	267	268	318	317	353	335	329	353	340
30-34	137	151	138	162	178	211	229	251	252	212	177
35-39	74	95	107	112	122	118	143	121	115	106	135
40-44	43	32	41	42	51	42	72	40	53	59	50
45+	1	1	2	1	3	5	2	2	2	5	5
Not stated	-	-	-	1	-	-	-	-	1	1	-
Idaho residence status:											
Resident	871	928	1,065	1,215	1,390	1,439	1,583	1,435	1,372	1,379	1,321
Non-resident	40	35	34	34	52	42	67	75	68	79	54
Marital status:											
Married	238	184	219	256	309	269	318	227	226	197	225
Not married	671	778	878	993	1,132	1,210	1,331	1,283	1,209	1,257	1,143
Not stated	2	1	2	-	1	2	1	-	5	4	7
Previous induced abortions:											
None	691	725	856	976	1,104	1,078	1,174	1,055	1,007	1,049	1,014
1	159	182	177	199	272	311	347	331	317	251	251
2	38	39	46	48	47	64	89	85	75	69	64
3+	16	13	15	19	17	28	38	39	32	28	28
Not stated	7	4	5	7	2	-	2	-	9	61	18
Race											
White	845	894	1,018	1,133	1,288	1,358	1,500	1,315	1,244	1,260	1,178
Black	11	17	16	14	23	14	22	22	16	23	20
American Indian	10	11	19	25	17	18	20	24	9	12	22
Asian/Pacific Islander	32	32	35	38	41	48	50	45	42	45	38
Other	-	3	1	3	11	34	39	32	39	60	78
Race not stated	13	6	10	36	62	9	19	72	90	58	39
Ethnicity*											
Hispanic	110	115	133	136	140	151	231	246	195	222	202
Non-Hispanic	785	838	959	1,104	1,281	1,319	1,406	1,242	1,230	1,218	1,135
Ethnicity not stated	16	10	7	9	21	11	13	22	15	18	38

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals. Dash (-) represents zero.

**Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
2003-2013**

DEMOGRAPHIC CHARACTERISTICS	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IN IDAHO	911	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375
Age:											
10-14	0.3%	0.2%	0.5%	0.6%	0.3%	0.2%	0.4%	0.4%	0.4%	0.2%	0.2%
15-19	19.5	19.6	18.9	20.6	20.1	18.5	17.2	16.3	14.4	16.1	12.6
15-17	5.2	7.1	6.6	9.1	6.9	5.4	5.2	5.0	3.8	4.7	3.3
18-19	14.4	12.6	12.3	11.5	13.2	13.1	12.0	11.3	10.6	11.5	9.3
20-24	33.4	31.4	30.0	31.9	32.9	34.5	34.1	33.7	33.0	33.2	35.8
25-29	18.8	19.8	24.3	21.5	22.1	21.4	21.4	22.2	22.9	24.2	24.7
30-34	15.0	15.7	12.6	13.0	12.3	14.2	13.9	16.6	17.5	14.6	12.9
35-39	8.1	9.9	9.7	9.0	8.5	8.0	8.7	8.0	8.0	7.3	9.8
40-44	4.7	3.3	3.7	3.4	3.5	2.8	4.4	2.6	3.7	4.0	3.6
45+	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.1	0.3	0.4
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	95.6%	96.4%	96.9%	97.3%	96.4%	97.2%	95.9%	95.0%	95.3%	94.6%	96.1%
Non-resident	4.4	3.6	3.1	2.7	3.6	2.8	4.1	5.0	4.7	5.4	3.9
Marital status:											
Married	26.2%	19.1%	20.0%	20.5%	21.4%	18.2%	19.3%	15.0%	15.7%	13.5%	16.4%
Not married	73.8	80.9	80.0	79.5	78.6	81.8	80.7	85.0	84.3	86.5	83.6
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	76.4%	75.6%	78.2%	78.6%	76.7%	72.8%	71.2%	69.9%	70.4%	75.1%	74.7%
1	17.6	19.0	16.2	16.0	18.9	21.0	21.1	21.9	22.2	18.0	18.5
2	4.2	4.1	4.2	3.9	3.3	4.3	5.4	5.6	5.2	4.9	4.7
3+	1.8	1.4	1.4	1.5	1.2	1.9	2.3	2.6	2.2	2.0	2.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race											
White	94.1%	93.4%	93.5%	93.4%	93.3%	92.3%	92.0%	91.4%	92.1%	90.0%	88.2%
Black	1.2	1.8	1.5	1.2	1.7	1.0	1.3	1.5	1.2	1.6	1.5
American Indian	1.1	1.1	1.7	2.1	1.2	1.2	1.2	1.7	0.7	0.9	1.6
Asian/Pacific Islander	3.6	3.3	3.2	3.1	3.0	3.3	3.1	3.1	3.1	3.2	2.8
Other	-	0.3	0.1	0.2	0.8	2.3	2.4	2.2	2.9	4.3	5.8
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethnicity*											
Hispanic	12.3%	12.1%	12.2%	11.0%	9.9%	10.3%	14.1%	16.5%	13.7%	15.4%	15.1%
Non-Hispanic	87.7	87.9	87.8	89.0	90.1	89.7	85.9	83.5	86.3	84.6	84.9
Ethnicity not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.


Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable.


Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
2003-2013




Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
2003-2013




Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
2003-2013



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
2003-2013



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Weeks of Gestation and Primary Termination Procedure
2003-2013

PROCEDURE CHARACTERISTICS	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IN IDAHO	911	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375
Weeks of gestation: ¹											
<9	540	585	645	804	926	997	1,056	994	887	978	921
9-10	236	238	303	258	256	275	309	282	300	242	234
11-12	103	111	118	135	187	135	199	163	174	141	144
13-15	13	18	15	37	53	62	65	59	69	86	64
16-20	12	6	13	8	11	8	14	6	6	10	9
21-24	3	5	4	3	5	3	5	5	2	1	3
25+	1	-	1	2	-	-	1	1	-	-	-
Not stated	3	-	-	2	4	1	1	-	2	-	-
Termination procedure: ²											
Suction curettage	895	952	967	1,035	1,129	1,043	1,068	995	932	883	845
Medical (nonsurgical)	10	3	117	198	293	423	556	504	499	559	513
Dilation and evacuation (D&E)	3	1	3	7	12	7	13	6	4	12	8
Intra-uterine instillation (saline / prostaglandin)	1	4	4	3	2	1	1	1	1	2	2
Sharp curettage (D&C)	-	2	4	3	2	4	5	2	2	2	3
Hysterotomy / Hysterectomy	-	-	-	-	-	-	1	-	-	-	-
Other	1	1	4	3	4	3	6	2	2	-	4
Not stated	1	-	-	-	-	-	-	-	-	-	-

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization (not shown). The postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. Therefore, the clinical estimated length of gestation is approximately two weeks longer than the number of weeks postfertilization. Abortion data published in this table are based on the clinical estimated length of gestation, and are not comparable with data based on postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.

NA - not applicable

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Weeks of Gestation and Primary Termination Procedure (Percent)
2003-2013

PROCEDURE CHARACTERISTICS	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IN IDAHO	911	963	1,099	1,249	1,442	1,481	1,650	1,510	1,440	1,458	1,375
Weeks of gestation: ¹											
<9	59.5%	60.7%	58.7%	64.5%	64.4%	67.4%	64.0%	65.8%	61.7%	67.1%	67.0%
9-10	26.0	24.7	27.6	20.7	17.8	18.6	18.7	18.7	20.9	16.6	17.0
11-12	11.3	11.5	10.7	10.8	13.0	9.1	12.1	10.8	12.1	9.7	10.5
13-15	1.4	1.9	1.4	3.0	3.7	4.2	3.9	3.9	4.8	5.9	4.7
16-20	1.3	0.6	1.2	0.6	0.8	0.5	0.8	0.4	0.4	0.7	0.7
21-24	0.3	0.5	0.4	0.2	0.3	0.2	0.3	0.3	0.1	0.1	0.2
25+	0.1	-	0.1	0.2	-	-	0.1	0.1	-	-	-
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure: ²											
Suction curettage	98.4%	98.9%	88.0%	82.9%	78.3%	70.4%	64.7%	65.9%	64.7%	60.6%	61.5%
Medical (nonsurgical)	1.1	0.3	10.6	15.9	20.3	28.6	33.7	33.4	34.7	38.3	37.3
Dilation and evacuation (D&E)	0.3	0.1	0.3	0.6	0.8	0.5	0.8	0.4	0.3	0.8	0.6
Intra-uterine instillation (saline / prostaglandin)	0.1	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Sharp curettage (D&C)	-	0.2	0.4	0.2	0.1	0.3	0.3	0.1	0.1	0.1	0.2
Hysterotomy / Hysterectomy	-	-	-	-	-	-	0.1	-	-	-	-
Other	0.1	0.1	0.4	0.2	0.3	0.2	0.4	0.1	0.1	-	0.3
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization (not shown). The postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. Therefore, the clinical estimated length of gestation is approximately two weeks longer than the number of weeks postfertilization. Abortion data published in this table based on the clinical estimated length of gestation are not comparable with data based on postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


Dash (-) represents zero.

NA - not applicable

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure by Clinical Estimated Length of Gestation*
Three-Year Total, 2011-2013

TERMINATION PROCEDURE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,273	2,786	776	459	219	25	6	-	2
Suction curettage	2,660	1,265	736	450	206	2	-	-	1
Medical (nonsurgical)	1,571	1,519	40	2	-	8	1	-	1
Dilation and evacuation (D&E)	24	-	-	2	13	9	-	-	-
Intra-uterine instillation (saline / prostaglandin)	5	-	-	-	-	4	1	-	-
Sharp curettage (D&C)	7	2	-	5	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	6	-	-	-	-	2	4	-	-
Not stated	-	-	-	-	-	-	-	-	-

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Length of Gestation*
Three-Year Total, 2011-2013



Percentages are based on records with known data for length of gestation.

*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information). The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


Dash (-) represents zero.

Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Clinical Estimated Length of Gestation*
Three-Year Total, 2011-2013

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,273	2,786	776	459	219	25	6	-	2
10-14	12	3	3	2	4	-	-	-	-
15-19	615	370	128	67	47	3	-	-	-
15-17	167	91	40	25	10	1	-	-	-
18-19	448	279	88	42	37	2	-	-	-
20-24	1,451	911	277	171	81	8	3	-	-
25-29	1,022	682	188	102	41	7	1	-	1
30-34	641	449	97	65	26	2	2	-	-
35-39	356	252	53	33	14	3	-	-	1
40-44	162	109	28	19	5	1	-	-	-
45+	12	10	-	-	1	1	-	-	-
Not stated	2	-	2	-	-	-	-	-	-

Dash (-) represents zero.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Clinical Estimated Length of Gestation*
Three-Year Total, 2011-2013



*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information).

Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2011-2013

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	4,273	3,609	648	16
10-14	12	12	-	-
15-19	615	593	19	3
15-17	167	164	2	1
18-19	448	429	17	2
20-24	1,451	1,322	123	6
25-29	1,022	851	168	3
30-34	641	470	167	4
35-39	356	238	118	-
40-44	162	113	49	-
45+	12	8	4	-
Not stated	2	2	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2011-2013





Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2011-2013

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	4,273	3,070	819	208	88	88
10-14	12	12	-	-	-	-
15-19	615	559	45	4	-	7
15-17	167	157	5	-	-	5
18-19	448	402	40	4	-	2
20-24	1,451	1,097	265	47	17	25
25-29	1,022	679	233	69	23	18
30-34	641	384	151	55	31	20
35-39	356	238	78	21	9	10
40-44	162	94	42	11	8	7
45+	12	6	5	1	-	-
Not stated	2	1	-	-	-	1

Dash (-) represents zero.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2011-2013



**Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1998-2013**

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481
2009	1,650	-	-	1,650
2010	1,509	1	-	1,510
2011	1,440	-	-	1,440
2012	1,458	-	-	1,458
2013	1,375	-	-	1,375

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent*, Aged Under 18
2013**

Total Abortions Aged <18	48
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	46
Written informed consent of emancipated minor for herself	-
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	1
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Medical emergency	1
Unknown	-

* Data on Informed Consent for females under age 18 was required by legislation to be collected beginning 3/27/2007.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2003 - 2013

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2013, there were ten out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary 2003 to 2013

From 2003 to 2013, the number of abortions to Idaho residents ranged from a low of 1,618 in 2004 to a high of 2,348 in 2009. There were a total of 21,462 abortions to Idaho residents in the 11 year period from 2003 to 2013, for an average of 1,951 abortions per year. The majority of abortions to Idaho residents occurred in Idaho. From 2003 to 2013, 13,998 abortions to residents occurred in Idaho (65.2 percent). Of the 7,464 abortions to Idaho residents which occurred out of state from 2003 to 2013, 5,261 occurred in Washington (70.5 percent of out-of-state abortions). A total of 1,399 abortions occurred in Utah (18.7 percent), 405 in Oregon (5.4 percent), and 384 in Montana (5.1 percent).

Overall, the number of abortions to Idaho residents increased by 174 (10.7 percent) from in 2003 to in 2013. The abortion rate per 1,000 females aged 15-44 remained relatively unchanged from 5.6 in 2003 to 5.8 abortions per 1,000 females in 2013. The abortion ratio per 1,000 live births increased 8.1 percent from 74.3 per 1,000 live births in 2003 to 80.3 per 1,000 live births in 2013.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2013

Summary 2013

From 2012 to 2013, the number of abortions to Idaho residents decreased by 122 (6.4 percent) from 1,916 in 2012 to 1,794 in 2013. Overall, the Idaho resident abortion rate decreased 6.5 percent from 6.2 per 1,000 females aged 15-44 in 2012 to 5.8 in 2013. The abortion ratio per 1,000 live births decreased 3.7 percent from 83.5 abortions per 1,000 live births in 2012 to 80.3 abortions per 1,000 live births in 2013.

District of Residence:

From 2012 to 2013, the number of abortions decreased for residents in Districts 1, 3, 4, 5, and 6. District 1 had the highest decrease in the number of abortions to residents at 13.3 percent. The percent decrease in the number of abortions among District 3 residents was 4.4 percent, 9.6 percent among District 4, 5.2 among District 5, and 3.0 percent among District 6 residents. The number of abortions increased among District 2 residents by 13.3 percent and 8.0 percent among District 7 residents. The abortion rate (number of abortions per 1,000 females aged 15-44) ranged from a low of 2.2 among District 7 residents and a high of 7.8 among District 4 residents in 2013.

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho decreased 4.2 percent in 2013, from 1,379 in 2012 to 1,321 in 2013.

Out-of-State:

The number of induced abortions occurring to Idaho residents in another state decreased 11.9 percent, from 537 in 2012 to 473 in 2013. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington in 2013 (70.2 percent), followed by Utah (19.5 percent), Montana (5.9 percent), and Oregon (4.4 percent).

Table 10A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
2003-2013

RESIDENCE	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IDAHO RESIDENT	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794
District 1	395	357	423	371	364	365	346	333	268	264	229
District 2	187	172	161	158	170	133	138	126	160	90	102
District 3	191	183	192	265	294	324	408	326	312	319	305
District 4	603	625	744	840	909	921	894	851	794	794	718
District 5	124	147	150	142	200	196	273	226	222	230	218
District 6	62	83	91	78	132	105	164	152	153	132	128
District 7	58	51	66	65	91	88	125	109	96	87	94
Ada	571	586	703	775	840	862	837	786	735	729	668
Adams	3	1	2	5	1	4	7	-	2	3	4
Bannock	40	63	58	57	97	74	120	111	88	84	81
Bear Lake	2	1	-	3	-	1	1	3	2	1	3
Benewah	11	13	12	8	15	15	17	11	12	4	6
Bingham	10	12	21	10	23	18	30	25	46	33	31
Blaine	51	61	54	41	46	43	47	39	42	41	34
Boise	1	-	3	8	3	7	7	9	8	2	8
Bonner	57	55	62	59	64	59	35	55	38	40	33
Bonneville	38	33	40	38	62	59	88	75	65	60	68
Boundary	10	9	14	8	7	6	13	7	6	5	8
Butte	2	1	1	-	1	-	1	-	1	1	1
Camas	-	-	-	1	-	-	1	-	2	-	1
Canyon	160	150	161	214	248	267	336	264	271	264	253
Caribou	3	1	1	-	3	4	4	3	3	1	3
Cassia	6	7	9	9	11	14	17	18	17	14	16
Clark	-	-	1	-	1	-	-	-	-	-	-
Clearwater	7	7	8	2	5	7	7	4	7	3	6
Custer	4	3	3	1	2	4	6	3	1	2	5
Elmore	21	23	25	31	46	34	37	43	39	45	31
Franklin	3	3	5	3	2	3	3	4	1	6	4
Fremont	2	2	5	3	4	4	5	1	5	2	5
Gem	8	6	9	15	11	18	14	13	9	13	12
Gooding	7	7	5	10	18	19	31	23	13	8	10
Idaho	12	5	5	6	9	10	8	8	8	6	4
Jefferson	2	2	4	5	4	3	9	12	8	6	9
Jerome	9	13	14	14	18	21	27	15	26	24	21
Kootenai	295	260	313	277	265	266	262	248	192	195	163
Latah	100	73	79	66	76	59	56	59	64	43	57
Lemhi	10	6	6	11	9	9	5	5	5	11	2
Lewis	6	7	4	7	6	5	4	2	3	1	-
Lincoln	1	6	4	4	5	3	2	6	4	8	2
Madison	-	3	3	2	2	3	5	3	6	5	5
Minidoka	10	9	6	5	15	9	14	20	13	21	24
Nez Perce	62	80	65	77	74	52	63	53	78	37	35
Oneida	1	2	1	1	2	-	1	1	2	2	1
Owyhee	4	8	7	3	6	10	10	12	7	7	4
Payette	12	14	10	22	24	18	28	31	18	26	22
Power	1	-	4	4	4	5	4	5	10	4	4
Shoshone	22	20	22	19	13	19	19	12	20	20	19
Teton	2	2	4	5	7	6	7	10	6	1	-
Twin Falls	40	44	58	58	87	87	134	105	105	114	110
Valley	10	16	13	26	20	18	13	13	12	18	11
Washington	4	4	3	6	4	7	13	6	5	6	10

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 10B
INDUCED ABORTIONS TO IDAHO RESIDENTS
Rate by District and County of Residence
2003-2013

RESIDENCE	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL	5.6	5.5	6.1	6.4	7.2	7.1	7.7	6.9	6.5	6.2	5.8
District 1	10.8	9.4	10.8	9.4	9.3	9.2	9.0	8.9	7.2	7.0	6.1
District 2	9.2	8.4	7.8	8.1	8.5	6.9	6.7	6.3	7.9	4.4	5.0
District 3	4.3	4.0	4.0	5.3	5.9	6.5	8.3	6.6	6.3	6.4	6.0
District 4	7.5	7.7	8.9	9.9	10.5	10.6	9.9	9.6	8.9	8.7	7.8
District 5	3.8	4.4	4.5	4.3	6.2	6.1	8.4	6.6	6.5	6.7	6.3
District 6	1.9	2.5	2.7	2.4	4.0	3.2	4.9	4.6	4.6	4.0	3.9
District 7	1.5	1.3	1.7	1.7	2.3	2.1	2.9	2.5	2.2	2.0	2.2
Ada	8.0	8.1	9.4	10.2	10.8	11.0	10.3	9.7	9.0	8.7	7.9
Adams	5.3	1.7	3.3	8.8	1.7	7.2	13.8	-	3.8	6.0	8.2
Bannock	2.4	3.7	3.3	3.4	5.7	4.4	6.6	6.4	4.9	4.7	4.6
Bear Lake	1.7	0.9	-	2.8	-	1.0	1.1	3.2	2.1	1.0	3.1
Benewah	7.0	8.3	7.6	5.0	9.7	9.8	12.0	7.7	8.8	2.9	4.5
Bingham	1.1	1.3	2.3	1.1	2.7	2.1	3.7	2.9	5.3	3.9	3.7
Blaine	12.3	14.8	13.4	10.5	12.3	11.6	12.2	10.5	11.5	11.5	9.6
Boise	0.7	-	2.2	5.7	2.2	5.3	5.9	9.8	8.6	2.2	8.9
Bonner	7.9	7.5	8.3	7.9	8.9	8.2	5.2	8.8	6.1	6.5	5.3
Bonneville	2.1	1.8	2.1	2.0	3.2	3.0	4.4	3.7	3.2	2.9	3.2
Boundary	5.4	4.7	7.3	4.2	3.7	3.2	7.6	4.1	3.6	3.0	4.8
Butte	4.2	2.1	2.2	-	2.3	-	2.6	-	2.4	2.5	2.6
Camas	-	-	-	4.3	-	-	4.6	-	10.8	-	6.0
Canyon	4.8	4.3	4.4	5.6	6.5	6.9	8.8	6.8	7.0	6.7	6.3
Caribou	2.2	0.7	0.8	-	2.5	3.4	3.5	2.7	2.7	0.9	2.7
Cassia	1.5	1.7	2.2	2.3	2.9	3.7	4.6	4.3	4.1	3.4	3.8
Clark	-	-	5.6	-	5.8	-	-	-	-	-	-
Clearwater	5.5	5.6	6.6	1.7	4.4	6.5	7.4	3.6	6.6	2.9	5.9
Custer	5.8	4.3	4.5	1.5	3.1	6.2	9.9	4.9	1.7	3.3	8.2
Elmore	3.4	3.9	4.4	5.8	8.4	6.3	5.8	7.7	7.2	8.4	5.9
Franklin	1.3	1.2	2.0	1.2	0.9	1.3	1.3	1.7	0.4	2.6	1.7
Fremont	0.9	0.9	2.3	1.4	1.8	1.8	2.3	0.4	2.2	0.9	2.2
Gem	2.7	1.9	2.8	4.7	3.6	6.0	5.2	4.8	3.4	5.0	4.6
Gooding	2.7	2.7	2.0	4.1	7.4	7.8	13.3	8.5	4.9	3.1	3.9
Idaho	4.9	2.0	2.0	2.5	3.9	4.4	4.0	3.7	3.7	2.8	1.9
Jefferson	0.5	0.5	0.9	1.1	0.9	0.6	2.0	2.4	1.6	1.2	1.8
Jerome	2.5	3.5	3.7	3.7	4.9	5.7	7.1	3.5	6.1	5.7	5.0
Kootenai	12.3	10.4	12.0	10.5	10.0	9.9	9.9	9.6	7.4	7.4	6.2
Latah	11.5	8.5	8.9	8.0	8.8	7.0	5.8	6.5	6.9	4.6	6.1
Lemhi	7.5	4.4	4.4	8.2	7.1	7.0	4.5	4.7	4.7	10.8	2.0
Lewis	9.8	11.7	6.8	12.0	11.2	9.1	7.5	3.9	5.7	1.9	-
Lincoln	1.2	6.8	4.3	4.3	5.8	3.5	2.4	6.2	4.2	8.2	2.0
Madison	-	0.3	0.3	0.2	0.2	0.3	0.4	0.3	0.5	0.4	0.5
Minidoka	2.7	2.4	1.7	1.4	4.6	2.7	4.3	5.8	3.7	6.0	6.7
Nez Perce	8.4	10.8	8.7	10.9	10.2	7.3	8.4	7.4	10.9	5.1	4.8
Oneida	1.3	2.6	1.3	1.3	2.8	-	1.5	1.5	3.1	3.1	1.5
Owyhee	1.9	4.0	3.5	1.5	3.2	5.4	5.7	6.0	3.5	3.5	2.0
Payette	2.8	3.3	2.3	5.0	5.6	4.2	6.7	7.5	4.4	6.4	5.5
Power	0.7	-	2.5	2.5	2.7	3.4	2.7	3.6	7.4	2.9	3.0
Shoshone	10.3	9.4	10.2	8.8	6.3	9.4	9.8	6.1	10.2	10.1	9.6
Teton	1.3	1.3	2.7	3.2	4.2	3.4	3.5	4.6	2.9	0.5	-
Twin Falls	2.9	3.2	4.2	4.1	6.1	6.1	9.2	7.1	7.0	7.5	7.1
Valley	7.8	12.2	9.4	17.1	13.3	12.3	9.3	8.9	8.5	12.7	7.9
Washington	2.3	2.2	1.7	3.5	2.3	4.0	8.4	3.8	3.2	3.8	6.5

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.

Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2003-2013

STATE OF OCCURRENCE	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL IDAHO RESIDENT	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794
Abortions in Idaho	871	928	1,065	1,215	1,390	1,439	1,583	1,435	1,372	1,379	1,321
Abortions out of state	749	690	762	704	770	693	765	688	633	537	473
Montana	25	19	20	19	30	39	61	59	36	48	28
Oregon	57	49	45	59	33	27	35	31	30	18	21
Utah	79	87	104	96	181	134	202	160	156	108	92
Washington	586	533	591	528	525	490	466	438	410	362	332
All other	2	2	2	2	1	3	1	-	1	1	-

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
2003-2013




Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
2003-2013

AGE	2003	2004	2005	2006	2007	2008	2009	2010	2011*	2012	2013
TOTAL IDAHO RESIDENT	1,620	1,618	1,827	1,919	2,160	2,132	2,348	2,123	2,005	1,916	1,794
Age:											
10-14	12	6	9	12	8	6	8	13	6	8	4
15-19	336	323	356	380	430	395	409	344	328	314	224
15-17	105	127	127	159	155	127	136	113	97	102	62
18-19	231	196	229	221	275	268	273	231	231	212	162
20-24	553	530	579	632	732	733	786	722	649	621	620
25-29	303	327	412	427	470	453	517	470	450	457	445
30-34	221	223	219	228	272	297	308	333	331	290	245
35-39	133	141	177	173	167	174	216	175	159	139	179
40-44	58	63	68	60	72	63	91	61	76	74	66
45+	3	3	5	2	6	7	9	4	3	7	7
Not stated	1	2	2	5	3	4	4	1	3	6	4
Abortion rate per 1,000 females in age group:											
Total ¹	5.6	5.5	6.1	6.4	7.2	7.1	7.7	6.9	6.5	6.2	5.8
Age ² :											
10-14	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1
15-19	6.4	6.1	6.7	7.0	7.9	7.2	7.2	6.1	5.7	5.7	4.0
15-17	3.4	4.1	4.0	4.8	4.7	3.9	4.2	3.4	2.9	3.0	1.8
18-19	10.7	9.0	10.6	10.3	12.7	12.1	11.3	10.0	9.8	9.7	7.5
20-24	10.2	9.5	10.2	12.7	15.1	15.1	14.6	13.5	12.0	11.2	11.4
25-29	7.1	7.4	8.7	8.0	8.7	8.2	9.5	9.1	8.7	8.9	8.6
30-34	5.1	5.1	4.9	5.0	5.8	6.2	6.4	6.7	6.4	5.6	4.6
35-39	3.0	3.2	3.9	3.7	3.5	3.6	4.6	3.7	3.4	2.9	3.7
40-44	1.2	1.3	1.3	1.2	1.5	1.3	2.0	1.3	1.6	1.5	1.4
45+	0.1	0.1	0.1	-	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Not stated	NA	NA	NA	NA							
Abortion ratio per 1,000 live births in age group:											
Total ³	74.3	71.8	79.2	79.3	86.3	84.8	99.0	91.5	89.9	83.5	80.3
Age:											
10-14	631.6	428.6	473.7	666.7	470.6	333.3	533.3	1,000.0	400.0	888.9	363.6
15-19	161.8	156.9	176.3	176.9	190.3	174.6	201.4	184.5	207.1	200.4	157.1
15-17	192.7	241.9	238.7	266.3	246.8	195.1	248.2	223.8	251.9	260.9	199.4
18-19	150.9	127.9	154.0	142.5	168.5	166.4	184.1	170.0	192.7	180.3	145.3
20-24	79.8	73.7	80.6	84.1	97.0	100.6	116.1	114.0	106.2	99.1	105.9
25-29	46.8	48.5	57.7	55.7	59.5	55.6	68.7	62.1	63.0	62.5	61.1
30-34	52.4	51.5	49.9	50.3	57.2	59.9	61.9	65.9	64.9	54.6	47.2
35-39	77.8	79.3	94.1	89.4	80.1	84.6	109.4	90.3	82.9	69.4	84.8
40-44	168.6	165.4	167.1	172.9	168.6	166.2	230.4	151.7	180.1	167.0	153.1
45+	150.0	96.8	178.6	100.0	272.7	166.7	272.7	111.1	150.0	259.3	184.2
Not stated	NA	NA	NA	NA							

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Rates for 2003-2009, 2011, 2012, and 2013 are based on July 1, 2003-July 1, 2013 population estimates from the U.S. Census Bureau and NCHS, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, August 16, 2007, September 5, 2008, September 2, 2009, July 23, 2010, July 20, 2012, June 13, 2013, and June 26, 2014.

Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Rate for 45+ age group is based on the population of women 45-49 years of age.

3. Total abortion ratio: Number of induced abortions per 1,000 live births.

* Abortion rate by age group for 2011 has been revised in this report.


Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 13
INDUCED ABORTIONS TO IDAHO RESIDENTS
Primary Termination Procedure by Clinical Estimated Length of Gestation*
Three-Year Total, 2011-2013

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	5,715	3,533	1,038	595	350	147	41	5	6
Suction curettage	3,540	1,694	978	582	266	16	-	1	3
Medical (nonsurgical)	1,879	1,811	50	2	-	10	2	1	3
Dilation and evacuation (D&E)	246	14	6	4	76	109	34	3	-
Intra-uterine instillation (saline / prostaglandin)	5	-	-	-	-	4	1	-	-
Sharp curettage (D&C)	16	5	-	5	5	1	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	7	1	-	-	-	2	4	-	-
Not stated	22	8	4	2	3	5	-	-	-

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Clinical Estimated Length of Gestation
Three-Year Total, 2011-2013




Percentages are based on records with known data for length of gestation.

*The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on weeks of gestation differ from data based on weeks postfertilization, and are not comparable (see footnote table 3A for additional information). The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

Dash (-) represents zero.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton

Costs associated with this publication are available from
 Division of Public Health, Idaho Department of Health and Welfare.
 HW-1206 January 2015